



# Cannery Tomato

# 2024

## PTAB Summary



# 2024 California Cannery Tomato

## Statewide - Top 45

Final Report

	Variety	Use	Attributes	Loads	Brix	Mold	LU	Color	pH	2023 Rank
1	SVTM9016	Thick	F3, EFH	44,416	5.21	3.2	0.5	21.05	4.40	2
2	HM8237	Inter	F3, Fr, EFH	40,476	5.16	1.6	0.5	21.34	4.38	1
3	H1996	Thick	F3, EFS™	30,754	5.18	2.1	0.6	19.86	4.47	6
4	HM58841	Inter	EFH	26,440	5.40	2.0	0.7	20.43	4.43	4
5	H2016	Thick	F3	23,493	4.90	3.2	0.9	19.66	4.43	10
6	HM5522	Inter	Fr	21,738	5.74	1.0	0.7	19.29	4.38	7
7	HM8268	Inter	F3	17,423	5.40	1.5	1.2	19.34	4.43	12
8	SVTM9027	Early	F3, Lv	16,566	5.40	1.0	0.8	19.95	4.38	14
9	N6428	Inter	F3, EFH	15,342	5.09	3.0	1.7	21.08	4.50	8
10	HM7103	Early	EFH	14,511	5.30	0.5	1.4	20.15	4.42	9
11	SVTM9019	Thin	F3, EFH	11,673	5.51	1.8	2.4	21.82	4.32	13
12	H1776	Thick	-	9,608	5.12	1.6	0.7	20.21	4.44	94
13	SVTM9025	Thick	F3, Fr, EFH	9,539	5.33	1.8	0.5	20.67	4.32	22
14	HM4521	Inter	EFH	9,271	5.54	3.3	0.7	20.11	4.47	11
15	SVTM9023	Thick	F3, EFH	8,686	5.16	1.8	1.2	21.09	4.45	3
16	H1662	Thick	F3, Lv	8,331	5.08	3.5	1.3	21.09	4.53	15
17	SVTM1082	Thin	F3	8,229	5.59	1.7	1.5	20.65	4.40	16
18	SVTM9032	Early	F3, Fr, Lv	7,998	5.34	0.8	1.5	20.87	4.35	20
19	HM8163	Pear	-	7,564	5.81	2.2	1.3	19.03	4.49	24
20	SVTM9013	Inter	F3	6,161	5.27	2.4	0.8	19.70	4.46	5
21	N6475	Thick	F3, EFH	6,077	4.85	2.8	0.5	20.64	4.50	23
22	SVTM9037	Thick	F3, EFH, Lv	5,954	5.13	3.1	0.7	21.46	4.46	27
23	H5608	Thick	-	5,845	5.21	2.3	1.4	19.28	4.50	18
24	UG16112	Thick	EFH	4,941	4.91	1.5	0.5	20.34	4.46	38
25	N6474	Thin	F3, EFH	4,726	5.23	2.9	1.4	21.34	4.55	36
26	SVTM9036	Inter	F3, EFH, Lv	4,412	5.13	2.3	1.6	20.91	4.51	53
27	SVTM9024	Thick	F3, EFH	4,117	5.15	1.9	0.7	20.29	4.35	43
28	SVTM9034	Early	F3	3,964	5.53	1.2	0.9	19.99	4.47	65
29	H4707	Thick	EFS™	3,955	4.75	2.4	0.7	21.25	4.44	39
30	SVTM9021	Inter	F3, Fr	3,562	5.32	2.2	0.9	20.14	4.38	19
31	BP74	Thin	F3, EFH	3,389	5.76	2.0	1.5	20.08	4.47	21
32	N6416	Early	-	3,085	4.87	0.4	2.1	20.93	4.38	34
33	HM5235	Inter	F3	3,071	5.50	2.4	1.4	18.95	4.46	37
34	H2012	Inter	F3, EFS™	2,993	5.25	2.6	0.9	21.17	4.44	29
35	BOS811	Thick	EFH	2,817	5.11	1.4	0.8	19.63	4.38	17
36	BP101	Pear	F3	2,734	4.86	2.0	1.1	19.98	4.47	57
37	BQ400	Early	-	2,569	5.23	0.4	1.0	19.44	4.44	25
38	N6402	Thin	-	2,561	5.53	1.3	1.9	19.68	4.48	52
39	H2015	Thick	F3	2,272	4.80	3.2	0.6	19.04	4.47	46
40	SVTM9041	Thick	F3, EFH	1,846	5.23	4.5	0.5	21.33	4.41	-
41	HM5511	Thin	F3, Fr	1,810	5.44	1.0	3.0	20.19	4.49	35
42	N6485	Pear	F3	1,783	4.65	1.7	0.8	20.06	4.57	81
43	N6434	Inter	F3, EFH	1,750	5.06	3.4	1.8	21.59	4.47	28
44	SVTM9012	Thin	F3	1,402	5.51	2.7	1.2	19.96	4.43	51
45	H1015	Early	EFS™	1,304	5.18	1.0	0.7	19.34	4.43	60
<b>Statewide</b>				<b>440,626</b>	<b>5.26</b>	<b>2.1</b>	<b>1.0</b>	<b>20.39</b>	<b>4.43</b>	

# 2024 California Cannery Tomato

## Use Category Sort

Final PTAB

Variety	Supplier	Attributes	Loads		Brix		Mold	LU	Color	pH
			2024	2023	2024	2023				

### Early

SVTM9027	SVS	F3, Lv	16,566	10,009	5.40	5.47	1.0	0.8	19.95	4.38
HM7103	HM	EFH	14,511	20,900	5.30	5.23	0.5	1.4	20.15	4.42
SVTM9032	SVS	F3, Fr, Lv	7,998	7,765	5.34	5.33	0.8	1.5	20.87	4.35
SVTM9034	SVS	F3	3,964	793	5.53	5.31	1.2	0.9	19.99	4.47
N6416	NS	-	3,085	2,923	4.87	4.80	0.4	2.1	20.93	4.38
BQ400	SYN	-	2,569	5,870	5.23	4.99	0.4	1.0	19.44	4.44
H1015	HZ	EFS™	1,304	941	5.18	5.06	1.0	0.7	19.34	4.43
CXD187	HM	-	1,224	1,848	4.74	4.57	0.7	2.3	20.40	4.40
E247	ES	F3	1,190	1,216	5.10	5.00	1.5	1.3	19.90	4.37
BQ273	SYN	-	846	4,196	5.14	5.11	0.9	1.9	20.37	4.35
BQ403	SYN	-	817	3,614	4.75	5.22	1.8	2.9	20.74	4.35
SVTM9033	SVS	F3	590	1,045	5.33	4.80	0.5	1.2	20.59	4.42
HM0371	HM	F3, Fr	288	-	5.39	-	0.7	1.3	19.58	4.41
NB169	NB	F3	115	192	5.08	5.42	0.4	2.0	19.19	4.45
LS0691	LS	F3	99	-	5.24	-	0.7	1.9	19.39	4.51
N6489	NS	F3, Lv	88	-	5.23	-	0.5	0.7	19.31	4.39
BP116	BHN	F3	5	-	5.18	-	0.5	0.1	21.20	4.34
BP115	BHN	F3	4	-	5.10	-	0.5	0.8	21.25	4.37
BQ270	-	-	1	-	5.70	-	0.5	0.5	18.50	4.26
BQ401	-	-	1	-	5.40	-	6.0	0.5	20.00	4.58

<b>Total</b>	<b>55,265</b>	<b>61,312</b>	<b>5.30</b>	<b>5.20</b>	<b>0.8</b>	<b>1.3</b>	<b>20.18</b>	<b>4.40</b>
--------------	---------------	---------------	-------------	-------------	------------	------------	--------------	-------------

### Thin

SVTM9019	SVS	F3, EFH	11,673	11,335	5.51	5.41	1.8	2.4	21.82	4.32
SVTM1082	SVS	F3	8,229	9,383	5.59	5.52	1.7	1.5	20.65	4.40
N6474	NS	F3, EFH	4,726	2,890	5.23	5.23	2.9	1.4	21.34	4.55
BP74	BHN	F3, EFH	3,389	7,456	5.76	5.47	2.0	1.5	20.08	4.47
N6402	NS	-	2,561	1,284	5.53	5.65	1.3	1.9	19.68	4.48
HM5511	HM	F3, Fr	1,810	2,913	5.44	5.38	1.0	3.0	20.19	4.49
SVTM9012	SVS	F3	1,402	1,294	5.51	5.46	2.7	1.2	19.96	4.43
BP43	BHN	F3	1,272	1,365	5.54	5.17	2.4	1.1	20.40	4.46
N6366	NS	-	924	2,207	5.34	5.09	0.6	1.9	19.87	4.46
SVTM9040	SVS	F3	513	5	5.74	4.70	2.3	1.3	20.50	4.39
BP110	BHN	F3, EFH	144	-	5.51	-	3.7	1.2	19.90	4.38
SSA6377	SOS	-	127	304	5.72	5.44	2.4	0.6	20.72	4.42
DRI319	SVS	-	101	440	6.40	6.34	0.2	0.7	20.76	4.37
SVTM9011	SVS	F3	75	599	5.94	5.24	3.0	1.8	20.22	4.50

# 2024 California Cannery Tomato

Use Category Sort

Final PTAB

Variety	Supplier	Attributes	Loads		Brix		Mold	LU	Color	pH
			2024	2023	2024	2023				

## Thin

H2354	HZ	F3, Fr	61	7	5.54	5.06	1.7	1.3	20.44	4.39
H2355	HZ	F3, Fr	40	4	5.54	5.40	1.1	0.6	19.09	4.46
BP109	BHN	F3	8	-	6.23	-	0.4	0.7	19.19	4.31
BP49	BHN	F3	4	55	6.60	5.51	3.0	1.0	18.88	4.31
<b>Total</b>			<b>37,059</b>	<b>41,541</b>	<b>5.52</b>	<b>5.42</b>	<b>1.9</b>	<b>1.8</b>	<b>20.90</b>	<b>4.42</b>

## Intermediate

HM8237	HM	F3, Fr, EFH	40,476	41,053	5.16	5.13	1.6	0.5	21.34	4.38
HM58841	HM	EFH	26,440	31,292	5.40	5.24	2.0	0.7	20.43	4.43
HM5522	HM	Fr	21,738	25,701	5.74	5.66	1.0	0.7	19.29	4.38
HM8268	HM	F3	17,423	15,012	5.40	5.36	1.5	1.2	19.34	4.43
N6428	NS	F3, EFH	15,342	22,580	5.09	4.89	3.0	1.7	21.08	4.50
HM4521	HM	EFH	9,271	15,429	5.54	5.28	3.3	0.7	20.11	4.47
SVTM9013	SVS	F3	6,161	27,491	5.27	5.06	2.4	0.8	19.70	4.46
SVTM9036	SVS	F3, EFH, Lv	4,412	1,281	5.13	5.22	2.3	1.6	20.91	4.51
SVTM9021	SVS	F3, Fr	3,562	7,905	5.32	5.15	2.2	0.9	20.14	4.38
HM5235	HM	F3	3,071	2,789	5.50	5.16	2.4	1.4	18.95	4.46
H2012	HZ	F3, EFS™	2,993	4,514	5.25	5.31	2.6	0.9	21.17	4.44
N6434	NS	F3, EFH	1,750	4,812	5.06	4.96	3.4	1.8	21.59	4.47
HM4909	HM	Fr	728	1,692	5.65	5.80	1.2	0.5	20.96	4.22
UG29814	UG	F3, EFH	470	1,137	5.61	5.07	6.5	0.8	20.07	4.61
BOS7708	OS	F3	74	-	5.43	-	2.9	1.8	18.36	4.52
LS0645	LS	F3	68	-	5.12	-	1.9	1.4	20.29	4.56
HM3887	HM	-	50	828	5.41	5.16	1.8	0.8	19.35	4.49
BOS4565	OS	F3	31	1,299	4.65	5.70	5.2	1.7	21.55	4.52
N6394	-	-	10	-	5.92	-	0.2	1.2	21.60	4.34
SV8232TM	SVS	F3	4	3	4.90	5.37	1.8	0.3	21.13	4.34
SVTM9014	SVS	F3	2	888	5.05	5.25	4.5	1.8	21.00	4.32
UG10109	-	-	1	-	5.00	-	1.0	0.0	20.00	4.38
BP16	BHN	F3	1	-	4.80	-	0.0	0.0	19.50	4.32
<b>Total</b>			<b>154,078</b>	<b>205,706</b>	<b>5.34</b>	<b>5.22</b>	<b>2.0</b>	<b>0.9</b>	<b>20.41</b>	<b>4.42</b>

# 2024 California Cannery Tomato

## Use Category Sort

Final PTAB

Variety	Supplier	Attributes	Loads		Brix		Mold	LU	Color	pH
			2024	2023	2024	2023				

### Thick

SVTM9016	SVS	F3, EFH	44,416	36,801	5.21	5.10	3.2	0.5	21.05	4.40
H1996	HZ	F3, EFS™	30,754	26,889	5.18	4.97	2.1	0.6	19.86	4.47
H2016	HZ	F3	23,493	15,439	4.90	4.92	3.2	0.9	19.66	4.43
H1776	HZ	-	9,608	87	5.12	4.81	1.6	0.7	20.21	4.44
SVTM9025	SVS	F3, Fr, EFH	9,539	7,396	5.33	5.22	1.8	0.5	20.67	4.32
SVTM9023	SVS	F3, EFH	8,686	35,101	5.16	5.05	1.8	1.2	21.09	4.45
H1662	HZ	F3, Lv	8,331	9,773	5.08	5.06	3.5	1.3	21.09	4.53
N6475	NS	F3, EFH	6,077	6,893	4.85	4.68	2.8	0.5	20.64	4.50
SVTM9037	SVS	F3, EFH, Lv	5,954	4,834	5.13	4.97	3.1	0.7	21.46	4.46
H5608	HZ	-	5,845	8,398	5.21	4.97	2.3	1.4	19.28	4.50
UG16112	UG	EFH	4,941	2,754	4.91	4.99	1.5	0.5	20.34	4.46
SVTM9024	SVS	F3, EFH	4,117	1,814	5.15	4.94	1.9	0.7	20.29	4.35
H4707	HZ	EFS™	3,955	2,702	4.75	4.69	2.4	0.7	21.25	4.44
BOS811	OS	EFH	2,817	8,609	5.11	4.98	1.4	0.8	19.63	4.38
H2015	HZ	F3	2,272	1,603	4.80	4.84	3.2	0.6	19.04	4.47
SVTM9041	SVS	F3, EFH	1,846	-	5.23	-	4.5	0.5	21.33	4.41
SVTM9028	SVS	F3	1,099	1,227	5.49	4.94	3.9	1.7	18.83	4.60
H1657	HZ	-	781	146	4.64	4.36	1.4	0.5	18.61	4.55
H1991	HZ	F3	577	3,177	4.93	5.10	3.0	0.9	19.20	4.51
H5508	HZ	EFS™	474	1,374	4.56	4.82	6.0	0.9	20.90	4.50
H1311	HZ	EFS™	338	-	4.81	-	2.1	0.7	18.39	4.60
SVTM9038	SVS	F3, EFH	295	1,101	4.65	4.73	1.5	0.4	21.73	4.33
N6480	NS	F3, EFH, Lv	265	136	4.92	5.07	1.5	0.8	19.91	4.52
HZ Trial	HZ	-	229	12	4.82	5.99	3.7	0.6	20.53	4.46
N6493	NS	F3, EFH	176	-	4.88	-	1.4	0.5	20.77	4.46
N6492	NS	F3, EFH, Lv	133	-	5.17	-	1.6	0.9	20.59	4.57
H2365	HZ	F3, Fr, EFS™	126	5	5.00	4.74	0.8	0.5	20.56	4.47
H1310	HZ	F3, EFS™	117	368	4.90	5.11	7.6	1.3	21.21	4.60
BOS4680	OS	-	104	-	4.49	-	4.5	0.6	19.49	4.49
BOS8422	OS	F3	55	-	4.55	-	3.5	1.6	20.74	4.49
LS0681	LS	-	53	-	5.28	-	1.4	0.4	19.48	4.45
BOS8423	OS	F3	49	-	4.66	-	5.0	1.0	20.67	4.52
HM58811	HM	EFH	3	-	5.53	-	1.0	0.3	18.17	4.34
<b>Total</b>			<b>177,525</b>	<b>176,639</b>	<b>5.11</b>	<b>5.01</b>	<b>2.6</b>	<b>0.7</b>	<b>20.42</b>	<b>4.44</b>

# 2024 California Cannery Tomato

## Use Category Sort

Final PTAB

Variety	Supplier	Attributes	Loads		Brix		Mold	LU	Color	pH
			2024	2023	2024	2023				
<b>Pear</b>										
HM8163	HM	-	7,564	6,658	5.81	5.70	2.2	1.3	19.03	4.49
BP101	BHN	F3	2,734	1,135	4.86	4.59	2.0	1.1	19.98	4.47
N6485	NS	F3	1,783	207	4.65	4.62	1.7	0.8	20.06	4.57
N6420	NS	-	986	1,717	4.81	5.12	3.2	1.7	20.84	4.58
BP88	BHN	F3	768	3,306	5.06	5.05	3.5	2.0	19.68	4.55
H2128	HZ	F3	545	311	5.24	5.40	2.6	1.9	19.34	4.57
HM5369	HM	-	525	636	5.56	5.44	2.6	1.4	19.78	4.65
HM8507	HM	F3, Fr	442	494	5.56	5.53	1.6	1.3	18.43	4.50
N6495	NS	F3	45	-	5.10	-	2.3	1.2	19.87	4.60
BP71	BHN	F3	1	-	5.40	-	7.5	0.0	21.50	4.44
HM7885	HM	EFH	1	168	5.00	4.52	2.0	0.5	20.00	4.49
<b>Pear Total</b>			<b>15,394</b>	<b>14,632</b>	<b>5.37</b>	<b>5.34</b>	<b>2.2</b>	<b>1.3</b>	<b>19.49</b>	<b>4.51</b>
<b>Misc Total</b>			<b>1,305</b>	<b>1,453</b>	<b>5.23</b>	<b>4.98</b>	<b>2.4</b>	<b>1.1</b>	<b>20.37</b>	<b>4.43</b>
<b>Dead Varieties Total</b>			<b>-</b>	<b>13,620</b>	<b>-</b>	<b>5.07</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>Statewide</b>			<b>440,626</b>	<b>514,903</b>	<b>5.26</b>	<b>5.25</b>	<b>2.1</b>	<b>1.0</b>	<b>20.39</b>	<b>4.43</b>

*Dead Varieties\* Any variety that was in last year's PTAB Report and not in this current year.*

# 2024 California Cannery Tomato

## Supplier Sort

Final PTAB

Variety	Use	Attributes	Loads		Brix		Mold	LU	Color	pH
			2024	2023	2024	2023				

### BHN Seed

BP74	Thin	F3, EFH	3,389	7,456	5.76	5.47	2.0	1.5	20.08	4.47
BP101	Pear	F3	2,734	1,135	4.86	4.59	2.0	1.1	19.98	4.47
BP43	Thin	F3	1,272	1,365	5.54	5.17	2.4	1.1	20.40	4.46
BP88	Pear	F3	768	3,306	5.06	5.05	3.5	2.0	19.68	4.55
BP110	Thin	F3, EFH	144	-	5.51	-	3.7	1.2	19.90	4.38
BP109	Thin	F3	8	-	6.23	-	0.4	0.7	19.19	4.31
BP116	Early	F3	5	-	5.18	-	0.5	0.1	21.20	4.34
BP115	Early	F3	4	-	5.10	-	0.5	0.8	21.25	4.37
BP49	Thin	F3	4	55	6.60	5.51	3.0	1.0	18.88	4.31
BP16	Inter	F3	1	-	4.80	-	0.0	0.0	19.50	4.32

<b>Total</b>			<b>8,330</b>	<b>13,317</b>	<b>5.36</b>	<b>5.26</b>	<b>2.2</b>	<b>1.3</b>	<b>20.06</b>	<b>4.48</b>
--------------	--	--	--------------	---------------	-------------	-------------	------------	------------	--------------	-------------

### Harris Moran

HM8237	Inter	F3, Fr, EFH	40,476	41,053	5.16	5.13	1.6	0.5	21.34	4.38
HM58841	Inter	EFH	26,440	31,292	5.40	5.24	2.0	0.7	20.43	4.43
HM5522	Inter	Fr	21,738	25,701	5.74	5.66	1.0	0.7	19.29	4.38
HM8268	Inter	F3	17,423	15,012	5.40	5.36	1.5	1.2	19.34	4.43
HM7103	Early	EFH	14,511	20,900	5.30	5.23	0.5	1.4	20.15	4.42
HM4521	Inter	EFH	9,271	15,429	5.54	5.28	3.3	0.7	20.11	4.47
HM8163	Pear	-	7,564	6,658	5.81	5.70	2.2	1.3	19.03	4.49
HM5235	Inter	F3	3,071	2,789	5.50	5.16	2.4	1.4	18.95	4.46
HM5511	Thin	F3, Fr	1,810	2,913	5.44	5.38	1.0	3.0	20.19	4.49
CXD187	Early	-	1,224	1,848	4.74	4.57	0.7	2.3	20.40	4.40
HM4909	Inter	Fr	728	1,692	5.65	5.80	1.2	0.5	20.96	4.22
HM5369	Pear	-	525	636	5.56	5.44	2.6	1.4	19.78	4.65
HM8507	Pear	F3, Fr	442	494	5.56	5.53	1.6	1.3	18.43	4.50
HM0371	Early	F3, Fr	288	-	5.39	-	0.7	1.3	19.58	4.41
HM3887	Inter	-	50	828	5.41	5.16	1.8	0.8	19.35	4.49
HM58811	Thick	EFH	3	-	5.53	-	1.0	0.3	18.17	4.34
HM7885	Pear	EFH	1	168	5.00	4.52	2.0	0.5	20.00	4.49

<b>Total</b>			<b>145,565</b>	<b>167,413</b>	<b>5.40</b>	<b>5.31</b>	<b>1.6</b>	<b>0.9</b>	<b>20.22</b>	<b>4.42</b>
--------------	--	--	----------------	----------------	-------------	-------------	------------	------------	--------------	-------------

# 2024 California Cannery Tomato

## Supplier Sort

Final PTAB

Variety	Use	Attributes	Loads		Brix		Mold	LU	Color	pH
			2024	2023	2024	2023				

### Heinz

H1996	Thick	F3, EFS™	30,754	26,889	5.18	4.97	2.1	0.6	19.86	4.47
H2016	Thick	F3	23,493	15,439	4.90	4.92	3.2	0.9	19.66	4.43
H1776	Thick	-	9,608	87	5.12	4.81	1.6	0.7	20.21	4.44
H1662	Thick	F3, Lv	8,331	9,773	5.08	5.06	3.5	1.3	21.09	4.53
H5608	Thick	-	5,845	8,398	5.21	4.97	2.3	1.4	19.28	4.50
H4707	Thick	EFS™	3,955	2,702	4.75	4.69	2.4	0.7	21.25	4.44
H2012	Inter	F3, EFS™	2,993	4,514	5.25	5.31	2.6	0.9	21.17	4.44
H2015	Thick	F3	2,272	1,603	4.80	4.84	3.2	0.6	19.04	4.47
H1015	Early	EFS™	1,304	941	5.18	5.06	1.0	0.7	19.34	4.43
H1657	Thick	-	781	146	4.64	4.36	1.4	0.5	18.61	4.55
H1991	Thick	F3	577	3,177	4.93	5.10	3.0	0.9	19.20	4.51
H2128	Pear	F3	545	311	5.24	5.40	2.6	1.9	19.34	4.57
H5508	Thick	EFS™	474	1,374	4.56	4.82	6.0	0.9	20.90	4.50
H1311	Thick	EFS™	338	-	4.81	-	2.1	0.7	18.39	4.60
HZ Trial	Thick	-	229	12	4.82	5.99	3.7	0.6	20.53	4.46
H2365	Thick	F3, Fr, EFS™	126	5	5.00	4.74	0.8	0.5	20.56	4.47
H1310	Thick	F3, EFS™	117	368	4.90	5.11	7.6	1.3	21.21	4.60
H2354	Thin	F3, Fr	61	7	5.54	5.06	1.7	1.3	20.44	4.39
H2355	Thin	F3, Fr	40	4	5.54	5.40	1.1	0.6	19.09	4.46

<b>Total</b>			<b>91,843</b>	<b>75,750</b>	<b>5.06</b>	<b>4.98</b>	<b>2.5</b>	<b>0.8</b>	<b>19.98</b>	<b>4.46</b>
--------------	--	--	---------------	---------------	-------------	-------------	------------	------------	--------------	-------------

### Nunhems

N6428	Inter	F3, EFH	15,342	22,580	5.09	4.89	3.0	1.7	21.08	4.50
N6475	Thick	F3, EFH	6,077	6,893	4.85	4.68	2.8	0.5	20.64	4.50
N6474	Thin	F3, EFH	4,726	2,890	5.23	5.23	2.9	1.4	21.34	4.55
N6416	Early	-	3,085	2,923	4.87	4.80	0.4	2.1	20.93	4.38
N6402	Thin	-	2,561	1,284	5.53	5.65	1.3	1.9	19.68	4.48
N6485	Pear	F3	1,783	207	4.65	4.62	1.7	0.8	20.06	4.57
N6434	Inter	F3, EFH	1,750	4,812	5.06	4.96	3.4	1.8	21.59	4.47
N6420	Pear	-	986	1,717	4.81	5.12	3.2	1.7	20.84	4.58
N6366	Thin	-	924	2,207	5.34	5.09	0.6	1.9	19.87	4.46
N6480	Thick	F3, EFH, Lv	265	136	4.92	5.07	1.5	0.8	19.91	4.52
N6493	Thick	F3, EFH	176	-	4.88	-	1.4	0.5	20.77	4.46
N6492	Thick	F3, EFH, Lv	133	-	5.17	-	1.6	0.9	20.59	4.57
N6489	Early	F3, Lv	88	-	5.23	-	0.5	0.7	19.31	4.39
N6495	Pear	F3	45	-	5.10	-	2.3	1.2	19.87	4.60
N6394	Inter	-	10	-	5.92	-	0.2	1.2	21.60	4.34

<b>Total</b>			<b>37,951</b>	<b>45,649</b>	<b>5.06</b>	<b>4.92</b>	<b>2.5</b>	<b>1.5</b>	<b>20.86</b>	<b>4.50</b>
--------------	--	--	---------------	---------------	-------------	-------------	------------	------------	--------------	-------------

# 2024 California Cannery Tomato

## Supplier Sort

Final PTAB

Variety	Use	Attributes	Loads		Brix		Mold	LU	Color	pH
			2024	2023	2024	2023				

### Orsetti

BOS811	Thick	EFH	2,817	8,609	5.11	4.98	1.4	0.8	19.63	4.38
BOS4680	Thick	-	104	-	4.49	-	4.5	0.6	19.49	4.49
BOS7708	Inter	F3	74	-	5.43	-	2.9	1.8	18.36	4.52
BOS8422	Thick	F3	55	-	4.55	-	3.5	1.6	20.74	4.49
BOS8423	Thick	F3	49	-	4.66	-	5.0	1.0	20.67	4.52
BOS4565	Inter	F3	31	1,299	4.65	5.70	5.2	1.7	21.55	4.52
<b>Total</b>			<b>3,130</b>	<b>9,908</b>	<b>5.08</b>	<b>5.08</b>	<b>1.7</b>	<b>0.9</b>	<b>19.65</b>	<b>4.39</b>

### Seminis

SVTM9016	Thick	F3, EFH	44,416	36,801	5.21	5.10	3.2	0.5	21.05	4.40
SVTM9027	Early	F3, Lv	16,566	10,009	5.40	5.47	1.0	0.8	19.95	4.38
SVTM9019	Thin	F3, EFH	11,673	11,335	5.51	5.41	1.8	2.4	21.82	4.32
SVTM9025	Thick	F3, Fr, EFH	9,539	7,396	5.33	5.22	1.8	0.5	20.67	4.32
SVTM9023	Thick	F3, EFH	8,686	35,101	5.16	5.05	1.8	1.2	21.09	4.45
SVTM1082	Thin	F3	8,229	9,383	5.59	5.52	1.7	1.5	20.65	4.40
SVTM9032	Early	F3, Fr, Lv	7,998	7,765	5.34	5.33	0.8	1.5	20.87	4.35
SVTM9013	Inter	F3	6,161	27,491	5.27	5.06	2.4	0.8	19.70	4.46
SVTM9037	Thick	F3, EFH, Lv	5,954	4,834	5.13	4.97	3.1	0.7	21.46	4.46
SVTM9036	Inter	F3, EFH, Lv	4,412	1,281	5.13	5.22	2.3	1.6	20.91	4.51
SVTM9024	Thick	F3, EFH	4,117	1,814	5.15	4.94	1.9	0.7	20.29	4.35
SVTM9034	Early	F3	3,964	793	5.53	5.31	1.2	0.9	19.99	4.47
SVTM9021	Inter	F3, Fr	3,562	7,905	5.32	5.15	2.2	0.9	20.14	4.38
SVTM9041	Thick	F3, EFH	1,846	-	5.23	-	4.5	0.5	21.33	4.41
SVTM9012	Thin	F3	1,402	1,294	5.51	5.46	2.7	1.2	19.96	4.43
SVTM9028	Thick	F3	1,099	1,227	5.49	4.94	3.9	1.7	18.83	4.60
SVTM9033	Early	F3	590	1,045	5.33	4.80	0.5	1.2	20.59	4.42
SVTM9040	Thin	F3	513	5	5.74	4.70	2.3	1.3	20.50	4.39
SVTM9038	Thick	F3, EFH	295	1,101	4.65	4.73	1.5	0.4	21.73	4.33
DRI319	Thin	-	101	440	6.40	6.34	0.2	0.7	20.76	4.37
SVTM9011	Thin	F3	75	599	5.94	5.24	3.0	1.8	20.22	4.50
SV8232TM	Inter	F3	4	3	4.90	5.37	1.8	0.3	21.13	4.34
SVTM9014	Inter	F3	2	888	5.05	5.25	4.5	1.8	21.00	4.32
<b>Total</b>			<b>141,204</b>	<b>168,510</b>	<b>5.31</b>	<b>5.17</b>	<b>2.3</b>	<b>0.9</b>	<b>20.78</b>	<b>4.40</b>

# 2024 California Cannery Tomato

## Supplier Sort

Final PTAB

Variety	Use	Attributes	Loads		Brix		Mold	LU	Color	pH
			2024	2023	2024	2023				

### Syngenta

BQ400	Early	-	2,569	5,870	5.23	4.99	0.4	1.0	19.44	4.44
BQ273	Early	-	846	4,196	5.14	5.11	0.9	1.9	20.37	4.35
BQ403	Early	-	817	3,614	4.75	5.22	1.8	2.9	20.74	4.35
BQ270	Early	-	1	-	5.70	-	0.5	0.5	18.50	4.26
BQ401	Early	-	1	-	5.40	-	6.0	0.5	20.00	4.58
<b>Total</b>			<b>4,234</b>	<b>13,680</b>	<b>5.12</b>	<b>5.09</b>	<b>0.7</b>	<b>1.5</b>	<b>19.87</b>	<b>4.41</b>

### United Genetics

UG16112	Thick	EFH	4,941	2,754	4.91	4.99	1.5	0.5	20.34	4.46
UG29814	Inter	F3, EFH	470	1,137	5.61	5.07	6.5	0.8	20.07	4.61
UG10109	Inter	-	1	-	5.00	-	1.0	0.0	20.00	4.38
<b>Total</b>			<b>5,412</b>	<b>3,891</b>	<b>4.97</b>	<b>5.01</b>	<b>2.0</b>	<b>0.6</b>	<b>20.32</b>	<b>4.47</b>
<b>Statewide</b>			<b>440,626</b>	<b>514,903</b>	<b>5.26</b>	<b>5.25</b>	<b>2.1</b>	<b>1.0</b>	<b>20.39</b>	<b>4.43</b>

# 2024 California Cannery Tomato

## Brix History

County	2020	2021	2022	2023	2024	Average
Colusa	4.95	4.94	4.86	4.70	5.01	4.89
Contra Costa	5.31	5.24	5.44	5.41	5.48	5.37
Fresno	5.39	5.49	5.58	5.21	5.34	5.40
Glenn	4.93	4.89	4.53	4.92	5.26	4.91
Kern	5.20	4.83	5.09	5.25	5.30	5.13
Kings	5.33	5.33	5.40	5.28	5.34	5.34
Madera	4.88	4.98	4.99	4.95	5.00	4.96
Merced	5.06	5.33	5.27	5.12	5.19	5.19
Sacramento	5.25	5.28	5.26	5.19	5.25	5.25
San Joaquin	5.18	5.16	5.14	5.10	5.27	5.17
Solano	5.18	5.28	5.17	5.29	5.52	5.29
Stanislaus	5.09	5.32	5.25	5.02	5.11	5.16
Sutter	5.01	5.02	4.97	5.10	5.19	5.06
Yolo	4.98	5.01	5.04	5.13	5.16	5.06
<b>Statewide</b>	<b>5.20</b>	<b>5.23</b>	<b>5.25</b>	<b>5.16</b>	<b>5.26</b>	<b>5.16</b>

## % of State Average

County	2020	2021	2022	2023	2024	Average
Colusa	95.2%	94.4%	92.6%	91.1%	95.2%	94.9%
Contra Costa	102.1%	100.2%	103.7%	104.8%	104.2%	104.3%
Fresno	103.7%	104.9%	106.4%	101.0%	101.6%	104.8%
Glenn	94.8%	93.5%	86.3%	95.4%	100.0%	95.2%
Kern	100.0%	92.4%	97.0%	101.9%	100.7%	99.6%
Kings	102.5%	101.9%	102.9%	102.4%	101.6%	103.5%
Madera	93.9%	95.2%	95.1%	95.9%	95.0%	96.2%
Merced	97.3%	101.9%	100.5%	99.3%	98.6%	100.7%
Sacramento	101.0%	100.9%	100.3%	100.6%	99.9%	101.7%
San Joaquin	99.6%	98.7%	98.0%	98.8%	100.2%	100.3%
Solano	99.6%	101.0%	98.5%	102.6%	105.0%	102.6%
Stanislaus	97.9%	101.6%	100.1%	97.4%	97.1%	100.0%
Sutter	96.4%	96.0%	94.7%	98.9%	98.6%	98.1%
Yolo	95.8%	95.8%	96.1%	99.4%	98.1%	98.2%

# 2024 California Cannery Tomato

## Brix Sort

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								20-Jul	10-Aug	31-Aug	21-Sep	
HM8163	Pear	7,564	5.81	2.2	1.3	19.03	4.49	6.0%	46.4%	79.3%	92.1%	7
BP74	Thin	3,389	5.76	2.0	1.5	20.08	4.47	-	6.1%	31.5%	68.3%	4
HM5522	Inter	21,738	5.74	1.0	0.7	19.29	4.38	5.5%	67.9%	91.1%	99.1%	6
SVTM1082	Thin	8,229	5.59	1.7	1.5	20.65	4.40	0.4%	28.6%	68.6%	96.1%	7
BP43	Thin	1,272	5.54	2.4	1.1	20.40	4.46	-	-	-	55.3%	7
HM4521	Inter	9,271	5.54	3.3	0.7	20.11	4.47	1.7%	36.5%	70.2%	99.8%	7
SVTM9034	Early	3,964	5.53	1.2	0.9	19.99	4.47	10.5%	79.5%	97.3%	100.0%	2
N6402	Thin	2,561	5.53	1.3	1.9	19.68	4.48	4.6%	100.0%	100.0%	100.0%	13
SVTM9012	Thin	1,402	5.51	2.7	1.2	19.96	4.43	-	10.1%	60.7%	94.8%	5
SVTM9019	Thin	11,673	5.51	1.8	2.4	21.82	4.32	0.2%	22.5%	55.6%	90.5%	4
HM5235	Inter	3,071	5.50	2.4	1.4	18.95	4.46	3.3%	65.5%	89.7%	96.6%	8
SVTM9028	Thick	1,099	5.49	3.9	1.7	18.83	4.60	-	7.6%	100.0%	100.0%	3
HM5511	Thin	1,810	5.44	1.0	3.0	20.19	4.49	20.2%	85.5%	99.7%	100.0%	4
HM58841	Inter	26,440	5.40	2.0	0.7	20.43	4.43	-	19.6%	54.5%	80.6%	8
SVTM9027	Early	16,566	5.40	1.0	0.8	19.95	4.38	23.6%	91.0%	97.9%	98.9%	3
HM8268	Inter	17,423	5.40	1.5	1.2	19.34	4.43	3.2%	36.6%	68.8%	90.7%	3
SVTM9032	Early	7,998	5.34	0.8	1.5	20.87	4.35	4.6%	61.6%	83.1%	93.4%	3
SVTM9025	Thick	9,539	5.33	1.8	0.5	20.67	4.32	1.8%	16.8%	44.8%	76.6%	4
SVTM9021	Inter	3,562	5.32	2.2	0.9	20.14	4.38	-	9.6%	70.7%	91.6%	4
HM7103	Early	14,511	5.30	0.5	1.4	20.15	4.42	38.1%	96.1%	99.7%	99.7%	4
SVTM9013	Inter	6,161	5.27	2.4	0.8	19.70	4.46	3.0%	13.7%	70.3%	86.6%	5
H2012	Inter	2,993	5.25	2.6	0.9	21.17	4.44	-	6.3%	41.8%	68.3%	3
BQ400	Early	2,569	5.23	0.4	1.0	19.44	4.44	73.8%	100.0%	100.0%	100.0%	8
SVTM9041	Thick	1,846	5.23	4.5	0.5	21.33	4.41	-	-	9.4%	39.1%	1
N6474	Thin	4,726	5.23	2.9	1.4	21.34	4.55	0.1%	34.9%	82.1%	100.0%	3
SVTM9016	Thick	44,416	5.21	3.2	0.5	21.05	4.40	-	4.4%	34.7%	63.7%	5

# 2024 California Cannery Tomato

## Brix Sort

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								20-Jul	10-Aug	31-Aug	21-Sep	
H5608	Thick	5,845	5.21	2.3	1.4	19.28	4.50	33.2%	78.1%	97.0%	100.0%	16
H1996	Thick	30,754	5.18	2.1	0.6	19.86	4.47	0.0%	4.1%	36.4%	77.0%	4
H1015	Early	1,304	5.18	1.0	0.7	19.34	4.43	-	100.0%	100.0%	100.0%	13
SVTM9023	Thick	8,686	5.16	1.8	1.2	21.09	4.45	3.8%	41.7%	57.8%	77.9%	4
HM8237	Inter	40,476	5.16	1.6	0.5	21.34	4.38	0.1%	14.7%	35.4%	61.6%	3
SVTM9024	Thick	4,117	5.15	1.9	0.7	20.29	4.35	-	5.5%	35.2%	81.0%	4
SVTM9037	Thick	5,954	5.13	3.1	0.7	21.46	4.46	-	5.2%	22.8%	82.2%	2
SVTM9036	Inter	4,412	5.13	2.3	1.6	20.91	4.51	-	13.5%	59.1%	89.9%	2
H1776	Thick	9,608	5.12	1.6	0.7	20.21	4.44	4.9%	81.3%	97.6%	100.0%	6
BOS811	Thick	2,817	5.11	1.4	0.8	19.63	4.38	8.0%	39.8%	77.5%	78.9%	7
E247	Early	1,190	5.10	1.5	1.3	19.90	4.37	53.7%	97.5%	99.4%	100.0%	2
N6428	Inter	15,342	5.09	3.0	1.7	21.08	4.50	-	11.1%	56.6%	75.2%	8
H1662	Thick	8,331	5.08	3.5	1.3	21.09	4.53	3.6%	14.2%	54.4%	95.8%	7
N6434	Inter	1,750	5.06	3.4	1.8	21.59	4.47	-	44.9%	100.0%	100.0%	7
UG16112	Thick	4,941	4.91	1.5	0.5	20.34	4.46	0.3%	10.7%	36.1%	57.2%	8
H2016	Thick	23,493	4.90	3.2	0.9	19.66	4.43	-	5.1%	39.3%	84.9%	3
N6416	Early	3,085	4.87	0.4	2.1	20.93	4.38	99.4%	100.0%	100.0%	100.0%	10
BP101	Pear	2,734	4.86	2.0	1.1	19.98	4.47	1.0%	9.9%	42.2%	84.2%	2
N6475	Thick	6,077	4.85	2.8	0.5	20.64	4.50	-	1.3%	16.9%	39.3%	3
H2015	Thick	2,272	4.80	3.2	0.6	19.04	4.47	-	-	24.5%	100.0%	3
H4707	Thick	3,955	4.75	2.4	0.7	21.25	4.44	-	-	64.9%	96.9%	16
CXD187	Early	1,224	4.74	0.7	2.3	20.40	4.40	100.0%	100.0%	100.0%	100.0%	27
N6485	Pear	1,783	4.65	1.7	0.8	20.06	4.57	1.4%	7.5%	28.5%	76.6%	2

\* All Varieties Over 1,000 Loads

# 2024 California Cannery Tomato

## Mold Sort

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								20-Jul	10-Aug	31-Aug	21-Sep	
BQ400	Early	2,569	5.23	0.38	1.0	19.44	4.44	73.8%	100.0%	100.0%	100.0%	8
N6416	Early	3,085	4.87	0.40	2.1	20.93	4.38	99.4%	100.0%	100.0%	100.0%	10
HM7103	Early	14,511	5.30	0.46	1.4	20.15	4.42	38.1%	96.1%	99.7%	99.7%	4
CXD187	Early	1,224	4.74	0.69	2.3	20.40	4.40	100.0%	100.0%	100.0%	100.0%	27
SVTM9032	Early	7,998	5.34	0.81	1.5	20.87	4.35	4.6%	61.6%	83.1%	93.4%	3
HM5511	Thin	1,810	5.44	1.00	3.0	20.19	4.49	20.2%	85.5%	99.7%	100.0%	4
SVTM9027	Early	16,566	5.40	1.00	0.8	19.95	4.38	23.6%	91.0%	97.9%	98.9%	3
H1015	Early	1,304	5.18	1.04	0.7	19.34	4.43	-	100.0%	100.0%	100.0%	13
HM5522	Inter	21,738	5.74	1.04	0.7	19.29	4.38	5.5%	67.9%	91.1%	99.1%	6
SVTM9034	Early	3,964	5.53	1.21	0.9	19.99	4.47	10.5%	79.5%	97.3%	100.0%	2
N6402	Thin	2,561	5.53	1.29	1.9	19.68	4.48	4.6%	100.0%	100.0%	100.0%	13
BOS811	Thick	2,817	5.11	1.42	0.8	19.63	4.38	8.0%	39.8%	77.5%	78.9%	7
E247	Early	1,190	5.10	1.45	1.3	19.90	4.37	53.7%	97.5%	99.4%	100.0%	2
HM8268	Inter	17,423	5.40	1.50	1.2	19.34	4.43	3.2%	36.6%	68.8%	90.7%	3
UG16112	Thick	4,941	4.91	1.54	0.5	20.34	4.46	0.3%	10.7%	36.1%	57.2%	8
H1776	Thick	9,608	5.12	1.57	0.7	20.21	4.44	4.9%	81.3%	97.6%	100.0%	6
HM8237	Inter	40,476	5.16	1.61	0.5	21.34	4.38	0.1%	14.7%	35.4%	61.6%	3
N6485	Pear	1,783	4.65	1.67	0.8	20.06	4.57	1.4%	7.5%	28.5%	76.6%	2
SVTM1082	Thin	8,229	5.59	1.71	1.5	20.65	4.40	0.4%	28.6%	68.6%	96.1%	7
SVTM9025	Thick	9,539	5.33	1.76	0.5	20.67	4.32	1.8%	16.8%	44.8%	76.6%	4
SVTM9023	Thick	8,686	5.16	1.79	1.2	21.09	4.45	3.8%	41.7%	57.8%	77.9%	4
SVTM9019	Thin	11,673	5.51	1.83	2.4	21.82	4.32	0.2%	22.5%	55.6%	90.5%	4
SVTM9024	Thick	4,117	5.15	1.85	0.7	20.29	4.35	-	5.5%	35.2%	81.0%	4
HM58841	Inter	26,440	5.40	1.95	0.7	20.43	4.43	-	19.6%	54.5%	80.6%	8
BP74	Thin	3,389	5.76	1.98	1.5	20.08	4.47	-	6.1%	31.5%	68.3%	4
BP101	Pear	2,734	4.86	2.03	1.1	19.98	4.47	1.0%	9.9%	42.2%	84.2%	2

# 2024 California Cannery Tomato

## Mold Sort

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								20-Jul	10-Aug	31-Aug	21-Sep	
H1996	Thick	30,754	5.18	2.12	0.6	19.86	4.47	0.0%	4.1%	36.4%	77.0%	4
HM8163	Pear	7,564	5.81	2.20	1.3	19.03	4.49	6.0%	46.4%	79.3%	92.1%	7
SVTM9021	Inter	3,562	5.32	2.25	0.9	20.14	4.38	-	9.6%	70.7%	91.6%	4
H5608	Thick	5,845	5.21	2.30	1.4	19.28	4.50	33.2%	78.1%	97.0%	100.0%	16
SVTM9036	Inter	4,412	5.13	2.32	1.6	20.91	4.51	-	13.5%	59.1%	89.9%	2
HM5235	Inter	3,071	5.50	2.39	1.4	18.95	4.46	3.3%	65.5%	89.7%	96.6%	8
BP43	Thin	1,272	5.54	2.41	1.1	20.40	4.46	-	-	-	55.3%	7
SVTM9013	Inter	6,161	5.27	2.44	0.8	19.70	4.46	3.0%	13.7%	70.3%	86.6%	5
H4707	Thick	3,955	4.75	2.45	0.7	21.25	4.44	-	-	64.9%	96.9%	16
H2012	Inter	2,993	5.25	2.64	0.9	21.17	4.44	-	6.3%	41.8%	68.3%	3
SVTM9012	Thin	1,402	5.51	2.74	1.2	19.96	4.43	-	10.1%	60.7%	94.8%	5
N6475	Thick	6,077	4.85	2.82	0.5	20.64	4.50	-	1.3%	16.9%	39.3%	3
N6474	Thin	4,726	5.23	2.95	1.4	21.34	4.55	0.1%	34.9%	82.1%	100.0%	3
N6428	Inter	15,342	5.09	3.02	1.7	21.08	4.50	-	11.1%	56.6%	75.2%	8
SVTM9037	Thick	5,954	5.13	3.07	0.7	21.46	4.46	-	5.2%	22.8%	82.2%	2
H2015	Thick	2,272	4.80	3.15	0.6	19.04	4.47	-	-	24.5%	100.0%	3
H2016	Thick	23,493	4.90	3.20	0.9	19.66	4.43	-	5.1%	39.3%	84.9%	3
SVTM9016	Thick	44,416	5.21	3.25	0.5	21.05	4.40	-	4.4%	34.7%	63.7%	5
HM4521	Inter	9,271	5.54	3.32	0.7	20.11	4.47	1.7%	36.5%	70.2%	99.8%	7
N6434	Inter	1,750	5.06	3.42	1.8	21.59	4.47	-	44.9%	100.0%	100.0%	7
H1662	Thick	8,331	5.08	3.46	1.3	21.09	4.53	3.6%	14.2%	54.4%	95.8%	7
SVTM9028	Thick	1,099	5.49	3.91	1.7	18.83	4.60	-	7.6%	100.0%	100.0%	3
SVTM9041	Thick	1,846	5.23	4.47	0.5	21.33	4.41	-	-	9.4%	39.1%	1

\* All Varieties Over 1,000 Loads

# 2024 California Cannery Tomato

## Limited Use Sort

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								20-Jul	10-Aug	31-Aug	21-Sep	
SVTM9016	Thick	44,416	5.21	3.2	0.46	21.05	4.40	-	4.4%	34.7%	63.7%	5
N6475	Thick	6,077	4.85	2.8	0.47	20.64	4.50	-	1.3%	16.9%	39.3%	3
HM8237	Inter	40,476	5.16	1.6	0.51	21.34	4.38	0.1%	14.7%	35.4%	61.6%	3
SVTM9025	Thick	9,539	5.33	1.8	0.52	20.67	4.32	1.8%	16.8%	44.8%	76.6%	4
SVTM9041	Thick	1,846	5.23	4.5	0.53	21.33	4.41	-	-	9.4%	39.1%	1
UG16112	Thick	4,941	4.91	1.5	0.55	20.34	4.46	0.3%	10.7%	36.1%	57.2%	8
H1996	Thick	30,754	5.18	2.1	0.61	19.86	4.47	0.0%	4.1%	36.4%	77.0%	4
H2015	Thick	2,272	4.80	3.2	0.64	19.04	4.47	-	-	24.5%	100.0%	3
H1015	Early	1,304	5.18	1.0	0.66	19.34	4.43	-	100.0%	100.0%	100.0%	13
H1776	Thick	9,608	5.12	1.6	0.68	20.21	4.44	4.9%	81.3%	97.6%	100.0%	6
HM58841	Inter	26,440	5.40	2.0	0.68	20.43	4.43	-	19.6%	54.5%	80.6%	8
SVTM9024	Thick	4,117	5.15	1.9	0.69	20.29	4.35	-	5.5%	35.2%	81.0%	4
H4707	Thick	3,955	4.75	2.4	0.71	21.25	4.44	-	-	64.9%	96.9%	16
HM4521	Inter	9,271	5.54	3.3	0.73	20.11	4.47	1.7%	36.5%	70.2%	99.8%	7
HM5522	Inter	21,738	5.74	1.0	0.73	19.29	4.38	5.5%	67.9%	91.1%	99.1%	6
SVTM9037	Thick	5,954	5.13	3.1	0.74	21.46	4.46	-	5.2%	22.8%	82.2%	2
SVTM9013	Inter	6,161	5.27	2.4	0.79	19.70	4.46	3.0%	13.7%	70.3%	86.6%	5
SVTM9027	Early	16,566	5.40	1.0	0.80	19.95	4.38	23.6%	91.0%	97.9%	98.9%	3
N6485	Pear	1,783	4.65	1.7	0.81	20.06	4.57	1.4%	7.5%	28.5%	76.6%	2
BOS811	Thick	2,817	5.11	1.4	0.82	19.63	4.38	8.0%	39.8%	77.5%	78.9%	7
SVTM9021	Inter	3,562	5.32	2.2	0.85	20.14	4.38	-	9.6%	70.7%	91.6%	4
SVTM9034	Early	3,964	5.53	1.2	0.87	19.99	4.47	10.5%	79.5%	97.3%	100.0%	2
H2012	Inter	2,993	5.25	2.6	0.91	21.17	4.44	-	6.3%	41.8%	68.3%	3
H2016	Thick	23,493	4.90	3.2	0.94	19.66	4.43	-	5.1%	39.3%	84.9%	3
BQ400	Early	2,569	5.23	0.4	1.01	19.44	4.44	73.8%	100.0%	100.0%	100.0%	8
BP43	Thin	1,272	5.54	2.4	1.11	20.40	4.46	-	-	-	55.3%	7

# 2024 California Cannery Tomato

## Limited Use Sort

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								20-Jul	10-Aug	31-Aug	21-Sep	
BP101	Pear	2,734	4.86	2.0	1.14	19.98	4.47	1.0%	9.9%	42.2%	84.2%	2
SVTM9023	Thick	8,686	5.16	1.8	1.17	21.09	4.45	3.8%	41.7%	57.8%	77.9%	4
SVTM9012	Thin	1,402	5.51	2.7	1.19	19.96	4.43	-	10.1%	60.7%	94.8%	5
HM8268	Inter	17,423	5.40	1.5	1.24	19.34	4.43	3.2%	36.6%	68.8%	90.7%	3
H1662	Thick	8,331	5.08	3.5	1.25	21.09	4.53	3.6%	14.2%	54.4%	95.8%	7
HM8163	Pear	7,564	5.81	2.2	1.28	19.03	4.49	6.0%	46.4%	79.3%	92.1%	7
E247	Early	1,190	5.10	1.5	1.30	19.90	4.37	53.7%	97.5%	99.4%	100.0%	2
N6474	Thin	4,726	5.23	2.9	1.36	21.34	4.55	0.1%	34.9%	82.1%	100.0%	3
H5608	Thick	5,845	5.21	2.3	1.40	19.28	4.50	33.2%	78.1%	97.0%	100.0%	16
HM5235	Inter	3,071	5.50	2.4	1.42	18.95	4.46	3.3%	65.5%	89.7%	96.6%	8
HM7103	Early	14,511	5.30	0.5	1.43	20.15	4.42	38.1%	96.1%	99.7%	99.7%	4
BP74	Thin	3,389	5.76	2.0	1.46	20.08	4.47	-	6.1%	31.5%	68.3%	4
SVTM9032	Early	7,998	5.34	0.8	1.50	20.87	4.35	4.6%	61.6%	83.1%	93.4%	3
SVTM1082	Thin	8,229	5.59	1.7	1.54	20.65	4.40	0.4%	28.6%	68.6%	96.1%	7
SVTM9036	Inter	4,412	5.13	2.3	1.61	20.91	4.51	-	13.5%	59.1%	89.9%	2
SVTM9028	Thick	1,099	5.49	3.9	1.66	18.83	4.60	-	7.6%	100.0%	100.0%	3
N6428	Inter	15,342	5.09	3.0	1.75	21.08	4.50	-	11.1%	56.6%	75.2%	8
N6434	Inter	1,750	5.06	3.4	1.84	21.59	4.47	-	44.9%	100.0%	100.0%	7
N6402	Thin	2,561	5.53	1.3	1.93	19.68	4.48	4.6%	100.0%	100.0%	100.0%	13
N6416	Early	3,085	4.87	0.4	2.06	20.93	4.38	99.4%	100.0%	100.0%	100.0%	10
CXD187	Early	1,224	4.74	0.7	2.34	20.40	4.40	100.0%	100.0%	100.0%	100.0%	27
SVTM9019	Thin	11,673	5.51	1.8	2.39	21.82	4.32	0.2%	22.5%	55.6%	90.5%	4
HM5511	Thin	1,810	5.44	1.0	3.01	20.19	4.49	20.2%	85.5%	99.7%	100.0%	4

\* All Varieties Over 1,000 Loads

# 2024 California Cannery Tomato

## Color History

County	2020	2021	2022	2023	2024	Average
Colusa	21.79	21.89	21.96	19.62	21.06	21.27
Contra Costa	20.69	20.34	21.22	18.91	19.98	20.23
Fresno	20.99	20.68	21.13	19.37	20.02	20.44
Glenn	22.58	23.06	22.55	19.77	22.10	22.01
Kern	20.73	20.91	21.07	19.49	20.15	20.47
Kings	20.84	20.83	20.95	19.17	19.97	20.35
Madera	21.29	21.26	21.72	19.60	20.30	20.83
Merced	21.39	21.15	21.64	19.59	20.43	20.84
Sacramento	21.16	21.43	21.55	19.78	21.14	21.01
San Joaquin	20.92	21.24	21.42	19.67	20.65	20.78
Solano	21.27	21.28	22.07	19.82	20.83	21.06
Stanislaus	20.90	20.92	21.18	19.59	20.82	20.68
Sutter	21.91	22.17	22.38	19.71	21.27	21.49
Yolo	21.44	21.18	21.99	19.73	20.70	21.01
<b>Statewide</b>	<b>21.17</b>	<b>21.09</b>	<b>21.48</b>	<b>19.53</b>	<b>20.39</b>	<b>20.89</b>

## % of State Average

County	2020	2021	2022	2023	2024	Average
Colusa	97.1%	96.4%	97.8%	99.5%	96.8%	98.2%
Contra Costa	102.3%	103.7%	101.2%	103.3%	102.1%	103.3%
Fresno	100.9%	102.0%	101.6%	100.8%	101.9%	102.2%
Glenn	93.7%	91.4%	95.2%	98.8%	92.3%	94.9%
Kern	102.1%	100.9%	101.9%	100.2%	101.2%	102.0%
Kings	101.6%	101.2%	102.5%	101.9%	102.1%	102.6%
Madera	99.4%	99.2%	98.9%	99.6%	100.5%	100.3%
Merced	98.9%	99.7%	99.3%	99.7%	99.8%	100.2%
Sacramento	100.1%	98.4%	99.7%	98.8%	96.5%	99.4%
San Joaquin	101.2%	99.3%	100.3%	99.3%	98.8%	100.5%
Solano	99.5%	99.1%	97.3%	98.5%	97.9%	99.2%
Stanislaus	101.3%	100.8%	101.4%	99.7%	98.0%	101.0%
Sutter	96.6%	95.1%	96.0%	99.1%	95.9%	97.2%
Yolo	98.7%	99.6%	97.6%	99.0%	98.5%	99.4%

# 2024 California Cannery Tomato

## Color Sort

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								20-Jul	10-Aug	31-Aug	21-Sep	
SVTM9028	Thick	1,099	5.49	3.9	1.7	18.83	4.60	-	7.6%	100.0%	100.0%	3
HM5235	Inter	3,071	5.50	2.4	1.4	18.95	4.46	3.3%	65.5%	89.7%	96.6%	8
HM8163	Pear	7,564	5.81	2.2	1.3	19.03	4.49	6.0%	46.4%	79.3%	92.1%	7
H2015	Thick	2,272	4.80	3.2	0.6	19.04	4.47	-	-	24.5%	100.0%	3
H5608	Thick	5,845	5.21	2.3	1.4	19.28	4.50	33.2%	78.1%	97.0%	100.0%	16
HM5522	Inter	21,738	5.74	1.0	0.7	19.29	4.38	5.5%	67.9%	91.1%	99.1%	6
H1015	Early	1,304	5.18	1.0	0.7	19.34	4.43	-	100.0%	100.0%	100.0%	13
HM8268	Inter	17,423	5.40	1.5	1.2	19.34	4.43	3.2%	36.6%	68.8%	90.7%	3
BQ400	Early	2,569	5.23	0.4	1.0	19.44	4.44	73.8%	100.0%	100.0%	100.0%	8
BOS811	Thick	2,817	5.11	1.4	0.8	19.63	4.38	8.0%	39.8%	77.5%	78.9%	7
H2016	Thick	23,493	4.90	3.2	0.9	19.66	4.43	-	5.1%	39.3%	84.9%	3
N6402	Thin	2,561	5.53	1.3	1.9	19.68	4.48	4.6%	100.0%	100.0%	100.0%	13
SVTM9013	Inter	6,161	5.27	2.4	0.8	19.70	4.46	3.0%	13.7%	70.3%	86.6%	5
H1996	Thick	30,754	5.18	2.1	0.6	19.86	4.47	0.0%	4.1%	36.4%	77.0%	4
E247	Early	1,190	5.10	1.5	1.3	19.90	4.37	53.7%	97.5%	99.4%	100.0%	2
SVTM9027	Early	16,566	5.40	1.0	0.8	19.95	4.38	23.6%	91.0%	97.9%	98.9%	3
SVTM9012	Thin	1,402	5.51	2.7	1.2	19.96	4.43	-	10.1%	60.7%	94.8%	5
BP101	Pear	2,734	4.86	2.0	1.1	19.98	4.47	1.0%	9.9%	42.2%	84.2%	2
SVTM9034	Early	3,964	5.53	1.2	0.9	19.99	4.47	10.5%	79.5%	97.3%	100.0%	2
N6485	Pear	1,783	4.65	1.7	0.8	20.06	4.57	1.4%	7.5%	28.5%	76.6%	2
BP74	Thin	3,389	5.76	2.0	1.5	20.08	4.47	-	6.1%	31.5%	68.3%	4
HM4521	Inter	9,271	5.54	3.3	0.7	20.11	4.47	1.7%	36.5%	70.2%	99.8%	7
SVTM9021	Inter	3,562	5.32	2.2	0.9	20.14	4.38	-	9.6%	70.7%	91.6%	4
HM7103	Early	14,511	5.30	0.5	1.4	20.15	4.42	38.1%	96.1%	99.7%	99.7%	4
HM5511	Thin	1,810	5.44	1.0	3.0	20.19	4.49	20.2%	85.5%	99.7%	100.0%	4
H1776	Thick	9,608	5.12	1.6	0.7	20.21	4.44	4.9%	81.3%	97.6%	100.0%	6

# 2024 California Cannery Tomato

## Color Sort

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								20-Jul	10-Aug	31-Aug	21-Sep	
SVTM9024	Thick	4,117	5.15	1.9	0.7	20.29	4.35	-	5.5%	35.2%	81.0%	4
UG16112	Thick	4,941	4.91	1.5	0.5	20.34	4.46	0.3%	10.7%	36.1%	57.2%	8
CXD187	Early	1,224	4.74	0.7	2.3	20.40	4.40	100.0%	100.0%	100.0%	100.0%	27
BP43	Thin	1,272	5.54	2.4	1.1	20.40	4.46	-	-	-	55.3%	7
HM58841	Inter	26,440	5.40	2.0	0.7	20.43	4.43	-	19.6%	54.5%	80.6%	8
N6475	Thick	6,077	4.85	2.8	0.5	20.64	4.50	-	1.3%	16.9%	39.3%	3
SVTM1082	Thin	8,229	5.59	1.7	1.5	20.65	4.40	0.4%	28.6%	68.6%	96.1%	7
SVTM9025	Thick	9,539	5.33	1.8	0.5	20.67	4.32	1.8%	16.8%	44.8%	76.6%	4
SVTM9032	Early	7,998	5.34	0.8	1.5	20.87	4.35	4.6%	61.6%	83.1%	93.4%	3
SVTM9036	Inter	4,412	5.13	2.3	1.6	20.91	4.51	-	13.5%	59.1%	89.9%	2
N6416	Early	3,085	4.87	0.4	2.1	20.93	4.38	99.4%	100.0%	100.0%	100.0%	10
SVTM9016	Thick	44,416	5.21	3.2	0.5	21.05	4.40	-	4.4%	34.7%	63.7%	5
N6428	Inter	15,342	5.09	3.0	1.7	21.08	4.50	-	11.1%	56.6%	75.2%	8
H1662	Thick	8,331	5.08	3.5	1.3	21.09	4.53	3.6%	14.2%	54.4%	95.8%	7
SVTM9023	Thick	8,686	5.16	1.8	1.2	21.09	4.45	3.8%	41.7%	57.8%	77.9%	4
H2012	Inter	2,993	5.25	2.6	0.9	21.17	4.44	-	6.3%	41.8%	68.3%	3
H4707	Thick	3,955	4.75	2.4	0.7	21.25	4.44	-	-	64.9%	96.9%	16
SVTM9041	Thick	1,846	5.23	4.5	0.5	21.33	4.41	-	-	9.4%	39.1%	1
N6474	Thin	4,726	5.23	2.9	1.4	21.34	4.55	0.1%	34.9%	82.1%	100.0%	3
HM8237	Inter	40,476	5.16	1.6	0.5	21.34	4.38	0.1%	14.7%	35.4%	61.6%	3
SVTM9037	Thick	5,954	5.13	3.1	0.7	21.46	4.46	-	5.2%	22.8%	82.2%	2
N6434	Inter	1,750	5.06	3.4	1.8	21.59	4.47	-	44.9%	100.0%	100.0%	7
SVTM9019	Thin	11,673	5.51	1.8	2.4	21.82	4.32	0.2%	22.5%	55.6%	90.5%	4

\* All Varieties Over 1,000 Loads

# 2024 California Cannery Tomato

## pH Sort

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								20-Jul	10-Aug	31-Aug	21-Sep	
SVTM9025	Thick	9,539	5.33	1.8	0.5	20.67	4.32	1.8%	16.8%	44.8%	76.6%	4
SVTM9019	Thin	11,673	5.51	1.8	2.4	21.82	4.32	0.2%	22.5%	55.6%	90.5%	4
SVTM9032	Early	7,998	5.34	0.8	1.5	20.87	4.35	4.6%	61.6%	83.1%	93.4%	3
SVTM9024	Thick	4,117	5.15	1.9	0.7	20.29	4.35	-	5.5%	35.2%	81.0%	4
E247	Early	1,190	5.10	1.5	1.3	19.90	4.37	53.7%	97.5%	99.4%	100.0%	2
SVTM9021	Inter	3,562	5.32	2.2	0.9	20.14	4.38	-	9.6%	70.7%	91.6%	4
N6416	Early	3,085	4.87	0.4	2.1	20.93	4.38	99.4%	100.0%	100.0%	100.0%	10
BOS811	Thick	2,817	5.11	1.4	0.8	19.63	4.38	8.0%	39.8%	77.5%	78.9%	7
HM8237	Inter	40,476	5.16	1.6	0.5	21.34	4.38	0.1%	14.7%	35.4%	61.6%	3
SVTM9027	Early	16,566	5.40	1.0	0.8	19.95	4.38	23.6%	91.0%	97.9%	98.9%	3
HM5522	Inter	21,738	5.74	1.0	0.7	19.29	4.38	5.5%	67.9%	91.1%	99.1%	6
SVTM9016	Thick	44,416	5.21	3.2	0.5	21.05	4.40	-	4.4%	34.7%	63.7%	5
SVTM1082	Thin	8,229	5.59	1.7	1.5	20.65	4.40	0.4%	28.6%	68.6%	96.1%	7
CXD187	Early	1,224	4.74	0.7	2.3	20.40	4.40	100.0%	100.0%	100.0%	100.0%	27
SVTM9041	Thick	1,846	5.23	4.5	0.5	21.33	4.41	-	-	9.4%	39.1%	1
HM7103	Early	14,511	5.30	0.5	1.4	20.15	4.42	38.1%	96.1%	99.7%	99.7%	4
HM58841	Inter	26,440	5.40	2.0	0.7	20.43	4.43	-	19.6%	54.5%	80.6%	8
H1015	Early	1,304	5.18	1.0	0.7	19.34	4.43	-	100.0%	100.0%	100.0%	13
HM8268	Inter	17,423	5.40	1.5	1.2	19.34	4.43	3.2%	36.6%	68.8%	90.7%	3
SVTM9012	Thin	1,402	5.51	2.7	1.2	19.96	4.43	-	10.1%	60.7%	94.8%	5
H2016	Thick	23,493	4.90	3.2	0.9	19.66	4.43	-	5.1%	39.3%	84.9%	3
H1776	Thick	9,608	5.12	1.6	0.7	20.21	4.44	4.9%	81.3%	97.6%	100.0%	6
H4707	Thick	3,955	4.75	2.4	0.7	21.25	4.44	-	-	64.9%	96.9%	16
H2012	Inter	2,993	5.25	2.6	0.9	21.17	4.44	-	6.3%	41.8%	68.3%	3
BQ400	Early	2,569	5.23	0.4	1.0	19.44	4.44	73.8%	100.0%	100.0%	100.0%	8
SVTM9023	Thick	8,686	5.16	1.8	1.2	21.09	4.45	3.8%	41.7%	57.8%	77.9%	4

# 2024 California Cannery Tomato

## pH Sort

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								20-Jul	10-Aug	31-Aug	21-Sep	
SVTM9037	Thick	5,954	5.13	3.1	0.7	21.46	4.46	-	5.2%	22.8%	82.2%	2
UG16112	Thick	4,941	4.91	1.5	0.5	20.34	4.46	0.3%	10.7%	36.1%	57.2%	8
SVTM9013	Inter	6,161	5.27	2.4	0.8	19.70	4.46	3.0%	13.7%	70.3%	86.6%	5
HM5235	Inter	3,071	5.50	2.4	1.4	18.95	4.46	3.3%	65.5%	89.7%	96.6%	8
BP43	Thin	1,272	5.54	2.4	1.1	20.40	4.46	-	-	-	55.3%	7
BP101	Pear	2,734	4.86	2.0	1.1	19.98	4.47	1.0%	9.9%	42.2%	84.2%	2
H1996	Thick	30,754	5.18	2.1	0.6	19.86	4.47	0.0%	4.1%	36.4%	77.0%	4
SVTM9034	Early	3,964	5.53	1.2	0.9	19.99	4.47	10.5%	79.5%	97.3%	100.0%	2
BP74	Thin	3,389	5.76	2.0	1.5	20.08	4.47	-	6.1%	31.5%	68.3%	4
H2015	Thick	2,272	4.80	3.2	0.6	19.04	4.47	-	-	24.5%	100.0%	3
HM4521	Inter	9,271	5.54	3.3	0.7	20.11	4.47	1.7%	36.5%	70.2%	99.8%	7
N6434	Inter	1,750	5.06	3.4	1.8	21.59	4.47	-	44.9%	100.0%	100.0%	7
N6402	Thin	2,561	5.53	1.3	1.9	19.68	4.48	4.6%	100.0%	100.0%	100.0%	13
HM5511	Thin	1,810	5.44	1.0	3.0	20.19	4.49	20.2%	85.5%	99.7%	100.0%	4
HM8163	Pear	7,564	5.81	2.2	1.3	19.03	4.49	6.0%	46.4%	79.3%	92.1%	7
H5608	Thick	5,845	5.21	2.3	1.4	19.28	4.50	33.2%	78.1%	97.0%	100.0%	16
N6428	Inter	15,342	5.09	3.0	1.7	21.08	4.50	-	11.1%	56.6%	75.2%	8
N6475	Thick	6,077	4.85	2.8	0.5	20.64	4.50	-	1.3%	16.9%	39.3%	3
SVTM9036	Inter	4,412	5.13	2.3	1.6	20.91	4.51	-	13.5%	59.1%	89.9%	2
H1662	Thick	8,331	5.08	3.5	1.3	21.09	4.53	3.6%	14.2%	54.4%	95.8%	7
N6474	Thin	4,726	5.23	2.9	1.4	21.34	4.55	0.1%	34.9%	82.1%	100.0%	3
N6485	Pear	1,783	4.65	1.7	0.8	20.06	4.57	1.4%	7.5%	28.5%	76.6%	2
SVTM9028	Thick	1,099	5.49	3.9	1.7	18.83	4.60	-	7.6%	100.0%	100.0%	3

\* All Varieties Over 1,000 Loads

# 2024 California Cannery Tomato

% Harvested by September 21st Sort

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								20-Jul	10-Aug	31-Aug	21-Sep	
CXD187	Early	1,224	4.74	0.7	2.3	20.40	4.40	100.0%	100.0%	100.0%	100.0%	27
N6416	Early	3,085	4.87	0.4	2.1	20.93	4.38	99.4%	100.0%	100.0%	100.0%	10
BQ400	Early	2,569	5.23	0.4	1.0	19.44	4.44	73.8%	100.0%	100.0%	100.0%	8
N6402	Thin	2,561	5.53	1.3	1.9	19.68	4.48	4.6%	100.0%	100.0%	100.0%	13
H1015	Early	1,304	5.18	1.0	0.7	19.34	4.43	-	100.0%	100.0%	100.0%	13
N6434	Inter	1,750	5.06	3.4	1.8	21.59	4.47	-	44.9%	100.0%	100.0%	7
SVTM9028	Thick	1,099	5.49	3.9	1.7	18.83	4.60	-	7.6%	100.0%	100.0%	3
HM5511	Thin	1,810	5.44	1.0	3.0	20.19	4.49	20.2%	85.5%	99.7%	100.0%	4
E247	Early	1,190	5.10	1.5	1.3	19.90	4.37	53.7%	97.5%	99.4%	100.0%	2
H1776	Thick	9,608	5.12	1.6	0.7	20.21	4.44	4.9%	81.3%	97.6%	100.0%	6
SVTM9034	Early	3,964	5.53	1.2	0.9	19.99	4.47	10.5%	79.5%	97.3%	100.0%	2
H5608	Thick	5,845	5.21	2.3	1.4	19.28	4.50	33.2%	78.1%	97.0%	100.0%	16
N6474	Thin	4,726	5.23	2.9	1.4	21.34	4.55	0.1%	34.9%	82.1%	100.0%	3
H2015	Thick	2,272	4.80	3.2	0.6	19.04	4.47	-	-	24.5%	100.0%	3
HM4521	Inter	9,271	5.54	3.3	0.7	20.11	4.47	1.7%	36.5%	70.2%	99.8%	7
HM7103	Early	14,511	5.30	0.5	1.4	20.15	4.42	38.1%	96.1%	99.7%	99.7%	4
HM5522	Inter	21,738	5.74	1.0	0.7	19.29	4.38	5.5%	67.9%	91.1%	99.1%	6
SVTM9027	Early	16,566	5.40	1.0	0.8	19.95	4.38	23.6%	91.0%	97.9%	98.9%	3
H4707	Thick	3,955	4.75	2.4	0.7	21.25	4.44	-	-	64.9%	96.9%	16
HM5235	Inter	3,071	5.50	2.4	1.4	18.95	4.46	3.3%	65.5%	89.7%	96.6%	8
SVTM1082	Thin	8,229	5.59	1.7	1.5	20.65	4.40	0.4%	28.6%	68.6%	96.1%	7
H1662	Thick	8,331	5.08	3.5	1.3	21.09	4.53	3.6%	14.2%	54.4%	95.8%	7
SVTM9012	Thin	1,402	5.51	2.7	1.2	19.96	4.43	-	10.1%	60.7%	94.8%	5
SVTM9032	Early	7,998	5.34	0.8	1.5	20.87	4.35	4.6%	61.6%	83.1%	93.4%	3
HM8163	Pear	7,564	5.81	2.2	1.3	19.03	4.49	6.0%	46.4%	79.3%	92.1%	7
SVTM9021	Inter	3,562	5.32	2.2	0.9	20.14	4.38	-	9.6%	70.7%	91.6%	4

# 2024 California Cannery Tomato

% Harvested by September 21st Sort

Final PTAB

Variety	Use	Loads	Brix	Mold	LU	Color	pH	% Harvested by				Age
								20-Jul	10-Aug	31-Aug	21-Sep	
HM8268	Inter	17,423	5.40	1.5	1.2	19.34	4.43	3.2%	36.6%	68.8%	90.7%	3
SVTM9019	Thin	11,673	5.51	1.8	2.4	21.82	4.32	0.2%	22.5%	55.6%	90.5%	4
SVTM9036	Inter	4,412	5.13	2.3	1.6	20.91	4.51	-	13.5%	59.1%	89.9%	2
SVTM9013	Inter	6,161	5.27	2.4	0.8	19.70	4.46	3.0%	13.7%	70.3%	86.6%	5
H2016	Thick	23,493	4.90	3.2	0.9	19.66	4.43	-	5.1%	39.3%	84.9%	3
BP101	Pear	2,734	4.86	2.0	1.1	19.98	4.47	1.0%	9.9%	42.2%	84.2%	2
SVTM9037	Thick	5,954	5.13	3.1	0.7	21.46	4.46	-	5.2%	22.8%	82.2%	2
SVTM9024	Thick	4,117	5.15	1.9	0.7	20.29	4.35	-	5.5%	35.2%	81.0%	4
HM58841	Inter	26,440	5.40	2.0	0.7	20.43	4.43	-	19.6%	54.5%	80.6%	8
BOS811	Thick	2,817	5.11	1.4	0.8	19.63	4.38	8.0%	39.8%	77.5%	78.9%	7
SVTM9023	Thick	8,686	5.16	1.8	1.2	21.09	4.45	3.8%	41.7%	57.8%	77.9%	4
H1996	Thick	30,754	5.18	2.1	0.6	19.86	4.47	0.0%	4.1%	36.4%	77.0%	4
SVTM9025	Thick	9,539	5.33	1.8	0.5	20.67	4.32	1.8%	16.8%	44.8%	76.6%	4
N6485	Pear	1,783	4.65	1.7	0.8	20.06	4.57	1.4%	7.5%	28.5%	76.6%	2
N6428	Inter	15,342	5.09	3.0	1.7	21.08	4.50	-	11.1%	56.6%	75.2%	8
BP74	Thin	3,389	5.76	2.0	1.5	20.08	4.47	-	6.1%	31.5%	68.3%	4
H2012	Inter	2,993	5.25	2.6	0.9	21.17	4.44	-	6.3%	41.8%	68.3%	3
SVTM9016	Thick	44,416	5.21	3.2	0.5	21.05	4.40	-	4.4%	34.7%	63.7%	5
HM8237	Inter	40,476	5.16	1.6	0.5	21.34	4.38	0.1%	14.7%	35.4%	61.6%	3
UG16112	Thick	4,941	4.91	1.5	0.5	20.34	4.46	0.3%	10.7%	36.1%	57.2%	8
BP43	Thin	1,272	5.54	2.4	1.1	20.40	4.46	-	-	-	55.3%	7
N6475	Thick	6,077	4.85	2.8	0.5	20.64	4.50	-	1.3%	16.9%	39.3%	3
SVTM9041	Thick	1,846	5.23	4.5	0.5	21.33	4.41	-	-	9.4%	39.1%	1

\* All Varieties Over 1,000 Loads

# 2024 California Cannery Tomato

## South Region - Top 45

Final PTAB Report

	Variety	Use	Attributes	Loads	Brix	Mold	LU	Color	pH	2023 Rank
1	HM5522	Inter	Fr	16,347	5.76	1.1	0.8	19.22	4.39	1
2	HM8237	Inter	F3, Fr, EFH	14,172	5.26	2.2	0.6	20.77	4.44	4
3	SVTM9016	Thick	F3, EFH	12,909	5.29	5.1	0.5	20.23	4.50	7
4	HM7103	Early	EFH	12,770	5.32	0.5	1.5	20.15	4.43	3
5	H1776	Thick	-	9,329	5.12	1.6	0.6	20.18	4.43	65
6	SVTM9027	Early	F3, Lv	9,126	5.49	1.0	0.8	19.65	4.41	12
7	H1996	Thick	F3, EFS™	8,938	5.11	2.8	0.6	19.62	4.52	9
8	H2016	Thick	F3	8,844	4.86	4.1	0.9	18.99	4.50	11
9	HM4521	Inter	EFH	8,511	5.57	3.6	0.8	20.06	4.48	5
10	HM8163	Pear	-	5,458	5.85	2.1	1.3	18.89	4.49	13
11	H5608	Thick	-	5,439	5.23	2.3	1.4	19.25	4.50	8
12	SVTM9025	Thick	F3, Fr, EFH	5,286	5.37	1.7	0.6	20.53	4.31	18
13	SVTM9019	Thin	F3, EFH	4,876	5.54	2.0	2.9	21.61	4.33	14
14	SVTM9023	Thick	F3, EFH	4,840	5.03	2.2	1.3	21.03	4.45	2
15	SVTM1082	Thin	F3	4,822	5.64	1.9	1.6	20.59	4.41	21
16	H1662	Thick	F3, Lv	4,768	5.02	3.4	1.2	21.06	4.56	19
17	HM58841	Inter	EFH	4,694	5.52	2.6	0.9	19.88	4.50	23
18	N6428	Inter	F3, EFH	4,320	5.03	3.3	1.3	20.65	4.55	20
19	HM8268	Inter	F3	3,233	5.41	1.5	1.7	19.05	4.46	17
20	SVTM9036	Inter	F3, EFH, Lv	3,129	5.09	2.6	1.7	20.89	4.52	44
21	N6416	Early	-	3,085	4.87	0.4	2.1	20.93	4.38	24
22	N6474	Thin	F3, EFH	2,919	5.20	2.6	1.3	21.36	4.56	28
23	UG16112	Thick	EFH	2,638	4.90	1.7	0.5	20.35	4.42	33
24	SVTM9013	Inter	F3	2,631	5.27	2.6	0.7	19.33	4.48	6
25	BQ400	Early	-	2,569	5.23	0.4	1.0	19.44	4.44	10
26	N6402	Thin	-	2,406	5.55	1.3	2.0	19.65	4.49	48
27	SVTM9037	Thick	F3, EFH, Lv	2,358	5.17	4.6	0.8	20.93	4.50	32
28	HM5235	Inter	F3	2,154	5.62	2.0	1.3	18.65	4.48	-
29	H4707	Thick	EFS™	2,063	4.72	3.2	0.9	21.10	4.48	31
30	BOS811	Thick	EFH	1,952	5.08	1.6	0.8	19.34	4.38	15
31	SVTM9034	Early	F3	1,911	5.50	1.7	1.0	19.89	4.50	57
32	SVTM9024	Thick	F3, EFH	1,868	5.23	2.7	1.1	20.06	4.41	50
33	HM5511	Thin	F3, Fr	1,758	5.46	1.0	3.0	20.14	4.49	26
34	H2012	Inter	F3, EFS™	1,576	5.32	3.4	0.8	21.06	4.49	59
35	SVTM9032	Early	F3, Fr, Lv	1,504	5.55	1.5	1.4	20.36	4.42	37
36	N6475	Thick	F3, EFH	1,371	4.84	4.7	0.3	20.34	4.58	46
37	CXD187	Early	-	1,224	4.74	0.7	2.3	20.40	4.40	29
38	E247	Early	F3	1,109	5.11	1.5	1.2	19.78	4.36	41
39	SVTM9028	Thick	F3	1,099	5.49	3.9	1.7	18.83	4.60	38
40	N6420	Pear	-	855	4.73	2.9	1.6	20.76	4.57	30
41	BQ273	Early	-	846	5.14	0.9	1.9	20.37	4.35	16
42	BQ403	Early	-	817	4.75	1.8	2.9	20.74	4.35	22
43	SVTM9021	Inter	F3, Fr	792	5.26	3.8	1.0	20.04	4.44	42
44	N6366	Thin	-	789	5.28	0.7	2.0	19.80	4.47	27
45	H1657	Thick	-	756	4.62	1.4	0.5	18.60	4.55	66
<b>Total</b>				<b>204,325</b>	<b>5.30</b>	<b>2.3</b>	<b>1.1</b>	<b>20.05</b>	<b>4.46</b>	

# 2024 California Cannery Tomato

## South Counties - Top 15

Final PTAB Report

Variety	Loads	Brix	Mold	LU	Color	pH	All Loads		% of Variety		Harvested by 10-Aug
							Region	State	Region	State	

### Fresno

HM5522	12,214	5.76	1.0	0.7	19.2	4.38	16,347	21,738	74.7%	56.2%	83.6%
HM8237	10,149	5.28	1.7	0.6	20.7	4.43	14,172	40,476	71.6%	25.1%	27.4%
HM7103	7,326	5.29	0.5	1.2	20.3	4.41	12,770	14,511	57.4%	50.5%	99.1%
H1996	6,221	5.11	2.1	0.5	19.6	4.50	8,938	30,754	69.6%	20.2%	15.3%
SVTM1082	4,748	5.65	1.9	1.6	20.6	4.41	4,822	8,229	98.5%	57.7%	35.8%
SVTM9019	4,418	5.54	2.1	2.9	21.6	4.33	4,876	11,673	90.6%	37.8%	45.2%
SVTM9025	4,225	5.42	1.1	0.6	20.5	4.30	5,286	9,539	79.9%	44.3%	31.0%
SVTM9016	3,765	5.10	3.5	0.5	20.4	4.46	12,909	44,416	29.2%	8.5%	17.3%
HM8163	3,710	5.84	2.0	1.3	18.9	4.48	5,458	7,564	68.0%	49.0%	66.8%
HM58841	3,623	5.49	2.4	0.9	19.8	4.49	4,694	26,440	77.2%	13.7%	45.6%
SVTM9027	3,238	5.44	0.8	0.7	19.7	4.38	9,126	16,566	35.5%	19.5%	93.9%
N6428	3,116	5.08	2.8	1.3	20.5	4.55	4,320	15,342	72.1%	20.3%	11.2%
H2016	3,102	4.80	4.6	0.9	19.1	4.50	8,844	23,493	35.1%	13.2%	6.7%
SVTM9036	2,749	5.08	2.4	1.8	20.8	4.52	3,129	4,412	87.9%	62.3%	21.6%
H1776	2,654	5.20	1.0	0.3	19.8	4.37	9,329	9,608	28.4%	27.6%	88.2%

<b>Total</b>	<b>112,854</b>	<b>5.34</b>	<b>1.9</b>	<b>1.0</b>	<b>20.0</b>	<b>4.44</b>	<b>55.2%</b>	<b>25.6%</b>	<b>55.4%</b>	<b>25.8%</b>	<b>50.1%</b>
--------------	----------------	-------------	------------	------------	-------------	-------------	--------------	--------------	--------------	--------------	--------------

### Kern

H5608	3,330	5.27	2.5	1.5	19.2	4.51	5,439	5,845	61.2%	57.0%	100.0%
SVTM9027	2,566	5.67	1.8	1.2	19.6	4.44	9,126	16,566	28.1%	15.5%	100.0%
HM5522	1,969	5.75	1.6	1.2	19.2	4.44	16,347	21,738	12.0%	9.1%	85.7%
HM7103	1,898	5.34	0.6	3.3	20.4	4.52	12,770	14,511	14.9%	13.1%	100.0%
HM4521	1,803	5.50	1.4	1.1	20.3	4.46	8,511	9,271	21.2%	19.4%	100.0%
SVTM9023	1,059	4.98	1.0	1.6	21.6	4.46	4,840	8,686	21.9%	12.2%	100.0%
H1776	1,023	5.27	1.1	1.2	20.9	4.49	9,329	9,608	11.0%	10.6%	100.0%
H1662	954	4.92	0.8	1.7	21.8	4.51	4,768	8,331	20.0%	11.5%	76.7%
HM8237	776	5.34	0.5	0.6	21.5	4.38	14,172	40,476	5.5%	1.9%	100.0%
HM8163	688	5.64	1.9	1.9	19.3	4.48	5,458	7,564	12.6%	9.1%	81.8%
E247	656	4.99	1.9	1.2	20.0	4.35	1,109	1,190	59.2%	55.1%	100.0%
N6416	624	4.38	1.3	3.9	21.6	4.46	3,085	3,085	20.2%	20.2%	100.0%
HM8268	622	5.36	1.1	2.4	19.7	4.45	3,233	17,423	19.2%	3.6%	100.0%
BQ400	566	4.94	0.8	0.7	18.9	4.43	2,569	2,569	22.0%	22.0%	100.0%
CXD187	487	4.50	1.1	2.2	20.6	4.42	1,224	1,224	39.8%	39.8%	100.0%

<b>Total</b>	<b>22,184</b>	<b>5.30</b>	<b>1.4</b>	<b>1.7</b>	<b>20.1</b>	<b>4.46</b>	<b>10.9%</b>	<b>5.0%</b>	<b>16.0%</b>	<b>9.0%</b>	<b>95.4%</b>
--------------	---------------	-------------	------------	------------	-------------	-------------	--------------	-------------	--------------	-------------	--------------

### Kings

SVTM9016	7,970	5.40	5.8	0.5	20.1	4.53	12,909	44,416	61.7%	17.9%	4.5%
HM4521	5,661	5.62	4.5	0.7	19.9	4.50	8,511	9,271	66.5%	61.1%	7.1%
H2016	4,393	4.95	4.0	0.9	18.9	4.52	8,844	23,493	49.7%	18.7%	17.5%
HM7103	3,471	5.39	0.3	1.3	19.7	4.42	12,770	14,511	27.2%	23.9%	100.0%
SVTM9027	3,107	5.40	0.4	0.6	19.7	4.40	9,126	16,566	34.0%	18.8%	100.0%
HM8237	2,668	5.24	4.3	0.8	20.6	4.49	14,172	40,476	18.8%	6.6%	23.1%

# 2024 California Cannery Tomato

## South Counties - Top 15

Final PTAB Report

Variety	Loads	Brix	Mold	LU	Color	pH	All Loads		% of Variety		Harvested by 10-Aug
							Region	State	Region	State	

### Kings

H1776	2,479	5.18	1.7	0.8	20.5	4.47	9,329	9,608	26.6%	25.8%	81.2%
HM5522	1,795	5.89	1.1	1.4	19.3	4.45	16,347	21,738	11.0%	8.3%	94.8%
SVTM9023	1,481	4.82	2.2	1.1	21.4	4.45	4,840	8,686	30.6%	17.1%	74.9%
SVTM9037	1,409	5.43	5.8	0.8	20.5	4.51	2,358	5,954	59.8%	23.7%	-
HM5511	1,396	5.50	0.6	2.8	20.1	4.48	1,758	1,810	79.4%	77.1%	100.0%
SVTM9028	1,099	5.49	3.9	1.7	18.8	4.60	1,099	1,099	100.0%	100.0%	7.6%
HM8163	1,060	6.02	2.6	1.1	18.6	4.55	5,458	7,564	19.4%	14.0%	43.5%
H5608	977	5.18	3.1	1.5	19.3	4.51	5,439	5,845	18.0%	16.7%	16.1%
N6416	953	5.00	0.2	1.2	20.3	4.37	3,085	3,085	30.9%	30.9%	100.0%
<b>Total</b>	<b>49,046</b>	<b>5.34</b>	<b>3.3</b>	<b>1.0</b>	<b>20.0</b>	<b>4.49</b>	<b>24.0%</b>	<b>11.1%</b>	<b>26.8%</b>	<b>13.0%</b>	<b>45.7%</b>

### Madera

H1996	2,250	5.13	3.5	0.8	19.6	4.55	8,938	30,754	25.2%	7.3%	-
H4707	1,250	4.75	1.5	0.5	20.6	4.41	2,063	3,955	60.6%	31.6%	-
N6428	1,204	4.90	4.6	1.2	21.0	4.55	4,320	15,342	27.9%	7.8%	-
H2016	1,198	4.65	3.2	0.8	19.1	4.43	8,844	23,493	13.5%	5.1%	-
SVTM9016	1,174	5.14	4.7	0.5	20.6	4.47	12,909	44,416	9.1%	2.6%	-
H1662	1,058	5.12	4.5	0.8	20.8	4.57	4,768	8,331	22.2%	12.7%	-
N6475	915	4.99	5.5	0.3	20.1	4.60	1,371	6,077	66.7%	15.1%	-
N6474	836	5.16	3.9	1.3	21.2	4.59	2,919	4,726	28.6%	17.7%	-
H1776	763	5.20	1.6	0.5	20.1	4.43	9,329	9,608	8.2%	7.9%	19.8%
SVTM9025	650	4.90	3.3	0.5	20.5	4.33	5,286	9,539	12.3%	6.8%	-
HM8237	579	5.01	2.4	0.7	21.6	4.45	14,172	40,476	4.1%	1.4%	-
H2012	521	5.16	0.9	0.4	21.0	4.40	1,576	2,993	33.1%	17.4%	-
H5508	449	4.58	5.1	0.9	20.9	4.49	469	474	95.7%	94.7%	-
SVTM9032	434	5.03	2.6	1.4	20.6	4.49	1,504	7,998	28.9%	5.4%	-
SVTM9013	427	5.30	4.4	0.7	19.8	4.54	2,631	6,161	16.2%	6.9%	-
<b>Total</b>	<b>15,153</b>	<b>5.00</b>	<b>3.5</b>	<b>0.8</b>	<b>20.3</b>	<b>4.50</b>	<b>7.4%</b>	<b>3.4%</b>	<b>16.0%</b>	<b>5.9%</b>	<b>1.0%</b>

### Tulare

H1776	2,410	4.87	2.2	0.6	20.0	4.45	9,329	9,608	25.8%	25.1%	92.4%
HM5522	369	5.23	2.6	0.7	19.5	4.44	16,347	21,738	2.3%	1.7%	100.0%
BQ403	363	4.47	2.6	3.8	20.7	4.34	817	817	44.4%	44.4%	100.0%
H1662	359	4.72	1.1	1.0	21.5	4.61	4,768	8,331	7.5%	4.3%	36.2%
N6474	332	4.56	2.0	0.6	20.6	4.53	2,919	4,726	11.4%	7.0%	100.0%
HM58841	279	5.11	1.8	0.6	19.4	4.48	4,694	26,440	5.9%	1.1%	100.0%
SVTM9027	215	5.52	4.3	1.1	19.6	4.58	9,126	16,566	2.4%	1.3%	-
H5608	190	4.78	1.4	1.0	19.0	4.54	5,439	5,845	3.5%	3.3%	100.0%
SVTM9034	170	5.13	3.0	1.2	20.2	4.61	1,911	3,964	8.9%	4.3%	100.0%
H1991	119	4.58	1.0	0.9	19.3	4.59	343	577	34.7%	20.6%	100.0%
SVTM9023	118	4.75	2.9	1.2	21.4	4.56	4,840	8,686	2.4%	1.4%	100.0%

# 2024 California Cannery Tomato

## South Counties - Top 15

Final PTAB Report

Variety	Loads	Brix	Mold	LU	Color	pH	All Loads		% of Variety		Harvested by 10-Aug
							Region	State	Region	State	

### Tulare

HM7103	75	4.50	0.8	1.3	20.4	4.49	12,770	14,511	0.6%	0.5%	100.0%
LS0645	62	5.01	1.9	1.3	20.1	4.58	62	68	100.0%	91.2%	51.6%
H2354	27	5.22	2.4	1.7	20.7	4.43	50	61	54.0%	44.3%	100.0%
<b>Total</b>	<b>5,088</b>	<b>5.19</b>	<b>2.3</b>	<b>0.8</b>	<b>20.4</b>	<b>4.46</b>	<b>2.5%</b>	<b>1.2%</b>	<b>6.9%</b>	<b>4.2%</b>	<b>87.1%</b>
<b>South</b>	<b>204,325</b>	<b>5.30</b>	<b>2.3</b>	<b>1.1</b>	<b>20.0</b>	<b>4.46</b>	<b>100.0%</b>	<b>46.4%</b>	<b>100.0%</b>	<b>46.4%</b>	<b>23.8%</b>
<b>Statewide</b>	<b>440,626</b>	<b>5.26</b>	<b>2.1</b>	<b>1.0</b>	<b>20.4</b>	<b>4.43</b>	<b>-</b>	<b>100.0%</b>	<b>-</b>	<b>100.0%</b>	<b>31.0%</b>

# 2024 California Cannery Tomato

## Central Region - Top 45

Final PTAB Report

	Variety	Use	Attributes	Loads	Brix	Mold	LU	Color	pH	2023 Rank
1	H1996	Thick	F3, EFS™	11,384	5.17	1.6	0.5	19.80	4.46	6
2	SVTM9016	Thick	F3, EFH	9,421	5.12	1.8	0.4	21.07	4.39	5
3	HM8237	Inter	F3, Fr, EFH	7,398	5.09	1.4	0.5	21.49	4.41	3
4	HM58841	Inter	EFH	4,441	5.30	2.1	0.9	20.73	4.46	4
5	HM8268	Inter	F3	4,158	5.48	1.8	1.4	19.40	4.45	14
6	SVTM9025	Thick	F3, Fr, EFH	3,451	5.29	2.1	0.4	20.79	4.34	15
7	N6428	Inter	F3, EFH	3,352	4.96	3.3	1.3	21.24	4.52	16
8	H2016	Thick	F3	3,238	4.80	2.5	1.0	19.64	4.42	20
9	HM5522	Inter	Fr	3,108	5.69	0.7	0.4	19.28	4.37	11
10	SVTM9019	Thin	F3, EFH	3,090	5.48	1.9	2.5	22.23	4.36	10
11	SVTM9023	Thick	F3, EFH	2,981	5.34	1.3	1.0	21.09	4.44	1
12	SVTM1082	Thin	F3	2,970	5.52	1.5	1.5	20.72	4.39	8
13	SVTM9037	Thick	F3, EFH, Lv	2,730	5.11	1.8	0.7	21.65	4.44	17
14	N6475	Thick	F3, EFH	2,649	4.78	1.7	0.5	20.58	4.48	18
15	SVTM9013	Inter	F3	2,556	5.24	2.5	0.8	19.84	4.46	2
16	UG16112	Thick	EFH	2,303	4.92	1.4	0.5	20.33	4.50	22
17	BP74	Thin	F3, EFH	1,884	5.76	1.8	1.4	19.98	4.48	7
18	BP101	Pear	F3	1,781	4.94	1.9	1.2	20.02	4.47	27
19	SVTM9024	Thick	F3, EFH	1,558	5.13	1.4	0.4	20.33	4.33	33
20	H1662	Thick	F3, Lv	1,523	5.22	2.6	1.1	20.90	4.50	9
21	SVTM9027	Early	F3, Lv	1,469	5.51	1.3	0.7	20.13	4.39	19
22	SVTM9021	Inter	F3, Fr	1,330	5.37	1.8	0.8	20.09	4.39	12
23	SVTM9034	Early	F3	1,248	5.76	0.7	0.7	19.66	4.47	49
24	BP43	Thin	F3	1,182	5.52	2.4	1.1	20.40	4.46	21
25	H4707	Thick	EFS™	1,161	4.63	1.0	0.3	21.23	4.39	24
26	SVTM9036	Inter	F3, EFH, Lv	1,064	5.14	1.6	1.4	20.98	4.49	40
27	N6474	Thin	F3, EFH	1,017	5.23	4.5	0.7	20.86	4.56	34
28	HM8163	Pear	-	991	5.85	1.9	1.1	19.21	4.49	28
29	SVTM9012	Thin	F3	976	5.59	1.5	0.9	19.73	4.38	29
30	N6485	Pear	F3	755	4.48	1.4	0.8	20.19	4.56	53
31	SVTM9032	Early	F3, Fr, Lv	574	5.45	0.9	1.3	20.69	4.36	-
32	BOS811	Thick	EFH	500	5.22	1.1	1.1	20.21	4.41	13
33	HM7103	Early	EFH	458	5.35	0.2	0.8	20.72	4.40	23
34	BP88	Pear	F3	451	5.11	3.5	2.0	19.78	4.56	26
35	HM4521	Inter	EFH	417	5.10	0.1	0.3	20.86	4.33	25
36	HM5235	Inter	F3	411	5.23	4.9	1.2	20.04	4.41	38
37	SVTM9041	Thick	F3, EFH	371	4.92	3.2	0.5	21.14	4.36	-
38	H2012	Inter	F3, EFS™	292	5.04	1.9	1.0	21.60	4.47	-
39	H1776	Thick	-	278	5.23	1.9	2.4	21.12	4.60	-
40	H2015	Thick	F3	224	4.43	1.2	0.4	18.39	4.49	-
41	Misc	Misc	-	212	5.30	2.4	1.1	20.14	4.43	42
42	H2128	Pear	F3	192	5.09	4.3	2.7	19.53	4.61	47
43	N6402	Thin	-	155	5.17	0.4	0.8	20.14	4.45	30
44	N6366	Thin	-	135	5.65	0.4	1.4	20.26	4.42	41
45	SSA6377	Thin	-	127	5.72	2.4	0.6	20.72	4.42	39
<b>Total</b>				<b>185,392</b>	<b>5.22</b>	<b>1.8</b>	<b>0.8</b>	<b>20.53</b>	<b>4.43</b>	

# 2024 California Cannery Tomato

## Central Counties - Top 15

Final PTAB

Variety	Loads	Brix	Mold	LU	Color	pH	All Loads		% of Variety		Harvested by 10-Aug
							Region	State	Region	State	

### Contra Costa

HM5522	1,891	5.62	0.3	0.4	19.3	4.34	3,108	21,738	60.8%	8.7%	31.1%
SVTM9012	770	5.64	1.2	1.0	19.7	4.39	976	1,402	78.9%	54.9%	4.2%
SVTM9034	764	5.47	0.5	0.9	19.9	4.47	1,248	3,964	61.2%	19.3%	84.4%
SVTM1082	741	5.17	0.9	0.6	21.2	4.34	2,970	8,229	24.9%	9.0%	23.8%
HM58841	622	5.23	0.5	0.3	19.8	4.45	4,441	26,440	14.0%	2.4%	67.0%
HM8268	613	5.57	0.4	1.0	19.7	4.45	4,158	17,423	14.7%	3.5%	44.4%
HM7103	362	5.32	0.1	0.5	20.8	4.39	458	14,511	79.0%	2.5%	66.6%
SVTM9019	348	5.78	0.8	1.4	21.0	4.36	3,090	11,673	11.3%	3.0%	-
SVTM9027	286	5.04	0.1	0.1	21.3	4.38	1,469	16,566	19.5%	1.7%	100.0%
HM8163	236	5.84	1.0	0.7	18.6	4.48	991	7,564	23.8%	3.1%	-
BP74	193	6.02	1.5	1.3	19.5	4.58	1,884	3,389	10.2%	5.7%	-
SVTM9024	182	4.69	0.9	0.2	19.7	4.32	1,558	4,117	11.7%	4.4%	-
SVTM9016	180	4.64	0.8	0.1	21.3	4.36	9,421	44,416	1.9%	0.4%	-
N6366	135	5.65	0.4	1.4	20.3	4.42	135	924	100.0%	14.6%	73.3%
DRI319	101	6.40	0.2	0.7	20.8	4.37	101	101	100.0%	100.0%	100.0%
<b>Total</b>	<b>7,507</b>	<b>5.48</b>	<b>0.6</b>	<b>0.7</b>	<b>20.0</b>	<b>4.40</b>	<b>8.1%</b>	<b>1.7%</b>	<b>20.7%</b>	<b>4.1%</b>	<b>38.2%</b>

### Merced

H1996	7,851	5.16	1.8	0.5	19.7	4.48	11,384	30,754	69.0%	25.5%	3.0%
SVTM9016	4,403	5.21	2.5	0.4	20.7	4.42	9,421	44,416	46.7%	9.9%	1.2%
H2016	2,958	4.81	2.7	1.0	19.7	4.42	3,238	23,493	91.4%	12.6%	-
UG16112	2,303	4.92	1.4	0.5	20.3	4.50	2,303	4,941	100.0%	46.6%	-
SVTM9025	2,290	5.37	2.6	0.4	20.7	4.33	3,451	9,539	66.4%	24.0%	6.6%
HM8237	2,284	5.19	2.8	0.8	21.5	4.45	7,398	40,476	30.9%	5.6%	5.2%
N6428	2,012	5.08	3.2	1.3	21.1	4.54	3,352	15,342	60.0%	13.1%	-
SVTM9037	1,588	5.22	2.1	0.8	21.7	4.43	2,730	5,954	58.2%	26.7%	-
SVTM9013	1,502	5.34	1.9	0.7	19.7	4.48	2,556	6,161	58.8%	24.4%	10.5%
H1662	1,418	5.22	2.8	1.2	20.9	4.50	1,523	8,331	93.1%	17.0%	-
SVTM1082	1,264	5.65	1.7	1.8	20.5	4.41	2,970	8,229	42.6%	15.4%	16.5%
N6475	1,090	4.63	1.8	0.5	20.8	4.51	2,649	6,077	41.1%	17.9%	-
N6474	1,017	5.23	4.5	0.7	20.9	4.56	1,017	4,726	100.0%	21.5%	10.2%
H4707	992	4.62	1.2	0.3	21.0	4.39	1,161	3,955	85.4%	25.1%	-
SVTM9019	893	5.54	3.3	2.7	22.5	4.38	3,090	11,673	28.9%	7.7%	15.2%
<b>Total</b>	<b>41,381</b>	<b>5.19</b>	<b>2.3</b>	<b>0.8</b>	<b>20.4</b>	<b>4.46</b>	<b>44.6%</b>	<b>9.4%</b>	<b>46.1%</b>	<b>10.1%</b>	<b>5.6%</b>

# 2024 California Cannery Tomato

## Central Counties - Top 15

Final PTAB

Variety	Loads	Brix	Mold	LU	Color	pH	All Loads		% of Variety		Harvested by 10-Aug
							Region	State	Region	State	

### San Joaquin

HM8237	2,995	5.12	0.7	0.4	21.5	4.36	7,398	40,476	40.5%	7.4%	0.0%
SVTM9016	2,573	5.21	1.1	0.5	21.3	4.35	9,421	44,416	27.3%	5.8%	-
HM8268	2,561	5.54	1.8	1.6	19.6	4.45	4,158	17,423	61.6%	14.7%	-
H1996	2,053	5.32	1.0	0.5	20.0	4.39	11,384	30,754	18.0%	6.7%	-
HM58841	1,906	5.37	1.1	0.8	20.8	4.42	4,441	26,440	42.9%	7.2%	-
N6475	1,459	4.90	1.6	0.5	20.4	4.45	2,649	6,077	55.1%	24.0%	-
SVTM9023	1,433	5.40	1.4	1.1	21.1	4.42	2,981	8,686	48.1%	16.5%	-
N6428	1,242	4.78	3.6	1.5	21.5	4.48	3,352	15,342	37.1%	8.1%	-
SVTM9019	1,220	5.48	1.4	2.5	22.3	4.35	3,090	11,673	39.5%	10.5%	-
BP43	1,182	5.52	2.4	1.1	20.4	4.46	1,182	1,272	100.0%	92.9%	-
BP74	1,106	5.79	1.8	1.7	20.2	4.47	1,884	3,389	58.7%	32.6%	-
SVTM9021	1,020	5.27	1.5	0.9	20.1	4.38	1,330	3,562	76.7%	28.6%	12.0%
BP101	1,018	4.84	2.1	1.2	20.1	4.47	1,781	2,734	57.2%	37.2%	-
SVTM9013	1,005	5.12	3.3	0.8	20.1	4.43	2,556	6,161	39.3%	16.3%	-
N6485	644	4.51	1.5	0.8	20.1	4.55	755	1,783	85.3%	36.1%	-
<b>Total</b>	<b>27,537</b>	<b>5.27</b>	<b>1.6</b>	<b>1.0</b>	<b>20.6</b>	<b>4.41</b>	<b>29.7%</b>	<b>6.2%</b>	<b>33.0%</b>	<b>7.8%</b>	<b>0.4%</b>

### Stanislaus

SVTM9016	2,265	4.88	1.2	0.5	21.5	4.38	9,421	44,416	24.0%	5.1%	-
HM8237	2,119	4.95	0.9	0.4	21.5	4.43	7,398	40,476	28.6%	5.2%	-
H1996	1,480	5.03	1.3	0.4	20.1	4.47	11,384	30,754	13.0%	4.8%	-
SVTM9023	1,311	5.22	1.3	0.8	21.0	4.45	2,981	8,686	44.0%	15.1%	-
HM58841	1,292	5.12	2.0	1.2	20.8	4.47	4,441	26,440	29.1%	4.9%	-
SVTM9037	1,128	4.97	1.2	0.5	21.6	4.46	2,730	5,954	41.3%	18.9%	-
SVTM9025	817	5.14	1.2	0.4	21.1	4.38	3,451	9,539	23.7%	8.6%	-
HM8268	755	5.33	2.4	1.1	18.9	4.45	4,158	17,423	18.2%	4.3%	-
SVTM9019	629	5.22	1.5	2.9	22.5	4.35	3,090	11,673	20.4%	5.4%	-
SVTM9027	620	5.57	0.7	0.6	19.6	4.37	1,469	16,566	42.2%	3.7%	82.7%
SVTM1082	562	5.48	1.8	2.0	20.9	4.42	2,970	8,229	18.9%	6.8%	6.2%
BP74	454	5.64	2.4	1.1	19.7	4.45	1,884	3,389	24.1%	13.4%	-
BP101	426	5.02	2.1	1.0	19.9	4.46	1,781	2,734	23.9%	15.6%	-
HM5235	411	5.23	4.9	1.2	20.0	4.41	411	3,071	100.0%	13.4%	-
SVTM9036	356	5.14	0.7	0.9	20.9	4.46	1,064	4,412	33.5%	8.1%	-
<b>Total</b>	<b>16,271</b>	<b>5.11</b>	<b>1.6</b>	<b>0.8</b>	<b>20.8</b>	<b>4.43</b>	<b>17.6%</b>	<b>3.7%</b>	<b>21.6%</b>	<b>4.5%</b>	<b>3.9%</b>
<b>Central</b>	<b>92,696</b>	<b>5.22</b>	<b>1.8</b>	<b>0.8</b>	<b>20.5</b>	<b>4.43</b>	<b>100.0%</b>	<b>21.0%</b>	<b>100.0%</b>	<b>21.2%</b>	<b>1.4%</b>
<b>Statewide</b>	<b>440,626</b>	<b>5.26</b>	<b>2.1</b>	<b>1.0</b>	<b>20.4</b>	<b>4.43</b>	<b>-</b>	<b>100.0%</b>	<b>-</b>	<b>100.0%</b>	<b>31.0%</b>

# 2024 California Cannery Tomato

## North Region - Top 45

Final PTAB Report

	Variety	Use	Attributes	Loads	Brix	Mold	LU	Color	pH	2023 Rank
1	SVTM9016	Thick	F3, EFH	21,848	5.21	2.8	0.4	21.53	4.34	2
2	HM8237	Inter	F3, Fr, EFH	18,906	5.10	1.3	0.4	21.71	4.33	3
3	HM58841	Inter	EFH	16,875	5.39	1.7	0.6	20.51	4.40	1
4	H2016	Thick	F3	11,411	4.95	2.7	1.0	20.20	4.39	6
5	H1996	Thick	F3, EFS™	10,222	5.27	2.2	0.7	20.14	4.43	5
6	HM8268	Inter	F3	9,403	5.35	1.4	1.1	19.44	4.41	7
7	N6428	Inter	F3, EFH	7,670	5.18	2.7	2.2	21.25	4.46	4
8	SVTM9032	Early	F3, Fr, Lv	5,858	5.28	0.6	1.6	21.01	4.33	8
9	SVTM9027	Early	F3, Lv	5,787	5.23	0.9	0.8	20.37	4.35	17
10	SVTM9019	Thin	F3, EFH	3,707	5.48	1.5	1.6	21.76	4.27	13
11	HM5522	Inter	Fr	2,283	5.64	1.1	0.4	19.78	4.34	14
12	H1662	Thick	F3, Lv	2,040	5.12	4.2	1.5	21.30	4.47	18
13	N6475	Thick	F3, EFH	1,910	4.95	3.2	0.6	21.00	4.49	11
14	H2015	Thick	F3	1,568	4.83	3.5	0.7	19.30	4.45	21
15	SVTM9021	Inter	F3, Fr	1,350	5.37	1.4	0.8	20.27	4.33	12
16	H1015	Early	EFS™	1,304	5.18	1.0	0.7	19.34	4.43	28
17	N6434	Inter	F3, EFH	1,288	5.12	1.8	1.9	21.83	4.42	20
18	HM7103	Early	EFH	1,283	5.13	0.5	0.7	19.99	4.38	24
19	HM8163	Pear	-	1,115	5.57	3.0	1.2	19.58	4.49	26
20	H2012	Inter	F3, EFS™	1,061	5.19	1.9	1.1	21.26	4.37	10
21	BP74	Thin	F3, EFH	1,011	5.68	2.2	1.1	20.51	4.42	19
22	SVTM9037	Thick	F3, EFH, Lv	866	5.09	3.1	0.7	22.30	4.36	25
23	SVTM9023	Thick	F3, EFH	865	5.35	1.2	1.1	21.46	4.45	15
24	SVTM9034	Early	F3	805	5.26	0.8	0.7	20.74	4.42	-
25	SVTM9041	Thick	F3, EFH	802	5.18	4.3	0.4	22.08	4.37	-
26	SVTM9025	Thick	F3, Fr, EFH	802	5.32	0.9	0.4	21.15	4.28	30
27	N6474	Thin	F3, EFH	790	5.32	2.3	2.4	21.85	4.51	35
28	H4707	Thick	EFS™	731	5.02	2.6	0.9	21.67	4.43	-
29	HM4909	Inter	Fr	728	5.65	1.2	0.5	20.96	4.22	-
30	SVTM9013	Inter	F3	711	5.49	2.4	1.5	20.41	4.41	9
31	N6485	Pear	F3	617	4.78	2.1	0.7	19.94	4.58	42
32	HM5235	Inter	F3	506	5.22	2.1	2.1	19.36	4.42	16
33	Misc	Misc	-	502	5.09	2.5	1.0	20.93	4.36	31
34	SVTM9024	Thick	F3, EFH	473	5.16	1.1	0.3	20.68	4.26	32
35	SVTM1082	Thin	F3	437	5.38	0.9	0.7	20.83	4.34	34
36	H5608	Thick	-	406	4.91	2.5	1.4	19.72	4.44	37
37	BOS811	Thick	EFH	365	5.14	0.8	0.4	20.40	4.35	23
38	BP101	Pear	F3	353	4.43	3.2	0.8	20.28	4.44	44
39	HM4521	Inter	EFH	343	5.31	1.3	0.3	20.44	4.37	22
40	H1991	Thick	F3	234	4.91	6.2	1.3	19.79	4.47	27
41	SVTM9036	Inter	F3, EFH, Lv	219	5.62	1.2	0.7	20.72	4.44	40
42	SVTM9040	Thin	F3	188	5.90	1.7	1.0	21.01	4.34	-
43	HM8507	Pear	F3, Fr	163	5.37	2.4	1.0	18.23	4.49	47
44	H2128	Pear	F3	147	5.34	0.5	1.3	19.93	4.48	-
45	BP88	Pear	F3	146	4.78	4.2	0.9	19.95	4.50	29
<b>Total</b>				<b>141,070</b>	<b>5.22</b>	<b>2.0</b>	<b>0.9</b>	<b>20.82</b>	<b>4.38</b>	

# 2024 California Cannery Tomato

## North Counties - Top 15

Variety	Loads	Brix	Mold	LU	Color	pH	All Loads		% of Variety		Harvested by 10-Aug
							Region	State	Region	State	

### Butte

HM8237	545	4.84	2.6	0.8	21.2	4.47	18,906	40,476	2.9%	1.3%	-
N6428	518	4.97	8.3	1.8	21.7	4.61	7,670	15,342	6.8%	3.4%	-
SVTM9016	510	5.17	4.0	0.6	20.5	4.46	21,848	44,416	2.3%	1.1%	-
H1996	467	4.77	5.2	0.6	20.1	4.54	10,222	30,754	4.6%	1.5%	-
N6474	351	5.50	1.8	3.1	22.4	4.60	790	4,726	44.4%	7.4%	80.3%
N6475	189	4.48	6.7	1.0	21.2	4.60	1,910	6,077	9.9%	3.1%	-
HM8268	81	6.05	6.8	3.5	20.5	4.59	9,403	17,423	0.9%	0.5%	100.0%
H2016	77	4.66	5.8	0.6	20.3	4.45	11,411	23,493	0.7%	0.3%	-
H4707	74	5.04	6.1	0.3	21.1	4.51	731	3,955	10.1%	1.9%	-
<b>Total</b>	<b>2,812</b>	<b>5.01</b>	<b>4.8</b>	<b>1.3</b>	<b>21.1</b>	<b>4.53</b>	<b>2.0%</b>	<b>0.6%</b>	<b>3.4%</b>	<b>1.5%</b>	<b>12.9%</b>

### Colusa

N6428	4,931	5.09	2.3	2.5	21.1	4.45	7,670	15,342	64.3%	32.1%	22.8%
SVTM9016	4,577	5.32	3.1	0.5	21.2	4.35	21,848	44,416	20.9%	10.3%	4.3%
H2016	4,369	4.92	3.1	1.2	19.9	4.41	11,411	23,493	38.3%	18.6%	-
H1996	3,369	5.33	2.7	0.9	20.0	4.48	10,222	30,754	33.0%	11.0%	-
SVTM9027	2,406	5.32	1.1	1.1	20.3	4.34	5,787	16,566	41.6%	14.5%	96.7%
H1662	1,633	5.13	4.1	1.5	21.2	4.48	2,040	8,331	80.0%	19.6%	-
H1015	1,304	5.18	1.0	0.7	19.3	4.43	1,304	1,304	100.0%	100.0%	100.0%
HM8237	1,011	5.28	0.7	0.7	20.9	4.32	18,906	40,476	5.3%	2.5%	44.8%
H2015	876	4.82	4.9	0.8	19.2	4.49	1,568	2,272	55.9%	38.6%	-
SVTM9032	782	5.29	1.6	2.2	20.9	4.34	5,858	7,998	13.3%	9.8%	61.9%
HM8268	658	5.45	1.4	1.6	19.2	4.43	9,403	17,423	7.0%	3.8%	69.0%
SVTM9021	561	5.18	1.9	1.1	20.3	4.33	1,350	3,562	41.6%	15.7%	-
SVTM9037	516	5.23	4.5	0.4	22.1	4.38	866	5,954	59.6%	8.7%	23.1%
HM58841	488	5.56	2.3	1.4	20.5	4.39	16,875	26,440	2.9%	1.8%	31.6%
N6475	447	4.77	6.5	0.8	21.5	4.53	1,910	6,077	23.4%	7.4%	-
<b>Total</b>	<b>30,802</b>	<b>5.18</b>	<b>2.6</b>	<b>1.3</b>	<b>20.6</b>	<b>4.41</b>	<b>21.8%</b>	<b>7.0%</b>	<b>23.5%</b>	<b>9.8%</b>	<b>23.2%</b>

### Glenn

SVTM9016	1,085	5.44	6.5	0.4	22.7	4.40	21,848	44,416	5.0%	2.4%	-
H2016	461	4.88	9.4	0.8	21.0	4.47	11,411	23,493	4.0%	2.0%	-
H1996	276	5.40	5.7	0.5	20.7	4.45	10,222	30,754	2.7%	0.9%	-
SVTM9041	180	4.97	6.4	0.3	22.9	4.40	802	1,846	22.4%	9.8%	-
HM8237	148	5.07	2.9	0.8	22.3	4.40	18,906	40,476	0.8%	0.4%	-
N6428	27	5.93	8.4	1.5	24.2	4.42	7,670	15,342	0.4%	0.2%	-
<b>Total</b>	<b>2,179</b>	<b>5.26</b>	<b>6.8</b>	<b>0.5</b>	<b>22.1</b>	<b>4.42</b>	<b>1.5%</b>	<b>0.5%</b>	<b>3.1%</b>	<b>1.4%</b>	<b>0.0%</b>

# 2024 California Cannery Tomato

## North Counties - Top 15

Variety	Loads	Brix	Mold	LU	Color	pH	All Loads		% of Variety		Harvested by 10-Aug
							Region	State	Region	State	

### Sacramento

H1996	2,273	5.06	1.0	0.5	20.3	4.38	10,222	30,754	22.2%	7.4%	-
SVTM9016	1,685	5.14	0.9	0.4	22.2	4.29	21,848	44,416	7.7%	3.8%	-
SVTM9032	979	5.45	0.7	1.0	21.3	4.40	5,858	7,998	16.7%	12.2%	-
N6475	817	5.12	0.9	0.4	20.4	4.46	1,910	6,077	42.8%	13.4%	-
HM8237	749	5.18	0.5	0.6	21.9	4.31	18,906	40,476	4.0%	1.9%	-
HM58841	666	5.38	0.9	0.6	21.2	4.40	16,875	26,440	3.9%	2.5%	-
HM8268	665	5.54	1.2	1.6	20.5	4.42	9,403	17,423	7.1%	3.8%	-
N6428	574	5.26	1.4	1.7	21.2	4.47	7,670	15,342	7.5%	3.7%	-
H2016	430	5.50	0.7	0.9	19.9	4.28	11,411	23,493	3.8%	1.8%	-
SVTM9019	416	5.60	1.0	1.6	22.6	4.28	3,707	11,673	11.2%	3.6%	-
H2012	342	5.37	0.9	0.6	21.6	4.30	1,061	2,993	32.2%	11.4%	-
BP74	337	5.41	1.3	1.3	21.5	4.47	1,011	3,389	33.3%	9.9%	-
SVTM9025	226	4.76	0.6	0.4	22.0	4.30	802	9,539	28.2%	2.4%	-
SVTM9024	183	5.03	0.5	0.3	21.5	4.26	473	4,117	38.7%	4.4%	-
SVTM9021	134	5.50	0.9	0.5	20.7	4.29	1,350	3,562	9.9%	3.8%	-
<b>Total</b>	<b>10,761</b>	<b>5.25</b>	<b>0.9</b>	<b>0.8</b>	<b>21.1</b>	<b>4.37</b>	<b>7.6%</b>	<b>2.4%</b>	<b>9.3%</b>	<b>3.9%</b>	<b>0.0%</b>

### Solano

HM58841	4,903	5.57	2.1	0.5	20.7	4.41	16,875	26,440	29.1%	18.5%	0.6%
HM8237	3,098	5.19	0.8	0.3	21.8	4.32	18,906	40,476	16.4%	7.7%	-
HM5522	1,639	5.66	1.0	0.4	19.4	4.31	2,283	21,738	71.8%	7.5%	4.5%
SVTM9016	1,569	5.27	1.6	0.6	22.3	4.31	21,848	44,416	7.2%	3.5%	9.9%
H1996	1,155	5.70	0.8	0.8	20.2	4.37	10,222	30,754	11.3%	3.8%	-
HM8268	954	5.65	1.4	1.1	19.5	4.43	9,403	17,423	10.1%	5.5%	4.2%
H2016	873	5.15	0.5	1.1	20.9	4.34	11,411	23,493	7.7%	3.7%	9.3%
N6428	588	6.02	1.7	1.4	21.2	4.42	7,670	15,342	7.7%	3.8%	-
HM8163	583	5.80	2.7	1.4	19.6	4.48	1,115	7,564	52.3%	7.7%	-
SVTM9023	542	5.62	1.2	1.0	21.3	4.42	865	8,686	62.7%	6.2%	-
SVTM9019	503	5.79	1.4	1.0	21.7	4.27	3,707	11,673	13.6%	4.3%	-
HM4909	435	5.80	1.6	0.3	20.8	4.22	728	728	59.8%	59.8%	34.7%
BOS811	365	5.14	0.8	0.4	20.4	4.35	365	2,817	100.0%	13.0%	-
SVTM9021	316	5.80	1.1	0.4	20.2	4.34	1,350	3,562	23.4%	8.9%	-
SVTM9025	307	6.05	0.8	0.6	21.0	4.31	802	9,539	38.3%	3.2%	-
<b>Total</b>	<b>19,843</b>	<b>5.52</b>	<b>1.4</b>	<b>0.7</b>	<b>20.8</b>	<b>4.37</b>	<b>14.1%</b>	<b>4.5%</b>	<b>15.3%</b>	<b>5.8%</b>	<b>4.2%</b>

### Sutter

SVTM9016	4,995	5.20	3.4	0.5	21.6	4.35	21,848	44,416	22.9%	11.2%	1.3%
HM8237	3,783	5.16	1.5	0.5	22.5	4.32	18,906	40,476	20.0%	9.3%	1.1%
H2016	2,026	4.92	1.8	1.0	20.1	4.35	11,411	23,493	17.8%	8.6%	-
H1996	1,721	5.34	2.4	0.8	20.2	4.43	10,222	30,754	16.8%	5.6%	-

# 2024 California Cannery Tomato

## North Counties - Top 15

Variety	Loads	Brix	Mold	LU	Color	pH	All Loads		% of Variety		Harvested by 10-Aug
							Region	State	Region	State	

### Sutter

HM58841	1,301	5.30	1.7	1.1	20.7	4.43	16,875	26,440	7.7%	4.9%	15.1%
SVTM9032	624	5.48	0.7	2.0	20.7	4.29	5,858	7,998	10.7%	7.8%	66.3%
H2012	506	5.02	2.0	1.3	20.8	4.39	1,061	2,993	47.7%	16.9%	-
SVTM9027	400	5.27	1.5	0.9	20.3	4.37	5,787	16,566	6.9%	2.4%	94.5%
HM8268	374	5.80	2.2	1.6	19.5	4.35	9,403	17,423	4.0%	2.1%	14.7%
H1662	316	4.95	5.0	1.1	21.6	4.47	2,040	8,331	15.5%	3.8%	-
N6428	234	4.70	4.1	2.5	21.6	4.53	7,670	15,342	3.1%	1.5%	-
N6434	221	5.65	3.2	2.3	22.0	4.42	1,288	1,750	17.2%	12.6%	-
SVTM9041	198	4.93	5.5	0.4	23.6	4.34	802	1,846	24.7%	10.7%	-
H2015	161	4.65	2.0	0.6	19.5	4.43	1,568	2,272	10.3%	7.1%	-
H1991	112	4.98	5.3	0.9	19.7	4.42	234	577	47.9%	19.4%	-
<b>Total</b>	<b>17,205</b>	<b>5.19</b>	<b>2.4</b>	<b>0.8</b>	<b>21.3</b>	<b>4.36</b>	<b>12.2%</b>	<b>3.9%</b>	<b>14.6%</b>	<b>6.6%</b>	<b>6.7%</b>

### Tehama

SVTM9027	121	6.09	4.6	0.5	19.8	4.38	5,787	16,566	2.1%	0.7%	100.0%
SVTM9032	56	5.55	1.2	0.7	20.6	4.35	5,858	7,998	1.0%	0.7%	100.0%
<b>Total</b>	<b>177</b>	<b>5.92</b>	<b>3.51</b>	<b>0.57</b>	<b>20.01</b>	<b>4.37</b>	<b>0.1%</b>	<b>0.0%</b>	<b>0.1%</b>	<b>0.1%</b>	<b>0.9%</b>

### Yolo

HM8237	9,572	5.05	1.3	0.3	21.5	4.33	18,906	40,476	50.6%	23.6%	12.1%
HM58841	9,517	5.31	1.6	0.4	20.3	4.38	16,875	26,440	56.4%	36.0%	19.1%
SVTM9016	7,427	5.11	2.4	0.3	21.3	4.32	21,848	44,416	34.0%	16.7%	6.5%
HM8268	6,671	5.25	1.4	0.9	19.3	4.40	9,403	17,423	70.9%	38.3%	44.2%
SVTM9032	3,317	5.18	0.4	1.5	21.0	4.31	5,858	7,998	56.6%	41.5%	100.0%
H2016	3,175	4.90	2.7	0.8	20.4	4.39	11,411	23,493	27.8%	13.5%	-
SVTM9019	2,705	5.39	1.7	1.7	21.6	4.27	3,707	11,673	73.0%	23.2%	3.8%
SVTM9027	2,564	5.08	0.4	0.5	20.5	4.34	5,787	16,566	44.3%	15.5%	97.2%
HM7103	1,073	5.16	0.5	0.6	19.9	4.36	1,283	14,511	83.6%	7.4%	81.4%
N6434	800	4.93	1.1	1.7	21.9	4.42	1,288	1,750	62.1%	45.7%	84.5%
N6428	798	5.36	3.0	1.3	21.9	4.39	7,670	15,342	10.4%	5.2%	28.3%
SVTM9034	769	5.24	0.8	0.6	20.8	4.42	805	3,964	95.5%	19.4%	93.1%
H1996	711	4.95	1.4	0.7	20.1	4.40	10,222	30,754	7.0%	2.3%	-
HM5522	546	5.57	1.3	0.5	20.7	4.44	2,283	21,738	23.9%	2.5%	-
HM5235	506	5.22	2.1	2.1	19.4	4.42	506	3,071	100.0%	16.5%	59.7%
<b>Total</b>	<b>56,675</b>	<b>5.16</b>	<b>1.6</b>	<b>0.7</b>	<b>20.7</b>	<b>4.36</b>	<b>40.2%</b>	<b>12.9%</b>	<b>41.1%</b>	<b>14.2%</b>	<b>28.4%</b>
<b>North</b>	<b>141,070</b>	<b>5.22</b>	<b>2.0</b>	<b>0.9</b>	<b>20.8</b>	<b>4.38</b>	<b>99.6%</b>	<b>32.0%</b>	<b>100.0%</b>	<b>32.1%</b>	<b>5.9%</b>
<b>Statewide</b>	<b>440,626</b>	<b>5.26</b>	<b>2.1</b>	<b>1.0</b>	<b>20.4</b>	<b>4.43</b>	<b>-</b>	<b>100.0%</b>	<b>-</b>	<b>100.0%</b>	<b>31.0%</b>