

Ag-Seeds Unlimited

2013 Use Category Descriptions

Early	Maturity 117 Days or Less
Thin	Juice Bostwick > 18.16
Intermediate	Juice Bostwick 16.00 to 18.16
Thick	Juice Bostwick < 16.00
Pear	Pear Shaped



This report has been prepared exclusively for the recipient by Ag-Seeds Unlimited and contains confidential and/or privileged material. Any reproduction or redistribution of any material in this report, whether electronically or in print, without the permission of Ag-Seeds Unlimited is prohibited.

PTAB DATA BY REGION / COUNTY / SUPPLIER

South Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	pH	Mold	Green
FRESNO	Harris Moran	C316	Thick	4	0.00%	5.58	104.2%	23.8	0.9	4.29	0.4	0.4
FRESNO	Harris Moran	C320	Early	8	0.00%	4.89	91.4%	21.8	3.3	4.47	1.1	0.6
FRESNO	Harris Moran	C322	Thick	3	0.00%	5.27	98.5%	24.7	0.5	4.20	0.7	0.2
FRESNO	Harris Moran	CXD187	Early	1,699	0.88%	4.70	88.0%	23.7	2.6	4.39	0.4	2.7
FRESNO	Harris Moran	CXD255	Intermediate	2,197	1.14%	5.30	99.2%	24.2	1.3	4.44	1.9	1.1
FRESNO	Harris Moran	FM1115	Thin	15	0.01%	4.90	91.6%	23.6	3.2	4.45	4.7	4.3
FRESNO	Harris Moran	HM1892	Intermediate	347	0.18%	5.62	105.0%	23.3	0.8	4.41	0.6	1.5
FRESNO	Harris Moran	HM1893	Early	62	0.03%	5.05	94.5%	25.0	1.4	4.29	2.2	1.2
FRESNO	Harris Moran	HM7883	Thin	118	0.06%	6.22	116.2%	21.9	0.7	4.44	0.8	1.0
FRESNO	Harris Moran	HM7885	Pear	1,770	0.92%	4.91	91.8%	25.0	0.4	4.51	0.4	1.0
FRESNO	Harris Moran	HM9905	Intermediate	190	0.10%	5.06	94.7%	23.4	1.0	4.49	1.2	0.9
FRESNO	Harris Moran	HMX2897	Thin	19	0.01%	5.27	98.5%	22.3	2.2	4.58	5.4	4.3
FRESNO	Harris Moran	HMX3908	Thick	4	0.00%	4.88	91.2%	24.3	0.6	4.40	0.4	1.6
FRESNO	Harris Moran	Misc	Misc	19	0.01%	4.96	92.8%	26.9	0.7	4.38	1.4	1.1
FRESNO	Heinz	H1015	Early	8,295	4.30%	5.30	99.2%	24.1	1.0	4.39	0.2	1.8
FRESNO	Heinz	H1161	Thin	3,707	1.92%	5.95	111.2%	25.2	2.4	4.34	1.1	2.2
FRESNO	Heinz	H1170	Thick	2	0.00%	6.10	114.1%	24.5	3.0	4.49	0.3	1.8
FRESNO	Heinz	H1175	Thick	926	0.48%	5.09	95.2%	23.3	0.4	4.50	1.3	3.8
FRESNO	Heinz	H1285	Thick	60	0.03%	5.69	106.3%	26.5	0.4	4.33	1.2	2.2
FRESNO	Heinz	H1292	Pear	18	0.01%	5.43	101.6%	23.2	1.3	4.44	0.9	0.9
FRESNO	Heinz	H1293	Pear	50	0.03%	5.42	101.3%	23.8	0.7	4.44	0.5	1.5
FRESNO	Heinz	H1304	Intermediate	2	0.00%	5.05	94.4%	22.0	2.0	4.54	1.0	0.0
FRESNO	Heinz	H2005	Intermediate	2	0.00%	5.45	101.9%	25.0	1.3	4.40	0.3	0.8
FRESNO	Heinz	H2206	Early	67	0.03%	5.64	105.4%	23.9	0.6	4.31	0.0	0.3
FRESNO	Heinz	H2401	Thick	10,622	5.51%	5.22	97.6%	24.5	0.8	4.33	1.9	3.0
FRESNO	Heinz	H2406	Misc	3	0.00%	4.67	87.3%	22.3	1.5	4.52	3.5	1.3
FRESNO	Heinz	H2601	Pear	2,663	1.38%	5.09	95.1%	24.2	1.6	4.43	0.7	1.4
FRESNO	Heinz	H3402	Intermediate	3,071	1.59%	5.15	96.3%	24.0	0.7	4.45	1.4	2.3
FRESNO	Heinz	H4007	Intermediate	3	0.00%	5.50	102.8%	25.3	0.2	4.38	0.3	0.7
FRESNO	Heinz	H4707	Thick	6,859	3.56%	5.17	96.6%	24.8	0.4	4.38	0.9	3.1
FRESNO	Heinz	H5508	Thick	6,988	3.63%	4.61	86.2%	25.1	0.3	4.34	1.9	2.2
FRESNO	Heinz	H5608	Thick	13,911	7.22%	5.08	95.1%	23.1	1.3	4.42	1.7	2.9
FRESNO	Heinz	H5701	Thick	771	0.40%	5.15	96.4%	23.7	0.7	4.37	0.3	2.2
FRESNO	Heinz	H5702	Thick	509	0.26%	5.28	98.7%	23.5	0.5	4.44	0.7	4.3
FRESNO	Heinz	H5704	Thick	631	0.33%	5.04	94.3%	23.5	1.4	4.50	3.4	3.1
FRESNO	Heinz	H8004	Intermediate	939	0.49%	5.29	98.9%	24.1	1.3	4.45	1.6	1.5
FRESNO	Heinz	H8504	Thick	14,663	7.61%	5.16	96.4%	24.6	0.6	4.33	1.7	2.4
FRESNO	Heinz	H9491	Intermediate	1,461	0.76%	4.82	90.1%	24.1	2.9	4.35	0.4	3.7
FRESNO	Heinz	H9494	Intermediate	135	0.07%	4.41	82.5%	25.1	1.2	4.36	0.9	2.4
FRESNO	Heinz	H9663	Thick	5,702	2.96%	5.11	95.5%	22.8	1.8	4.41	2.2	3.3
FRESNO	Heinz	H9665	Intermediate	1	0.00%	5.40	101.0%	23.0	1.0	4.44	2.5	1.5
FRESNO	Heinz	H9780	Thick	1,973	1.02%	5.24	97.9%	25.2	2.1	4.36	2.0	2.8
FRESNO	Heinz	H9995	Intermediate	74	0.04%	4.91	91.8%	28.3	1.0	4.37	2.8	4.1
FRESNO	Heinz	Misc	Misc	195	0.10%	5.22	97.6%	24.1	1.1	4.39	1.1	5.6
FRESNO	Keithly Williams	K2707	Intermediate	54	0.03%	5.26	98.4%	25.1	4.2	4.45	1.8	2.4
FRESNO	Keithly Williams	K2769	Early	48	0.02%	5.70	106.5%	26.5	0.9	4.24	0.0	1.1
FRESNO	Keithly Williams	K2770	Early	308	0.16%	5.12	95.7%	24.3	0.7	4.24	0.1	0.7
FRESNO	Misc	Misc	Misc	989	0.51%	5.05	94.5%	26.9	5.2	4.43	2.7	12.2
FRESNO	Nunhems	N6117	Early	1,790	0.93%	5.16	96.5%	26.0	4.6	4.32	0.6	3.2
FRESNO	Nunhems	N6366	Thin	26,714	13.86%	5.65	105.6%	24.1	2.0	4.37	0.8	1.1
FRESNO	Nunhems	N6368	Thin	1,627	0.84%	5.46	102.0%	24.1	0.8	4.36	1.4	0.8
FRESNO	Nunhems	N6385	Thick	3,184	1.65%	4.80	89.8%	24.4	1.5	4.44	1.9	2.7
FRESNO	Nunhems	N6394	Intermediate	8,126	4.22%	5.72	107.0%	23.8	2.8	4.42	1.1	1.7
FRESNO	Nunhems	N6397	Early	60	0.03%	5.69	106.3%	22.3	3.2	4.48	0.2	0.8
FRESNO	Nunhems	N6398	Thick	222	0.12%	4.39	82.0%	25.1	1.6	4.42	4.9	1.9
FRESNO	Nunhems	N6402	Thin	2,470	1.28%	6.00	112.3%	23.2	1.3	4.43	1.0	1.0
FRESNO	Nunhems	N6404	Intermediate	5,327	2.76%	5.52	103.1%	24.0	2.0	4.42	1.5	1.6
FRESNO	Nunhems	N6407	Thin	785	0.41%	5.60	104.7%	26.5	0.7	4.38	1.9	1.7
FRESNO	Nunhems	N6410	Thick	14	0.01%	4.96	92.8%	26.8	3.8	4.55	3.7	3.8
FRESNO	Nunhems	U373	Early	1,095	0.57%	4.82	90.2%	24.7	5.1	4.38	0.4	1.2
FRESNO	Orsetti	3155	Thin	252	0.13%	5.49	102.7%	25.1	1.7	4.35	1.6	1.3
FRESNO	Orsetti	BOS1729	Intermediate	7	0.00%	5.47	102.3%	23.6	2.3	4.66	11.3	1.4

PTAB DATA BY REGION / COUNTY / SUPPLIER

South Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	pH	Mold	Green
FRESNO	Orsetti	BOS602	Early	364	0.19%	5.27	98.6%	22.9	3.3	4.36	1.3	0.9
FRESNO	Orsetti	BOS66509	Early	2,649	1.37%	5.00	93.5%	24.3	3.0	4.36	1.3	2.5
FRESNO	Orsetti	BOS67212	Pear	3,508	1.82%	5.41	101.1%	23.4	2.3	4.41	1.7	1.4
FRESNO	Orsetti	BOS707	Pear	324	0.17%	5.27	98.5%	25.3	1.5	4.34	0.3	0.8
FRESNO	Seminis	AB0311	Thin	3,376	1.75%	5.68	106.2%	24.2	1.5	4.31	1.4	2.5
FRESNO	Seminis	AB2	Thin	4,205	2.18%	5.62	105.1%	24.1	1.9	4.28	0.9	0.6
FRESNO	Seminis	AB3	Thin	2,335	1.21%	5.59	104.4%	23.9	1.7	4.32	1.3	1.7
FRESNO	Seminis	APT410	Early	2,633	1.37%	4.99	93.3%	24.4	3.8	4.34	0.8	1.1
FRESNO	Seminis	DRI319	Thin	5,822	3.02%	5.92	110.7%	24.5	1.5	4.36	1.0	1.9
FRESNO	Seminis	DRI320	Thin	2,877	1.49%	5.60	104.8%	25.1	1.5	4.34	1.8	1.9
FRESNO	Seminis	HP108	Pear	1,348	0.70%	5.44	101.8%	24.9	1.9	4.46	1.2	0.9
FRESNO	Seminis	HP849	Intermediate	139	0.07%	5.43	101.5%	23.0	0.6	4.41	4.6	1.3
FRESNO	Seminis	PS002	Intermediate	657	0.34%	5.07	94.9%	23.6	1.8	4.36	1.6	1.0
FRESNO	Seminis	PS650	Intermediate	561	0.29%	5.36	100.2%	25.4	1.3	4.50	1.1	0.7
FRESNO	Seminis	SV0250TM	Early	1	0.00%	4.50	84.1%	26.0	0.0	4.44	0.0	0.5
FRESNO	Seminis	SV0599TM	Early	90	0.05%	5.11	95.5%	27.5	1.0	4.26	0.4	2.1
FRESNO	Seminis	SV1981TM	Thick	1	0.00%	4.40	82.3%	29.0	1.0	4.41	4.0	13.5
FRESNO	Seminis	SV4778TM	Thick	5	0.00%	4.78	89.4%	24.6	0.9	4.36	2.5	7.0
FRESNO	Seminis	SV6743TM	Thick	1	0.00%	4.30	80.4%	31.0	0.5	4.44	10.5	11.0
FRESNO	Seminis	SV7707TM	Thick	7	0.00%	4.93	92.2%	24.9	1.1	4.47	1.3	4.9
FRESNO	Syngenta	1570	Pear	490	0.25%	5.30	99.2%	23.8	2.7	4.42	0.5	2.1
FRESNO	United Genetics	CAL MARZANO 2	Pear	2	0.00%	5.10	95.4%	24.0	0.5	4.27	1.5	1.5
FRESNO	United Genetics	UG15908	Intermediate	43	0.02%	4.98	93.1%	24.7	2.5	4.37	1.5	1.4
FRESNO	United Genetics	UG18806	Thick	936	0.49%	5.08	95.1%	25.7	1.2	4.35	1.5	1.3
FRESNO	United Genetics	UG19006	Thick	15	0.01%	4.71	88.0%	22.6	0.6	4.38	1.1	3.1
FRESNO	United Genetics	UG19306	Thick	676	0.35%	5.25	98.1%	24.4	0.6	4.45	5.7	1.9
FRESNO	United Genetics	UG19406	Thick	3,991	2.07%	5.56	103.9%	23.8	0.7	4.33	2.0	2.1
FRESNO	Woodbridge	BQ116	Thin	124	0.06%	5.38	100.5%	23.9	4.1	4.38	1.3	3.9
FRESNO	Woodbridge	BQ163	Thin	1,508	0.78%	5.84	109.2%	23.7	2.3	4.35	1.4	2.2
FRESNO	Woodbridge	BQ204	Early	3,842	1.99%	5.14	96.2%	24.8	2.2	4.36	0.1	1.7
FRESNO	Woodbridge	BQ205	Thin	4,079	2.12%	5.77	107.9%	24.7	1.7	4.32	0.9	1.4
FRESNO	Woodbridge	BQ206	Thin	2,241	1.16%	5.66	105.8%	24.6	1.9	4.36	1.6	1.1
FRESNO	Woodbridge	BQ268	Thick	27	0.01%	5.23	97.7%	28.7	1.1	4.43	1.1	1.7
FRESNO	Woodbridge	BQ289	Early	1	0.00%	5.00	93.5%	24.0	2.5	4.49	2.5	0.5
FRESNO	Woodbridge	BQ292	Intermediate	6	0.00%	5.50	102.8%	22.7	1.4	4.45	5.2	2.1
FRESNO	Woodbridge	BQ295	Thin	20	0.01%	5.34	99.8%	23.6	3.9	4.48	2.9	3.0
FRESNO	Woodbridge	BQ296	Thin	6	0.00%	5.45	101.9%	25.5	5.7	4.46	9.8	2.3
FRESNO	Woodbridge	BQ313	Thin	13	0.01%	5.32	99.4%	23.8	4.0	4.45	3.4	2.3
FRESNO	OVERALL	OVERALL		192,753	100.00%	5.35	100.0%	24.2	1.6	4.38	1.3	2.1
KERN	Harris Moran	CXD187	Early	2,517	11.26%	4.50	90.9%	24.1	2.3	4.43	0.4	1.2
KERN	Harris Moran	HM1892	Intermediate	21	0.09%	5.48	110.8%	23.0	0.9	4.47	0.3	3.0
KERN	Heinz	H1015	Early	1,295	5.79%	5.11	103.3%	23.4	0.8	4.41	0.4	0.7
KERN	Heinz	H1161	Thin	58	0.26%	4.81	97.1%	25.6	0.8	4.41	2.8	0.7
KERN	Heinz	H1175	Thick	446	2.00%	4.88	98.7%	23.8	0.3	4.50	1.3	3.8
KERN	Heinz	H1285	Thick	28	0.13%	4.81	97.2%	26.7	1.4	4.43	0.7	2.1
KERN	Heinz	H2401	Thick	38	0.17%	4.46	90.2%	28.1	0.5	4.30	0.9	3.9
KERN	Heinz	H4007	Intermediate	362	1.62%	4.76	96.2%	22.9	1.5	4.50	0.1	1.0
KERN	Heinz	H4707	Thick	151	0.68%	5.23	105.7%	26.1	0.4	4.28	0.2	2.1
KERN	Heinz	H5508	Thick	42	0.19%	4.40	88.9%	26.7	0.1	4.14	0.5	1.3
KERN	Heinz	H5608	Thick	1,471	6.58%	5.05	102.1%	23.1	1.1	4.40	0.7	1.1
KERN	Heinz	H8004	Intermediate	228	1.02%	5.11	103.3%	24.1	1.2	4.43	0.8	1.3
KERN	Heinz	H8504	Thick	7,721	34.54%	4.93	99.7%	25.8	0.5	4.33	0.6	2.9
KERN	Heinz	Misc	Misc	45	0.20%	5.27	106.5%	24.7	1.5	4.33	0.7	2.0
KERN	Keithly Williams	K2769	Early	87	0.39%	5.07	102.5%	25.1	0.8	4.30	0.1	0.5
KERN	Keithly Williams	K2770	Early	189	0.85%	4.95	100.1%	24.9	0.9	4.24	0.0	0.9
KERN	Keithly Williams	K2930	Thick	8	0.04%	5.10	103.1%	31.0	0.7	4.37	0.8	3.2
KERN	Misc	Misc	Misc	15	0.07%	5.55	112.1%	25.8	4.0	4.48	0.2	0.6
KERN	Nunhems	N6117	Early	315	1.41%	4.92	99.4%	25.0	6.7	4.43	0.7	2.1
KERN	Nunhems	N6366	Thin	4,113	18.40%	5.16	104.2%	24.1	2.0	4.40	1.0	0.9
KERN	Nunhems	N6368	Thin	265	1.19%	4.56	92.2%	28.6	1.7	4.39	2.9	0.6
KERN	Nunhems	N6394	Intermediate	270	1.21%	4.66	94.1%	24.4	2.5	4.47	5.8	0.8
KERN	Nunhems	N6397	Early	161	0.72%	5.42	109.6%	22.4	0.6	4.40	0.4	1.0

PTAB DATA BY REGION / COUNTY / SUPPLIER

South Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	pH	Mold	Green
KERN	Nunhems	N6402	Thin	11	0.05%	4.89	98.9%	25.9	1.4	4.46	2.4	0.5
KERN	Nunhems	N6404	Intermediate	49	0.22%	4.68	94.6%	24.0	1.8	4.49	3.6	1.1
KERN	Nunhems	U373	Early	88	0.39%	4.28	86.6%	25.0	1.2	4.32	5.1	1.2
KERN	Orsetti	BOS66509	Early	83	0.37%	5.40	109.1%	22.0	5.5	4.45	0.6	0.4
KERN	Seminis	AB0311	Thin	138	0.62%	5.19	104.9%	22.8	1.9	4.33	5.3	0.8
KERN	Seminis	AB2	Thin	59	0.26%	5.25	106.1%	22.9	1.8	4.33	0.9	1.9
KERN	Seminis	AB3	Thin	224	1.00%	4.80	97.0%	25.0	1.9	4.33	0.8	0.8
KERN	Seminis	AB4606	Early	198	0.89%	4.77	96.5%	23.8	1.3	4.31	0.6	0.4
KERN	Seminis	APT410	Early	859	3.84%	4.99	100.8%	23.5	4.0	4.38	0.3	0.9
KERN	Seminis	DRI319	Thin	94	0.42%	5.15	104.2%	23.7	0.6	4.34	1.6	0.5
KERN	Seminis	DRI320	Thin	8	0.04%	5.09	102.8%	20.6	5.1	4.47	6.0	0.4
KERN	Seminis	PX1245	Intermediate	31	0.14%	5.49	111.0%	24.8	0.2	4.26	0.4	4.3
KERN	Seminis	SV0599TM	Early	3	0.01%	4.20	84.9%	28.0	1.3	4.36	0.8	5.3
KERN	Woodbridge	BQ163	Thin	605	2.71%	5.20	105.0%	24.4	2.7	4.32	1.0	1.5
KERN	Woodbridge	BQ205	Thin	58	0.26%	5.15	104.1%	24.8	0.8	4.37	1.4	0.4
KERN	OVERALL	OVERALL		22,354	100.00%	4.95	100.0%	24.6	1.5	4.37	0.8	1.7
KINGS	Harris Moran	C320	Early	6	0.01%	6.07	115.7%	21.0	7.4	4.53	0.2	0.8
KINGS	Harris Moran	C322	Thick	3	0.01%	6.13	117.0%	22.3	0.5	4.40	0.7	0.5
KINGS	Harris Moran	CXD187	Early	4,168	8.12%	4.95	94.3%	25.1	2.5	4.37	0.4	3.2
KINGS	Harris Moran	FM1115	Thin	23	0.04%	4.86	92.7%	30.7	14.8	4.48	2.5	18.1
KINGS	Harris Moran	HM1892	Intermediate	75	0.15%	5.36	102.2%	24.0	1.0	4.43	0.8	0.8
KINGS	Harris Moran	HM9905	Intermediate	54	0.11%	5.41	103.1%	23.0	1.7	4.53	1.6	0.9
KINGS	Harris Moran	HMX2897	Thin	3	0.01%	6.43	122.7%	21.7	1.2	4.46	0.2	1.5
KINGS	Harris Moran	HMX2898	Intermediate	2	0.00%	6.80	129.7%	23.5	2.3	4.44	0.8	1.8
KINGS	Heinz	H1015	Early	963	1.88%	4.86	92.8%	24.3	1.3	4.44	1.0	2.4
KINGS	Heinz	H1161	Thin	74	0.14%	6.21	118.5%	26.2	3.2	4.36	0.4	1.6
KINGS	Heinz	H1175	Thick	111	0.22%	5.22	99.6%	24.7	0.6	4.51	1.1	2.6
KINGS	Heinz	H1285	Thick	3	0.01%	6.43	122.7%	23.3	0.5	4.46	0.2	2.7
KINGS	Heinz	H2401	Thick	504	0.98%	5.13	97.9%	26.0	0.9	4.35	1.0	3.9
KINGS	Heinz	H3402	Intermediate	683	1.33%	4.95	94.4%	25.4	0.8	4.41	0.8	4.0
KINGS	Heinz	H4007	Intermediate	1	0.00%	5.50	104.9%	23.0	0.5	4.35	0.0	1.0
KINGS	Heinz	H4707	Thick	1,027	2.00%	4.83	92.2%	25.8	0.5	4.38	0.9	3.0
KINGS	Heinz	H5508	Thick	1,055	2.06%	4.99	95.2%	24.8	0.4	4.31	1.3	2.9
KINGS	Heinz	H5608	Thick	2,225	4.33%	5.07	96.7%	22.9	1.2	4.43	2.5	2.0
KINGS	Heinz	H5702	Thick	37	0.07%	4.49	85.6%	26.6	0.2	4.43	2.5	2.9
KINGS	Heinz	H8004	Intermediate	204	0.40%	6.08	116.1%	23.6	1.0	4.46	0.8	1.6
KINGS	Heinz	H8504	Thick	26,585	51.79%	5.13	97.9%	25.2	0.5	4.33	0.5	3.5
KINGS	Heinz	Misc	Misc	70	0.14%	5.34	101.9%	24.0	0.6	4.41	0.6	3.3
KINGS	Keithly Williams	K2770	Early	163	0.32%	5.27	100.5%	23.3	1.6	4.32	0.1	1.3
KINGS	Keithly Williams	K2930	Thick	19	0.04%	5.35	102.0%	28.5	3.7	4.45	0.6	2.2
KINGS	Misc	Misc	Misc	294	0.57%	5.46	104.1%	25.1	1.3	4.37	0.5	3.1
KINGS	Nunhems	N6117	Early	89	0.17%	5.03	96.0%	25.3	4.2	4.38	0.5	2.4
KINGS	Nunhems	N6366	Thin	8,079	15.74%	5.75	109.7%	24.3	2.1	4.42	0.9	1.1
KINGS	Nunhems	N6368	Thin	84	0.16%	5.20	99.2%	25.3	1.3	4.38	1.7	1.6
KINGS	Nunhems	N6385	Thick	353	0.69%	5.02	95.8%	23.2	2.2	4.49	1.6	1.8
KINGS	Nunhems	N6394	Intermediate	306	0.60%	6.57	125.4%	23.1	4.8	4.50	0.8	2.3
KINGS	Nunhems	N6402	Thin	117	0.23%	5.50	104.9%	25.5	2.2	4.39	0.3	1.1
KINGS	Nunhems	N6404	Intermediate	281	0.55%	5.75	109.7%	22.5	1.3	4.45	3.1	0.6
KINGS	Orsetti	BOS602	Early	77	0.15%	5.26	100.4%	23.2	8.3	4.44	0.3	1.6
KINGS	Orsetti	BOS6111	Early	1	0.00%	5.80	110.7%	22.0	1.0	4.53	0.0	0.5
KINGS	Orsetti	BOS66509	Early	232	0.45%	5.22	99.6%	23.5	3.7	4.44	0.6	2.1
KINGS	Seminis	AB0311	Thin	255	0.50%	5.70	108.7%	24.5	1.1	4.37	2.5	1.3
KINGS	Seminis	AB2	Thin	50	0.10%	5.32	101.6%	27.5	2.0	4.29	0.3	0.7
KINGS	Seminis	AB3	Thin	1	0.00%	5.40	103.0%	27.0	1.5	4.33	0.5	1.5
KINGS	Seminis	AB4606	Early	102	0.20%	5.23	99.7%	27.4	2.6	4.33	0.2	0.3
KINGS	Seminis	APT410	Early	150	0.29%	5.19	99.1%	23.4	2.8	4.35	0.5	0.9
KINGS	Seminis	DRI319	Thin	277	0.54%	6.05	115.4%	25.4	2.2	4.40	1.2	1.9
KINGS	Seminis	DRI320	Thin	200	0.39%	6.14	117.2%	24.8	2.8	4.46	1.8	1.4
KINGS	Seminis	PX1245	Intermediate	26	0.05%	5.11	97.4%	26.2	0.4	4.21	0.4	0.7
KINGS	Seminis	SV0599TM	Early	20	0.04%	5.02	95.8%	25.6	2.4	4.39	0.5	2.8
KINGS	United Genetics	UG19006	Thick	50	0.10%	5.59	106.7%	26.1	1.8	4.30	0.3	1.1
KINGS	Woodbridge	BQ163	Thin	121	0.24%	6.54	124.7%	23.3	1.9	4.31	0.5	3.5

PTAB DATA BY REGION / COUNTY / SUPPLIER

South Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	pH	Mold	Green
KINGS	Woodbridge	BQ204	Early	1,670	3.25%	5.24	100.1%	25.2	2.0	4.35	0.2	2.9
KINGS	Woodbridge	BQ205	Thin	388	0.76%	5.75	109.8%	26.1	2.4	4.33	0.8	2.3
KINGS	Woodbridge	BQ206	Thin	56	0.11%	5.27	100.5%	27.0	1.3	4.36	1.9	1.7
KINGS	OVERALL	OVERALL		51,337	100.00%	5.24	100.0%	24.9	1.2	4.36	0.7	2.8
MADERA	Harris Moran	HM1892	Intermediate	110	1.45%	4.71	94.5%	25.1	0.6	4.39	0.9	1.7
MADERA	Harris Moran	HM7885	Pear	135	1.78%	4.81	96.5%	25.1	0.5	4.58	1.7	0.6
MADERA	Harris Moran	HM9905	Intermediate	68	0.89%	4.88	97.9%	24.9	1.1	4.52	5.9	2.4
MADERA	Harris Moran	HMX2898	Intermediate	4	0.05%	6.23	125.0%	24.0	1.3	4.33	2.6	1.1
MADERA	Heinz	H1015	Early	41	0.54%	4.92	98.7%	23.5	0.7	4.39	0.4	3.0
MADERA	Heinz	H1161	Thin	230	3.02%	5.53	111.0%	26.0	2.5	4.37	3.3	2.3
MADERA	Heinz	H2401	Thick	855	11.24%	4.91	98.6%	26.1	1.0	4.35	1.5	3.2
MADERA	Heinz	H3402	Intermediate	699	9.19%	4.49	90.1%	24.3	0.8	4.44	2.6	1.9
MADERA	Heinz	H4707	Thick	260	3.42%	5.03	100.9%	27.0	0.7	4.45	1.9	3.8
MADERA	Heinz	H5608	Thick	47	0.62%	4.98	99.9%	24.4	1.4	4.46	4.0	4.8
MADERA	Heinz	H5702	Thick	400	5.26%	4.36	87.6%	24.1	0.6	4.39	1.2	2.6
MADERA	Heinz	H8004	Intermediate	1	0.01%	4.80	96.3%	24.0	0.5	4.36	1.0	2.5
MADERA	Heinz	H8504	Thick	1,369	18.00%	4.76	95.6%	26.3	0.7	4.33	1.6	3.1
MADERA	Heinz	Misc	Misc	8	0.11%	4.39	88.1%	23.1	1.6	4.46	7.1	1.9
MADERA	Misc	Misc	Misc	9	0.12%	4.63	93.0%	27.1	0.5	4.34	2.1	4.6
MADERA	Nunhems	N6366	Thin	1,740	22.88%	5.23	105.0%	23.8	2.3	4.45	4.2	1.9
MADERA	Nunhems	N6394	Intermediate	218	2.87%	5.59	112.2%	25.5	2.4	4.41	0.5	2.1
MADERA	Nunhems	N6402	Thin	191	2.51%	5.20	104.3%	24.9	0.6	4.33	1.1	1.7
MADERA	Nunhems	N6404	Intermediate	4	0.05%	5.38	107.9%	26.5	0.6	4.37	1.6	1.8
MADERA	Nunhems	N6407	Thin	29	0.38%	5.69	114.2%	25.8	0.6	4.36	2.9	2.0
MADERA	Orsetti	BOS67212	Pear	70	0.92%	5.62	112.9%	23.2	3.1	4.52	2.7	0.6
MADERA	Seminis	AB2	Thin	45	0.59%	5.46	109.7%	22.2	0.8	4.20	3.6	0.4
MADERA	Seminis	AB3	Thin	233	3.06%	5.37	107.8%	25.2	2.2	4.42	2.4	0.7
MADERA	Seminis	DRI319	Thin	318	4.18%	4.90	98.3%	24.8	2.8	4.36	1.5	7.2
MADERA	Seminis	DRI320	Thin	71	0.93%	5.22	104.9%	23.7	2.1	4.38	3.9	2.1
MADERA	United Genetics	UG130JP	Pear	1	0.01%	5.50	110.4%	23.0	4.5	4.53	2.0	0.5
MADERA	United Genetics	UG19306	Thick	63	0.83%	5.10	102.4%	25.5	0.7	4.42	5.7	3.1
MADERA	United Genetics	UG19406	Thick	117	1.54%	5.13	102.9%	24.3	0.7	4.44	8.2	2.6
MADERA	Woodbridge	BQ163	Thin	42	0.55%	5.19	104.2%	23.2	3.0	4.44	2.8	1.7
MADERA	Woodbridge	BQ205	Thin	226	2.97%	5.31	106.7%	25.5	2.4	4.44	7.8	3.1
MADERA	OVERALL	OVERALL		7,604	100.00%	4.98	100.0%	25.0	1.4	4.40	2.7	2.6
TULARE	Misc	Misc	Misc	8	100.00%	4.68	100.0%	39.6	0.4	4.47	0.5	0.0
TULARE	OVERALL	OVERALL		8	100.00%	4.68	100.0%	39.6	0.4	4.47	0.5	0.0
SOUTH REGION				274,056	100.00%	5.29	100.0%	24.4	1.5	4.37	1.2	2.2

PTAB DATA BY REGION / COUNTY / SUPPLIER

Central Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	pH	Mold	Green
CONTRA COSTA	Harris Moran	CXD179	Thin	20	0.44%	6.23	111.0%	26.1	1.2	4.22	0.2	0.3
CONTRA COSTA	Harris Moran	HM1893	Early	11	0.24%	5.58	99.5%	22.7	0.5	4.21	0.1	0.5
CONTRA COSTA	Harris Moran	Shasta	Early	179	3.93%	5.61	100.0%	25.2	3.0	4.20	0.8	1.1
CONTRA COSTA	Misc	Misc	Misc	31	0.68%	4.25	75.6%	30.6	4.7	4.39	1.7	10.4
CONTRA COSTA	Nunhems	N6287	Early	63	1.38%	4.90	87.2%	26.1	1.9	4.26	0.0	0.5
CONTRA COSTA	Nunhems	N6366	Thin	969	21.28%	5.79	103.1%	24.6	1.3	4.30	0.8	1.2
CONTRA COSTA	Nunhems	N6394	Intermediate	58	1.27%	6.03	107.5%	24.1	0.8	4.32	0.2	0.2
CONTRA COSTA	Orsetti	BOS6111	Early	4	0.09%	4.88	86.9%	22.5	0.0	4.26	0.4	0.4
CONTRA COSTA	Seminis	AB0311	Thin	865	19.00%	5.67	101.1%	23.4	0.4	4.26	0.5	1.0
CONTRA COSTA	Seminis	AB2	Thin	11	0.24%	5.32	94.8%	24.3	1.4	4.22	0.8	1.0
CONTRA COSTA	Seminis	APT410	Early	483	10.61%	5.06	90.1%	24.5	4.0	4.28	0.1	0.8
CONTRA COSTA	Seminis	DRI319	Thin	514	11.29%	5.74	102.3%	24.0	0.9	4.27	0.4	1.2
CONTRA COSTA	Seminis	DRI320	Thin	1,089	23.92%	5.55	98.9%	24.2	1.1	4.29	0.6	1.8
CONTRA COSTA	Woodbridge	BQ205	Thin	62	1.36%	5.77	102.8%	24.9	0.9	4.21	0.4	0.5
CONTRA COSTA	Woodbridge	BQ206	Thin	194	4.26%	6.12	109.1%	23.4	2.3	4.33	0.6	1.5
CONTRA COSTA	OVERALL	OVERALL		4,553	100.00%	5.61	100.0%	24.2	1.5	4.28	0.6	1.3
MERCED	Harris Moran	HM1892	Intermediate	34	0.12%	5.30	101.2%	23.0	1.8	4.50	2.8	2.1
MERCED	Harris Moran	HM7885	Pear	147	0.51%	5.03	96.2%	24.6	0.4	4.52	0.9	0.6
MERCED	Harris Moran	HM9905	Intermediate	244	0.85%	5.43	103.9%	23.3	1.2	4.52	0.8	1.3
MERCED	Harris Moran	HMX3908	Thick	4	0.01%	5.50	105.1%	26.0	0.9	4.29	0.1	5.9
MERCED	Heinz	H1015	Early	493	1.72%	5.12	97.8%	22.8	0.9	4.42	1.0	1.5
MERCED	Heinz	H1161	Thin	477	1.67%	6.31	120.6%	24.5	1.7	4.33	0.7	1.8
MERCED	Heinz	H1175	Thick	516	1.81%	5.20	99.4%	21.9	0.6	4.49	1.0	1.1
MERCED	Heinz	H2005	Intermediate	5	0.02%	5.26	100.5%	26.6	2.4	4.40	1.9	1.1
MERCED	Heinz	H2401	Thick	2,897	10.14%	5.06	96.7%	25.0	0.7	4.30	1.5	3.3
MERCED	Heinz	H2601	Pear	207	0.72%	5.13	98.0%	25.1	2.1	4.47	2.5	1.1
MERCED	Heinz	H3402	Intermediate	3,602	12.60%	5.00	95.6%	24.0	0.9	4.45	1.0	2.0
MERCED	Heinz	H4707	Thick	673	2.35%	5.08	97.2%	24.6	0.5	4.36	1.0	3.6
MERCED	Heinz	H5508	Thick	897	3.14%	4.74	90.7%	24.5	0.7	4.36	1.4	2.2
MERCED	Heinz	H5608	Thick	2,451	8.58%	4.94	94.4%	23.2	1.6	4.43	2.4	2.9
MERCED	Heinz	H5702	Thick	630	2.20%	5.16	98.5%	23.4	0.7	4.47	0.4	2.4
MERCED	Heinz	H8504	Thick	5,185	18.14%	5.08	97.2%	24.7	0.8	4.31	1.3	3.5
MERCED	Heinz	H9663	Thick	269	0.94%	4.52	86.4%	23.0	2.2	4.42	2.9	4.0
MERCED	Heinz	H9780	Thick	1,075	3.76%	5.40	103.3%	25.2	1.2	4.38	1.6	2.8
MERCED	Heinz	Misc	Misc	2	0.01%	4.95	94.6%	34.0	2.3	4.50	18.5	6.5
MERCED	Misc	Misc	Misc	60	0.21%	5.49	104.9%	28.5	2.5	4.35	0.8	12.2
MERCED	Nunhems	N6366	Thin	2,194	7.68%	5.59	106.8%	24.0	1.5	4.37	1.0	2.1
MERCED	Nunhems	N6368	Thin	251	0.88%	6.31	120.6%	23.7	1.1	4.35	0.8	1.4
MERCED	Nunhems	N6385	Thick	294	1.03%	4.67	89.2%	24.3	1.8	4.52	4.0	4.9
MERCED	Nunhems	N6394	Intermediate	431	1.51%	5.27	100.8%	24.3	2.9	4.45	2.0	3.2
MERCED	Nunhems	N6402	Thin	218	0.76%	6.10	116.5%	23.5	1.6	4.45	2.2	0.9
MERCED	Nunhems	N6404	Intermediate	579	2.03%	5.43	103.8%	24.7	2.0	4.41	0.7	2.0
MERCED	Orsetti	BOS67212	Pear	89	0.31%	5.42	103.6%	23.0	3.1	4.51	1.9	0.9
MERCED	Seminis	AB0311	Thin	472	1.65%	5.56	106.3%	23.4	1.4	4.33	2.2	3.4
MERCED	Seminis	AB2	Thin	215	0.75%	5.79	110.7%	24.3	1.7	4.35	2.4	0.7
MERCED	Seminis	AB3	Thin	259	0.91%	5.59	106.9%	24.4	1.1	4.31	0.8	1.2
MERCED	Seminis	DRI319	Thin	467	1.63%	5.99	114.5%	24.5	2.4	4.38	1.6	2.3
MERCED	Seminis	DRI320	Thin	276	0.97%	5.05	96.5%	26.9	2.1	4.38	3.8	1.1
MERCED	Seminis	SV0599TM	Early	1	0.00%	5.60	107.0%	22.0	0.5	4.31	7.0	1.0
MERCED	Syngenta	1570	Pear	57	0.20%	5.23	100.0%	24.1	2.4	4.50	0.9	1.4
MERCED	United Genetics	UG19006	Thick	1	0.00%	5.70	108.9%	22.0	0.0	4.26	1.5	1.5
MERCED	United Genetics	UG19406	Thick	1,685	5.90%	5.67	108.4%	24.1	0.9	4.32	1.5	2.1
MERCED	United Genetics	UG26606	Misc	5	0.02%	4.84	92.5%	23.6	0.3	4.45	2.0	1.2
MERCED	Woodbridge	BQ163	Thin	439	1.54%	5.24	100.1%	23.9	3.7	4.44	3.2	3.7
MERCED	Woodbridge	BQ205	Thin	488	1.71%	5.83	111.5%	23.8	2.1	4.40	1.8	0.9
MERCED	Woodbridge	BQ206	Thin	276	0.97%	5.25	100.3%	26.3	1.8	4.34	2.0	0.7
MERCED	Woodbridge	BQ295	Thin	6	0.02%	5.92	113.1%	27.5	1.2	4.29	0.3	6.1
MERCED	Woodbridge	BQ296	Thin	6	0.02%	6.40	122.3%	27.5	1.3	4.25	0.3	5.7
MERCED	Woodbridge	BQ313	Thin	3	0.01%	5.83	111.5%	25.7	2.0	4.34	0.3	4.2
MERCED	Woodbridge	BQ416	Intermediate	2	0.01%	6.50	124.2%	25.0	0.8	4.35	0.3	7.0
MERCED	OVERALL	OVERALL		28,582	100.00%	5.23	100.0%	24.2	1.2	4.38	1.5	2.6

PTAB DATA BY REGION / COUNTY / SUPPLIER

Central Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	pH	Mold	Green
SAN JOAQUIN	Harris Moran	C322	Thick	1	0.00%	5.50	108.8%	24.0	2.5	4.56	1.5	0.5
SAN JOAQUIN	Harris Moran	CXD255	Intermediate	115	0.32%	4.62	91.5%	25.2	0.6	4.35	3.1	0.7
SAN JOAQUIN	Harris Moran	HM1892	Intermediate	359	0.99%	5.13	101.5%	23.9	0.8	4.39	1.4	0.7
SAN JOAQUIN	Harris Moran	HM7883	Thin	214	0.59%	4.54	89.8%	25.2	0.8	4.46	1.1	1.0
SAN JOAQUIN	Harris Moran	HM7885	Pear	1	0.00%	5.50	108.8%	22.0	0.5	4.53	0.0	0.0
SAN JOAQUIN	Harris Moran	HM9905	Intermediate	699	1.94%	4.94	97.7%	24.9	0.7	4.41	0.9	2.1
SAN JOAQUIN	Heinz	H1015	Early	480	1.33%	5.15	101.8%	22.6	0.8	4.38	0.7	0.8
SAN JOAQUIN	Heinz	H1161	Thin	247	0.68%	5.48	108.4%	25.5	1.4	4.32	1.5	1.1
SAN JOAQUIN	Heinz	H1175	Thick	132	0.37%	5.31	105.1%	23.4	0.4	4.39	3.5	0.9
SAN JOAQUIN	Heinz	H1285	Thick	24	0.07%	6.05	119.7%	24.3	0.5	4.37	0.3	1.1
SAN JOAQUIN	Heinz	H1292	Pear	11	0.03%	5.31	105.1%	22.9	2.1	4.47	1.1	1.0
SAN JOAQUIN	Heinz	H1293	Pear	18	0.05%	5.37	106.3%	24.4	0.7	4.49	0.9	1.6
SAN JOAQUIN	Heinz	H2005	Intermediate	2	0.01%	4.60	91.0%	25.0	0.8	4.26	1.5	0.0
SAN JOAQUIN	Heinz	H2601	Pear	811	2.25%	4.94	97.8%	24.8	1.5	4.41	1.1	1.3
SAN JOAQUIN	Heinz	H3402	Intermediate	1,808	5.01%	5.03	99.5%	23.4	0.8	4.41	1.1	1.4
SAN JOAQUIN	Heinz	H5508	Thick	2,599	7.20%	4.59	90.8%	24.2	0.3	4.29	0.5	1.3
SAN JOAQUIN	Heinz	H5608	Thick	1,121	3.10%	4.84	95.7%	23.6	1.3	4.45	3.0	4.4
SAN JOAQUIN	Heinz	H5701	Thick	69	0.19%	4.72	93.4%	24.0	0.5	4.40	0.7	5.9
SAN JOAQUIN	Heinz	H5702	Thick	251	0.70%	4.34	86.0%	24.1	0.3	4.46	0.9	8.7
SAN JOAQUIN	Heinz	H5704	Thick	6	0.02%	4.83	95.6%	24.3	0.9	4.39	0.5	1.8
SAN JOAQUIN	Heinz	H7009	Intermediate	38	0.11%	4.92	97.4%	25.2	1.7	4.29	1.7	0.7
SAN JOAQUIN	Heinz	H8004	Intermediate	214	0.59%	5.47	108.2%	24.1	0.5	4.28	1.8	1.2
SAN JOAQUIN	Heinz	H8504	Thick	2,725	7.55%	5.04	99.8%	25.1	0.6	4.28	1.0	1.9
SAN JOAQUIN	Heinz	H8892	Intermediate	1	0.00%	5.10	100.9%	22.0	0.5	4.48	1.0	0.0
SAN JOAQUIN	Heinz	H9663	Thick	1,710	4.74%	4.71	93.1%	23.3	1.3	4.45	2.7	6.3
SAN JOAQUIN	Heinz	H9665	Intermediate	1,379	3.82%	4.63	91.7%	24.8	0.7	4.32	2.1	1.2
SAN JOAQUIN	Heinz	H9780	Thick	3,364	9.31%	5.25	103.8%	24.9	1.0	4.33	2.6	2.3
SAN JOAQUIN	Heinz	Misc	Misc	25	0.07%	5.06	100.0%	24.2	1.1	4.31	1.7	2.0
SAN JOAQUIN	Keithly Williams	K2707	Intermediate	11	0.03%	4.67	92.5%	26.5	2.9	4.44	2.3	3.3
SAN JOAQUIN	Misc	Misc	Misc	161	0.45%	5.31	105.0%	24.3	1.3	4.40	2.0	1.1
SAN JOAQUIN	Nunhems	N6366	Thin	2,039	5.65%	5.30	104.8%	23.5	1.4	4.39	1.4	0.7
SAN JOAQUIN	Nunhems	N6368	Thin	311	0.86%	4.98	98.5%	25.9	0.6	4.30	1.2	1.0
SAN JOAQUIN	Nunhems	N6385	Thick	568	1.57%	4.59	90.9%	24.7	1.1	4.43	2.1	1.6
SAN JOAQUIN	Nunhems	N6394	Intermediate	248	0.69%	5.53	109.5%	23.4	2.1	4.40	1.6	1.0
SAN JOAQUIN	Nunhems	N6402	Thin	379	1.05%	5.28	104.5%	23.6	0.7	4.40	2.3	0.6
SAN JOAQUIN	Nunhems	N6404	Intermediate	1,269	3.51%	5.00	99.0%	24.3	1.3	4.40	2.2	2.1
SAN JOAQUIN	Nunhems	N6407	Thin	636	1.76%	4.99	98.8%	25.7	0.5	4.33	1.1	1.1
SAN JOAQUIN	Nunhems	N6410	Thick	24	0.07%	4.72	93.3%	26.3	0.8	4.36	1.9	0.5
SAN JOAQUIN	Nunhems	N6412	Thin	2	0.01%	5.80	114.8%	22.0	0.5	4.29	0.8	2.8
SAN JOAQUIN	Orsetti	BOS39663	Misc	2	0.01%	4.65	92.0%	25.5	3.0	4.36	3.5	0.5
SAN JOAQUIN	Orsetti	BOS67212	Pear	62	0.17%	5.63	111.4%	23.5	0.7	4.37	0.4	1.4
SAN JOAQUIN	Seminis	AB0311	Thin	91	0.25%	5.12	101.2%	22.8	0.6	4.32	4.5	0.3
SAN JOAQUIN	Seminis	AB2	Thin	1,691	4.68%	5.14	101.7%	24.3	1.6	4.32	2.2	0.9
SAN JOAQUIN	Seminis	AB3	Thin	388	1.07%	5.35	105.9%	25.8	1.7	4.32	1.3	1.3
SAN JOAQUIN	Seminis	APT410	Early	2	0.01%	4.70	93.0%	24.0	1.5	4.34	3.0	0.8
SAN JOAQUIN	Seminis	DRI319	Thin	696	1.93%	5.39	106.6%	24.8	1.6	4.35	1.6	0.9
SAN JOAQUIN	Seminis	DRI320	Thin	691	1.91%	5.22	103.4%	25.9	1.7	4.33	2.0	0.6
SAN JOAQUIN	Seminis	HP108	Pear	451	1.25%	4.94	97.7%	27.3	2.1	4.42	2.0	1.3
SAN JOAQUIN	Seminis	HP849	Intermediate	1,251	3.46%	4.91	97.2%	24.1	0.4	4.33	2.2	0.6
SAN JOAQUIN	Seminis	PS002	Intermediate	36	0.10%	5.24	103.7%	22.1	1.5	4.44	0.8	1.0
SAN JOAQUIN	Seminis	PS650	Intermediate	1,059	2.93%	5.25	103.8%	25.4	1.4	4.39	2.0	0.8
SAN JOAQUIN	United Genetics	UG19306	Thick	138	0.38%	5.30	105.0%	27.5	0.3	4.28	1.2	1.4
SAN JOAQUIN	United Genetics	UG19406	Thick	2,806	7.77%	5.41	107.0%	24.5	0.5	4.27	1.4	0.8
SAN JOAQUIN	United Genetics	UG822	Pear	20	0.06%	4.48	88.6%	22.9	3.5	4.48	1.0	0.0
SAN JOAQUIN	Woodbridge	BQ163	Thin	465	1.29%	5.02	99.3%	24.2	1.5	4.33	1.5	2.3
SAN JOAQUIN	Woodbridge	BQ204	Early	1	0.00%	4.80	95.0%	33.0	0.5	4.25	1.0	2.0
SAN JOAQUIN	Woodbridge	BQ205	Thin	1,213	3.36%	5.21	103.1%	24.6	1.2	4.32	1.5	1.0
SAN JOAQUIN	Woodbridge	BQ206	Thin	979	2.71%	5.16	102.1%	26.2	1.4	4.30	1.6	1.6
SAN JOAQUIN	OVERALL	OVERALL		36,114	100.00%	5.05	100.0%	24.5	1.0	4.35	1.7	1.7
STANISLAUS	Harris Moran	C322	Thick	1	0.01%	6.40	120.7%	22.0	2.0	4.38	0.5	1.0
STANISLAUS	Harris Moran	HM1892	Intermediate	194	0.98%	5.50	103.7%	23.2	0.5	4.35	2.3	0.8
STANISLAUS	Harris Moran	HM9905	Intermediate	10	0.05%	6.40	120.7%	22.9	0.6	4.32	1.0	1.5

PTAB DATA BY REGION / COUNTY / SUPPLIER

Central Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	pH	Mold	Green
STANISLAUS	Heinz	H1015	Early	129	0.65%	5.51	103.8%	24.0	0.7	4.38	0.3	2.5
STANISLAUS	Heinz	H1161	Thin	41	0.21%	5.99	113.0%	24.2	3.3	4.43	1.6	1.0
STANISLAUS	Heinz	H1175	Thick	30	0.15%	5.00	94.2%	25.6	0.1	4.19	0.1	2.4
STANISLAUS	Heinz	H1285	Thick	18	0.09%	5.48	103.3%	26.7	0.3	4.24	0.6	5.4
STANISLAUS	Heinz	H1292	Pear	3	0.02%	5.33	100.5%	22.0	3.3	4.46	1.8	0.3
STANISLAUS	Heinz	H1293	Pear	12	0.06%	5.59	105.4%	22.7	1.5	4.47	1.7	0.3
STANISLAUS	Heinz	H2005	Intermediate	1	0.01%	5.30	99.9%	23.0	0.5	4.41	2.5	0.5
STANISLAUS	Heinz	H2401	Thick	1,886	9.55%	4.64	87.4%	26.4	0.7	4.30	1.0	3.5
STANISLAUS	Heinz	H2601	Pear	140	0.71%	5.55	104.6%	24.8	0.7	4.41	0.9	2.6
STANISLAUS	Heinz	H3402	Intermediate	765	3.87%	4.97	93.7%	24.5	0.4	4.38	0.8	2.7
STANISLAUS	Heinz	H5003	Early	1	0.01%	6.10	115.0%	22.0	0.5	4.32	0.0	1.0
STANISLAUS	Heinz	H5508	Thick	769	3.90%	4.92	92.8%	24.0	0.3	4.28	0.8	2.4
STANISLAUS	Heinz	H5608	Thick	876	4.44%	4.98	94.0%	23.3	1.3	4.37	2.2	3.8
STANISLAUS	Heinz	H8004	Intermediate	48	0.24%	6.90	130.1%	21.8	0.9	4.27	1.8	0.4
STANISLAUS	Heinz	H8504	Thick	2,527	12.80%	4.83	91.1%	25.8	0.6	4.30	2.5	3.0
STANISLAUS	Heinz	H8892	Intermediate	8	0.04%	5.28	99.4%	23.4	0.3	4.38	3.2	1.1
STANISLAUS	Heinz	H9665	Intermediate	108	0.55%	5.59	105.4%	24.2	0.3	4.33	3.0	1.4
STANISLAUS	Heinz	H9780	Thick	677	3.43%	5.93	111.8%	24.2	1.0	4.30	1.6	3.0
STANISLAUS	Misc	Misc	Misc	53	0.27%	5.30	99.9%	23.4	0.8	4.36	8.4	0.8
STANISLAUS	Misc	Misc	Misc	53	0.27%	5.56	104.8%	27.1	6.7	4.37	2.2	7.0
STANISLAUS	Misc	Misc	Misc	45	0.23%	4.79	90.3%	28.9	0.6	4.42	3.3	6.2
STANISLAUS	Misc	Misc	Misc	19	0.10%	5.05	95.3%	24.6	1.6	4.35	2.8	1.0
STANISLAUS	Nunhems	N6366	Thin	1,258	6.37%	5.59	105.4%	23.2	1.6	4.39	1.9	0.9
STANISLAUS	Nunhems	N6368	Thin	457	2.31%	5.62	106.0%	24.5	0.4	4.27	0.9	0.5
STANISLAUS	Nunhems	N6385	Thick	240	1.22%	4.63	87.2%	24.1	1.1	4.45	2.9	6.5
STANISLAUS	Nunhems	N6394	Intermediate	4	0.02%	5.25	99.0%	23.0	9.4	4.47	4.9	1.4
STANISLAUS	Nunhems	N6397	Early	26	0.13%	5.22	98.4%	25.7	0.3	4.33	1.5	0.7
STANISLAUS	Nunhems	N6402	Thin	846	4.29%	5.64	106.3%	24.1	0.9	4.38	2.4	2.1
STANISLAUS	Nunhems	N6404	Intermediate	666	3.37%	5.57	105.0%	23.6	1.5	4.41	2.2	2.4
STANISLAUS	Nunhems	N6407	Thin	523	2.65%	5.44	102.5%	25.8	0.7	4.34	1.6	1.1
STANISLAUS	Orsetti	BOS39663	Misc	4	0.02%	5.50	103.7%	23.3	0.3	4.31	1.0	0.6
STANISLAUS	Seminis	AB0306	Thin	3	0.02%	5.63	106.2%	24.7	0.8	4.30	2.8	1.3
STANISLAUS	Seminis	AB2	Thin	41	0.21%	6.73	127.0%	25.6	2.5	4.39	2.7	1.0
STANISLAUS	Seminis	AB3	Thin	572	2.90%	5.66	106.8%	24.6	1.8	4.39	2.8	1.8
STANISLAUS	Seminis	AB4606	Early	16	0.08%	5.69	107.3%	25.3	4.7	4.41	2.5	1.5
STANISLAUS	Seminis	DRI319	Thin	770	3.90%	6.06	114.3%	23.6	1.8	4.35	0.9	1.1
STANISLAUS	Seminis	DRI320	Thin	820	4.15%	5.66	106.7%	24.5	1.3	4.30	2.1	0.9
STANISLAUS	Seminis	HP108	Pear	430	2.18%	5.32	100.2%	26.7	1.5	4.45	2.5	1.3
STANISLAUS	Seminis	HP849	Intermediate	606	3.07%	5.29	99.6%	24.0	0.3	4.36	2.7	1.5
STANISLAUS	Seminis	PS650	Intermediate	338	1.71%	5.46	103.0%	24.7	1.3	4.40	1.8	0.6
STANISLAUS	Syngenta	1570	Pear	100	0.51%	5.02	94.7%	24.7	2.0	4.40	1.4	0.7
STANISLAUS	United Genetics	UG19406	Thick	1,384	7.01%	5.44	102.5%	25.1	0.5	4.31	1.5	2.8
STANISLAUS	Woodbridge	BQ163	Thin	822	4.16%	5.48	103.3%	23.8	1.5	4.34	2.8	1.4
STANISLAUS	Woodbridge	BQ205	Thin	703	3.56%	5.48	103.3%	24.3	1.6	4.34	2.4	1.0
STANISLAUS	Woodbridge	BQ206	Thin	700	3.55%	5.51	103.8%	24.9	1.3	4.30	1.5	1.2
STANISLAUS	OVERALL	OVERALL		19,743	100.00%	5.30	100.0%	24.7	1.0	4.34	1.9	2.2
CENTRAL REGION				88,992	100.00%	5.20	100.0%	24.4	1.1	4.35	1.6	2.1

PTAB DATA BY REGION / COUNTY / SUPPLIER

North Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	pH	Mold	Green
COLUSA	Harris Moran	C316	Thick	1	0.00%	5.30	106.9%	21.0	0.5	4.44	2.0	0.0
COLUSA	Harris Moran	CXD179	Thin	152	0.63%	4.97	100.2%	24.6	3.0	4.45	1.5	0.9
COLUSA	Harris Moran	CXD255	Intermediate	474	1.95%	4.89	98.6%	26.3	1.0	4.40	1.3	1.0
COLUSA	Harris Moran	CXD282	Thick	79	0.32%	4.97	100.3%	24.5	1.2	4.40	1.8	2.0
COLUSA	Harris Moran	HM1892	Intermediate	38	0.16%	4.83	97.3%	25.3	1.2	4.59	5.7	0.6
COLUSA	Harris Moran	HM1893	Early	21	0.09%	5.23	105.5%	24.6	2.3	4.43	3.7	0.3
COLUSA	Harris Moran	Shasta	Early	349	1.44%	4.86	98.1%	27.5	4.3	4.34	1.4	2.2
COLUSA	Heinz	H1015	Early	632	2.60%	4.96	100.0%	25.0	1.1	4.43	0.6	2.6
COLUSA	Heinz	H1175	Thick	108	0.44%	4.83	97.3%	23.0	0.2	4.45	0.4	0.9
COLUSA	Heinz	H2005	Intermediate	1	0.00%	5.50	110.9%	24.0	1.0	4.56	2.0	2.0
COLUSA	Heinz	H2401	Thick	2,779	11.43%	4.75	95.8%	25.0	0.9	4.34	2.9	4.4
COLUSA	Heinz	H2601	Pear	47	0.19%	5.19	104.6%	26.0	1.7	4.66	12.1	0.7
COLUSA	Heinz	H3402	Intermediate	180	0.74%	4.89	98.6%	24.5	0.6	4.57	8.4	3.1
COLUSA	Heinz	H4707	Thick	1,724	7.09%	4.91	99.0%	24.6	0.4	4.37	1.0	2.4
COLUSA	Heinz	H5003	Early	1,453	5.98%	4.88	98.4%	24.4	3.9	4.39	0.8	3.5
COLUSA	Heinz	H5508	Thick	1,039	4.27%	4.88	98.5%	24.5	0.4	4.43	3.6	2.6
COLUSA	Heinz	H5608	Thick	3,329	13.69%	4.77	96.3%	23.3	1.0	4.45	2.7	3.3
COLUSA	Heinz	H5701	Thick	677	2.78%	4.63	93.3%	24.4	0.5	4.37	1.6	3.6
COLUSA	Heinz	H5702	Thick	865	3.56%	4.84	97.7%	24.1	0.4	4.46	1.8	5.5
COLUSA	Heinz	H8504	Thick	1,392	5.73%	5.01	101.1%	25.0	0.7	4.42	4.7	5.9
COLUSA	Heinz	H9494	Intermediate	74	0.30%	4.60	92.7%	24.3	1.7	4.44	1.6	4.4
COLUSA	Heinz	H9663	Thick	328	1.35%	4.88	98.4%	23.4	1.5	4.38	3.7	2.8
COLUSA	Heinz	H9780	Thick	201	0.83%	5.82	117.5%	23.8	0.7	4.34	0.9	0.6
COLUSA	Heinz	Misc	Misc	96	0.39%	5.23	105.5%	25.4	0.9	4.38	1.8	2.3
COLUSA	Misc	Misc	Misc	2	0.01%	4.65	93.8%	32.0	1.8	4.30	0.8	0.3
COLUSA	Nunhems	N6366	Thin	2,852	11.73%	5.25	106.0%	26.1	1.5	4.40	1.7	1.9
COLUSA	Nunhems	N6394	Intermediate	66	0.27%	5.72	115.4%	24.9	1.5	4.53	1.4	2.1
COLUSA	Nunhems	N6397	Early	496	2.04%	5.06	102.1%	26.0	0.8	4.42	0.8	2.0
COLUSA	Nunhems	N6402	Thin	200	0.82%	5.20	104.9%	27.9	1.2	4.42	2.1	4.7
COLUSA	Nunhems	N6404	Intermediate	551	2.27%	5.29	106.6%	24.6	0.6	4.46	1.3	0.7
COLUSA	Nunhems	N6407	Thin	332	1.37%	5.45	110.0%	24.3	0.9	4.49	4.4	0.4
COLUSA	Nunhems	N6410	Thick	44	0.18%	5.46	110.1%	25.9	1.1	4.55	9.1	0.8
COLUSA	Nunhems	N6412	Thin	61	0.25%	5.26	106.0%	23.1	1.2	4.36	1.0	0.2
COLUSA	Orsetti	BOS602	Early	13	0.05%	5.08	102.4%	24.9	1.9	4.48	3.6	0.4
COLUSA	Orsetti	BOS66509	Early	147	0.60%	5.05	101.8%	26.5	1.6	4.36	1.7	1.0
COLUSA	Seminis	AB0306	Thin	170	0.70%	5.37	108.3%	24.2	3.6	4.43	2.1	1.8
COLUSA	Seminis	AB0311	Thin	199	0.82%	5.40	108.9%	25.0	1.0	4.37	5.1	1.5
COLUSA	Seminis	AB2	Thin	103	0.42%	5.29	106.7%	24.2	1.1	4.42	2.6	0.5
COLUSA	Seminis	AB4606	Early	184	0.76%	5.16	104.0%	25.0	1.2	4.41	1.3	0.3
COLUSA	Seminis	APT410	Early	1,358	5.59%	4.63	93.3%	25.6	4.2	4.41	1.6	2.3
COLUSA	Seminis	DRI319	Thin	3	0.01%	5.97	120.3%	21.7	0.3	4.28	1.0	0.0
COLUSA	Seminis	DRI320	Thin	11	0.05%	4.84	97.5%	25.3	0.7	4.29	0.9	0.1
COLUSA	Seminis	HP816	Early	618	2.54%	4.92	99.2%	27.3	5.5	4.41	0.8	3.3
COLUSA	Seminis	PS002	Intermediate	19	0.08%	5.04	101.7%	24.4	0.9	4.50	6.8	0.9
COLUSA	Seminis	SV0599TM	Early	9	0.04%	5.06	102.0%	28.1	1.1	4.40	1.2	2.8
COLUSA	Woodbridge	BQ163	Thin	229	0.94%	5.41	109.1%	25.9	1.9	4.44	1.3	0.2
COLUSA	Woodbridge	BQ205	Thin	548	2.25%	5.61	113.2%	26.4	1.4	4.36	2.0	3.0
COLUSA	Woodbridge	BQ206	Thin	55	0.23%	5.55	111.9%	26.1	2.3	4.45	3.9	0.9
COLUSA	OVERALL	OVERALL		24,309	100.00%	4.96	100.0%	24.9	1.5	4.41	2.2	3.0
GLENN	Nunhems	N6366	Thin	135	100.00%	5.99	100.0%	26.0	2.8	4.56	1.4	1.9
GLENN	OVERALL	OVERALL		135	100.00%	5.99	100.0%	26.0	2.8	4.56	1.4	1.9
SACRAMENTO	Harris Moran	CXD255	Intermediate	164	5.16%	4.55	88.5%	26.5	0.5	4.25	3.8	0.3
SACRAMENTO	Harris Moran	HM7885	Pear	56	1.76%	5.85	113.8%	22.1	0.6	4.60	1.2	0.3
SACRAMENTO	Heinz	H1015	Early	48	1.51%	5.71	111.1%	23.5	0.2	4.36	0.3	0.5
SACRAMENTO	Heinz	H1161	Thin	108	3.40%	6.36	123.6%	23.9	1.8	4.24	0.6	1.4
SACRAMENTO	Heinz	H2005	Intermediate	1	0.03%	5.90	114.7%	23.0	0.5	4.45	3.5	0.0
SACRAMENTO	Heinz	H3402	Intermediate	251	7.90%	4.65	90.5%	24.1	0.5	4.36	0.4	1.5
SACRAMENTO	Heinz	H5508	Thick	186	5.86%	4.90	95.3%	26.0	0.4	4.25	0.4	1.0
SACRAMENTO	Heinz	H8504	Thick	503	15.84%	4.57	88.9%	25.5	0.7	4.29	1.3	1.5
SACRAMENTO	Misc	Misc	Misc	1	0.03%	5.30	103.0%	24.0	0.0	4.30	3.0	1.0
SACRAMENTO	Nunhems	N6366	Thin	78	2.46%	6.25	121.5%	23.9	0.7	4.28	0.9	1.5

PTAB DATA BY REGION / COUNTY / SUPPLIER

North Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	pH	Mold	Green
SACRAMENTO	Nunhems	N6402	Thin	103	3.24%	5.50	106.9%	24.8	0.9	4.32	0.8	1.5
SACRAMENTO	Nunhems	N6404	Intermediate	9	0.28%	5.71	111.0%	25.0	0.3	4.28	0.5	0.5
SACRAMENTO	Nunhems	N6407	Thin	61	1.92%	6.28	122.0%	23.6	0.3	4.27	0.9	0.8
SACRAMENTO	Seminis	AB2	Thin	751	23.65%	5.17	100.6%	24.1	1.7	4.30	2.8	0.7
SACRAMENTO	Seminis	AB3	Thin	1	0.03%	6.90	134.2%	22.0	2.5	4.41	3.0	1.0
SACRAMENTO	Seminis	DRI319	Thin	134	4.22%	5.05	98.1%	26.0	0.5	4.33	3.6	0.8
SACRAMENTO	Seminis	HP849	Intermediate	194	6.11%	5.01	97.4%	27.1	0.6	4.29	1.8	0.9
SACRAMENTO	United Genetics	UG19406	Thick	274	8.63%	5.33	103.6%	24.9	0.5	4.28	3.2	1.2
SACRAMENTO	Woodbridge	BQ205	Thin	92	2.90%	5.98	116.3%	24.2	1.3	4.41	2.2	0.9
SACRAMENTO	Woodbridge	BQ206	Thin	161	5.07%	5.40	105.0%	24.9	1.1	4.32	3.0	0.9
SACRAMENTO	OVERALL	OVERALL		3,176	100.00%	5.14	100.0%	24.9	0.9	4.30	2.0	1.0
SOLANO	Harris Moran	CXD255	Intermediate	1,603	11.60%	5.27	98.6%	25.1	0.8	4.38	1.7	0.7
SOLANO	Harris Moran	HM1893	Early	24	0.17%	5.25	98.0%	25.5	0.5	4.29	0.7	0.4
SOLANO	Harris Moran	HM9905	Intermediate	91	0.66%	5.45	101.9%	24.7	1.0	4.42	3.2	0.4
SOLANO	Harris Moran	Shasta	Early	69	0.50%	5.47	102.2%	26.0	2.6	4.41	1.2	1.3
SOLANO	Heinz	H1015	Early	23	0.17%	5.15	96.2%	25.1	0.5	4.49	0.9	0.3
SOLANO	Heinz	H1161	Thin	48	0.35%	7.03	131.4%	22.8	0.5	4.19	0.8	1.0
SOLANO	Heinz	H1175	Thick	202	1.46%	5.28	98.6%	21.8	0.4	4.46	1.3	2.2
SOLANO	Heinz	H1285	Thick	1	0.01%	6.60	123.3%	31.0	0.0	4.25	0.0	2.0
SOLANO	Heinz	H1304	Intermediate	1	0.01%	6.70	125.2%	26.0	1.0	4.38	1.0	1.5
SOLANO	Heinz	H2005	Intermediate	1	0.01%	6.10	114.0%	32.0	0.0	4.20	1.0	1.0
SOLANO	Heinz	H2401	Thick	526	3.80%	5.06	94.6%	23.4	1.3	4.36	1.6	2.8
SOLANO	Heinz	H2601	Pear	125	0.90%	5.34	99.9%	24.6	1.5	4.39	0.4	0.4
SOLANO	Heinz	H3402	Intermediate	263	1.90%	4.92	91.9%	24.3	2.3	4.52	2.5	1.6
SOLANO	Heinz	H4707	Thick	149	1.08%	4.79	89.5%	24.4	0.3	4.36	0.9	1.2
SOLANO	Heinz	H5508	Thick	27	0.20%	5.14	96.1%	22.1	0.3	4.36	0.9	0.5
SOLANO	Heinz	H5608	Thick	627	4.54%	4.97	93.0%	22.9	0.8	4.43	2.7	1.9
SOLANO	Heinz	H5702	Thick	410	2.97%	5.20	97.2%	22.7	0.3	4.38	0.9	1.7
SOLANO	Heinz	H8504	Thick	156	1.13%	4.98	93.0%	23.9	1.1	4.38	2.7	3.9
SOLANO	Misc	Misc	Misc	8	0.06%	5.37	100.5%	24.1	1.1	4.34	1.2	0.8
SOLANO	Nunhems	N6366	Thin	777	5.62%	5.72	106.9%	24.8	0.9	4.39	1.1	0.6
SOLANO	Nunhems	N6394	Intermediate	65	0.47%	4.98	93.0%	24.7	1.0	4.31	2.9	0.5
SOLANO	Nunhems	N6397	Early	92	0.67%	5.26	98.2%	24.7	1.1	4.49	0.7	0.3
SOLANO	Nunhems	N6402	Thin	494	3.57%	5.20	97.1%	24.5	1.2	4.39	1.3	0.5
SOLANO	Nunhems	N6404	Intermediate	1,385	10.02%	5.57	104.0%	24.3	1.1	4.41	1.7	0.9
SOLANO	Nunhems	N6407	Thin	230	1.66%	5.64	105.3%	25.1	0.7	4.34	0.9	0.5
SOLANO	Orsetti	BOS3113	Thin	4	0.03%	5.20	97.2%	23.8	0.6	4.30	3.4	1.6
SOLANO	Orsetti	BOS67212	Pear	7	0.05%	5.80	108.4%	24.4	0.9	4.47	1.7	1.7
SOLANO	Seminis	AB0306	Thin	2	0.01%	5.85	109.3%	28.0	0.8	4.35	1.3	1.0
SOLANO	Seminis	AB0311	Thin	576	4.17%	5.44	101.7%	23.6	0.9	4.32	3.1	1.3
SOLANO	Seminis	AB2	Thin	626	4.53%	5.24	97.9%	24.3	1.4	4.33	3.8	1.0
SOLANO	Seminis	AB3	Thin	222	1.61%	5.48	102.4%	25.4	1.3	4.30	1.5	1.1
SOLANO	Seminis	APT410	Early	201	1.45%	5.04	94.1%	24.9	2.5	4.43	1.5	0.3
SOLANO	Seminis	DRI319	Thin	721	5.22%	5.97	111.5%	24.3	1.3	4.36	1.4	0.7
SOLANO	Seminis	DRI320	Thin	533	3.86%	5.26	98.3%	25.6	2.5	4.38	2.4	0.6
SOLANO	Seminis	HP849	Intermediate	1,905	13.78%	5.10	95.3%	24.6	0.7	4.39	3.2	0.7
SOLANO	Seminis	PS002	Intermediate	1	0.01%	6.40	119.6%	28.0	0.0	4.27	0.5	1.0
SOLANO	Seminis	PX299	Thin	19	0.14%	6.03	112.6%	24.1	3.8	4.40	0.7	0.9
SOLANO	Seminis	SV0599TM	Early	13	0.09%	5.28	98.8%	26.5	0.8	4.43	0.6	0.2
SOLANO	Seminis	SV2849TP	Pear	6	0.04%	5.35	100.0%	25.3	0.9	4.35	2.1	1.0
SOLANO	United Genetics	UG19006	Thick	2	0.01%	5.90	110.3%	24.5	0.3	4.30	2.3	1.0
SOLANO	United Genetics	UG19406	Thick	786	5.69%	5.66	105.8%	25.1	0.5	4.29	1.4	0.7
SOLANO	Woodbridge	BQ163	Thin	273	1.97%	5.55	103.8%	23.9	1.2	4.35	0.9	0.4
SOLANO	Woodbridge	BQ205	Thin	67	0.48%	5.91	110.5%	27.9	1.6	4.27	0.6	0.9
SOLANO	Woodbridge	BQ206	Thin	463	3.35%	5.34	99.8%	25.4	1.7	4.32	1.8	0.5
SOLANO	OVERALL	OVERALL		13,824	100.00%	5.35	100.0%	24.5	1.1	4.38	2.0	1.0
SUTTER	Harris Moran	C316	Thick	2	0.02%	5.25	101.1%	23.0	3.3	4.56	5.8	1.0
SUTTER	Harris Moran	CXD255	Intermediate	67	0.61%	5.60	107.8%	23.8	0.9	4.41	1.7	1.6
SUTTER	Harris Moran	CXD282	Thick	1,603	14.61%	5.31	102.2%	24.0	1.1	4.42	3.9	2.6
SUTTER	Harris Moran	HM1892	Intermediate	55	0.50%	5.20	100.2%	26.4	1.1	4.44	5.1	0.5
SUTTER	Harris Moran	HM9905	Intermediate	81	0.74%	5.13	98.9%	26.7	0.5	4.37	2.4	1.1

PTAB DATA BY REGION / COUNTY / SUPPLIER

North Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	pH	Mold	Green
SUTTER	Heinz	H1015	Early	249	2.27%	4.93	95.0%	25.4	0.7	4.44	0.5	2.6
SUTTER	Heinz	H1175	Thick	445	4.06%	5.18	99.8%	24.3	0.6	4.50	4.1	3.5
SUTTER	Heinz	H1285	Thick	42	0.38%	5.30	102.1%	27.0	0.8	4.45	4.1	7.6
SUTTER	Heinz	H1310	Thick	5	0.05%	5.28	101.7%	24.2	0.7	4.46	1.7	1.4
SUTTER	Heinz	H2401	Thick	956	8.71%	5.01	96.6%	25.1	1.1	4.38	2.8	4.9
SUTTER	Heinz	H2601	Pear	80	0.73%	4.98	95.8%	25.8	2.1	4.56	5.4	0.6
SUTTER	Heinz	H3402	Intermediate	298	2.72%	5.39	103.8%	24.8	0.6	4.49	4.0	3.7
SUTTER	Heinz	H4707	Thick	402	3.66%	4.93	94.9%	24.7	0.5	4.41	1.5	4.3
SUTTER	Heinz	H5003	Early	203	1.85%	4.75	91.6%	24.3	2.1	4.42	1.2	1.5
SUTTER	Heinz	H5508	Thick	582	5.31%	4.89	94.2%	25.2	0.5	4.36	2.8	1.5
SUTTER	Heinz	H5608	Thick	1,401	12.77%	4.99	96.1%	23.2	0.9	4.43	2.7	3.1
SUTTER	Heinz	H5701	Thick	189	1.72%	4.94	95.3%	24.1	0.6	4.40	2.7	6.8
SUTTER	Heinz	H5702	Thick	94	0.86%	5.09	98.0%	24.4	0.8	4.52	3.0	8.9
SUTTER	Heinz	H8504	Thick	316	2.88%	5.21	100.3%	26.9	0.6	4.35	3.0	9.3
SUTTER	Heinz	H9663	Thick	757	6.90%	5.07	97.7%	24.5	1.4	4.41	5.2	5.4
SUTTER	Heinz	Misc	Misc	62	0.57%	5.00	96.3%	26.2	2.2	4.41	2.8	2.5
SUTTER	Misc	Misc	Misc	1	0.01%	6.10	117.5%	24.0	2.0	4.41	2.5	1.5
SUTTER	Nunhems	N6366	Thin	840	7.66%	4.94	95.2%	27.0	1.2	4.41	2.3	1.9
SUTTER	Nunhems	N6397	Early	61	0.56%	5.06	97.4%	25.3	0.9	4.45	1.5	0.4
SUTTER	Nunhems	N6402	Thin	197	1.80%	5.14	99.0%	26.7	1.3	4.43	2.1	1.9
SUTTER	Nunhems	N6404	Intermediate	489	4.46%	5.43	104.7%	24.8	1.1	4.45	3.0	1.2
SUTTER	Nunhems	N6407	Thin	311	2.84%	5.90	113.7%	25.9	0.5	4.28	2.2	1.8
SUTTER	Nunhems	N6412	Thin	18	0.16%	5.42	104.5%	24.6	4.0	4.40	2.2	1.7
SUTTER	Seminis	AB0306	Thin	66	0.60%	5.98	115.3%	26.0	5.3	4.39	2.1	3.4
SUTTER	Seminis	AB0311	Thin	93	0.85%	5.63	108.4%	24.2	0.6	4.38	2.7	0.5
SUTTER	Seminis	AB4606	Early	102	0.93%	5.23	100.7%	27.1	2.8	4.48	2.6	0.9
SUTTER	Seminis	DRI319	Thin	388	3.54%	6.09	117.3%	23.8	0.9	4.34	2.4	1.1
SUTTER	Seminis	HP849	Intermediate	114	1.04%	5.41	104.3%	27.9	0.6	4.34	3.0	1.8
SUTTER	Seminis	SV0335TM	Thin	1	0.01%	5.00	96.3%	23.0	1.0	4.41	10.5	1.0
SUTTER	Woodbridge	BQ206	Thin	400	3.65%	5.69	109.6%	25.7	0.7	4.28	2.2	0.9
SUTTER	OVERALL	OVERALL		10,970	100.00%	5.19	100.0%	24.8	1.0	4.41	3.0	3.1
YOLO	Harris Moran	C316	Thick	3	0.00%	6.07	119.2%	22.0	2.2	4.42	2.3	1.0
YOLO	Harris Moran	C320	Early	1	0.00%	5.80	113.9%	26.0	6.0	4.47	0.5	0.0
YOLO	Harris Moran	C322	Thick	4	0.01%	5.05	99.2%	22.5	0.9	4.33	0.6	0.5
YOLO	Harris Moran	CXD179	Thin	63	0.10%	5.76	113.1%	22.9	0.8	4.31	0.8	0.7
YOLO	Harris Moran	CXD255	Intermediate	3,491	5.61%	5.20	102.0%	25.2	0.8	4.39	1.8	0.8
YOLO	Harris Moran	CXD282	Thick	1,430	2.30%	5.22	102.6%	23.8	0.8	4.40	2.7	1.6
YOLO	Harris Moran	HM1892	Intermediate	661	1.06%	5.20	102.2%	24.3	0.7	4.46	2.8	0.8
YOLO	Harris Moran	HM1893	Early	53	0.09%	4.92	96.7%	25.3	1.9	4.36	1.8	0.8
YOLO	Harris Moran	HM7883	Thin	169	0.27%	5.27	103.4%	24.0	0.4	4.47	0.9	1.2
YOLO	Harris Moran	HM9905	Intermediate	1,882	3.03%	5.19	101.9%	24.6	0.5	4.48	3.0	0.8
YOLO	Harris Moran	HMX2897	Thin	7	0.01%	5.56	109.1%	24.0	1.0	4.52	2.4	0.8
YOLO	Harris Moran	HMX2898	Intermediate	4	0.01%	6.00	117.8%	24.3	1.4	4.42	3.1	1.1
YOLO	Harris Moran	HMX3908	Thick	1	0.00%	4.80	94.3%	24.0	1.5	4.35	1.0	0.0
YOLO	Harris Moran	Misc	Misc	1	0.00%	4.90	96.2%	27.0	0.5	4.38	0.0	1.0
YOLO	Harris Moran	Shasta	Early	1,217	1.96%	5.27	103.5%	25.2	4.7	4.31	1.5	1.4
YOLO	Heinz	H1015	Early	997	1.60%	5.09	100.1%	24.7	1.0	4.44	0.7	1.9
YOLO	Heinz	H1161	Thin	162	0.26%	5.22	102.5%	25.1	2.0	4.32	1.2	0.7
YOLO	Heinz	H1175	Thick	970	1.56%	4.78	93.9%	23.1	0.2	4.44	1.4	2.0
YOLO	Heinz	H1285	Thick	37	0.06%	5.00	98.2%	24.3	1.2	4.40	2.1	1.1
YOLO	Heinz	H1285	Thick	121	0.19%	5.14	100.9%	25.7	0.3	4.36	1.0	1.0
YOLO	Heinz	H1304	Intermediate	2	0.00%	6.55	128.6%	23.0	4.3	4.53	0.5	0.8
YOLO	Heinz	H1310	Thick	3	0.00%	5.37	105.4%	24.3	0.5	4.38	3.2	1.5
YOLO	Heinz	H2005	Intermediate	7	0.01%	5.24	103.0%	27.0	0.6	4.33	1.9	1.0
YOLO	Heinz	H2401	Thick	1,945	3.13%	4.91	96.4%	24.8	0.6	4.30	1.5	3.7
YOLO	Heinz	H2601	Pear	418	0.67%	5.02	98.6%	25.4	1.4	4.45	3.6	0.9
YOLO	Heinz	H3402	Intermediate	996	1.60%	4.66	91.6%	24.7	0.5	4.43	5.4	1.4
YOLO	Heinz	H4707	Thick	135	0.22%	4.63	90.8%	24.8	0.3	4.35	0.4	2.3
YOLO	Heinz	H5003	Early	717	1.15%	4.81	94.5%	25.6	3.6	4.44	1.0	2.9
YOLO	Heinz	H5508	Thick	2,968	4.77%	4.54	89.3%	24.9	0.3	4.34	1.3	0.8
YOLO	Heinz	H5608	Thick	8,624	13.87%	4.79	94.1%	23.0	0.6	4.40	2.4	2.0

PTAB DATA BY REGION / COUNTY / SUPPLIER

North Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	pH	Mold	Green
YOLO	Heinz	H5701	Thick	435	0.70%	5.24	103.0%	23.8	0.5	4.32	1.0	4.2
YOLO	Heinz	H5702	Thick	1,822	2.93%	4.77	93.6%	23.8	0.4	4.43	1.2	3.8
YOLO	Heinz	H6807	Misc	3	0.00%	5.33	104.8%	27.7	0.8	4.40	2.3	0.5
YOLO	Heinz	H8504	Thick	2,317	3.73%	5.03	98.8%	24.5	0.6	4.31	2.0	4.0
YOLO	Heinz	H9663	Thick	663	1.07%	4.59	90.1%	24.3	1.2	4.38	2.8	2.9
YOLO	Heinz	H9665	Intermediate	13	0.02%	4.71	92.5%	27.1	0.5	4.35	1.3	0.8
YOLO	Heinz	H9780	Thick	55	0.09%	5.89	115.8%	24.6	0.5	4.33	0.8	2.0
YOLO	Heinz	H9995	Intermediate	44	0.07%	5.33	104.7%	26.0	0.6	4.37	0.8	0.9
YOLO	Heinz	Misc	Misc	50	0.08%	5.08	99.8%	22.7	1.3	4.44	1.6	4.2
YOLO	Misc	Misc	Misc	391	0.63%	5.65	110.9%	5.6	5.6	5.65	5.6	5.6
YOLO	Nunhems	N6366	Thin	4,182	6.72%	5.34	104.8%	25.3	1.2	4.40	1.4	1.1
YOLO	Nunhems	N6394	Intermediate	35	0.06%	5.72	112.3%	22.8	1.3	4.42	1.6	0.3
YOLO	Nunhems	N6397	Early	1,536	2.47%	5.08	99.9%	24.9	1.1	4.44	0.6	0.9
YOLO	Nunhems	N6402	Thin	2,550	4.10%	5.24	103.0%	24.8	0.6	4.39	1.7	1.0
YOLO	Nunhems	N6404	Intermediate	5,791	9.31%	5.04	98.9%	24.5	0.9	4.42	2.0	0.9
YOLO	Nunhems	N6407	Thin	1,018	1.64%	5.05	99.1%	25.9	0.8	4.39	2.1	0.7
YOLO	Nunhems	N6410	Thick	10	0.02%	5.46	107.2%	23.8	0.5	4.43	1.1	0.4
YOLO	Nunhems	N6412	Thin	5	0.01%	5.42	106.5%	22.4	2.2	4.50	1.4	0.8
YOLO	Orsetti	3155	Thin	313	0.50%	5.34	104.8%	24.6	0.8	4.35	1.9	2.2
YOLO	Orsetti	BOS3113	Thin	20	0.03%	5.89	115.7%	25.2	0.7	4.37	2.0	0.4
YOLO	Orsetti	BOS602	Early	94	0.15%	4.84	95.0%	26.0	1.3	4.45	4.1	0.8
YOLO	Orsetti	BOS66509	Early	190	0.31%	5.00	98.1%	25.3	2.1	4.45	3.5	0.4
YOLO	Orsetti	BOS67212	Pear	79	0.13%	5.45	107.0%	22.6	1.9	4.48	2.1	0.8
YOLO	Seminis	AB0306	Thin	316	0.51%	5.60	110.0%	25.6	4.4	4.46	2.5	1.1
YOLO	Seminis	AB0311	Thin	1,127	1.81%	5.41	106.2%	24.1	0.7	4.33	1.7	0.6
YOLO	Seminis	AB2	Thin	561	0.90%	5.31	104.3%	25.2	1.2	4.31	1.8	0.6
YOLO	Seminis	AB3	Thin	132	0.21%	5.46	107.3%	25.3	0.4	4.38	4.7	0.7
YOLO	Seminis	AB4606	Early	260	0.42%	5.76	113.1%	24.9	1.4	4.41	1.5	0.6
YOLO	Seminis	APT410	Early	677	1.09%	4.85	95.2%	25.4	2.7	4.40	1.3	0.8
YOLO	Seminis	DRI319	Thin	2,239	3.60%	5.80	113.9%	23.9	1.1	4.35	1.9	0.8
YOLO	Seminis	DRI320	Thin	1,186	1.91%	5.44	106.9%	24.8	1.2	4.33	2.0	0.7
YOLO	Seminis	HP849	Intermediate	1,963	3.16%	4.95	97.3%	25.0	0.8	4.38	3.6	0.8
YOLO	Seminis	PS002	Intermediate	71	0.11%	5.30	104.1%	25.0	1.3	4.41	2.0	0.7
YOLO	Seminis	PS650	Intermediate	703	1.13%	5.39	105.9%	25.7	0.9	4.40	1.4	0.7
YOLO	Seminis	PX299	Thin	21	0.03%	4.91	96.4%	23.4	1.6	4.49	2.5	0.9
YOLO	Seminis	PX299	Thin	227	0.36%	4.76	93.6%	24.9	3.0	4.46	2.7	1.3
YOLO	Seminis	SV0335TM	Thin	3	0.00%	6.37	125.0%	24.0	1.7	4.33	3.3	1.2
YOLO	Seminis	SV0599TM	Early	18	0.03%	5.14	100.9%	29.4	2.7	4.35	0.3	1.5
YOLO	Seminis	SV4778TM	Thick	2	0.00%	4.95	97.2%	23.0	0.8	4.32	2.3	0.0
YOLO	Seminis	SV6743TM	Thick	1	0.00%	5.00	98.2%	22.0	0.0	4.34	3.0	0.5
YOLO	Seminis	SV7707TM	Thick	2	0.00%	5.10	100.2%	24.5	0.0	4.40	2.3	0.3
YOLO	United Genetics	CAL MARZANO 2	Pear	2	0.00%	5.55	109.0%	26.0	1.0	4.42	0.5	1.0
YOLO	United Genetics	UG16609	Thick	3	0.00%	4.83	94.9%	23.0	2.3	4.43	2.0	2.3
YOLO	United Genetics	UG19006	Thick	140	0.23%	5.05	99.1%	25.1	0.8	4.30	2.5	2.1
YOLO	United Genetics	UG19406	Thick	377	0.61%	5.25	103.0%	24.8	0.6	4.32	1.9	0.8
YOLO	United Genetics	UG31305	Misc	1	0.00%	5.10	100.2%	24.0	0.5	4.54	8.0	1.5
YOLO	Woodbridge	BQ163	Thin	566	0.91%	5.79	113.6%	23.5	1.5	4.37	1.7	0.6
YOLO	Woodbridge	BQ205	Thin	798	1.28%	5.50	108.1%	26.1	1.4	4.34	2.6	1.4
YOLO	Woodbridge	BQ206	Thin	2,091	3.36%	5.43	106.6%	25.0	1.7	4.35	2.3	0.8
YOLO	Woodbridge	BQ268	Thick	2	0.00%	6.15	120.8%	25.0	1.0	4.38	1.5	1.0
YOLO	Woodbridge	BQ296	Thin	2	0.00%	5.50	108.0%	22.0	2.8	4.53	4.5	1.0
YOLO	OVERALL	OVERALL		62,196	100.00%	5.09	100.0%	24.5	1.0	4.39	2.0	1.5
NORTH REGION				114,610	100.00%	5.11	100.0%	24.6	1.1	4.39	2.1	1.9

PTAB DATA BY REGION / COUNTY / SUPPLIER

Coast Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	pH	Mold	Green
SAN BENITO	Harris Moran	HM9905	Intermediate	38	1.30%	4.92	96.4%	25.7	0.6	4.41	0.2	6.1
SAN BENITO	Harris Moran	Misc	Misc	5	0.17%	5.06	99.2%	22.8	1.8	4.40	0.5	0.7
SAN BENITO	Harris Moran	Misc	Misc	2	0.07%	4.25	83.3%	22.0	1.0	4.38	5.3	0.0
SAN BENITO	Heinz	H1175	Thick	93	3.18%	6.89	135.0%	22.1	1.9	4.35	0.9	1.6
SAN BENITO	Heinz	H2601	Pear	117	4.00%	4.69	91.9%	25.0	3.4	4.54	1.8	2.2
SAN BENITO	Keithly Williams	K2710	Misc	12	0.41%	4.31	84.4%	23.2	1.5	4.36	4.1	0.1
SAN BENITO	Misc	Misc	Misc	52	1.78%	5.03	98.7%	24.1	2.0	4.35	0.8	0.4
SAN BENITO	Nunhems	N6366	Thin	344	11.76%	4.80	94.2%	24.8	2.1	4.37	0.4	3.0
SAN BENITO	Nunhems	N6385	Thick	35	1.20%	5.68	111.4%	22.9	1.4	4.39	0.5	3.4
SAN BENITO	Nunhems	N6394	Intermediate	51	1.74%	5.47	107.3%	23.7	2.3	4.37	0.4	1.5
SAN BENITO	Nunhems	N6404	Intermediate	73	2.49%	6.12	120.0%	22.4	2.2	4.35	0.4	1.4
SAN BENITO	Seminis	AB2	Thin	961	32.84%	5.38	105.4%	25.3	2.5	4.24	1.4	1.5
SAN BENITO	Seminis	HP108	Pear	113	3.86%	5.09	99.7%	25.9	2.4	4.54	3.3	2.4
SAN BENITO	United Genetics	UG26606	Misc	5	0.17%	5.44	106.6%	22.6	3.9	4.41	0.7	0.4
SAN BENITO	United Genetics	UG822	Pear	783	26.76%	4.67	91.6%	23.1	2.1	4.35	1.1	0.8
SAN BENITO	Woodbridge	BQ163	Thin	57	1.95%	5.32	104.2%	28.7	1.8	4.30	0.1	4.2
SAN BENITO	Woodbridge	BQ206	Thin	185	6.32%	4.85	95.0%	25.4	3.1	4.27	0.7	1.3
SAN BENITO	OVERALL	OVERALL		2,926	100.00%	5.10	100.0%	24.5	2.3	4.33	1.1	1.7
SANTA CLARA	Nunhems	N6366	Thin	744	43.59%	4.71	96.5%	23.8	2.1	4.39	1.3	0.9
SANTA CLARA	Seminis	AB2	Thin	505	29.58%	4.92	100.7%	23.6	2.2	4.32	4.7	1.4
SANTA CLARA	Woodbridge	BQ163	Thin	65	3.81%	5.38	110.1%	24.5	1.5	4.34	0.3	2.1
SANTA CLARA	Woodbridge	BQ205	Thin	393	23.02%	5.08	104.0%	25.5	2.1	4.32	0.4	3.3
SANTA CLARA	OVERALL	OVERALL		1,707	100.00%	4.88	100.0%	24.2	2.1	4.35	2.1	1.7
COAST REGION				4,633	100.00%	5.02	100.0%	24.4	2.2	4.34	1.5	1.7

PTAB DATA BY SUPPLIER / VARIETY

Statewide

Based on Final PTAB Reports

Supplier	Variety	Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Color	LU	pH	Mold	Green
Harris Moran	CXD187	Early				8,384	28.10%	4.76	24.5	2.5	4.39	0.4	2.5
Harris Moran	CXD255	Intermediate				8,111	27.18%	5.20	25.0	1.0	4.40	1.8	0.9
Harris Moran	HM9905	Intermediate			X	3,357	11.25%	5.15	24.5	0.7	4.46	2.3	1.2
Harris Moran	CXD282	Thick		X		3,112	10.43%	5.26	23.9	0.9	4.41	3.3	2.1
Harris Moran	HM7885	Pear				2,109	7.07%	4.94	24.9	0.4	4.52	0.5	0.9
Harris Moran	HM1892	Intermediate			X	1,894	6.35%	5.27	24.0	0.8	4.43	2.0	1.0
Harris Moran	Shasta	Early				1,814	6.08%	5.23	25.7	4.4	4.31	1.4	1.5
Harris Moran	HM7883	Thin			X	501	1.68%	5.18	24.0	0.7	4.46	1.0	1.1
Harris Moran	CXD179	Thin				235	0.79%	5.29	24.2	2.2	4.39	1.2	0.8
Harris Moran	HM1893	Early	X			171	0.57%	5.10	25.0	1.5	4.32	1.9	0.8
Harris Moran	FM1115	Thin				38	0.13%	4.88	27.9	10.2	4.47	3.4	12.6
Harris Moran	HMX2897	Thin	X			29	0.10%	5.46	22.6	1.8	4.55	4.1	3.1
Harris Moran	Misc	Misc				27	0.09%	4.93	25.8	0.9	4.39	1.5	1.0
Harris Moran	C320	Early				15	0.05%	5.42	21.7	5.1	4.49	0.7	0.6
Harris Moran	C322	Thick	X			12	0.04%	5.53	23.1	0.9	4.34	0.7	0.5
Harris Moran	C316	Thick		X		10	0.03%	5.63	22.8	1.7	4.40	2.2	0.7
Harris Moran	HMX2898	Intermediate				10	0.03%	6.25	24.0	1.5	4.39	2.5	1.3
Harris Moran	HMX3908	Thick	X			9	0.03%	5.14	25.0	0.8	4.34	0.3	3.3
Harris Moran	OVERALL					29,838	100.00%	5.07	24.7	1.5	4.41	1.5	1.6
Heinz	H8504	Thick			X	65,459	28.90%	5.08	25.1	0.6	4.32	1.1	3.1
Heinz	H5608	Thick	X			36,083	15.93%	4.96	23.1	1.1	4.42	2.2	2.6
Heinz	H2401	Thick			X	23,008	10.16%	5.04	24.9	0.8	4.33	1.9	3.4
Heinz	H5508	Thick	X		X	17,152	7.57%	4.67	24.8	0.3	4.33	1.6	1.9
Heinz	H1015	Early			X	13,645	6.03%	5.21	24.1	1.0	4.40	0.4	1.8
Heinz	H3402	Intermediate			X	12,616	5.57%	4.98	24.1	0.8	4.44	1.7	2.1
Heinz	H4707	Thick			X	11,380	5.02%	5.07	24.9	0.4	4.38	1.0	3.0
Heinz	H9663	Thick				9,429	4.16%	4.97	23.1	1.6	4.42	2.6	4.0
Heinz	H9780	Thick			X	7,345	3.24%	5.35	24.9	1.3	4.34	2.1	2.5
Heinz	H1161	Thin				5,152	2.27%	5.93	25.2	2.2	4.34	1.2	2.0
Heinz	H5702	Thick			X	5,018	2.22%	4.87	23.7	0.5	4.44	1.1	4.0
Heinz	H2601	Pear				4,608	2.03%	5.07	24.5	1.6	4.44	1.3	1.3
Heinz	H1175	Thick			X	3,979	1.76%	5.07	23.2	0.4	4.47	1.6	2.6
Heinz	H5003	Early				2,374	1.05%	4.85	24.8	3.7	4.41	0.9	3.2
Heinz	H5701	Thick			X	2,141	0.95%	4.97	24.0	0.6	4.36	1.1	3.6
Heinz	H8004	Intermediate			X	1,634	0.72%	5.43	24.0	1.1	4.42	1.4	1.4
Heinz	H9665	Intermediate			X	1,501	0.66%	4.70	24.7	0.7	4.32	2.2	1.2
Heinz	H9491	Intermediate				1,461	0.65%	4.82	24.1	2.9	4.35	0.4	3.7
Heinz	H5704	Thick				637	0.28%	5.04	23.5	1.4	4.50	3.4	3.0
Heinz	Misc	Misc				553	0.24%	5.18	24.5	1.2	4.39	1.5	3.7
Heinz	H4007	Intermediate			X	366	0.16%	4.77	22.9	1.5	4.50	0.1	1.0
Heinz	H1285	Thick	X		X	334	0.15%	5.31	25.9	0.6	4.37	1.4	2.4
Heinz	H9494	Intermediate				209	0.09%	4.48	24.8	1.4	4.39	1.1	3.1
Heinz	H9995	Intermediate			X	118	0.05%	5.07	27.4	0.9	4.37	2.0	2.9
Heinz	H1293	Pear	X			80	0.04%	5.44	23.8	0.8	4.46	0.8	1.3
Heinz	H2206	Early			X	67	0.03%	5.64	23.9	0.6	4.31	0.0	0.3
Heinz	H7009	Intermediate		X		38	0.02%	4.92	25.2	1.7	4.29	1.7	0.7
Heinz	H1292	Pear	X			32	0.01%	5.38	23.0	1.7	4.45	1.1	0.9
Heinz	H2005	Intermediate				20	0.01%	5.30	26.2	1.1	4.36	1.8	0.9
Heinz	H8892	Intermediate				9	0.00%	5.26	23.2	0.3	4.39	2.9	0.9
Heinz	H1310	Thick	X	X		8	0.00%	5.31	24.3	0.6	4.43	2.3	1.4
Heinz	H1304	Intermediate		X		5	0.00%	5.98	23.2	2.7	4.50	0.8	0.6
Heinz	H2406	Misc				3	0.00%	4.67	22.3	1.5	4.52	3.5	1.3

PTAB DATA BY SUPPLIER / VARIETY

Statewide

Based on Final PTAB Reports

Supplier	Variety	Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Color	LU	pH	Mold	Green
Heinz	H6807	Misc				3	0.00%	5.33	27.7	0.8	4.40	2.3	0.5
Heinz	H1170	Thick			X	2	0.00%	6.10	24.5	3.0	4.49	0.3	1.8
Heinz	OVERALL					226,469	100.00%	5.04	24.4	0.9	4.37	1.5	2.8
Keithly Williams	K2770	Early				660	73.41%	5.11	24.2	1.0	4.26	0.1	0.9
Keithly Williams	K2769	Early				135	15.02%	5.29	25.6	0.8	4.28	0.1	0.7
Keithly Williams	K2707	Intermediate				65	7.23%	5.16	25.4	4.0	4.45	1.9	2.6
Keithly Williams	K2930	Thick				27	3.00%	5.27	29.3	2.8	4.42	0.6	2.5
Keithly Williams	K2710	Misc				12	1.33%	4.31	23.2	1.5	4.36	4.1	0.1
Keithly Williams	OVERALL					899	100.00%	5.13	24.7	1.2	4.28	0.3	1.0
Misc	OVERALL					2,839	100.00%	5.25	25.4	3.0	4.40	1.9	5.7
Nunhems	N6366	Thin				57,058	52.32%	5.53	24.3	1.8	4.39	1.1	1.2
Nunhems	N6404	Intermediate	X			16,473	15.11%	5.31	24.2	1.4	4.42	1.8	1.3
Nunhems	N6394	Intermediate	X			9,878	9.06%	5.69	23.9	2.8	4.43	1.2	1.7
Nunhems	N6402	Thin	X			7,776	7.13%	5.55	24.2	1.0	4.40	1.6	1.2
Nunhems	N6385	Thick	X			4,674	4.29%	4.78	24.3	1.5	4.45	2.0	2.8
Nunhems	N6407	Thin	X		X	3,925	3.60%	5.36	25.7	0.7	4.37	2.0	1.1
Nunhems	N6368	Thin			X	2,995	2.75%	5.42	24.7	0.8	4.34	1.4	0.9
Nunhems	N6397	Early				2,432	2.23%	5.12	24.9	1.0	4.43	0.7	1.1
Nunhems	N6117	Early				2,194	2.01%	5.12	25.9	4.9	4.34	0.6	3.0
Nunhems	U373	Early				1,183	1.08%	4.78	24.7	4.8	4.37	0.7	1.2
Nunhems	N6398	Thick	X			222	0.20%	4.39	25.1	1.6	4.42	4.9	1.9
Nunhems	N6410	Thick			X	92	0.08%	5.19	25.9	1.3	4.49	5.5	1.1
Nunhems	N6412	Thin		X		86	0.08%	5.31	23.3	1.8	4.38	1.2	0.6
Nunhems	N6287	Early				63	0.06%	4.90	26.1	1.9	4.26	0.0	0.5
Nunhems	OVERALL					109,051	100.00%	5.44	24.4	1.8	4.40	1.3	1.4
Orsetti	BOS67212	Pear				3,815	44.39%	5.42	23.4	2.3	4.41	1.7	1.3
Orsetti	BOS66509	Early				3,301	38.41%	5.03	24.4	3.0	4.37	1.4	2.2
Orsetti	3155	Thin				565	6.57%	5.41	24.8	1.2	4.35	1.8	1.8
Orsetti	BOS602	Early				548	6.38%	5.19	23.5	3.6	4.39	1.7	1.0
Orsetti	BOS707	Pear				324	3.77%	5.27	25.3	1.5	4.34	0.3	0.8
Orsetti	BOS3113	Thin				24	0.28%	5.78	25.0	0.7	4.36	2.2	0.6
Orsetti	BOS1729	Intermediate				7	0.08%	5.47	23.6	2.3	4.66	11.3	1.4
Orsetti	BOS39663	Misc				6	0.07%	5.22	24.0	1.2	4.32	1.8	0.6
Orsetti	BOS6111	Early	X			5	0.06%	5.06	22.4	0.2	4.31	0.3	0.4
Orsetti	OVERALL					8,595	100.00%	5.25	23.9	2.6	4.39	1.5	1.6
Seminis	DRI319	Thin	X			12,443	19.92%	5.84	24.3	1.5	4.35	1.3	1.6
Seminis	AB2	Thin				9,824	15.73%	5.40	24.3	1.8	4.30	1.8	0.8
Seminis	DRI320	Thin	X			7,762	12.43%	5.51	25.0	1.5	4.34	1.9	1.3
Seminis	AB0311	Thin	X			7,192	11.52%	5.58	24.0	1.2	4.31	1.8	1.8
Seminis	APT410	Early				6,363	10.19%	4.91	24.6	3.8	4.37	0.9	1.3
Seminis	HP849	Intermediate			X	6,172	9.88%	5.04	24.7	0.6	4.37	3.0	0.8
Seminis	AB3	Thin				4,367	6.99%	5.51	24.5	1.6	4.33	1.6	1.5
Seminis	PS650	Intermediate			X	2,661	4.26%	5.34	25.4	1.2	4.42	1.6	0.7
Seminis	HP108	Pear				2,342	3.75%	5.31	25.7	1.9	4.46	1.7	1.1
Seminis	AB4606	Early				862	1.38%	5.28	25.2	1.7	4.39	1.3	0.5
Seminis	PS002	Intermediate	X			784	1.26%	5.10	23.6	1.7	4.37	1.7	1.0
Seminis	HP816	Early				618	0.99%	4.92	27.3	5.5	4.41	0.8	3.3
Seminis	AB0306	Thin		X		557	0.89%	5.58	25.2	4.2	4.44	2.3	1.6
Seminis	PX299	Thin		X		227	0.36%	4.76	24.9	3.0	4.46	2.7	1.3
Seminis	SV0599TM	Early				154	0.25%	5.10	27.4	1.4	4.31	0.5	2.0
Seminis	PX1245	Intermediate			X	57	0.09%	5.32	25.4	0.3	4.24	0.4	2.7

PTAB DATA BY SUPPLIER / VARIETY

Statewide

Based on Final PTAB Reports

Supplier	Variety	Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Color	LU	pH	Mold	Green
Seminis	PX299	Thin		X		40	0.06%	5.44	23.8	2.7	4.45	1.7	0.9
Seminis	SV7707TM	Thick	X			9	0.01%	4.97	24.8	0.8	4.45	1.5	3.9
Seminis	SV4778TM	Thick	X			7	0.01%	4.83	24.1	0.9	4.35	2.4	5.0
Seminis	SV2849TP	Pear	X			6	0.01%	5.35	25.3	0.9	4.35	2.1	1.0
Seminis	SV0335TM	Thin	X	X		4	0.01%	6.03	23.8	1.5	4.35	5.1	1.1
Seminis	SV6743TM	Thick	X			2	0.00%	4.65	26.5	0.3	4.39	6.8	5.8
Seminis	SV0250TM	Early				1	0.00%	4.50	26.0	0.0	4.44	0.0	0.5
Seminis	SV1981TM	Thick	X			1	0.00%	4.40	29.0	1.0	4.41	4.0	13.5
Seminis	OVERALL					62,455	100.00%	5.43	24.6	1.7	4.35	1.7	1.3
United Genetics	UG19406	Thick			X	11,420	79.83%	5.51	24.3	0.6	4.31	1.8	1.7
United Genetics	UG18806	Thick			X	936	6.54%	5.08	25.7	1.2	4.35	1.5	1.3
United Genetics	UG19306	Thick			X	877	6.13%	5.24	24.9	0.5	4.42	5.0	1.9
United Genetics	UG822	Pear				803	5.61%	4.67	23.1	2.1	4.35	1.1	0.7
United Genetics	UG19006	Thick			X	208	1.45%	5.16	25.1	1.0	4.31	1.9	1.9
United Genetics	UG15908	Intermediate	X			43	0.30%	4.98	24.7	2.5	4.37	1.5	1.4
United Genetics	UG26606	Misc				10	0.07%	5.14	23.1	2.1	4.43	1.4	0.8
United Genetics	CAL MARZANO 2	Pear				4	0.03%	5.33	25.0	0.8	4.34	1.0	1.3
United Genetics	UG16609	Thick	X			3	0.02%	4.83	23.0	2.3	4.43	2.0	2.3
United Genetics	UG130JP	Pear	X			1	0.01%	5.50	23.0	4.5	4.53	2.0	0.5
United Genetics	UG31305	Misc				1	0.01%	5.10	24.0	0.5	4.54	8.0	1.5
United Genetics	OVERALL					14,306	100.00%	5.41	24.4	0.8	4.32	1.9	1.7
Woodbridge	BQ205	Thin				9,115	32.74%	5.60	25.0	1.6	4.33	1.5	1.5
Woodbridge	BQ206	Thin				7,801	28.02%	5.47	25.1	1.7	4.34	1.8	1.0
Woodbridge	BQ204	Early				5,513	19.80%	5.17	24.9	2.1	4.36	0.1	2.1
Woodbridge	BQ163	Thin				5,192	18.65%	5.54	24.0	2.1	4.36	1.7	1.8
Woodbridge	BQ116	Thin				124	0.45%	5.38	23.9	4.1	4.38	1.3	3.9
Woodbridge	BQ268	Thick				29	0.10%	5.29	28.4	1.1	4.42	1.1	1.6
Woodbridge	BQ295	Thin	X			26	0.09%	5.47	24.5	3.3	4.43	2.3	3.7
Woodbridge	BQ313	Thin	X			16	0.06%	5.41	24.1	3.6	4.43	2.8	2.7
Woodbridge	BQ296	Thin	X			14	0.05%	5.86	25.9	3.4	4.38	5.0	3.6
Woodbridge	BQ292	Intermediate	X			6	0.02%	5.50	22.7	1.4	4.45	5.2	2.1
Woodbridge	BQ416	Intermediate	X			2	0.01%	6.50	25.0	0.8	4.35	0.3	7.0
Woodbridge	BQ289	Early	X			1	0.00%	5.00	24.0	2.5	4.49	2.5	0.5
Woodbridge	OVERALL					27,839	100.00%	5.47	24.8	1.8	4.34	1.4	1.6
Grand Total						482,291	100.00%	5.22	24.5	1.3	4.37	1.5	2.1

2013 PTAB ANALYSIS - VARIETIES > 1,000 LOADS

Solids Sort (High to Low)

Based on Final PTAB Reports

Variety	Supplier	Category	TSW	F3	EFS	Total Loads	Solids	Color	LU	pH	Mold	Green
H1161	Heinz	Thin				5,152	5.93	25.2	2.2	4.34	1.2	2.0
DRI319	Seminis	Thin	X			12,443	5.84	24.3	1.5	4.35	1.3	1.6
N6394	Nunhems	Intermediate	X			9,860	5.69	23.9	2.8	4.43	1.2	1.7
BQ205	Woodbridge	Thin				9,115	5.60	25.0	1.6	4.33	1.5	1.5
AB0311	Seminis	Thin	X			7,192	5.58	24.0	1.2	4.31	1.8	1.8
N6402	Nunhems	Thin	X			7,776	5.55	24.2	1.0	4.40	1.6	1.2
BQ163	Woodbridge	Thin				5,192	5.54	24.0	2.1	4.36	1.7	1.8
N6366	Nunhems	Thin				57,058	5.53	24.3	1.8	4.39	1.1	1.2
AB3	Seminis	Thin				4,367	5.51	24.5	1.6	4.33	1.6	1.5
DRI320	Seminis	Thin	X			7,762	5.51	25.0	1.5	4.34	1.9	1.3
UG19406	United Genetics	Thick			X	11,420	5.51	24.3	0.6	4.31	1.8	1.7
BQ206	Woodbridge	Thin				7,801	5.47	25.1	1.7	4.34	1.8	1.0
H8004	Heinz	Intermediate			X	1,634	5.43	24.0	1.1	4.42	1.4	1.4
BOS67212	Orsetti	Pear				3,815	5.42	23.4	2.3	4.41	1.7	1.3
N6368	Nunhems	Thin			X	2,995	5.42	24.7	0.8	4.34	1.4	0.9
AB2	Seminis	Thin				9,824	5.40	24.3	1.8	4.30	1.8	0.8
N6407	Nunhems	Thin	X		X	3,925	5.36	25.7	0.7	4.37	2.0	1.1
H9780	Heinz	Thick			X	7,345	5.35	24.9	1.3	4.34	2.1	2.5
PS650	Seminis	Intermediate			X	2,661	5.34	25.4	1.2	4.42	1.6	0.7
HP108	Seminis	Pear				2,342	5.31	25.7	1.9	4.46	1.7	1.1
N6404	Nunhems	Intermediate	X			16,473	5.31	24.2	1.4	4.42	1.8	1.3
HM1892	Harris Moran	Intermediate			X	1,894	5.27	24.0	0.8	4.43	2.0	1.0
CXD282	Harris Moran	Thick		X		3,112	5.26	23.9	0.9	4.41	3.3	2.1
Shasta	Harris Moran	Early				1,814	5.23	25.7	4.4	4.31	1.4	1.5
H1015	Heinz	Early			X	13,645	5.21	24.1	1.0	4.40	0.4	1.8
CXD255	Harris Moran	Intermediate				8,111	5.20	25.0	1.0	4.40	1.8	0.9
BQ204	Woodbridge	Early				5,513	5.17	24.9	2.1	4.36	0.1	2.1
HM9905	Harris Moran	Intermediate			X	3,357	5.15	24.5	0.7	4.46	2.3	1.2
N6397	Nunhems	Early				2,432	5.12	24.9	1.0	4.43	0.7	1.1
N6117	Nunhems	Early				2,194	5.12	25.9	4.9	4.34	0.6	3.0
H8504	Heinz	Thick			X	65,459	5.08	25.1	0.6	4.32	1.1	3.1
H4707	Heinz	Thick			X	11,380	5.07	24.9	0.4	4.38	1.0	3.0
H1175	Heinz	Thick			X	3,979	5.07	23.2	0.4	4.47	1.6	2.6
H2601	Heinz	Pear				4,608	5.07	24.5	1.6	4.44	1.3	1.3
HP849	Seminis	Intermediate			X	6,172	5.04	24.7	0.6	4.37	3.0	0.8
H2401	Heinz	Thick			X	23,008	5.04	24.9	0.8	4.33	1.9	3.4
BOS66509	Orsetti	Early				3,301	5.03	24.4	3.0	4.37	1.4	2.2
H3402	Heinz	Intermediate			X	12,616	4.98	24.1	0.8	4.44	1.7	2.1
H5701	Heinz	Thick			X	2,141	4.97	24.0	0.6	4.36	1.1	3.6
H9663	Heinz	Thick				9,429	4.97	23.1	1.6	4.42	2.6	4.0
H5608	Heinz	Thick	X			36,083	4.96	23.1	1.1	4.42	2.2	2.6
HM7885	Harris Moran	Pear				2,109	4.94	24.9	0.4	4.52	0.5	0.9
APT410	Seminis	Early				6,363	4.91	24.6	3.8	4.37	0.9	1.3
H5702	Heinz	Thick			X	5,018	4.87	23.7	0.5	4.44	1.1	4.0
H5003	Heinz	Early				2,374	4.85	24.8	3.7	4.41	0.9	3.2
H9491	Heinz	Intermediate				1,461	4.82	24.1	2.9	4.35	0.4	3.7
U373	Nunhems	Early				1,183	4.78	24.7	4.8	4.37	0.7	1.2
N6385	Nunhems	Thick	X			4,674	4.78	24.3	1.5	4.45	2.0	2.8
CXD187	Harris Moran	Early				8,384	4.76	24.5	2.5	4.39	0.4	2.5
H9665	Heinz	Intermediate			X	1,501	4.70	24.7	0.7	4.32	2.2	1.2
H5508	Heinz	Thick	X		X	17,152	4.67	24.8	0.3	4.33	1.6	1.9

Note: Thin Viscosity - Juice Bostwick > 18.16, Intermediate Viscosity - Juice Bostwick 16.00 - 18.16, Thick Viscosity - Juice Bostwick < 16.00

2013 PTAB ANALYSIS - VARIETIES > 1,000 LOADS

Color Sort (Low to High)

Based on Final PTAB Reports

Variety	Supplier	Category	TSW	F3	EFS	Total Loads	Solids	Color	LU	pH	Mold	Green
H9663	Heinz	Thick				9,429	4.97	23.1	1.6	4.42	2.6	4.0
H5608	Heinz	Thick	X			36,083	4.96	23.1	1.1	4.42	2.2	2.6
H1175	Heinz	Thick			X	3,979	5.07	23.2	0.4	4.47	1.6	2.6
BOS67212	Orsetti	Pear				3,815	5.42	23.4	2.3	4.41	1.7	1.3
H5702	Heinz	Thick			X	5,018	4.87	23.7	0.5	4.44	1.1	4.0
CXD282	Harris Moran	Thick		X		3,112	5.26	23.9	0.9	4.41	3.3	2.1
N6394	Nunhems	Intermediate	X			9,860	5.69	23.9	2.8	4.43	1.2	1.7
H8004	Heinz	Intermediate			X	1,634	5.43	24.0	1.1	4.42	1.4	1.4
AB0311	Seminis	Thin	X			7,192	5.58	24.0	1.2	4.31	1.8	1.8
H5701	Heinz	Thick			X	2,141	4.97	24.0	0.6	4.36	1.1	3.6
BQ163	Woodbridge	Thin				5,192	5.54	24.0	2.1	4.36	1.7	1.8
HM1892	Harris Moran	Intermediate			X	1,894	5.27	24.0	0.8	4.43	2.0	1.0
H1015	Heinz	Early			X	13,645	5.21	24.1	1.0	4.40	0.4	1.8
H9491	Heinz	Intermediate				1,461	4.82	24.1	2.9	4.35	0.4	3.7
H3402	Heinz	Intermediate			X	12,616	4.98	24.1	0.8	4.44	1.7	2.1
N6402	Nunhems	Thin	X			7,776	5.55	24.2	1.0	4.40	1.6	1.2
N6404	Nunhems	Intermediate	X			16,473	5.31	24.2	1.4	4.42	1.8	1.3
AB2	Seminis	Thin				9,824	5.40	24.3	1.8	4.30	1.8	0.8
N6366	Nunhems	Thin				57,058	5.53	24.3	1.8	4.39	1.1	1.2
UG19406	United Genetics	Thick			X	11,420	5.51	24.3	0.6	4.31	1.8	1.7
DRI319	Seminis	Thin	X			12,443	5.84	24.3	1.5	4.35	1.3	1.6
N6385	Nunhems	Thick	X			4,674	4.78	24.3	1.5	4.45	2.0	2.8
BOS66509	Orsetti	Early				3,301	5.03	24.4	3.0	4.37	1.4	2.2
AB3	Seminis	Thin				4,367	5.51	24.5	1.6	4.33	1.6	1.5
H2601	Heinz	Pear				4,608	5.07	24.5	1.6	4.44	1.3	1.3
HM9905	Harris Moran	Intermediate			X	3,357	5.15	24.5	0.7	4.46	2.3	1.2
CXD187	Harris Moran	Early				8,384	4.76	24.5	2.5	4.39	0.4	2.5
APT410	Seminis	Early				6,363	4.91	24.6	3.8	4.37	0.9	1.3
HP849	Seminis	Intermediate			X	6,172	5.04	24.7	0.6	4.37	3.0	0.8
U373	Nunhems	Early				1,183	4.78	24.7	4.8	4.37	0.7	1.2
N6368	Nunhems	Thin			X	2,995	5.42	24.7	0.8	4.34	1.4	0.9
H9665	Heinz	Intermediate			X	1,501	4.70	24.7	0.7	4.32	2.2	1.2
H5003	Heinz	Early				2,374	4.85	24.8	3.7	4.41	0.9	3.2
H5508	Heinz	Thick	X		X	17,152	4.67	24.8	0.3	4.33	1.6	1.9
N6397	Nunhems	Early				2,432	5.12	24.9	1.0	4.43	0.7	1.1
H2401	Heinz	Thick			X	23,008	5.04	24.9	0.8	4.33	1.9	3.4
H4707	Heinz	Thick			X	11,380	5.07	24.9	0.4	4.38	1.0	3.0
H9780	Heinz	Thick			X	7,345	5.35	24.9	1.3	4.34	2.1	2.5
HM7885	Harris Moran	Pear				2,109	4.94	24.9	0.4	4.52	0.5	0.9
BQ204	Woodbridge	Early				5,513	5.17	24.9	2.1	4.36	0.1	2.1
BQ205	Woodbridge	Thin				9,115	5.60	25.0	1.6	4.33	1.5	1.5
CXD255	Harris Moran	Intermediate				8,111	5.20	25.0	1.0	4.40	1.8	0.9
DRI320	Seminis	Thin	X			7,762	5.51	25.0	1.5	4.34	1.9	1.3
H8504	Heinz	Thick			X	65,459	5.08	25.1	0.6	4.32	1.1	3.1
BQ206	Woodbridge	Thin				7,801	5.47	25.1	1.7	4.34	1.8	1.0
H1161	Heinz	Thin				5,152	5.93	25.2	2.2	4.34	1.2	2.0
PS650	Seminis	Intermediate			X	2,661	5.34	25.4	1.2	4.42	1.6	0.7
Shasta	Harris Moran	Early				1,814	5.23	25.7	4.4	4.31	1.4	1.5
HP108	Seminis	Pear				2,342	5.31	25.7	1.9	4.46	1.7	1.1
N6407	Nunhems	Thin	X		X	3,925	5.36	25.7	0.7	4.37	2.0	1.1
N6117	Nunhems	Early				2,194	5.12	25.9	4.9	4.34	0.6	3.0

Note: Thin Viscosity - Juice Bostwick > 18.16, Intermediate Viscosity - Juice Bostwick 16.00 - 18.16, Thick Viscosity - Juice Bostwick < 16.00

2013 PTAB ANALYSIS - VARIETIES > 1,000 LOADS

Limited Use Sort (Low to High)

Based on Final PTAB Reports

Variety	Supplier	Category	TSW	F3	EFS	Total Loads	Solids	Color	LU	pH	Mold	Green
H5508	Heinz	Thick	X		X	17,152	4.67	24.8	0.3	4.33	1.6	1.9
H1175	Heinz	Thick			X	3,979	5.07	23.2	0.4	4.47	1.6	2.6
HM7885	Harris Moran	Pear				2,109	4.94	24.9	0.4	4.52	0.5	0.9
H4707	Heinz	Thick			X	11,380	5.07	24.9	0.4	4.38	1.0	3.0
H5702	Heinz	Thick			X	5,018	4.87	23.7	0.5	4.44	1.1	4.0
H8504	Heinz	Thick			X	65,459	5.08	25.1	0.6	4.32	1.1	3.1
H5701	Heinz	Thick			X	2,141	4.97	24.0	0.6	4.36	1.1	3.6
HP849	Seminis	Intermediate			X	6,172	5.04	24.7	0.6	4.37	3.0	0.8
UG19406	United Genetics	Thick			X	11,420	5.51	24.3	0.6	4.31	1.8	1.7
H9665	Heinz	Intermediate			X	1,501	4.70	24.7	0.7	4.32	2.2	1.2
N6407	Nunhems	Thin	X		X	3,925	5.36	25.7	0.7	4.37	2.0	1.1
HM9905	Harris Moran	Intermediate			X	3,357	5.15	24.5	0.7	4.46	2.3	1.2
HM1892	Harris Moran	Intermediate			X	1,894	5.27	24.0	0.8	4.43	2.0	1.0
H3402	Heinz	Intermediate			X	12,616	4.98	24.1	0.8	4.44	1.7	2.1
N6368	Nunhems	Thin			X	2,995	5.42	24.7	0.8	4.34	1.4	0.9
H2401	Heinz	Thick			X	23,008	5.04	24.9	0.8	4.33	1.9	3.4
CXD282	Harris Moran	Thick		X		3,112	5.26	23.9	0.9	4.41	3.3	2.1
CXD255	Harris Moran	Intermediate				8,111	5.20	25.0	1.0	4.40	1.8	0.9
H1015	Heinz	Early			X	13,645	5.21	24.1	1.0	4.40	0.4	1.8
N6402	Nunhems	Thin	X			7,776	5.55	24.2	1.0	4.40	1.6	1.2
N6397	Nunhems	Early				2,432	5.12	24.9	1.0	4.43	0.7	1.1
H5608	Heinz	Thick	X			36,083	4.96	23.1	1.1	4.42	2.2	2.6
H8004	Heinz	Intermediate			X	1,634	5.43	24.0	1.1	4.42	1.4	1.4
AB0311	Seminis	Thin	X			7,192	5.58	24.0	1.2	4.31	1.8	1.8
PS650	Seminis	Intermediate			X	2,661	5.34	25.4	1.2	4.42	1.6	0.7
H9780	Heinz	Thick			X	7,345	5.35	24.9	1.3	4.34	2.1	2.5
N6404	Nunhems	Intermediate	X			16,473	5.31	24.2	1.4	4.42	1.8	1.3
DRI319	Seminis	Thin	X			12,443	5.84	24.3	1.5	4.35	1.3	1.6
N6385	Nunhems	Thick	X			4,674	4.78	24.3	1.5	4.45	2.0	2.8
DRI320	Seminis	Thin	X			7,762	5.51	25.0	1.5	4.34	1.9	1.3
H9663	Heinz	Thick				9,429	4.97	23.1	1.6	4.42	2.6	4.0
AB3	Seminis	Thin				4,367	5.51	24.5	1.6	4.33	1.6	1.5
BQ205	Woodbridge	Thin				9,115	5.60	25.0	1.6	4.33	1.5	1.5
H2601	Heinz	Pear				4,608	5.07	24.5	1.6	4.44	1.3	1.3
BQ206	Woodbridge	Thin				7,801	5.47	25.1	1.7	4.34	1.8	1.0
AB2	Seminis	Thin				9,824	5.40	24.3	1.8	4.30	1.8	0.8
N6366	Nunhems	Thin				57,058	5.53	24.3	1.8	4.39	1.1	1.2
HP108	Seminis	Pear				2,342	5.31	25.7	1.9	4.46	1.7	1.1
BQ163	Woodbridge	Thin				5,192	5.54	24.0	2.1	4.36	1.7	1.8
BQ204	Woodbridge	Early				5,513	5.17	24.9	2.1	4.36	0.1	2.1
H1161	Heinz	Thin				5,152	5.93	25.2	2.2	4.34	1.2	2.0
BOS67212	Orsetti	Pear				3,815	5.42	23.4	2.3	4.41	1.7	1.3
CXD187	Harris Moran	Early				8,384	4.76	24.5	2.5	4.39	0.4	2.5
N6394	Nunhems	Intermediate	X			9,860	5.69	23.9	2.8	4.43	1.2	1.7
H9491	Heinz	Intermediate				1,461	4.82	24.1	2.9	4.35	0.4	3.7
BOS66509	Orsetti	Early				3,301	5.03	24.4	3.0	4.37	1.4	2.2
H5003	Heinz	Early				2,374	4.85	24.8	3.7	4.41	0.9	3.2
APT410	Seminis	Early				6,363	4.91	24.6	3.8	4.37	0.9	1.3
Shasta	Harris Moran	Early				1,814	5.23	25.7	4.4	4.31	1.4	1.5
U373	Nunhems	Early				1,183	4.78	24.7	4.8	4.37	0.7	1.2
N6117	Nunhems	Early				2,194	5.12	25.9	4.9	4.34	0.6	3.0

Note: Thin Viscosity - Juice Bostwick > 18.16, Intermediate Viscosity - Juice Bostwick 16.00 - 18.16, Thick Viscosity - Juice Bostwick < 16.00

2013 PTAB ANALYSIS - VARIETIES > 1,000 LOADS

pH Sort (Low to High)

Based on Final PTAB Reports

Variety	Supplier	Category	TSW	F3	EFS	Total Loads	Solids	Color	LU	pH	Mold	Green
AB2	Seminis	Thin				9,824	5.40	24.3	1.8	4.30	1.8	0.8
UG19406	United Genetics	Thick			X	11,420	5.51	24.3	0.6	4.31	1.8	1.7
Shasta	Harris Moran	Early				1,814	5.23	25.7	4.4	4.31	1.4	1.5
AB0311	Seminis	Thin	X			7,192	5.58	24.0	1.2	4.31	1.8	1.8
H9665	Heinz	Intermediate			X	1,501	4.70	24.7	0.7	4.32	2.2	1.2
H8504	Heinz	Thick			X	65,459	5.08	25.1	0.6	4.32	1.1	3.1
H2401	Heinz	Thick			X	23,008	5.04	24.9	0.8	4.33	1.9	3.4
BQ205	Woodbridge	Thin				9,115	5.60	25.0	1.6	4.33	1.5	1.5
AB3	Seminis	Thin				4,367	5.51	24.5	1.6	4.33	1.6	1.5
H5508	Heinz	Thick	X		X	17,152	4.67	24.8	0.3	4.33	1.6	1.9
DRI320	Seminis	Thin	X			7,762	5.51	25.0	1.5	4.34	1.9	1.3
BQ206	Woodbridge	Thin				7,801	5.47	25.1	1.7	4.34	1.8	1.0
H1161	Heinz	Thin				5,152	5.93	25.2	2.2	4.34	1.2	2.0
N6117	Nunhems	Early				2,194	5.12	25.9	4.9	4.34	0.6	3.0
N6368	Nunhems	Thin			X	2,995	5.42	24.7	0.8	4.34	1.4	0.9
H9780	Heinz	Thick			X	7,345	5.35	24.9	1.3	4.34	2.1	2.5
H9491	Heinz	Intermediate				1,461	4.82	24.1	2.9	4.35	0.4	3.7
DRI319	Seminis	Thin	X			12,443	5.84	24.3	1.5	4.35	1.3	1.6
BQ163	Woodbridge	Thin				5,192	5.54	24.0	2.1	4.36	1.7	1.8
BQ204	Woodbridge	Early				5,513	5.17	24.9	2.1	4.36	0.1	2.1
H5701	Heinz	Thick			X	2,141	4.97	24.0	0.6	4.36	1.1	3.6
N6407	Nunhems	Thin	X		X	3,925	5.36	25.7	0.7	4.37	2.0	1.1
APT410	Seminis	Early				6,363	4.91	24.6	3.8	4.37	0.9	1.3
HP849	Seminis	Intermediate			X	6,172	5.04	24.7	0.6	4.37	3.0	0.8
U373	Nunhems	Early				1,183	4.78	24.7	4.8	4.37	0.7	1.2
BOS66509	Orsetti	Early				3,301	5.03	24.4	3.0	4.37	1.4	2.2
H4707	Heinz	Thick			X	11,380	5.07	24.9	0.4	4.38	1.0	3.0
N6366	Nunhems	Thin				57,058	5.53	24.3	1.8	4.39	1.1	1.2
CXD187	Harris Moran	Early				8,384	4.76	24.5	2.5	4.39	0.4	2.5
CXD255	Harris Moran	Intermediate				8,111	5.20	25.0	1.0	4.40	1.8	0.9
N6402	Nunhems	Thin	X			7,776	5.55	24.2	1.0	4.40	1.6	1.2
H1015	Heinz	Early			X	13,645	5.21	24.1	1.0	4.40	0.4	1.8
CXD282	Harris Moran	Thick		X		3,112	5.26	23.9	0.9	4.41	3.3	2.1
H5003	Heinz	Early				2,374	4.85	24.8	3.7	4.41	0.9	3.2
BOS67212	Orsetti	Pear				3,815	5.42	23.4	2.3	4.41	1.7	1.3
PS650	Seminis	Intermediate			X	2,661	5.34	25.4	1.2	4.42	1.6	0.7
H9663	Heinz	Thick				9,429	4.97	23.1	1.6	4.42	2.6	4.0
H5608	Heinz	Thick	X			36,083	4.96	23.1	1.1	4.42	2.2	2.6
N6404	Nunhems	Intermediate	X			16,473	5.31	24.2	1.4	4.42	1.8	1.3
H8004	Heinz	Intermediate			X	1,634	5.43	24.0	1.1	4.42	1.4	1.4
HM1892	Harris Moran	Intermediate			X	1,894	5.27	24.0	0.8	4.43	2.0	1.0
N6394	Nunhems	Intermediate	X			9,860	5.69	23.9	2.8	4.43	1.2	1.7
N6397	Nunhems	Early				2,432	5.12	24.9	1.0	4.43	0.7	1.1
H2601	Heinz	Pear				4,608	5.07	24.5	1.6	4.44	1.3	1.3
H5702	Heinz	Thick			X	5,018	4.87	23.7	0.5	4.44	1.1	4.0
H3402	Heinz	Intermediate			X	12,616	4.98	24.1	0.8	4.44	1.7	2.1
N6385	Nunhems	Thick	X			4,674	4.78	24.3	1.5	4.45	2.0	2.8
HP108	Seminis	Pear				2,342	5.31	25.7	1.9	4.46	1.7	1.1
HM9905	Harris Moran	Intermediate			X	3,357	5.15	24.5	0.7	4.46	2.3	1.2
H1175	Heinz	Thick			X	3,979	5.07	23.2	0.4	4.47	1.6	2.6
HM7885	Harris Moran	Pear				2,109	4.94	24.9	0.4	4.52	0.5	0.9

Note: Thin Viscosity - Juice Bostwick > 18.16, Intermediate Viscosity - Juice Bostwick 16.00 - 18.16, Thick Viscosity - Juice Bostwick < 16.00

2013 PTAB ANALYSIS - VARIETIES > 1,000 LOADS

Mold Sort (Low to High)

Based on Final PTAB Reports

Variety	Supplier	Category	TSW	F3	EFS	Total Loads	Solids	Color	LU	pH	Mold	Green
BQ204	Woodbridge	Early				5,513	5.17	24.9	2.1	4.36	0.1	2.1
H1015	Heinz	Early			X	13,645	5.21	24.1	1.0	4.40	0.4	1.8
CXD187	Harris Moran	Early				8,384	4.76	24.5	2.5	4.39	0.4	2.5
H9491	Heinz	Intermediate				1,461	4.82	24.1	2.9	4.35	0.4	3.7
HM7885	Harris Moran	Pear				2,109	4.94	24.9	0.4	4.52	0.5	0.9
N6117	Nunhems	Early				2,194	5.12	25.9	4.9	4.34	0.6	3.0
N6397	Nunhems	Early				2,432	5.12	24.9	1.0	4.43	0.7	1.1
U373	Nunhems	Early				1,183	4.78	24.7	4.8	4.37	0.7	1.2
H5003	Heinz	Early				2,374	4.85	24.8	3.7	4.41	0.9	3.2
APT410	Seminis	Early				6,363	4.91	24.6	3.8	4.37	0.9	1.3
H4707	Heinz	Thick			X	11,380	5.07	24.9	0.4	4.38	1.0	3.0
H5701	Heinz	Thick			X	2,141	4.97	24.0	0.6	4.36	1.1	3.6
N6366	Nunhems	Thin				57,058	5.53	24.3	1.8	4.39	1.1	1.2
H8504	Heinz	Thick			X	65,459	5.08	25.1	0.6	4.32	1.1	3.1
H5702	Heinz	Thick			X	5,018	4.87	23.7	0.5	4.44	1.1	4.0
H1161	Heinz	Thin				5,152	5.93	25.2	2.2	4.34	1.2	2.0
N6394	Nunhems	Intermediate	X			9,860	5.69	23.9	2.8	4.43	1.2	1.7
DRI319	Seminis	Thin	X			12,443	5.84	24.3	1.5	4.35	1.3	1.6
H2601	Heinz	Pear				4,608	5.07	24.5	1.6	4.44	1.3	1.3
BOS66509	Orsetti	Early				3,301	5.03	24.4	3.0	4.37	1.4	2.2
N6368	Nunhems	Thin			X	2,995	5.42	24.7	0.8	4.34	1.4	0.9
H8004	Heinz	Intermediate			X	1,634	5.43	24.0	1.1	4.42	1.4	1.4
Shasta	Harris Moran	Early				1,814	5.23	25.7	4.4	4.31	1.4	1.5
BQ205	Woodbridge	Thin				9,115	5.60	25.0	1.6	4.33	1.5	1.5
N6402	Nunhems	Thin	X			7,776	5.55	24.2	1.0	4.40	1.6	1.2
H5508	Heinz	Thick	X		X	17,152	4.67	24.8	0.3	4.33	1.6	1.9
AB3	Seminis	Thin				4,367	5.51	24.5	1.6	4.33	1.6	1.5
PS650	Seminis	Intermediate			X	2,661	5.34	25.4	1.2	4.42	1.6	0.7
H1175	Heinz	Thick			X	3,979	5.07	23.2	0.4	4.47	1.6	2.6
HP108	Seminis	Pear				2,342	5.31	25.7	1.9	4.46	1.7	1.1
BQ163	Woodbridge	Thin				5,192	5.54	24.0	2.1	4.36	1.7	1.8
BOS67212	Orsetti	Pear				3,815	5.42	23.4	2.3	4.41	1.7	1.3
H3402	Heinz	Intermediate			X	12,616	4.98	24.1	0.8	4.44	1.7	2.1
UG19406	United Genetics	Thick			X	11,420	5.51	24.3	0.6	4.31	1.8	1.7
AB0311	Seminis	Thin	X			7,192	5.58	24.0	1.2	4.31	1.8	1.8
AB2	Seminis	Thin				9,824	5.40	24.3	1.8	4.30	1.8	0.8
CXD255	Harris Moran	Intermediate				8,111	5.20	25.0	1.0	4.40	1.8	0.9
N6404	Nunhems	Intermediate	X			16,473	5.31	24.2	1.4	4.42	1.8	1.3
BQ206	Woodbridge	Thin				7,801	5.47	25.1	1.7	4.34	1.8	1.0
DRI320	Seminis	Thin	X			7,762	5.51	25.0	1.5	4.34	1.9	1.3
H2401	Heinz	Thick			X	23,008	5.04	24.9	0.8	4.33	1.9	3.4
N6407	Nunhems	Thin	X		X	3,925	5.36	25.7	0.7	4.37	2.0	1.1
HM1892	Harris Moran	Intermediate			X	1,894	5.27	24.0	0.8	4.43	2.0	1.0
N6385	Nunhems	Thick	X			4,674	4.78	24.3	1.5	4.45	2.0	2.8
H9780	Heinz	Thick			X	7,345	5.35	24.9	1.3	4.34	2.1	2.5
H5608	Heinz	Thick	X			36,083	4.96	23.1	1.1	4.42	2.2	2.6
H9665	Heinz	Intermediate			X	1,501	4.70	24.7	0.7	4.32	2.2	1.2
HM9905	Harris Moran	Intermediate			X	3,357	5.15	24.5	0.7	4.46	2.3	1.2
H9663	Heinz	Thick				9,429	4.97	23.1	1.6	4.42	2.6	4.0
HP849	Seminis	Intermediate			X	6,172	5.04	24.7	0.6	4.37	3.0	0.8
CXD282	Harris Moran	Thick		X		3,112	5.26	23.9	0.9	4.41	3.3	2.1

Note: Thin Viscosity - Juice Bostwick > 18.16, Intermediate Viscosity - Juice Bostwick 16.00 - 18.16, Thick Viscosity - Juice Bostwick < 16.00



2013 PTAB ANALYSIS - VARIETIES > 1,000 LOADS

Green Sort (Low to High)

Based on Final PTAB Reports

Variety	Supplier	Category	TSW	F3	EFS	Total Loads	Solids	Color	LU	pH	Mold	Green
PS650	Seminis	Intermediate			X	2,661	5.34	25.4	1.2	4.42	1.6	0.7
AB2	Seminis	Thin				9,824	5.40	24.3	1.8	4.30	1.8	0.8
HP849	Seminis	Intermediate			X	6,172	5.04	24.7	0.6	4.37	3.0	0.8
N6368	Nunhems	Thin			X	2,995	5.42	24.7	0.8	4.34	1.4	0.9
CXD255	Harris Moran	Intermediate				8,111	5.20	25.0	1.0	4.40	1.8	0.9
HM7885	Harris Moran	Pear				2,109	4.94	24.9	0.4	4.52	0.5	0.9
HM1892	Harris Moran	Intermediate			X	1,894	5.27	24.0	0.8	4.43	2.0	1.0
BQ206	Woodbridge	Thin				7,801	5.47	25.1	1.7	4.34	1.8	1.0
N6397	Nunhems	Early				2,432	5.12	24.9	1.0	4.43	0.7	1.1
N6407	Nunhems	Thin	X		X	3,925	5.36	25.7	0.7	4.37	2.0	1.1
HP108	Seminis	Pear				2,342	5.31	25.7	1.9	4.46	1.7	1.1
H9665	Heinz	Intermediate			X	1,501	4.70	24.7	0.7	4.32	2.2	1.2
HM9905	Harris Moran	Intermediate			X	3,357	5.15	24.5	0.7	4.46	2.3	1.2
U373	Nunhems	Early				1,183	4.78	24.7	4.8	4.37	0.7	1.2
N6366	Nunhems	Thin				57,058	5.53	24.3	1.8	4.39	1.1	1.2
N6402	Nunhems	Thin	X			7,776	5.55	24.2	1.0	4.40	1.6	1.2
APT410	Seminis	Early				6,363	4.91	24.6	3.8	4.37	0.9	1.3
H2601	Heinz	Pear				4,608	5.07	24.5	1.6	4.44	1.3	1.3
BOS67212	Orsetti	Pear				3,815	5.42	23.4	2.3	4.41	1.7	1.3
N6404	Nunhems	Intermediate	X			16,473	5.31	24.2	1.4	4.42	1.8	1.3
DRI320	Seminis	Thin	X			7,762	5.51	25.0	1.5	4.34	1.9	1.3
H8004	Heinz	Intermediate			X	1,634	5.43	24.0	1.1	4.42	1.4	1.4
AB3	Seminis	Thin				4,367	5.51	24.5	1.6	4.33	1.6	1.5
BQ205	Woodbridge	Thin				9,115	5.60	25.0	1.6	4.33	1.5	1.5
Shasta	Harris Moran	Early				1,814	5.23	25.7	4.4	4.31	1.4	1.5
DRI319	Seminis	Thin	X			12,443	5.84	24.3	1.5	4.35	1.3	1.6
UG19406	United Genetics	Thick			X	11,420	5.51	24.3	0.6	4.31	1.8	1.7
N6394	Nunhems	Intermediate	X			9,860	5.69	23.9	2.8	4.43	1.2	1.7
H1015	Heinz	Early			X	13,645	5.21	24.1	1.0	4.40	0.4	1.8
BQ163	Woodbridge	Thin				5,192	5.54	24.0	2.1	4.36	1.7	1.8
AB0311	Seminis	Thin	X			7,192	5.58	24.0	1.2	4.31	1.8	1.8
H5508	Heinz	Thick	X		X	17,152	4.67	24.8	0.3	4.33	1.6	1.9
H1161	Heinz	Thin				5,152	5.93	25.2	2.2	4.34	1.2	2.0
BQ204	Woodbridge	Early				5,513	5.17	24.9	2.1	4.36	0.1	2.1
H3402	Heinz	Intermediate			X	12,616	4.98	24.1	0.8	4.44	1.7	2.1
CXD282	Harris Moran	Thick		X		3,112	5.26	23.9	0.9	4.41	3.3	2.1
BOS66509	Orsetti	Early				3,301	5.03	24.4	3.0	4.37	1.4	2.2
CXD187	Harris Moran	Early				8,384	4.76	24.5	2.5	4.39	0.4	2.5
H9780	Heinz	Thick			X	7,345	5.35	24.9	1.3	4.34	2.1	2.5
H1175	Heinz	Thick			X	3,979	5.07	23.2	0.4	4.47	1.6	2.6
H5608	Heinz	Thick	X			36,083	4.96	23.1	1.1	4.42	2.2	2.6
N6385	Nunhems	Thick	X			4,674	4.78	24.3	1.5	4.45	2.0	2.8
N6117	Nunhems	Early				2,194	5.12	25.9	4.9	4.34	0.6	3.0
H4707	Heinz	Thick			X	11,380	5.07	24.9	0.4	4.38	1.0	3.0
H8504	Heinz	Thick			X	65,459	5.08	25.1	0.6	4.32	1.1	3.1
H5003	Heinz	Early				2,374	4.85	24.8	3.7	4.41	0.9	3.2
H2401	Heinz	Thick			X	23,008	5.04	24.9	0.8	4.33	1.9	3.4
H5701	Heinz	Thick			X	2,141	4.97	24.0	0.6	4.36	1.1	3.6
H9491	Heinz	Intermediate				1,461	4.82	24.1	2.9	4.35	0.4	3.7
H9663	Heinz	Thick				9,429	4.97	23.1	1.6	4.42	2.6	4.0
H5702	Heinz	Thick			X	5,018	4.87	23.7	0.5	4.44	1.1	4.0

Note: Thin Viscosity - Juice Bostwick > 18.16, Intermediate Viscosity - Juice Bostwick 16.00 - 18.16, Thick Viscosity - Juice Bostwick < 16.00