

Early Adaptive Trials


2013 Adaptive Trial – Colusa 1, North



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
H1301	4.60	26.00	0.00	0.50	4.55	2.00	1.00
BQ273	4.70	28.00	0.00	0.50	4.36	5.00	0.00
SV0599TM	4.30	29.00	0.50	1.00	4.41	3.00	0.50
H1015	4.80	26.00	0.50	0.00	4.38	4.00	0.50


2013 Adaptive Trial – Kern 1, South



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
C320	4.80	26.00	1.00	2.00	4.32	6.00	0.50
SV0599TM	4.75	26.00	0.00	1.00	4.40	2.50	0.00
H1301	5.10	26.00	0.00	0.50	4.38	3.00	0.50
CXD187	4.80	25.00	0.00	0.50	4.41	3.00	0.00
H1015	5.20	24.00	0.00	0.50	4.38	2.50	0.00


2013 Adaptive Trial – Colusa 2, North



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
H1301	4.97	26.00	0.83	0.50	4.45	0.83	0.33
SV0599TM	4.70	32.00	1.00	2.50	4.29	0.00	0.00
C320	4.67	25.33	1.33	0.67	4.36	0.33	0.17
H1015	4.87	24.00	0.17	0.17	4.44	0.33	0.17
N6366	5.25	30.25	0.38	0.75	4.33	0.75	0.25

2013 Adaptive Trial – Kings 3, South




Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
SV0599TM	5.10	26.00	0.00	0.00	4.28	0.50	2.00
C320	5.40	27.00	0.00	1.00	4.27	2.50	0.50
CXD187	4.90	23.67	0.50	0.83	4.31	2.17	0.33
H1301	5.25	26.50	0.00	0.00	4.36	2.00	0.75
H1015	5.20	25.67	0.00	0.00	4.32	1.83	0.67

Southern Adaptive Trials


2013 Adaptive Trial – Kings 1, South



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
HMX2898	5.80	28.50	0.75	1.25	4.26	1.75	0.50
AB0311	6.35	25.00	1.25	0.75	4.33	2.00	0.50
HMX1893	5.40	26.00	0.75	2.50	4.29	1.50	0.50
HMX2897	5.40	25.00	0.25	2.25	4.40	1.25	0.00
N6366	5.70	25.50	2.00	0.75	4.36	1.25	0.00
DRI319	6.40	26.00	0.50	0.00	4.29	1.50	0.00


2013 Adaptive Trial – Kings 2, South



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
HMX2898	6.50	25.00	1.00	4.50	4.40	5.50	1.00
HMX1893	5.80	26.00	0.50	0.00	4.26	2.00	1.00
N6366	5.75	27.00	1.25	2.75	4.41	1.00	0.50
AB0311	6.20	25.00	1.00	2.25	4.35	6.00	0.50
DRI319	6.00	25.00	0.50	0.50	4.27	5.25	0.00


2013 Adaptive Trial – Fresno 1, South



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
H1304	5.70	22.00	1.00	0.50	4.56	0.00	0.00
N6366	5.65	21.00	1.50	0.50	4.58	0.25	0.75
DRI320	5.60	21.00	1.00	0.50	4.43	1.00	0.50
H1313	5.20	22.50	0.50	0.00	4.39	1.25	0.50
DRI319	5.53	22.33	1.17	0.83	4.41	1.00	0.33
N6407	5.43	24.00	1.00	1.00	4.39	0.50	0.83
AB0311	5.37	23.00	1.17	2.17	4.40	0.33	0.50


2013 Adaptive Trial – Fresno 2, South



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
H1304	5.20	25.50	1.50	1.00	4.51	3.75	0.75
H1285	5.60	24.00	1.00	0.50	4.46	1.50	1.50
H1313	5.67	25.33	2.17	0.67	4.41	1.50	0.83
DR1319	5.55	23.00	1.25	1.00	4.38	1.00	0.25
N6407	5.50	24.67	1.33	0.50	4.41	1.33	0.83
AB0311	5.65	22.25	3.63	0.63	4.41	0.50	0.63
N6366	5.55	23.00	1.63	0.75	4.52	0.38	0.88


2013 Adaptive Trial – Kings 4, South



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
AB0311	5.95	26.50	1.00	0.75	4.35	6.00	0.50
HMX1893	5.60	24.00	0.00	1.50	4.27	4.50	2.00
DRI319	5.93	31.00	0.33	1.17	4.29	8.50	1.00
HMX2897	5.30	31.00	1.00	1.00	4.39	9.00	1.00
N6366	5.63	25.33	0.33	0.83	4.32	1.33	0.67


2013 Adaptive Trial – Kings 5, South



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
H1285	5.90	25.00	0.50	1.00	4.40	14.50	0.50
BQ268	6.40	24.50	1.50	1.00	4.41	5.00	0.25
H8504	4.80	24.00	0.00	0.50	4.32	3.50	0.50
N6410	6.00	23.00	0.00	1.50	4.37	3.00	0.50
H1170	5.70	24.00	0.33	0.00	4.40	3.83	0.50
H1175	5.00	23.00	0.75	0.00	4.35	4.25	0.50


2013 Adaptive Trial – Fresno 3, South



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
H1285	5.70	28.00	0.00	3.00		5.50	2.50
H1170	5.80	26.00	0.00	2.50		1.00	3.00
N6410	5.80	25.00	0.50	2.50		1.50	2.50
H1175	5.60	26.00	0.50	0.50		2.00	3.50
N6366	5.60	23.00	1.00	7.50		0.50	3.00
DRI319	5.80	24.00	0.50	0.00		2.50	2.50
H2401	5.20	25.00	0.50	0.00		2.50	0.00
AB0311	6.20	23.00	2.00	6.00		3.50	2.00
H5608	5.30	24.00	1.00	3.50		2.50	1.50
HM1892	5.20	25.00	2.50	0.00		2.00	2.00
N6407	5.80	27.00	1.00	1.00		2.00	1.50


2013 Adaptive Trial – Fresno 4, South



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
BQ313	5.50	21.00	2.50	2.00	4.53	4.50	0.50
N6366	5.50	22.00	1.50	2.50	4.52	3.00	0.50
BQ295	5.30	21.00	3.00	3.50	4.54	3.50	2.00
SV4778TM	5.15	22.00	1.00	0.75	4.40	6.50	0.50
BQ296	6.00	21.00	2.50	2.00	4.46	8.50	1.00
SV6743TM	5.30	26.00	1.50	2.00	4.41	10.50	1.00
H5608	4.70	22.00	1.00	1.00	4.49	8.50	0.50
SV1981TM	4.90	23.00	2.50	0.50	4.47	9.00	1.00
SV7707TM	4.90	24.00	2.50	0.50	4.43	9.00	1.00


2013 Adaptive Trial – Kings 6, South



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
HMX2898	6.80	23.50	0.75	2.25	4.44	1.75	0.00
H1285	6.50	23.50	0.25	0.50	4.46	3.00	0.00
H1161	7.05	23.00	0.75	2.75	4.45	1.75	0.25
C322	6.20	22.50	0.00	0.50	4.39	0.50	0.25
N6366	6.50	21.00	0.50	0.50	4.57	0.50	0.00
HMX2897	6.40	22.00	0.00	1.50	4.46	1.75	0.00


2013 Adaptive Trial – Fresno 5, South



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
B0S67212	5.60	27.00	3.50	1.00		1.00	0.00
H2601	5.17	28.33	0.17	2.00		2.17	0.00
H1293	6.05	22.75	0.25	1.25		0.63	0.25
H1292	5.70	23.00	0.75	1.25		0.00	0.00


2013 Adaptive Trial – Kings 7, South



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
BQ268	5.60	29.00	0.00	3.00	4.58	2.50	0.50
H1285	5.60	23.00	0.00	1.50	4.60	1.50	2.00
H1170	6.40	25.00	0.00	1.00	4.52	1.00	0.50
N6410	6.10	25.00	0.00	1.00	4.52	3.00	0.50
H1175	5.60	23.00	0.00	1.50	4.60	1.50	2.00
H8504	5.50	25.00	0.25	1.00	4.44	1.50	0.75


2013 Adaptive Trial – Kings 8, South



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
H1285	6.60	24.00	0.00	0.00	4.38	8.50	0.00
H8504	6.60	22.00	0.50	4.00	4.55	2.00	0.50
BQ268	7.20	22.00	1.00	3.50	4.40	2.50	0.50
H1170	6.40	23.00	0.50	3.50	4.47	2.50	0.00
H1175	6.20	22.00	0.75	1.75	4.48	3.50	0.50
H5608	5.50	23.00	1.50	1.00	4.44	4.25	0.75
N6410	6.40	24.00	1.00	1.00	4.39	1.00	0.50


2013 Adaptive Trial – Fresno 6, South



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
H2601	5.80	20.00	0.50	0.50	4.46	1.00	0.50
H1293	6.03	21.25	1.13	0.63	4.51	2.50	0.50
H1292	6.00	20.33	1.00	1.83	4.54	1.00	0.00


2013 Adaptive Trial – Fresno 7, South



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
H1304	5.40	22.00	1.00	3.50	4.52	0.00	0.00
H1285	5.90	22.00	0.00	2.50	4.43	1.00	0.00
H1313	5.90	22.00	1.50	3.50	4.52	0.00	0.00
N6407	5.80	22.00	0.50	1.50	4.49	1.00	0.00
AB0311	5.70	22.00	0.50	4.00	4.38	0.50	0.00
DRI319	6.10	23.00	0.50	4.00	4.37	0.00	0.00
N6366	6.00	21.00	1.50	3.50	4.63	0.00	0.00

2013 Adaptive Trial – Kings 9, South




Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
H1285	4.80	32.00	4.00	0.00	4.37	5.00	0.50
BQ268	4.75	31.50	4.75	2.50	4.34	3.25	0.00
N6410	4.50	27.00	6.50	2.50	4.48	2.50	1.00
H8504	4.23	31.33	2.33	0.33	4.31	2.50	0.67
H1170	4.25	30.00	2.50	0.00	4.45	2.00	0.25
H1175	4.10	28.00	2.75	0.50	4.57	2.00	1.00

Central Adaptive Trials


2013 Adaptive Trial – Stanislaus 1, Central



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
1570	5.15	24.00	0.75	1.50		0.25	0.25
SV2849TP	5.30	23.00	2.00	3.00		0.50	0.50
H1292	5.33	22.00	1.83	3.33		0.33	0.50
H1293	5.45	22.75	2.00	1.50		0.38	1.00
H2601	4.90	24.50	0.50	1.00		0.75	0.50


2013 Adaptive Trial – San Joaquin 1, Central



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
H1293	5.40	23.67	0.67	1.17		0.50	0.33
H2601	5.40	26.50	0.75	1.50		1.25	0.00
H1292	5.45	23.00	1.25	4.75		0.50	0.75


2013 Adaptive Trial – Stanislaus 2, Central



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
H1285	4.70	25.00	1.00	0.00		8.00	0.00
AB0311	4.80	30.00	6.00	0.75		2.00	0.00
N6366	4.65	25.00	7.75	1.00		1.25	0.00
HM1892	4.75	27.50	1.25	0.00		3.75	0.25
DRI319	4.95	28.00	7.50	0.50		2.25	0.25
N6407	4.80	29.00	2.50	0.75		4.00	0.50
H5608	4.40	24.50	8.50	0.75		3.75	0.50
H1175	4.90	28.00	0.50	0.00		6.00	0.00
N6410	4.80	27.00	3.00	0.50		4.50	0.00


2013 Adaptive Trial – San Joaquin 2, Central



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
H2601	5.05	25.50	1.25	2.25	4.34	0.75	1.25
H1293	5.65	23.00	1.75	0.25	4.44	2.00	1.50
H1292	5.37	22.00	1.67	3.33	4.43	1.17	1.67

2013 Adaptive Trial – San Joaquin 3, Central




Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
H1304	5.60	24.00	1.00	0.50	4.22	4.50	0.00
H1285	5.20	29.00	0.50	1.00	4.21	7.50	0.00
N6407	5.40	27.00	0.50	0.50	4.23	2.50	0.50
AB0311	5.30	22.00	3.00	1.00	4.21	0.50	0.00
DRI319	5.90	22.00	0.50	0.50	4.22	1.00	0.50
H1313	5.10	25.00	5.00	1.50	4.22	1.00	0.00
N6366	5.40	25.00	2.00	1.00	4.36	1.50	0.00

Northern Adaptive Trials


2013 Adaptive Trial – Colusa 3, North



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
N6412	5.13	27.33	1.17	1.17	4.33	1.50	0.50
BQ296	5.60	29.00	0.75	1.25	4.25	1.50	0.25
N6366	5.75	28.00	1.00	3.75	4.27	2.50	0.75
N6397	4.98	25.00	0.13	0.50	4.37	1.38	0.13
HMX3908	4.90	34.00	0.50	0.50	4.26	6.00	0.00
C322	5.30	29.00	0.25	0.25	4.27	8.00	0.50
BQ295	4.97	29.33	0.50	0.67	4.37	2.33	0.17
BQ313	5.00	26.00	0.50	0.50	4.44	2.50	0.00


2013 Adaptive Trial – Yolo 2, North



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
H1285	6.30	23.50	0.25	0.25	4.33	1.00	0.25
BQ268	6.15	25.00	1.50	1.00	4.38	1.00	0.25
H8504	5.25	26.00	0.00	0.00	4.27	1.75	0.25
HMX2898	6.20	23.00	1.50	1.75	4.27	1.25	0.00
C322	5.20	22.50	0.50	1.00	4.34	0.75	0.50
N6366	5.60	24.00	1.25	0.00	4.34	0.25	0.00
HMX2897	5.60	25.50	0.50	0.50	4.42	1.00	0.00
N6410	5.65	25.00	0.25	0.00	4.38	1.00	0.00


2013 Adaptive Trial – Yolo 3, North



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
H1285	5.20	26.00	1.00	0.00	4.38	0.50	0.00
SV6743TM	5.00	22.00	3.00	0.00	4.34	0.50	0.50
C322	5.00	24.00	1.50	0.50	4.29	0.00	0.00
SV7707TM	5.10	21.00	3.50	0.00	4.42	0.00	0.00
H8504	5.10	24.00	1.00	0.00	4.23	0.00	0.00
SV4778TM	4.95	23.00	2.25	0.50	4.32	0.00	0.00
HMX3908	4.80	24.00	1.00	1.50	4.35	0.00	0.00
N6410	5.40	23.00	1.50	1.00	4.54	0.50	0.00
H5608	4.65	22.50	3.50	0.75	4.33	0.00	0.00


2013 Adaptive Trial – Yolo 4, North



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
BQ295	5.50	22.00	8.50	2.50	4.60	0.50	0.50
BQ313	5.10	24.00	8.00	0.50	4.54	1.50	0.00
HMX2898	6.30	26.00	5.00	1.50	4.59	1.50	0.00
H1285	5.50	24.00	1.00	0.50	4.48	3.00	0.00
H8504	5.10	24.00	2.00	0.00	4.36	2.00	0.00
HMX2897	5.30	22.00	3.00	1.50	4.53	1.50	0.00
BQ296	5.50	22.00	0.50	3.00	4.45	1.50	0.00
N6410	5.60	22.00	0.50	1.50	4.52	0.00	0.00


2013 Adaptive Trial – Yolo 5, North



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
HMX2898	5.45	25.00	5.00	0.50	4.53	0.50	0.00
H1285	5.85	24.00	2.00	0.00	4.48	0.75	0.50
HMX2897	5.40	23.00	0.75	0.50	4.57	0.50	0.75
H8504	5.00	23.50	1.75	0.25	4.32	0.50	0.50
H1175	5.35	21.00	0.75	0.25	4.54	0.75	0.25
C322	5.10	22.50	14.00	1.00	4.45	0.00	0.50
N6410	5.53	24.67	1.17	0.17	4.44	0.33	0.00


2013 Adaptive Trial – Solano 1, North



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
H1304	6.70	26.00	1.00	1.00	4.38	1.50	0.50
H1285	6.60	31.00	0.00	0.00	4.25	2.00	1.00
H1313	6.10	27.00	0.50	1.50	4.32	1.00	0.50
N6407	6.20	28.00	0.50	1.00	4.21	1.50	0.50
N6366	5.70	24.00	2.00	0.50	4.37	0.50	0.50
DRI319	6.50	24.00	1.00	2.00	4.28	0.50	0.00
AB0311	6.40	22.00	1.00	1.00	4.24	1.00	0.00

2013 Adaptive Trial – Sutter 5, North




Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
H1304	6.20	26.00	0.50	0.50	4.29	2.00	0.00
H1285	5.90	26.00	0.50	0.00	4.28	3.50	0.25
H1313	5.70	23.50	3.25	1.25	4.29	0.75	0.25
N6366	5.30	21.50	2.75	0.50	4.33	0.25	0.00
N6407	5.85	24.50	1.25	0.25	4.24	0.50	0.00
DRI319	6.15	23.00	2.00	0.75	4.24	0.25	0.00
AB0311	5.75	22.00	1.75	0.50	4.28	0.25	0.25

F3 Adaptive Trials


2013 Adaptive Trial – Sutter 1, North, F3



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
C316	4.90	23.00	3.00	5.50	4.45	0.50	0.00
CXD282	5.03	23.67	1.67	0.50	4.41	1.67	0.33
N6412	4.95	24.50	2.75	4.75	4.43	0.75	0.25
SV0335TM	6.30	26.00	3.50	3.50	4.28	0.50	0.50
H8504	5.20	27.00	0.50	1.00	4.35	1.75	0.25
H1304	5.60	24.67	1.33	2.00	4.45	0.83	0.50
H1310	5.27	25.00	1.67	1.83	4.42	0.83	0.17


2013 Adaptive Trial – Colusa 4, North, F3



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
H8504	5.20	24.50	0.50	0.00		0.25	0.25
N6366	5.25	22.50	1.25	0.00		0.50	0.00
H1304	5.07	23.67	0.50	0.33		0.00	0.00
C316	4.90	22.67	1.33	0.50		0.00	0.17
N6412	5.05	22.00	1.00	1.50		0.25	0.00
CXD282	4.90	25.67	0.00	0.50		0.17	0.00
H1310	5.30	25.50	1.25	0.00		0.75	0.25


2013 Adaptive Trial – Yolo 1, North, F3



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
N6366	6.50	23.00	0.00	7.00	4.56	0.50	0.00
H8504	6.00	23.00	0.00	0.50	4.33	1.50	0.00
C316	6.10	21.00	1.50	5.00	4.47	1.00	0.00
H1304	6.60	23.00	1.00	1.50	4.50	1.00	0.00
N6412	6.10	21.00	1.00	2.00	4.47	2.00	0.00
H1310	6.80	23.00	2.50	1.00	4.40	1.50	0.50
SV0335TM	6.90	25.00	1.50	2.00	4.34	2.00	0.00
CXD282	5.70	22.00	0.00	1.00	4.44	1.00	0.00


2013 Adaptive Trial – Sutter 2, North, F3



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
H8504	4.60	25.00	1.00	0.00	4.51	0.00	0.00
C316	5.25	22.50	5.00	1.75	4.49	0.75	0.25
SV0335TM	6.15	23.50	4.25	1.50	4.33	0.75	0.00
N6412	5.45	23.00	4.25	2.25	4.56	1.00	0.50
CXD282	5.33	23.33	2.17	0.17	4.36	0.17	0.00
H1304	6.20	23.00	3.25	1.00	4.51	0.25	0.00
H1310	5.95	22.50	1.75	0.00	4.48	0.50	0.50


2013 Adaptive Trial – Sutter 3, North, F3



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
CXD282	4.30	25.00	6.25	1.00	4.46	1.50	0.00
H8504	4.60	24.00	4.00	0.50	4.40	1.00	0.50
SV0335TM	5.00	23.00	10.50	1.00	4.41	1.00	0.00
H1310	4.60	25.00	2.50	0.00	4.50	1.50	0.25


2013 Adaptive Trial – Sutter 4, North, F3



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
C316	5.20	25.00	8.00	2.00	4.48	4.50	0.50
N6412	5.20	29.00	4.00	8.50	4.44	3.00	3.00
H1304	5.30	23.50	3.00	4.50	4.50	3.25	0.75
SV0335TM	5.80	25.00	3.00	5.50	4.38	3.00	0.50
CXD282	4.75	24.50	4.25	1.25	4.47	7.00	0.25
H8504	4.75	23.50	2.00	0.25	4.27	7.00	0.75
H1310	4.60	26.00	5.00	1.00	4.42	7.75	1.50

2013 Adaptive Trial – Yolo 6, North, F3



Corresponding PTAB Grades

Variety	Brix	Color	Mold	LU	pH	Green	MOT
CXD282	6.00	22.00	3.50	0.50	4.37	3.25	3.25
H1304	6.75	25.50	4.00	4.00	4.41	3.00	1.25
H1310	6.23	22.00	1.88	0.50	4.36	1.50	1.25
SV0335TM	6.40	25.00	2.25	5.00	4.31	0.75	4.50
H8504	5.95	26.00	2.75	1.00	4.33	2.25	1.00
N6412	6.20	22.00	0.50	2.00	4.37	0.50	7.50