

2013 Block Trial Data: H1161



11 Locations

Region	Variety	T/A	Solids	Color	LU	pH	Mold	Green
South	H1161	51.28	6.36	25.30	1.69	4.34	0.34	2.23
South	N6366	44.17	5.63	25.86	1.58	4.40	0.25	3.70
South	H1161	66.47	5.75	24.66	0.37	4.25	0.79	0.56
South	BQ205	64.61	5.65	23.44	0.53	4.28	0.93	0.23
South	H1161	86.80	5.19	23.40	2.20	4.37	1.03	1.96
South	AB0311	71.80	5.40	22.49	0.59	4.34	1.23	0.86
South	UG19406	60.01	6.07	22.94	0.84	4.41	0.47	0.73
South	H1161	56.51	6.48	22.04	3.47	4.48	1.61	0.40
South	H1161	62.02	4.81	25.60	0.84	4.41	2.79	0.66
South	N6366	50.12	4.51	27.33	0.61	4.37	1.72	1.32
South	N6385	58.40	4.74	23.89	1.17	4.46	0.83	1.66
South	H1161	51.70	5.69	23.33	3.47	4.42	1.34	1.05
South	N6368	57.70	5.71	22.66	0.61	4.31	0.52	0.39
South	H1161	56.20	6.33	21.61	0.60	4.36	0.12	0.28
Central	N6366	47.75	5.64	23.74	0.78	4.34	0.13	0.79
Central	H1161	46.97	6.12	25.29	0.79	4.36	0.31	0.82
Central	H1161	52.30	6.65	23.26	0.79	4.33	0.57	0.74
Central	AB2	45.81	5.89	23.45	0.67	4.32	1.21	0.71
North	N6402	59.00	4.84	25.59	0.29	4.34	1.44	0.71
North	H1161	56.02	5.25	27.50	1.13	4.25	0.38	0.63
North	AB0311	58.80	5.30	25.50	0.00	4.27	1.80	0.80
North	H1161	56.60	4.80	25.50	0.30	4.34	0.80	0.00

Average of 11 locations

	Variety	T/A	Solids	Color	LU	pH	Mold	Green
Average	H1161	58.44	5.77	24.32	1.42	4.36	0.92	0.85
Average	Field Variety	56.20	5.40	24.26	0.70	4.35	0.96	1.08

2013 Block Trial Data: H1175



21 locations

Region	Variety	T/A	Solids	Color	LU	pH	Mold	Green
South	H1175	41.23	5.42	22.80	0.70	4.58	1.30	1.20
South	H8504	31.10	5.51	22.00	1.10	4.42	0.80	1.00
South	H5508	71.40	4.36	24.81	0.17	4.36	0.81	0.36
South	H1175	59.85	4.82	22.21	0.48	4.52	0.96	0.32
South	H1175	55.80	5.10	23.30	0.30	4.43	0.10	1.80
South	H8504	54.60	5.10	25.30	0.40	4.26	0.10	1.50
South	H1175	71.60	4.73	22.19	0.06	4.49	0.57	2.20
South	H8504	68.99	4.91	22.72	0.38	4.29	0.58	1.36
South	H1175	38.77	5.11	25.29	0.95	4.44	2.23	2.18
South	N6404	35.66	4.93	24.41	1.33	4.44	1.27	0.85
South	H1175	55.79	5.10	23.30	0.30	4.43	0.10	1.80
South	H8504	54.63	5.10	25.26	0.40	4.26	0.10	1.80
South	H8504	54.30	5.20	22.90	0.50	4.36	0.40	3.60
South	H1175	44.10	5.30	21.90	0.20	4.55	1.30	4.00
South	H8504	61.10	4.20	28.00	0.40	4.32	0.80	4.20
South	H1175	56.40	4.20	25.00	0.30	4.56	1.10	4.80
South	H1175	43.70	4.90	23.00	0.40	4.51	0.60	5.80
South	H8504	40.20	5.10	23.00	0.50	4.36	0.40	6.00
Central	H1175	58.32	5.08	23.73	0.56	4.45	1.05	0.77
Central	H9780	54.64	5.10	21.00	1.00	4.33	2.00	0.50
North	H1175	60.80	4.55	22.00	0.04	4.39	0.30	0.57
North	N6404	55.10	4.44	24.19	0.39	4.40	0.87	0.50
North	H1175	56.50	4.36	23.67	0.51	4.48	1.54	1.09
North	N6407	52.50	4.59	27.03	1.35	4.40	3.62	0.98
North	H1175	47.90	4.80	22.00	1.25	4.55	4.25	1.75
North	H1285	40.70	5.70	26.00	2.00	4.44	7.50	5.50
North	H1175	62.48	4.70	22.00	0.15	4.48	0.40	0.75
North		57.94	4.80	23.00	0.50	4.34	0.50	1.00
North	H1175	46.33	4.83	22.35	0.28	4.32	0.45	1.30
North	H8504	45.87	4.96	24.11	0.46	4.36	0.57	1.10

2013 Block Trial Data: H1175



21 locations

Region	Variety	T/A	Solids	Color	LU	pH	Mold	Green
North	HP849	44.63	4.98	25.94	0.14	4.36	0.53	0.55
North	H1175	41.24	5.05	23.57	0.09	4.33	0.31	0.74
North	H1175	39.53	5.64	23.21	0.25	4.28	0.62	0.40
North	HP849	39.29	5.87	25.38	0.57	4.31	1.23	0.68
North	H1175	56.35	4.79	25.34	0.14	4.39	1.47	1.31
North	H8504	54.86	4.92	25.61	0.22	4.42	2.39	0.96
North	H1175	56.47	4.77	23.34	0.10	4.51	1.12	2.48
North	HM9905	55.80	5.06	25.63	0.14	4.40	0.86	1.91
North	H1175	50.06	5.05	22.00	0.00	4.58	1.75	0.75
North	HM9905	46.79	5.35	24.00	0.25	4.59	1.00	1.00
North	H1175	39.90	4.84	25.76	0.06	4.40	1.06	0.57
North	H5508	34.10	4.51	27.20	0.12	4.34	0.68	0.54

Average of 22 locations

	Variety	T/A	Solids	Color	LU	pH	Mold	Green
Average	H1175	52.61	4.88	23.41	0.34	4.44	1.03	1.72
Average	Field Variety	49.16	5.01	24.47	0.59	4.39	1.34	1.73

2013 Block Trial Data: N6407



14 Locations

Region	Variety	T/A	Solids	Color	LU	pH	Mold	Green
South	H8504	61.23	4.85	23.31	0.33	4.34	0.68	1.26
South	N6407	58.00	4.97	24.78	0.91	4.41	1.63	0.95
South	H5508	71.40	4.36	24.81	0.17	4.36	0.81	0.36
South	N6407	60.21	5.22	25.36	0.52	4.44	2.80	0.23
South	N6407	58.30	5.60	25.91	0.58	4.33	0.31	0.32
South	N6366	49.48	5.17	24.44	2.08	4.41	0.87	0.36
South	N6407	44.15	6.14	23.47	2.13	4.45	0.67	0.63
South	H8504	40.57	5.40	23.76	0.99	4.34	1.01	2.38
South	N6407	59.08	5.66	23.86	0.13	4.37	0.60	0.13
South	N6402	49.05	5.96	22.55	0.99	4.35	0.54	0.78
Central	N6407	42.69	5.58	24.48	0.74	4.33	2.36	1.19
Central	N6404	35.22	5.08	21.52	0.05	4.26	0.66	1.15
North	H5508	43.30	4.70	25.12	0.17	4.25	1.24	0.86
North	N6407	39.60	5.37	27.52	0.35	4.36	1.13	1.11
North	N6407	63.64	5.23	24.83		4.53	7.24	
North	H5608	57.62	4.70	23.03		4.58	6.84	
North	H5508	58.97	4.61	23.50	0.42	4.42	2.43	0.63
North	N6407	52.90	5.42	24.31	0.67	4.46	2.95	0.38
North	N6407	38.50	4.78	27.93	0.64	4.32	2.83	0.82
North	N6404	32.10	4.79	25.27	0.76	4.37	2.80	0.69
North	BQ206	44.82	5.42	25.61	0.96	4.35	0.62	1.89
North	N6407	41.36	5.21	25.34	0.74	4.37	0.75	1.60
North	DRI319	34.68	6.32	24.63	0.00	4.37	0.25	0.66
North	N6407	32.26	5.97	24.22	0.25	4.32	0.00	0.50
North	H5608	35.40	6.70	22.00	0.50	4.44	2.80	1.80
North	N6407	34.50	6.80	25.00	0.00	4.29	0.80	1.80
North	CXD255	50.90	5.40	26.50	0.30	4.37	0.50	1.80
North	N6407	48.50	5.80	28.50	0.00	4.31	1.00	2.30
North	N6407	52.50	4.59	27.03	1.35	4.40	3.62	0.98
North	HM1892	48.50	4.70	24.32	1.38	4.49	2.94	0.88

Average of 14 locations

		T/A	Solids	Color	LU	pH	Mold	Green
Average	N6407	48.41	5.49	25.50	0.64	4.38	1.91	0.92
Average	Field Variety	47.55	5.21	24.02	0.65	4.38	1.67	1.11

2013 Block Trial Data: AB0311



10 Locations

Region	Variety	T/A	Solids	Color	LU	pH	Mold	Green
South	H1161	86.80	5.19	23.40	2.20	4.37	1.03	1.96
South	AB0311	71.80	5.40	22.49	0.59	4.34	1.23	0.86
South	BQ163	60.14	5.54	24.34	1.75	4.33	0.26	0.46
South	AB0311	49.70	5.83	23.98	1.28	4.36	1.22	0.83
South	AB0311	37.26	6.00	25.40	0.80	4.26	0.40	8.20
South	N6366	36.10	5.70	25.80	3.20	4.37	1.00	1.50
South	H1161	45.71	6.30	24.10	4.30	4.37	0.40	2.60
South	AB0311	39.60	6.40	23.60	3.00	4.43	0.90	3.10
South	H1161	37.96	6.30	29.10	2.20	4.33	0.20	1.80
South	AB0311	26.07	6.40	26.90	1.70	4.35	0.60	2.40
North	N6366	54.20	4.69	29.12	1.20	4.42	1.84	1.46
North	AB0311	52.10	5.12	26.00	0.72	4.35	2.64	0.70
North	AB0311	51.09	5.34	23.67	0.39	4.27	1.06	0.69
North	HM1893	48.96	4.64	24.53	2.39	4.34	1.79	0.44
North	AB0311	58.80	5.30	25.50	0.00	4.27	1.80	0.80
North	H1161	56.60	4.80	25.50	0.30	4.34	0.80	0.00
North	CXD255	59.11	5.15	27.50	0.75	4.34	0.75	3.25
North	AB0311	57.96	5.25	27.00	0.50	4.32	1.00	0.25
North	N6407	61.67	5.25	26.50	0.50	4.34	1.00	0.50
North	AB0311	54.38	5.55	22.00	20.00	4.34	1.75	0.50

Average of 10 locations

	Variety	T/A	Solids	Color	LU	pH	Mold	Green
Average	Field Variety	54.73	5.36	25.99	1.88	4.36	0.91	1.40
Average	AB0311	49.88	5.66	24.65	2.90	4.33	1.26	1.83

2013 Block Trial Data: DRI319



6 Locations

Region	Variety	T/A	Solids	Color	LU	pH	Mold	Green
South	H1161	86.80	5.19	23.40	2.20	4.37	1.03	1.96
South	DRI319	65.70	5.39	23.49	1.00	4.35	1.42	1.25
South	DRI319	58.70	5.95	23.10	0.65	4.39	1.24	0.95
South	N6404	55.60	5.89	23.05	0.83	4.41	0.92	0.72
South	N6366	36.10	5.70	25.80	3.20	4.37	1.00	1.50
South	DRI319	34.85	6.10	27.10	2.10	4.33	0.70	2.50
South	H1161	45.71	6.30	24.10	4.30	4.37	0.40	2.60
South	DRI319	44.68	6.50	24.80	4.40	4.39	0.30	2.60
South	H1161	74.10	5.56	24.39	0.88	4.29	0.78	1.46
South	DRI319	59.00	5.60	23.54	1.44	4.41	1.19	2.08
South	H1161	37.96	6.30	29.10	2.20	4.33	0.20	1.80
South	DRI319	28.23	6.50	28.60	1.70	4.40	0.40	4.50

Average of 6 locations

	Variety	T/A	Solids	Color	LU	pH	Mold	Green
Average	Field Variety	56.05	5.82	24.97	2.27	4.36	0.72	1.67
Average	DRI319	48.53	6.01	25.11	1.88	4.38	0.88	2.31

2013 Block Trial Data: HM1892



14 Locations

Region	Variety	T/A	Solids	Color	LU	pH	Mold	Green
South	N6366	54.85	5.02	25.19	1.81	4.37	0.79	0.82
South	HM1892	50.48	5.10	24.23	1.42	4.47	0.75	0.68
South	HM1892	50.48	5.10	24.23	1.42	4.47	0.75	0.68
South	BQ205	38.69	5.26	24.75	2.54	4.38	0.91	0.88
South	HM1892	75.00	5.02	23.89	0.35	4.38	0.32	0.76
South	C255	69.10	5.15	24.33	0.77	4.42	1.00	1.15
South	HM1892	65.66	5.07	23.37	0.66	4.51	3.00	0.10
South	N6407	60.21	5.22	25.36	0.52	4.44	2.80	0.23
North	N6407	52.50	4.59	27.03	1.35	4.40	3.62	0.98
North	HM1892	48.50	4.70	24.32	1.38	4.49	2.94	0.88
North	N6407	39.60	5.37	27.52	0.35	4.36	1.13	1.11
North	HM1892	33.78	5.28	25.53	0.53	4.34	2.15	0.86
North	HM9905	40.01	4.82	25.18	0.20	4.38	0.62	1.14
North	HM1892	34.60	4.91	25.86	0.33	4.32	1.30	0.63
North	BQ206	38.28	6.07	22.67	0.77	4.36	6.18	1.07
North	HM1892	29.43	6.13	21.73	0.50	4.38	8.24	1.63
North	H5608	57.62	4.70	23.03	0.00	4.58	6.84	
North	HM1892	51.78	4.83	25.31	1.19	4.59	5.73	
North	HM1892	56.20	5.50	23.00	0.90	4.47	0.30	3.00
North	H8504	47.20	5.20	25.00	0.50	4.32	0.30	4.10
North	HP849	46.68	5.02	25.46	0.53	4.38	1.78	1.54
North	HM1892	43.49	5.15	24.52	0.67	4.42	3.36	1.36
North	HP849	45.38	5.14	23.38	0.21	4.36	2.76	1.75
North	HM1892	41.47	5.18	24.55	0.24	4.33	2.56	1.25
North	HM1892	68.10	4.80	28.50	0.50	4.48	0.50	3.30
North	N6404	65.50	4.60	26.50	0.50	4.51	1.30	1.00
North	HM1892	60.00	4.94	24.90	0.67	4.47	2.28	1.55
North	HM9905	59.30	4.83	24.42	0.36	4.50	1.19	1.63

Average of 14 locations

	Variety	T/A	Solids	Color	LU	pH	Mold	Green
Average	HM1892	50.64	5.12	24.97	0.78	4.43	2.42	1.32
Average	Field Variety	51.07	5.08	24.58	0.73	4.42	2.25	1.30

2013 Block Trial Data: HM1893



9 Locations

Region	Variety	T/A	Solids	Color	LU	pH	Mold	Green
South	HM1893	54.53	5.17	25.41	0.26	4.24	0.29	1.67
South	H1015	52.98	4.88	23.38	0.32	4.36	0.18	1.07
South	HM1893	45.60	4.86	25.29	1.35	4.26	1.95	1.48
South	N6366	34.90	5.07	25.94	1.53	4.37	1.69	1.64
North	HM1893	54.70	4.65	27.91	1.09	4.33	2.78	1.46
North	AB0311	52.10	5.12	26.00	0.72	4.35	2.64	0.70
North	HM1893	54.70	4.65	27.91	1.09	4.33	2.78	1.46
North	N6366	54.20	4.69	29.12	1.20	4.42	1.84	1.46
North	AB0311	51.09	5.34	23.67	0.39	4.27	1.06	0.69
North	HM1893	48.96	4.64	24.53	2.39	4.34	1.79	0.44
North	BQ163	39.47	5.79	28.54	2.13	4.36	1.26	2.35
North	HM1893	36.41	5.47	27.37	1.45	4.42	1.53	1.57
North	N6366	53.80	5.90	25.50	0.80	4.52	1.50	0.50
North	HM1893	52.20	4.90	29.00	0.50	4.34	0.50	1.30
North	H5608	66.60	4.60	25.50	0.50	4.33	1.25	1.50
North	HM1893	60.12	5.00	24.50	1.50	4.37	2.25	1.00
North	HM1893	47.75	5.20	23.00	0.00	4.25	1.00	0.50
North	N6366	44.96	5.41	23.21	0.50	4.34	1.25	0.42

Average of 9 locations

	Variety	T/A	Solids	Color	LU	pH	Mold	Green
Average	HM1893	50.55	4.95	26.10	1.07	4.32	1.65	1.21
Average	Field Variety	50.01	5.20	25.65	0.90	4.37	1.41	1.15