



... from Field to Yield

2014

Use Category Descriptions

Early	Maturity 117 Days or Less
Thin	Juice Bostwick > 18.99
Intermediate	Juice Bostwick 16.01 to 18.99
Thick	Juice Bostwick < 16.01
Pear	Pear Shaped



This report has been prepared exclusively for the recipient by AgSeeds Unlimited and contains confidential and/or privileged material. Any reproduction or redistribution of any material in this report without the permission of AgSeeds Unlimited is prohibited.



2014 California Processing Tomato Top 50 Varieties

Based on PTAB Reports W/E 10/25/14

	Variety	Supplier Sorts	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Color	LU	Mold	pH	Green
1	H8504	Heinz	Thick			X	77,594	14.04%	4.99	24.7	0.8	0.9	4.29	3.1
2	H5608	Heinz	Thick	X			56,101	10.15%	4.94	23.4	1.2	1.9	4.39	2.1
3	N6366	Nunhems	Thin				45,708	8.27%	5.49	24.0	2.0	0.7	4.38	1.4
4	H2401	Heinz	Thick			X	28,800	5.21%	4.87	25.5	0.9	1.8	4.29	2.7
5	DR1319	Seminis	Thin	X			27,897	5.05%	5.66	24.3	1.9	1.5	4.35	1.1
6	N6404	Nunhems	Intermediate	X			23,012	4.16%	5.17	24.3	2.2	1.7	4.41	2.1
7	H5508	Heinz	Thick	X		X	21,293	3.85%	4.45	25.2	0.5	0.9	4.30	1.8
8	AB0311	Seminis	Thin	X			18,935	3.43%	5.72	23.2	1.5	1.7	4.34	1.6
9	UG19406	United Genetics	Thick			X	17,350	3.14%	5.37	24.1	0.8	1.5	4.28	1.9
10	N6397	Nunhems	Early				16,777	3.04%	5.22	23.7	1.4	0.6	4.41	1.8
11	N6402	Nunhems	Thin	X			14,998	2.71%	5.45	23.7	1.6	0.9	4.40	1.1
12	H4707	Heinz	Thick			X	13,858	2.51%	4.97	25.5	0.8	1.3	4.35	2.8
13	H1015	Heinz	Early			X	12,880	2.33%	5.21	23.4	1.0	0.4	4.43	1.7
14	HM1892	Harris Moran	Intermediate			X	12,449	2.25%	5.24	24.2	1.3	1.3	4.39	1.8
15	HM9905	Harris Moran	Intermediate			X	10,140	1.83%	4.88	25.1	0.8	1.0	4.40	2.1
16	CXD187	Harris Moran	Early				8,775	1.59%	4.89	24.4	2.2	0.3	4.40	2.1
17	H3402	Heinz	Intermediate			X	8,228	1.49%	5.04	24.6	0.7	0.8	4.40	3.2
18	H1175	Heinz	Thick			X	8,096	1.46%	4.74	23.7	0.5	1.6	4.42	2.5
19	N6407	Nunhems	Thin	X		X	7,653	1.38%	5.12	25.3	0.9	1.3	4.32	0.9
20	BQ205	Woodbridge	Thin				6,181	1.12%	5.56	24.5	2.0	1.2	4.33	1.3
21	APT410	Seminis	Early				5,776	1.05%	5.08	24.2	2.7	0.4	4.38	1.5
22	N6394	Nunhems	Intermediate	X			5,714	1.03%	5.54	23.2	2.4	0.8	4.44	2.0
23	CXD255	Harris Moran	Intermediate				5,639	1.02%	5.12	24.6	1.4	1.5	4.36	0.8
24	H9780	Heinz	Thick			X	5,321	0.96%	5.10	24.7	1.9	1.3	4.31	1.7
25	H1292	Heinz	Pear	X			5,139	0.93%	5.42	22.4	2.0	1.1	4.45	1.3
26	AB2	Seminis	Thin				5,133	0.93%	5.35	24.4	2.3	1.4	4.32	1.3
27	BQ206	Woodbridge	Thin				5,089	0.92%	5.35	24.9	1.8	1.2	4.32	1.1
28	HM7885	Harris Moran	Pear				4,843	0.88%	5.01	23.9	0.7	0.7	4.53	0.7
29	BOS66509	Orsetti	Early				4,108	0.74%	5.18	24.2	3.7	0.7	4.39	3.0
30	H5701	Heinz	Thick			X	3,926	0.71%	4.70	25.4	0.8	1.9	4.33	2.9
31	H1170	Heinz	Thick			X	3,862	0.70%	5.28	24.8	0.8	1.5	4.37	2.0
32	H5702	Heinz	Thick			X	3,737	0.68%	4.96	24.3	0.6	1.5	4.38	3.5
33	H1161	Heinz	Thin				3,538	0.64%	5.79	24.5	1.9	1.1	4.32	1.4
34	HP849	Seminis	Intermediate			X	3,380	0.61%	4.78	24.3	1.0	2.2	4.34	0.6
35	CXD282	Harris Moran	Thick		X		3,377	0.61%	4.78	24.2	1.1	2.8	4.35	1.5
36	N6117	Nunhems	Early				2,840	0.51%	5.18	24.0	3.4	0.3	4.36	1.0
37	H9663	Heinz	Thick				2,785	0.50%	4.82	24.0	1.8	3.8	4.39	3.6
38	BQ163	Woodbridge	Thin				2,754	0.50%	6.01	23.6	3.4	0.5	4.35	1.6
39	N6416	Nunhems	Early	X			2,451	0.44%	5.14	24.4	1.5	0.2	4.32	1.9
40	N6410	Nunhems	Thick			X	2,272	0.41%	5.15	25.4	1.3	1.6	4.35	1.4
41	AB3	Seminis	Thin				1,919	0.35%	5.31	24.6	1.9	1.8	4.35	1.8
42	Shasta	Harris Moran	Early				1,880	0.34%	5.48	25.0	2.6	0.3	4.27	1.1
43	H9491	Heinz	Intermediate				1,484	0.27%	5.05	23.3	1.9	0.6	4.32	1.9
44	H2601	Heinz	Pear				1,475	0.27%	4.95	24.2	1.7	0.7	4.41	1.2
45	N6412	Nunhems	Early		X		1,435	0.26%	5.07	24.3	4.0	2.2	4.40	2.6
46	SV0599TM	Seminis	Early				1,429	0.26%	5.13	26.6	1.2	0.4	4.37	1.1
47	N6385	Nunhems	Thick	X			1,258	0.23%	4.83	23.4	2.0	1.5	4.45	1.1
48	HM1893	Harris Moran	Early	X			1,242	0.22%	5.09	24.9	2.5	0.5	4.31	0.7
49	H1293	Heinz	Pear	X			1,184	0.21%	5.63	23.6	0.8	1.0	4.48	1.5
50	H8004	Heinz	Intermediate			X	1,160	0.21%	5.15	23.7	1.0	1.5	4.39	2.3
	All Others						19,864	3.59%	5.19	24.6	2.4	1.3	4.38	2.0
	STATEWIDE	ALL	ALL				552,720	100.00%	5.15	24.3	1.4	1.2	4.36	2.0

Note: Thin Viscosity - Juice Bostwick > 18.99, Intermediate Viscosity - Juice Bostwick 16.01 - 18.99, Thick Viscosity - Juice Bostwick < 16.01



2014 Top 40 Varieties South Region

Based on PTAB Reports W/E 10-25-14

Rank	Variety	Supplier	Category	TSW	F3	EFS	Total Loads	% of Loads
1	H8504	Heinz	Thick			X	54,502	19.31%
2	N6366	Nunhems	Thin				30,243	10.72%
3	H5608	Heinz	Thick	X			28,640	10.15%
4	H2401	Heinz	Thick			X	12,823	4.54%
5	DRI319	Seminis	Thin	X			12,280	4.35%
6	N6397	Nunhems	Early				11,609	4.11%
7	N6404	Nunhems	Intermediate	X			10,457	3.71%
8	AB0311	Seminis	Thin	X			9,216	3.27%
9	CXD187	Harris Moran	Early				8,775	3.11%
10	H1015	Heinz	Early			X	7,861	2.79%
11	N6402	Nunhems	Thin	X			7,421	2.63%
12	H4707	Heinz	Thick			X	7,314	2.59%
13	N6394	Nunhems	Intermediate	X			5,273	1.87%
14	HM1892	Harris Moran	Intermediate			X	4,973	1.76%
15	UG19406	United Genetics	Thick			X	4,515	1.60%
16	HM7885	Harris Moran	Pear				4,419	1.57%
17	BOS66509	Orsetti	Early				3,928	1.39%
18	H1292	Heinz	Pear	X			3,696	1.31%
19	BQ205	Woodbridge	Thin				3,233	1.15%
20	H5508	Heinz	Thick	X		X	2,886	1.02%
21	N6117	Nunhems	Early				2,840	1.01%
22	H3402	Heinz	Intermediate			X	2,805	0.99%
23	H1170	Heinz	Thick			X	2,501	0.89%
24	AB2	Seminis	Thin				2,382	0.84%
25	APT410	Seminis	Early				2,339	0.83%
26	CXD255	Harris Moran	Intermediate				2,015	0.71%
27	BQ163	Woodbridge	Thin				1,945	0.69%
28	H9663	Heinz	Thick				1,931	0.68%
29	H1161	Heinz	Thin				1,759	0.62%
30	H1175	Heinz	Thick			X	1,731	0.61%
31	N6416	Nunhems	Early	X			1,647	0.58%
32	AB3	Seminis	Thin				1,461	0.52%
33	BQ206	Woodbridge	Thin				1,436	0.51%
34	H9491	Heinz	Intermediate				1,360	0.48%
35	N6385	Nunhems	Thick	X			1,258	0.45%
36	H5702	Heinz	Thick			X	1,210	0.43%
37	U373	Nunhems	Early				1,006	0.36%
38	UG18806	United Genetics	Thick			X	996	0.35%
39	N6368	Nunhems	Thin			X	943	0.33%
40	K2770	Keithly Williams	Early				918	0.33%
	All Others	Various	Various				13,693	4.85%
SOUTH		ALL LOADS					282,240	100.00%

Note: Thin Viscosity - Juice Bostwick > 18.99, Intermediate Viscosity - Juice Bostwick 16.01-18.99, Thick Viscosity - Juice Bostwick < 16.01

2014 Top 40 Varieties

Central Region

Based on PTAB Reports W/E 10-25-14

Rank	Variety	Supplier	Category	TSW	F3	EFS	Total Loads	% of Loads
1	H8504	Heinz	Thick			X	17,898	14.17%
2	UG19406	United Genetics	Thick			X	10,028	7.94%
3	H5608	Heinz	Thick	X			9,511	7.53%
4	H2401	Heinz	Thick			X	8,735	6.92%
5	DRI319	Seminis	Thin	X			7,914	6.27%
6	H5508	Heinz	Thick	X		X	7,246	5.74%
7	N6366	Nunhems	Thin				6,721	5.32%
8	N6404	Nunhems	Intermediate	X			5,876	4.65%
9	HM1892	Harris Moran	Intermediate			X	5,586	4.42%
10	AB0311	Seminis	Thin	X			5,499	4.35%
11	H9780	Heinz	Thick			X	4,645	3.68%
12	N6407	Nunhems	Thin	X		X	4,072	3.22%
13	H4707	Heinz	Thick			X	3,130	2.48%
14	N6402	Nunhems	Thin	X			2,858	2.26%
15	H3402	Heinz	Intermediate			X	2,844	2.25%
16	AB2	Seminis	Thin				1,883	1.49%
17	H1175	Heinz	Thick			X	1,610	1.27%
18	BQ206	Woodbridge	Thin				1,405	1.11%
19	H1161	Heinz	Thin				1,277	1.01%
20	BQ205	Woodbridge	Thin				1,132	0.90%
21	H1015	Heinz	Early			X	1,090	0.86%
22	HM9905	Harris Moran	Intermediate			X	1,041	0.82%
23	HP849	Seminis	Intermediate			X	994	0.79%
24	H5702	Heinz	Thick			X	986	0.78%
25	PS650	Seminis	Intermediate			X	936	0.74%
26	H1292	Heinz	Pear	X			934	0.74%
27	APT410	Seminis	Early				715	0.57%
28	H9663	Heinz	Thick				697	0.55%
29	H5701	Heinz	Thick			X	669	0.53%
30	HP108	Seminis	Pear				655	0.52%
31	H2601	Heinz	Pear				571	0.45%
32	AB3	Seminis	Thin				457	0.36%
33	N6410	Nunhems	Thick			X	447	0.35%
34	HM7885	Harris Moran	Pear				423	0.33%
35	BQ163	Woodbridge	Thin				415	0.33%
36	N6397	Nunhems	Early				404	0.32%
37	H1293	Heinz	Pear	X			386	0.31%
38	H8004	Heinz	Intermediate			X	371	0.29%
39	H9665	Heinz	Intermediate			X	367	0.29%
40	H1170	Heinz	Thick			X	357	0.28%
	All Others	Various	Various				3,532	2.80%
CENTRAL		ALL LOADS					126,317	100.00%

Note: Thin Viscosity - Juice Bostwick > 18.99, Intermediate Viscosity - Juice Bostwick 16.01-18.99, Thick Viscosity - Juice Bostwick < 16.01

2014 Top 40 Varieties North Region

Based on PTAB Reports W/E 10-25-14

Rank	Variety	Supplier	Category	TSW	F3	EFS	Total Loads	% of Loads
1	H5608	Heinz	Thick	X			17,950	12.78%
2	H5508	Heinz	Thick	X		X	11,161	7.94%
3	HM9905	Harris Moran	Intermediate			X	8,369	5.96%
4	DRI319	Seminis	Thin	X			7,703	5.48%
5	H2401	Heinz	Thick			X	7,242	5.15%
6	N6404	Nunhems	Intermediate	X			6,551	4.66%
7	N6366	Nunhems	Thin				6,348	4.52%
8	H8504	Heinz	Thick			X	5,194	3.70%
9	N6397	Nunhems	Early				4,764	3.39%
10	H1175	Heinz	Thick			X	4,755	3.38%
11	N6402	Nunhems	Thin	X			4,719	3.36%
12	AB0311	Seminis	Thin	X			4,042	2.88%
13	H1015	Heinz	Early			X	3,929	2.80%
14	CXD255	Harris Moran	Intermediate				3,624	2.58%
15	H4707	Heinz	Thick			X	3,414	2.43%
16	CXD282	Harris Moran	Thick		X		3,377	2.40%
17	H5701	Heinz	Thick			X	3,025	2.15%
18	N6407	Nunhems	Thin	X		X	2,910	2.07%
19	UG19406	United Genetics	Thick			X	2,807	2.00%
20	APT410	Seminis	Early				2,722	1.94%
21	H3402	Heinz	Intermediate			X	2,497	1.78%
22	HP849	Seminis	Intermediate			X	2,386	1.70%
23	BQ206	Woodbridge	Thin				1,980	1.41%
24	HM1892	Harris Moran	Intermediate			X	1,812	1.29%
25	BQ205	Woodbridge	Thin				1,755	1.25%
26	Shasta	Harris Moran	Early				1,557	1.11%
27	H5702	Heinz	Thick			X	1,541	1.10%
28	N6412	Nunhems	Early		X		1,278	0.91%
29	H5003	Heinz	Early				1,022	0.73%
30	H1170	Heinz	Thick			X	1,004	0.71%
31	SV0599TM	Seminis	Early				968	0.69%
32	HM1893	Harris Moran	Early	X			957	0.68%
33	N6410	Nunhems	Thick			X	923	0.66%
34	N6416	Nunhems	Early	X			627	0.45%
35	UG16609	United Genetics	Intermediate	X			601	0.43%
36	AB2	Seminis	Thin				507	0.36%
37	H1161	Heinz	Thin				501	0.36%
38	H1292	Heinz	Pear	X			442	0.31%
39	BQ163	Woodbridge	Thin				394	0.28%
40	H9780	Heinz	Thick			X	267	0.19%
	All Others	Various	Various				2,876	2.05%
NORTH		ALL LOADS					140,501	100.00%

Note: Thin Viscosity - Juice Bostwick > 18.99, Intermediate Viscosity - Juice Bostwick 16.01-18.99, Thick Viscosity - Juice Bostwick < 16.01

2014 California Processing Tomato

Variety Use Category Detail

Based on PTAB Reports W/E 10/25/14

Category	Supplier	Variety	TSW	F3	EFS	Total Loads	% of Loads	Solids	Color	LU	Mold	pH	Green
Early	Nunhems	N6397				16,777	25.59%	5.22	23.7	1.4	0.6	4.41	1.8
Early	Heinz	H1015			X	12,880	19.65%	5.21	23.4	1.0	0.4	4.43	1.7
Early	Harris Moran	CXD187				8,775	13.39%	4.89	24.4	2.2	0.3	4.40	2.1
Early	Seminis	APT410				5,776	8.81%	5.08	24.2	2.7	0.4	4.38	1.5
Early	Orsetti	BOS66509				4,108	6.27%	5.18	24.2	3.7	0.7	4.39	3.0
Early	Nunhems	N6117				2,840	4.33%	5.18	24.0	3.4	0.3	4.36	1.0
Early	Nunhems	N6416	X			2,451	3.74%	5.14	24.4	1.5	0.2	4.32	1.9
Early	Harris Moran	Shasta				1,880	2.87%	5.48	25.0	2.6	0.3	4.27	1.1
Early	Nunhems	N6412		X		1,435	2.19%	5.07	24.3	4.0	2.2	4.40	2.6
Early	Seminis	SV0599TM				1,429	2.18%	5.13	26.6	1.2	0.4	4.37	1.1
Early	Harris Moran	HM1893	X			1,242	1.89%	5.09	24.9	2.5	0.5	4.31	0.7
Early	Heinz	H5003				1,022	1.56%	5.15	23.7	4.2	0.7	4.49	1.7
Early	Nunhems	U373				1,006	1.53%	5.09	24.4	3.3	0.5	4.33	1.1
Early	Keithly Williams	K2770				918	1.40%	5.18	24.6	1.7	0.1	4.31	1.7
Early	Woodbridge	BQ273	X			836	1.28%	5.39	24.3	1.7	0.2	4.31	1.5
Early	Woodbridge	BQ204				746	1.14%	5.16	24.9	1.2	0.0	4.32	0.9
Early	Orsetti	BOS602				641	0.98%	5.51	23.1	3.2	0.5	4.38	2.0
Early	Keithly Williams	K2769				326	0.50%	5.09	25.9	1.0	0.1	4.32	2.4
Early	Heinz	H1301			X	176	0.27%	5.05	26.4	0.9	0.1	4.45	2.0
Early	Seminis	HP816				159	0.24%	5.43	26.7	7.3	0.7	4.40	2.7
Early	Heinz	H9280				82	0.13%	4.46	27.0	1.9	0.7	4.37	3.0
Early	BHN	BP1				31	0.05%	5.16	24.3	1.2	0.1	4.33	0.7
Early	Harris Moran	HMX4895	X			12	0.02%	4.93	25.3	4.7	0.2	4.38	0.8
Early	Orsetti	BOS66509				6	0.01%	5.33	23.8	3.7	0.2	4.37	0.5
Early Total						65,554	100.00%	5.15	24.0	2.0	0.5	4.39	1.8
Thin	Nunhems	N6366				45,708	32.09%	5.49	24.0	2.0	0.7	4.38	1.4
Thin	Seminis	DR1319	X			27,897	19.58%	5.66	24.3	1.9	1.5	4.35	1.1
Thin	Seminis	AB0311	X			18,935	13.29%	5.72	23.2	1.5	1.7	4.34	1.6
Thin	Nunhems	N6402	X			14,998	10.53%	5.45	23.7	1.6	0.9	4.40	1.1
Thin	Nunhems	N6407	X		X	7,653	5.37%	5.12	25.3	0.9	1.3	4.32	0.9
Thin	Woodbridge	BQ205				6,181	4.34%	5.56	24.5	2.0	1.2	4.33	1.3
Thin	Seminis	AB2				5,133	3.60%	5.35	24.4	2.3	1.4	4.32	1.3
Thin	Woodbridge	BQ206				5,089	3.57%	5.35	24.9	1.8	1.2	4.32	1.1
Thin	Heinz	H1161				3,538	2.48%	5.79	24.5	1.9	1.1	4.32	1.4
Thin	Woodbridge	BQ163				2,754	1.93%	6.01	23.6	3.4	0.5	4.35	1.6
Thin	Seminis	AB3				1,919	1.35%	5.31	24.6	1.9	1.8	4.35	1.8
Thin	Nunhems	N6368			X	943	0.66%	5.57	22.7	1.1	2.6	4.40	0.6
Thin	Woodbridge	BQ296	X			484	0.34%	5.58	23.9	2.2	2.0	4.37	1.3
Thin	Sementi	ISI29805	X			353	0.25%	4.83	23.2	1.1	0.0	4.28	0.9
Thin	Harris Moran	HM7883			X	308	0.22%	4.95	24.4	1.2	1.1	4.49	0.7
Thin	US Agriseed	P10	X			168	0.12%	4.24	25.6	2.4	4.5	4.42	1.6
Thin	BHN	BP2	X	X		110	0.08%	4.93	24.7	1.9	1.3	4.46	1.0
Thin	Seminis	PX299		X		71	0.05%	4.87	24.1	3.7	5.4	4.43	0.7
Thin	Sementi	ISI26761				68	0.05%	5.61	26.5	2.6	0.1	4.41	4.9
Thin	Orsetti	3155				33	0.02%	5.74	25.1	3.5	1.1	4.47	1.7
Thin	Heinz	H1296				29	0.02%	5.40	24.1	2.6	2.2	4.33	0.7
Thin	Sementi	ISI31060	X			25	0.02%	5.70	23.9	2.0	0.6	4.38	2.0
Thin	Harris Moran	FM1115				23	0.02%	4.35	22.5	0.0	0.3	4.35	1.2
Thin	Woodbridge	BQ313	X			22	0.02%	4.97	24.1	3.1	1.3	4.43	0.9

2014 California Processing Tomato

Variety Use Category Detail

Based on PTAB Reports W/E 10/25/14

Category	Supplier	Variety	TSW	F3	EFS	Total Loads	% of Loads	Solids	Color	LU	Mold	pH	Green
Thin	Heinz	H1425		X	X	10	0.01%	4.89	23.5	2.7	0.6	4.50	1.9
Thin Total						142,452	100.00%	5.53	24.0	1.8	1.2	4.36	1.3
Intermediate	Nunhems	N6404	X			23,012	30.61%	5.17	24.3	2.2	1.7	4.41	2.1
Intermediate	Harris Moran	HM1892			X	12,449	16.56%	5.24	24.2	1.3	1.3	4.39	1.8
Intermediate	Harris Moran	HM9905			X	10,140	13.49%	4.88	25.1	0.8	1.0	4.40	2.1
Intermediate	Heinz	H3402			X	8,228	10.95%	5.04	24.6	0.7	0.8	4.40	3.2
Intermediate	Nunhems	N6394	X			5,714	7.60%	5.54	23.2	2.4	0.8	4.44	2.0
Intermediate	Harris Moran	CXD255				5,639	7.50%	5.12	24.6	1.4	1.5	4.36	0.8
Intermediate	Seminis	HP849			X	3,380	4.50%	4.78	24.3	1.0	2.2	4.34	0.6
Intermediate	Heinz	H9491				1,484	1.97%	5.05	23.3	1.9	0.6	4.32	1.9
Intermediate	Heinz	H8004			X	1,160	1.54%	5.15	23.7	1.0	1.5	4.39	2.3
Intermediate	Seminis	PS650			X	1,152	1.53%	5.31	24.9	1.6	1.3	4.37	0.7
Intermediate	United Genetics	UG16609	X			1,073	1.43%	5.30	24.2	2.3	1.0	4.33	0.9
Intermediate	Heinz	H9665			X	367	0.49%	4.99	25.0	0.5	1.1	4.26	1.6
Intermediate	Woodbridge	BQ268				306	0.41%	5.49	24.5	1.7	1.7	4.35	2.2
Intermediate	Woodbridge	BQ292	X			239	0.32%	5.24	23.6	2.4	3.2	4.43	1.2
Intermediate	Seminis	PS002	X			137	0.18%	5.34	22.6	3.2	0.8	4.39	0.4
Intermediate	Heinz	H1304		X		130	0.17%	5.51	24.3	5.0	2.1	4.41	1.7
Intermediate	Seminis	SV8232TM	X	X		112	0.15%	5.60	23.3	3.8	1.8	4.37	0.8
Intermediate	Harris Moran	HM3888	X		X	97	0.13%	5.46	26.3	1.0	1.2	4.40	2.9
Intermediate	Heinz	H9494				87	0.12%	5.06	25.1	2.1	3.2	4.45	3.7
Intermediate	Heinz	H2005				63	0.08%	5.45	24.4	2.9	1.1	4.37	0.4
Intermediate	Woodbridge	BQ312	X			49	0.07%	5.48	22.7	2.0	2.1	4.41	2.4
Intermediate	Seminis	SV8516TM	X			46	0.06%	5.63	23.2	3.8	1.5	4.47	0.4
Intermediate	Harris Moran	HM3887	X			27	0.04%	5.37	25.8	0.8	1.3	4.34	1.4
Intermediate	Heinz	H9995			X	27	0.04%	4.82	24.7	0.6	0.4	4.40	0.4
Intermediate	Seminis	SV9916TM				16	0.02%	5.38	23.7	0.9	1.2	4.41	1.1
Intermediate	Harris Moran	HM3884	X			9	0.01%	5.72	25.6	1.3	3.0	4.38	1.2
Intermediate	Woodbridge	BQ142	X	X		8	0.01%	4.66	24.9	3.9	2.8	4.44	2.9
Intermediate	Heinz	H1427	X	X		7	0.01%	5.01	22.7	2.9	0.9	4.46	1.4
Intermediate	Harris Moran	HM3885	X		X	6	0.01%	4.83	25.0	1.8	6.4	4.36	3.3
Intermediate	Woodbridge	BQ416	X			5	0.01%	5.38	25.6	3.0	1.2	4.41	2.5
Intermediate Total						75,169	100.00%	5.14	24.3	2.0	1.7	4.40	1.9
Thick	Heinz	H8504			X	77,594	30.85%	4.99	24.7	0.8	0.9	4.29	3.1
Thick	Heinz	H5608	X			56,101	22.30%	4.94	23.4	1.2	1.9	4.39	2.1
Thick	Heinz	H2401			X	28,800	11.45%	4.87	25.5	0.9	1.8	4.29	2.7
Thick	Heinz	H5508	X		X	21,293	8.46%	4.45	25.2	0.5	0.9	4.30	1.8
Thick	United Genetics	UG19406			X	17,350	6.90%	5.37	24.1	0.8	1.5	4.28	1.9
Thick	Heinz	H4707			X	13,858	5.51%	4.97	25.5	0.8	1.3	4.35	2.8
Thick	Heinz	H1175			X	8,096	3.22%	4.74	23.7	0.5	1.6	4.42	2.5
Thick	Heinz	H9780			X	5,321	2.12%	5.10	24.7	1.9	1.3	4.31	1.7
Thick	Heinz	H5701			X	3,926	1.56%	4.70	25.4	0.8	1.9	4.33	2.9
Thick	Heinz	H1170			X	3,862	1.54%	5.28	24.8	0.8	1.5	4.37	2.0
Thick	Heinz	H5702			X	3,737	1.49%	4.96	24.3	0.6	1.5	4.38	3.5
Thick	Harris Moran	CXD282		X		3,377	1.34%	4.78	24.2	1.1	2.8	4.35	1.5
Thick	Heinz	H9663				2,785	1.11%	4.82	24.0	1.8	3.8	4.39	3.6
Thick	Nunhems	N6410			X	2,272	0.90%	5.15	25.4	1.3	1.6	4.35	1.4
Thick	Nunhems	N6385	X			1,258	0.50%	4.83	23.4	2.0	1.5	4.45	1.1
Thick	United Genetics	UG18806			X	1,036	0.41%	4.98	25.7	1.4	1.3	4.34	1.4

2014 California Processing Tomato

Variety Use Category Detail

Based on PTAB Reports W/E 10/25/14

Category	Supplier	Variety	TSW	F3	EFS	Total Loads	% of Loads	Solids	Color	LU	Mold	pH	Green
Thick	United Genetics	UG19306			X	238	0.09%	5.03	23.6	0.5	6.7	4.40	1.5
Thick	Heinz	H5705				166	0.07%	4.59	23.4	2.5	1.4	4.45	2.2
Thick	Harris Moran	C322	X			133	0.05%	4.94	23.7	0.8	1.0	4.34	0.8
Thick	Nunhems	N6415	X		X	119	0.05%	5.14	23.8	0.5	1.4	4.32	1.2
Thick	Heinz	H1285	X			77	0.03%	5.31	24.2	0.3	0.2	4.25	0.7
Thick	Heinz	H1310	X	X	X	72	0.03%	5.27	23.9	2.1	2.1	4.40	1.6
Thick	Heinz	H1311VHL™			X	31	0.01%	5.60	21.5	2.4	1.3	4.37	0.5
Thick	Heinz	H1308				22	0.01%	4.91	23.1	2.4	1.3	4.49	1.3
Thick	Keithly Williams	K2930				14	0.01%	5.51	23.1	1.5	1.7	4.48	0.6
Thick	United Genetics	UG19210	X			10	0.00%	5.41	24.7	2.1	3.1	4.39	2.2
Thick	United Genetics	UG18510	X		X	4	0.00%	5.25	26.5	2.8	1.4	4.39	1.4
Thick	Heinz	H1422		X	X	1	0.00%	5.70	25.0	1.5	0.0	4.49	0.0
Thick Total						251,553	100.00%	4.93	24.5	0.9	1.4	4.33	2.5
Pear	Heinz	H1292	X			5,139	34.36%	5.42	22.4	2.0	1.1	4.45	1.3
Pear	Harris Moran	HM7885				4,843	32.38%	5.01	23.9	0.7	0.7	4.53	0.7
Pear	Heinz	H2601				1,475	9.86%	4.95	24.2	1.7	0.7	4.41	1.2
Pear	Heinz	H1293	X			1,184	7.92%	5.63	23.6	0.8	1.0	4.48	1.5
Pear	Seminis	HP108				1,065	7.12%	5.18	26.1	2.3	1.5	4.42	1.1
Pear	Orsetti	BOS67212				485	3.24%	5.17	22.9	3.5	2.2	4.42	1.1
Pear	Syngenta	1570				476	3.18%	4.93	25.0	3.8	1.0	4.44	1.9
Pear	Nunhems	N6420	X			285	1.91%	5.09	24.5	1.2	1.7	4.45	1.4
Pear	United Genetics	CAL MARZANO 2				5	0.03%	5.26	27.0	3.8	1.2	4.35	0.6
Pear Total						14,957	100.00%	5.21	23.6	1.6	1.0	4.47	1.1
Misc Total						3,035	100.00%	5.13	25.8	3.4	2.0	4.39	5.9
TOTAL	ALL					552,720	100.00%	5.15	24.3	1.4	1.2	4.36	2.0

Note: Thin Viscosity - Juice Bostwick > 18.99, Intermediate Viscosity - Juice Bostwick 16.01 - 18.99, Thick Viscosity - Juice Bostwick < 16.01



2014 California Processing Tomato Supplier Detail

Based on PTAB Reports W/E 10/25/14

Supplier	Variety	Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Color	LU	Mold	pH	Green
BHN Seed	BP2	Thin	X	X		110	78.01%	4.93	24.7	1.9	1.3	4.46	1.0
BHN Seed	BP1	Early				31	21.99%	5.16	24.3	1.2	0.1	4.33	0.7
BHN Seed Total						141	100.00%	4.98	24.6	1.7	1.1	4.43	0.9
Harris Moran	HM1892	Intermediate			X	12,449	25.43%	5.24	24.2	1.3	1.3	4.39	1.8
Harris Moran	HM9905	Intermediate			X	10,140	20.71%	4.88	25.1	0.8	1.0	4.40	2.1
Harris Moran	CXD187	Early				8,775	17.92%	4.89	24.4	2.2	0.3	4.40	2.1
Harris Moran	CXD255	Intermediate				5,639	11.52%	5.12	24.6	1.4	1.5	4.36	0.8
Harris Moran	HM7885	Pear				4,843	9.89%	5.01	23.9	0.7	0.7	4.53	0.7
Harris Moran	CXD282	Thick		X		3,377	6.90%	4.78	24.2	1.1	2.8	4.35	1.5
Harris Moran	Shasta	Early				1,880	3.84%	5.48	25.0	2.6	0.3	4.27	1.1
Harris Moran	HM1893	Early	X			1,242	2.54%	5.09	24.9	2.5	0.5	4.31	0.7
Harris Moran	HM7883	Thin			X	308	0.63%	4.95	24.4	1.2	1.1	4.49	0.7
Harris Moran	C322	Thick	X			133	0.27%	4.94	23.7	0.8	1.0	4.34	0.8
Harris Moran	HM3888	Intermediate	X		X	97	0.20%	5.46	26.3	1.0	1.2	4.40	2.9
Harris Moran	HM3887	Intermediate	X			27	0.06%	5.37	25.8	0.8	1.3	4.34	1.4
Harris Moran	FM1115	Thin				23	0.05%	4.35	22.5	0.0	0.3	4.35	1.2
Harris Moran	HMX4895	Early	X			12	0.02%	4.93	25.3	4.7	0.2	4.38	0.8
Harris Moran	HM3884	Intermediate	X			9	0.02%	5.72	25.6	1.3	3.0	4.38	1.2
Harris Moran	HM3885	Intermediate	X		X	6	0.01%	4.83	25.0	1.8	6.4	4.36	3.3
Harris Moran Total						48,960	100.00%	5.04	24.5	1.4	1.1	4.39	1.6
Heinz	H8504	Thick			X	77,594	29.47%	4.99	24.7	0.8	0.9	4.29	3.1
Heinz	H5608	Thick	X			56,101	21.31%	4.94	23.4	1.2	1.9	4.39	2.1
Heinz	H2401	Thick			X	28,800	10.94%	4.87	25.5	0.9	1.8	4.29	2.7
Heinz	H5508	Thick	X		X	21,293	8.09%	4.45	25.2	0.5	0.9	4.30	1.8
Heinz	H4707	Thick			X	13,858	5.26%	4.97	25.5	0.8	1.3	4.35	2.8
Heinz	H1015	Early			X	12,880	4.89%	5.21	23.4	1.0	0.4	4.43	1.7
Heinz	H3402	Intermediate			X	8,228	3.13%	5.04	24.6	0.7	0.8	4.40	3.2
Heinz	H1175	Thick			X	8,096	3.08%	4.74	23.7	0.5	1.6	4.42	2.5
Heinz	H9780	Thick			X	5,321	2.02%	5.10	24.7	1.9	1.3	4.31	1.7
Heinz	H1292	Pear	X			5,139	1.95%	5.42	22.4	2.0	1.1	4.45	1.3
Heinz	H5701	Thick			X	3,926	1.49%	4.70	25.4	0.8	1.9	4.33	2.9
Heinz	H1170	Thick			X	3,862	1.47%	5.28	24.8	0.8	1.5	4.37	2.0
Heinz	H5702	Thick			X	3,737	1.42%	4.96	24.3	0.6	1.5	4.38	3.5
Heinz	H1161	Thin				3,538	1.34%	5.79	24.5	1.9	1.1	4.32	1.4
Heinz	H9663	Thick				2,785	1.06%	4.82	24.0	1.8	3.8	4.39	3.6
Heinz	H9491	Intermediate				1,484	0.56%	5.05	23.3	1.9	0.6	4.32	1.9
Heinz	H2601	Pear				1,475	0.56%	4.95	24.2	1.7	0.7	4.41	1.2
Heinz	H1293	Pear	X			1,184	0.45%	5.63	23.6	0.8	1.0	4.48	1.5
Heinz	H8004	Intermediate			X	1,160	0.44%	5.15	23.7	1.0	1.5	4.39	2.3
Heinz	H5003	Early				1,022	0.39%	5.15	23.7	4.2	0.7	4.49	1.7
Heinz	Misc	Misc				431	0.16%	4.92	24.2	1.2	2.0	4.37	2.3
Heinz	H9665	Intermediate			X	367	0.14%	4.99	25.0	0.5	1.1	4.26	1.6
Heinz	H1301	Early			X	176	0.07%	5.05	26.4	0.9	0.1	4.45	2.0
Heinz	H5705	Thick				166	0.06%	4.59	23.4	2.5	1.4	4.45	2.2
Heinz	H1304	Intermediate		X		130	0.05%	5.51	24.3	5.0	2.1	4.41	1.7
Heinz	H9494	Intermediate				87	0.03%	5.06	25.1	2.1	3.2	4.45	3.7
Heinz	H9280	Early				82	0.03%	4.46	27.0	1.9	0.7	4.37	3.0
Heinz	H1285	Thick	X			77	0.03%	5.31	24.2	0.3	0.2	4.25	0.7
Heinz	H1310	Thick	X	X	X	72	0.03%	5.27	23.9	2.1	2.1	4.40	1.6

2014 California Processing Tomato Supplier Detail

Based on PTAB Reports W/E 10/25/14


Supplier	Variety	Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Color	LU	Mold	pH	Green
Heinz	H2005	Intermediate				63	0.02%	5.45	24.4	2.9	1.1	4.37	0.4
Heinz	H1311VHL™	Thick			X	31	0.01%	5.60	21.5	2.4	1.3	4.37	0.5
Heinz	H1296	Thin				29	0.01%	5.40	24.1	2.6	2.2	4.33	0.7
Heinz	H9995	Intermediate			X	27	0.01%	4.82	24.7	0.6	0.4	4.40	0.4
Heinz	H1308	Thick				22	0.01%	4.91	23.1	2.4	1.3	4.49	1.3
Heinz	H1425	Thin		X	X	10	0.00%	4.89	23.5	2.7	0.6	4.50	1.9
Heinz	H1427	Intermediate	X	X		7	0.00%	5.01	22.7	2.9	0.9	4.46	1.4
Heinz	H1422	Thick		X	X	1	0.00%	5.70	25.0	1.5	0.0	4.49	0.0
Heinz Total						263,261	100.00%	4.95	24.4	1.0	1.3	4.34	2.5
Keithly Williams	K2770	Early				918	72.97%	5.18	24.6	1.7	0.1	4.31	1.7
Keithly Williams	K2769	Early				326	25.91%	5.09	25.9	1.0	0.1	4.32	2.4
Keithly Williams	K2930	Thick				14	1.11%	5.51	23.1	1.5	1.7	4.48	0.6
Keithly Williams Total						1,258	100.00%	5.16	24.9	1.5	0.1	4.31	1.9
Misc Total						3,663	100.00%	5.06	25.7	3.5	1.8	4.39	5.1
Nunhems	N6366	Thin				45,708	36.14%	5.49	24.0	2.0	0.7	4.38	1.4
Nunhems	N6404	Intermediate	X			23,012	18.20%	5.17	24.3	2.2	1.7	4.41	2.1
Nunhems	N6397	Early				16,777	13.27%	5.22	23.7	1.4	0.6	4.41	1.8
Nunhems	N6402	Thin	X			14,998	11.86%	5.45	23.7	1.6	0.9	4.40	1.1
Nunhems	N6407	Thin	X		X	7,653	6.05%	5.12	25.3	0.9	1.3	4.32	0.9
Nunhems	N6394	Intermediate	X			5,714	4.52%	5.54	23.2	2.4	0.8	4.44	2.0
Nunhems	N6117	Early				2,840	2.25%	5.18	24.0	3.4	0.3	4.36	1.0
Nunhems	N6416	Early	X			2,451	1.94%	5.14	24.4	1.5	0.2	4.32	1.9
Nunhems	N6410	Thick			X	2,272	1.80%	5.15	25.4	1.3	1.6	4.35	1.4
Nunhems	N6412	Early		X		1,435	1.13%	5.07	24.3	4.0	2.2	4.40	2.6
Nunhems	N6385	Thick	X			1,258	0.99%	4.83	23.4	2.0	1.5	4.45	1.1
Nunhems	U373	Early				1,006	0.80%	5.09	24.4	3.3	0.5	4.33	1.1
Nunhems	N6368	Thin			X	943	0.75%	5.57	22.7	1.1	2.6	4.40	0.6
Nunhems	N6420	Pear	X			285	0.23%	5.09	24.5	1.2	1.7	4.45	1.4
Nunhems	N6415	Thick	X		X	119	0.09%	5.14	23.8	0.5	1.4	4.32	1.2
Nunhems Total						126,471	100.00%	5.34	24.0	1.9	1.0	4.39	1.6
Orsetti	BOS66509	Early				4,108	77.57%	5.18	24.2	3.7	0.7	4.39	3.0
Orsetti	BOS602	Early				641	12.10%	5.51	23.1	3.2	0.5	4.38	2.0
Orsetti	BOS67212	Pear				485	9.16%	5.17	22.9	3.5	2.2	4.42	1.1
Orsetti	3155	Thin				33	0.62%	5.74	25.1	3.5	1.1	4.47	1.7
Orsetti	BOS93663	Misc				20	0.38%	5.92	20.9	2.0	2.3	4.30	0.6
Orsetti	BOS66509	Early				6	0.11%	5.33	23.8	3.7	0.2	4.37	0.5
Orsetti	BOS7040	Misc				3	0.06%	5.43	24.0	0.3	0.3	4.38	0.7
Orsetti Total						5,296	100.00%	5.22	5.2	5.2	5.2	5.22	5.2
Seminis	DRI319	Thin	X			27,897	41.50%	5.66	24.3	1.9	1.5	4.35	1.1
Seminis	AB0311	Thin	X			18,935	28.17%	5.72	23.2	1.5	1.7	4.34	1.6
Seminis	APT410	Early				5,776	8.59%	5.08	24.2	2.7	0.4	4.38	1.5
Seminis	AB2	Thin				5,133	7.64%	5.35	24.4	2.3	1.4	4.32	1.3
Seminis	HP849	Intermediate			X	3,380	5.03%	4.78	24.3	1.0	2.2	4.34	0.6
Seminis	AB3	Thin				1,919	2.85%	5.31	24.6	1.9	1.8	4.35	1.8
Seminis	SV0599TM	Early				1,429	2.13%	5.13	26.6	1.2	0.4	4.37	1.1
Seminis	PS650	Intermediate			X	1,152	1.71%	5.31	24.9	1.6	1.3	4.37	0.7
Seminis	HP108	Pear				1,065	1.58%	5.18	26.1	2.3	1.5	4.42	1.1
Seminis	HP816	Early				159	0.24%	5.43	26.7	7.3	0.7	4.40	2.7
Seminis	PS002	Intermediate	X			137	0.20%	5.34	22.6	3.2	0.8	4.39	0.4

2014 California Processing Tomato Supplier Detail

Based on PTAB Reports W/E 10/25/14

Supplier	Variety	Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Color	LU	Mold	pH	Green
Seminis	SV8232TM	Intermediate	X	X		112	0.17%	5.60	23.3	3.8	1.8	4.37	0.8
Seminis	PX299	Thin		X		71	0.11%	4.87	24.1	3.7	5.4	4.43	0.7
Seminis	SV8516TM	Intermediate	X			46	0.07%	5.63	23.2	3.8	1.5	4.47	0.4
Seminis	SV9916TM	Intermediate				16	0.02%	5.38	23.7	0.9	1.2	4.41	1.1
Seminis Total						67,227	100.00%	5.52	24.1	1.9	1.5	4.35	1.3
United Genetics	UG19406	Thick			X	17,350	87.97%	5.37	24.1	0.8	1.5	4.28	1.9
United Genetics	UG16609	Intermediate	X			1,073	5.44%	5.30	24.2	2.3	1.0	4.33	0.9
United Genetics	UG18806	Thick			X	1,036	5.25%	4.98	25.7	1.4	1.3	4.34	1.4
United Genetics	UG19306	Thick			X	238	1.21%	5.03	23.6	0.5	6.7	4.40	1.5
United Genetics	UG19210	Thick	X			10	0.05%	5.41	24.7	2.1	3.1	4.39	2.2
United Genetics	UG10109	Misc	X			6	0.03%	5.13	27.3	2.5	0.3	4.43	1.0
United Genetics	CAL MARZANO 2	Pear				5	0.03%	5.26	27.0	3.8	1.2	4.35	0.6
United Genetics	UG18510	Thick	X		X	4	0.02%	5.25	26.5	2.8	1.4	4.39	1.4
United Genetics Total						19,722	100.00%	5.34	24.2	0.9	1.5	4.29	1.8
Woodbridge	BQ205	Thin				6,181	36.97%	5.56	24.5	2.0	1.2	4.33	1.3
Woodbridge	BQ206	Thin				5,089	30.44%	5.35	24.9	1.8	1.2	4.32	1.1
Woodbridge	BQ163	Thin				2,754	16.47%	6.01	23.6	3.4	0.5	4.35	1.6
Woodbridge	BQ273	Early	X			836	5.00%	5.39	24.3	1.7	0.2	4.31	1.5
Woodbridge	BQ204	Early				746	4.46%	5.16	24.9	1.2	0.0	4.32	0.9
Woodbridge	BQ296	Thin	X			484	2.89%	5.58	23.9	2.2	2.0	4.37	1.3
Woodbridge	BQ268	Intermediate				306	1.83%	5.49	24.5	1.7	1.7	4.35	2.2
Woodbridge	BQ292	Intermediate	X			239	1.43%	5.24	23.6	2.4	3.2	4.43	1.2
Woodbridge	BQ312	Intermediate	X			49	0.29%	5.48	22.7	2.0	2.1	4.41	2.4
Woodbridge	BQ313	Thin	X			22	0.13%	4.97	24.1	3.1	1.3	4.43	0.9
Woodbridge	BQ142	Intermediate	X	X		8	0.05%	4.66	24.9	3.9	2.8	4.44	2.9
Woodbridge	BQ416	Intermediate	X			5	0.03%	5.38	25.6	3.0	1.2	4.41	2.5
Woodbridge Total						16,719	100.00%	5.54	24.4	2.1	1.0	4.33	1.3
Grand Total						552,718	100.00%	5.15	24.3	1.4	1.2	4.36	2.0

Note: Thin Viscosity - Juice Bostwick > 18.99, Intermediate Viscosity - Juice Bostwick 16.01 - 18.99, Thick Viscosity - Juice Bostwick < 16.01



2014 California Processing Tomato

Solids Sort (High to Low) > 1,500 Loads

Based on PTAB Reports W/E 10/25/14

Variety	Supplier	Category	TSW	F3	EFS	Total Loads	Solids	Color	LU	Mold	pH	Green
BQ163	Woodbridge	Thin				2,754	6.01	23.6	3.4	0.5	4.35	1.6
H1161	Heinz	Thin				3,538	5.79	24.5	1.9	1.1	4.32	1.4
AB0311	Seminis	Thin	X			18,935	5.72	23.2	1.5	1.7	4.34	1.6
DRI319	Seminis	Thin	X			27,897	5.66	24.3	1.9	1.5	4.35	1.1
BQ205	Woodbridge	Thin				6,181	5.56	24.5	2.0	1.2	4.33	1.3
N6394	Nunhems	Intermediate	X			5,714	5.54	23.2	2.4	0.8	4.44	2.0
N6366	Nunhems	Thin				45,708	5.49	24.0	2.0	0.7	4.38	1.4
Shasta	Harris Moran	Early				1,880	5.48	25.0	2.6	0.3	4.27	1.1
N6402	Nunhems	Thin	X			14,998	5.45	23.7	1.6	0.9	4.40	1.1
H1292	Heinz	Pear	X			5,139	5.42	22.4	2.0	1.1	4.45	1.3
UG19406	United Genetics	Thick			X	17,350	5.37	24.1	0.8	1.5	4.28	1.9
BQ206	Woodbridge	Thin				5,089	5.35	24.9	1.8	1.2	4.32	1.1
AB2	Seminis	Thin				5,133	5.35	24.4	2.3	1.4	4.32	1.3
AB3	Seminis	Thin				1,919	5.31	24.6	1.9	1.8	4.35	1.8
H1170	Heinz	Thick			X	3,862	5.28	24.8	0.8	1.5	4.37	2.0
HM1892	Harris Moran	Intermediate			X	12,449	5.24	24.2	1.3	1.3	4.39	1.8
N6397	Nunhems	Early				16,777	5.22	23.7	1.4	0.6	4.41	1.8
H1015	Heinz	Early			X	12,880	5.21	23.4	1.0	0.4	4.43	1.7
N6117	Nunhems	Early				2,840	5.18	24.0	3.4	0.3	4.36	1.0
BOS66509	Orsetti	Early				4,108	5.18	24.2	3.7	0.7	4.39	3.0
N6404	Nunhems	Intermediate	X			23,012	5.17	24.3	2.2	1.7	4.41	2.1
N6410	Nunhems	Thick			X	2,272	5.15	25.4	1.3	1.6	4.35	1.4
N6416	Nunhems	Early	X			2,451	5.14	24.4	1.5	0.2	4.32	1.9
CXD255	Harris Moran	Intermediate				5,639	5.12	24.6	1.4	1.5	4.36	0.8
N6407	Nunhems	Thin	X		X	7,653	5.12	25.3	0.9	1.3	4.32	0.9
H9780	Heinz	Thick			X	5,321	5.10	24.7	1.9	1.3	4.31	1.7
APT410	Seminis	Early				5,776	5.08	24.2	2.7	0.4	4.38	1.5
H3402	Heinz	Intermediate			X	8,228	5.04	24.6	0.7	0.8	4.40	3.2
HM7885	Harris Moran	Pear				4,843	5.01	23.9	0.7	0.7	4.53	0.7
H8504	Heinz	Thick			X	77,594	4.99	24.7	0.8	0.9	4.29	3.1
H4707	Heinz	Thick			X	13,858	4.97	25.5	0.8	1.3	4.35	2.8
H5702	Heinz	Thick			X	3,737	4.96	24.3	0.6	1.5	4.38	3.5
H5608	Heinz	Thick	X			56,101	4.94	23.4	1.2	1.9	4.39	2.1
CXD187	Harris Moran	Early				8,775	4.89	24.4	2.2	0.3	4.40	2.1
HM9905	Harris Moran	Intermediate			X	10,140	4.88	25.1	0.8	1.0	4.40	2.1
H2401	Heinz	Thick			X	28,800	4.87	25.5	0.9	1.8	4.29	2.7
H9663	Heinz	Thick				2,785	4.82	24.0	1.8	3.8	4.39	3.6
CXD282	Harris Moran	Thick		X		3,377	4.78	24.2	1.1	2.8	4.35	1.5
HP849	Seminis	Intermediate			X	3,380	4.78	24.3	1.0	2.2	4.34	0.6
H1175	Heinz	Thick			X	8,096	4.74	23.7	0.5	1.6	4.42	2.5
H5701	Heinz	Thick			X	3,926	4.70	25.4	0.8	1.9	4.33	2.9
H5508	Heinz	Thick	X		X	21,293	4.45	25.2	0.5	0.9	4.30	1.8

Note: Thin Viscosity - Juice Bostwick > 18.99, Intermediate Viscosity - Juice Bostwick 16.01 - 18.99, Thick Viscosity - Juice Bostwick < 16.01

2014 California Processing Tomato

Color Sort (Low to High) > 1,500 Loads

Based on PTAB Reports W/E 10/25/14

Variety	Supplier	Category	TSW	F3	EFS	Total Loads	Solids	Color	LU	Mold	pH	Green
H1292	Heinz	Pear	X			5,139	5.42	22.4	2.0	1.1	4.45	1.3
AB0311	Seminis	Thin	X			18,935	5.72	23.2	1.5	1.7	4.34	1.6
N6394	Nunhems	Intermediate	X			5,714	5.54	23.2	2.4	0.8	4.44	2.0
H1015	Heinz	Early			X	12,880	5.21	23.4	1.0	0.4	4.43	1.7
H5608	Heinz	Thick	X			56,101	4.94	23.4	1.2	1.9	4.39	2.1
BQ163	Woodbridge	Thin				2,754	6.01	23.6	3.4	0.5	4.35	1.6
N6402	Nunhems	Thin	X			14,998	5.45	23.7	1.6	0.9	4.40	1.1
N6397	Nunhems	Early				16,777	5.22	23.7	1.4	0.6	4.41	1.8
H1175	Heinz	Thick			X	8,096	4.74	23.7	0.5	1.6	4.42	2.5
HM7885	Harris Moran	Pear				4,843	5.01	23.9	0.7	0.7	4.53	0.7
N6366	Nunhems	Thin				45,708	5.49	24.0	2.0	0.7	4.38	1.4
H9663	Heinz	Thick				2,785	4.82	24.0	1.8	3.8	4.39	3.6
N6117	Nunhems	Early				2,840	5.18	24.0	3.4	0.3	4.36	1.0
UG19406	United Genetics	Thick			X	17,350	5.37	24.1	0.8	1.5	4.28	1.9
HM1892	Harris Moran	Intermediate			X	12,449	5.24	24.2	1.3	1.3	4.39	1.8
CXD282	Harris Moran	Thick		X		3,377	4.78	24.2	1.1	2.8	4.35	1.5
APT410	Seminis	Early				5,776	5.08	24.2	2.7	0.4	4.38	1.5
BOS66509	Orsetti	Early				4,108	5.18	24.2	3.7	0.7	4.39	3.0
HP849	Seminis	Intermediate			X	3,380	4.78	24.3	1.0	2.2	4.34	0.6
DRI319	Seminis	Thin	X			27,897	5.66	24.3	1.9	1.5	4.35	1.1
H5702	Heinz	Thick			X	3,737	4.96	24.3	0.6	1.5	4.38	3.5
N6404	Nunhems	Intermediate	X			23,012	5.17	24.3	2.2	1.7	4.41	2.1
CXD187	Harris Moran	Early				8,775	4.89	24.4	2.2	0.3	4.40	2.1
N6416	Nunhems	Early	X			2,451	5.14	24.4	1.5	0.2	4.32	1.9
AB2	Seminis	Thin				5,133	5.35	24.4	2.3	1.4	4.32	1.3
H1161	Heinz	Thin				3,538	5.79	24.5	1.9	1.1	4.32	1.4
BQ205	Woodbridge	Thin				6,181	5.56	24.5	2.0	1.2	4.33	1.3
CXD255	Harris Moran	Intermediate				5,639	5.12	24.6	1.4	1.5	4.36	0.8
H3402	Heinz	Intermediate			X	8,228	5.04	24.6	0.7	0.8	4.40	3.2
AB3	Seminis	Thin				1,919	5.31	24.6	1.9	1.8	4.35	1.8
H9780	Heinz	Thick			X	5,321	5.10	24.7	1.9	1.3	4.31	1.7
H8504	Heinz	Thick			X	77,594	4.99	24.7	0.8	0.9	4.29	3.1
H1170	Heinz	Thick			X	3,862	5.28	24.8	0.8	1.5	4.37	2.0
BQ206	Woodbridge	Thin				5,089	5.35	24.9	1.8	1.2	4.32	1.1
Shasta	Harris Moran	Early				1,880	5.48	25.0	2.6	0.3	4.27	1.1
HM9905	Harris Moran	Intermediate			X	10,140	4.88	25.1	0.8	1.0	4.40	2.1
H5508	Heinz	Thick	X		X	21,293	4.45	25.2	0.5	0.9	4.30	1.8
N6407	Nunhems	Thin	X		X	7,653	5.12	25.3	0.9	1.3	4.32	0.9
N6410	Nunhems	Thick			X	2,272	5.15	25.4	1.3	1.6	4.35	1.4
H5701	Heinz	Thick			X	3,926	4.70	25.4	0.8	1.9	4.33	2.9
H4707	Heinz	Thick			X	13,858	4.97	25.5	0.8	1.3	4.35	2.8
H2401	Heinz	Thick			X	28,800	4.87	25.5	0.9	1.8	4.29	2.7

Note: Thin Viscosity - Juice Bostwick > 18.99, Intermediate Viscosity - Juice Bostwick 16.01 - 18.99, Thick Viscosity - Juice Bostwick < 16.01

2014 California Processing Tomato

Limited Use Sort (Low to High) > 1,500 Loads

Based on PTAB Reports W/E 10/25/14

Variety	Supplier	Category	TSW	F3	EFS	Total Loads	Solids	Color	LU	Mold	pH	Green
H1175	Heinz	Thick			X	8,096	4.74	23.7	0.5	1.6	4.42	2.5
H5508	Heinz	Thick	X		X	21,293	4.45	25.2	0.5	0.9	4.30	1.8
H5702	Heinz	Thick			X	3,737	4.96	24.3	0.6	1.5	4.38	3.5
HM7885	Harris Moran	Pear				4,843	5.01	23.9	0.7	0.7	4.53	0.7
H3402	Heinz	Intermediate			X	8,228	5.04	24.6	0.7	0.8	4.40	3.2
H8504	Heinz	Thick			X	77,594	4.99	24.7	0.8	0.9	4.29	3.1
H5701	Heinz	Thick			X	3,926	4.70	25.4	0.8	1.9	4.33	2.9
H1170	Heinz	Thick			X	3,862	5.28	24.8	0.8	1.5	4.37	2.0
HM9905	Harris Moran	Intermediate			X	10,140	4.88	25.1	0.8	1.0	4.40	2.1
UG19406	United Genetics	Thick			X	17,350	5.37	24.1	0.8	1.5	4.28	1.9
H4707	Heinz	Thick			X	13,858	4.97	25.5	0.8	1.3	4.35	2.8
N6407	Nunhems	Thin	X		X	7,653	5.12	25.3	0.9	1.3	4.32	0.9
H2401	Heinz	Thick			X	28,800	4.87	25.5	0.9	1.8	4.29	2.7
H1015	Heinz	Early			X	12,880	5.21	23.4	1.0	0.4	4.43	1.7
HP849	Seminis	Intermediate			X	3,380	4.78	24.3	1.0	2.2	4.34	0.6
CXD282	Harris Moran	Thick		X		3,377	4.78	24.2	1.1	2.8	4.35	1.5
H5608	Heinz	Thick	X			56,101	4.94	23.4	1.2	1.9	4.39	2.1
N6410	Nunhems	Thick			X	2,272	5.15	25.4	1.3	1.6	4.35	1.4
HM1892	Harris Moran	Intermediate			X	12,449	5.24	24.2	1.3	1.3	4.39	1.8
N6397	Nunhems	Early				16,777	5.22	23.7	1.4	0.6	4.41	1.8
CXD255	Harris Moran	Intermediate				5,639	5.12	24.6	1.4	1.5	4.36	0.8
N6416	Nunhems	Early	X			2,451	5.14	24.4	1.5	0.2	4.32	1.9
AB0311	Seminis	Thin	X			18,935	5.72	23.2	1.5	1.7	4.34	1.6
N6402	Nunhems	Thin	X			14,998	5.45	23.7	1.6	0.9	4.40	1.1
BQ206	Woodbridge	Thin				5,089	5.35	24.9	1.8	1.2	4.32	1.1
H9663	Heinz	Thick				2,785	4.82	24.0	1.8	3.8	4.39	3.6
H1161	Heinz	Thin				3,538	5.79	24.5	1.9	1.1	4.32	1.4
AB3	Seminis	Thin				1,919	5.31	24.6	1.9	1.8	4.35	1.8
DRI319	Seminis	Thin	X			27,897	5.66	24.3	1.9	1.5	4.35	1.1
H9780	Heinz	Thick			X	5,321	5.10	24.7	1.9	1.3	4.31	1.7
N6366	Nunhems	Thin				45,708	5.49	24.0	2.0	0.7	4.38	1.4
H1292	Heinz	Pear	X			5,139	5.42	22.4	2.0	1.1	4.45	1.3
BQ205	Woodbridge	Thin				6,181	5.56	24.5	2.0	1.2	4.33	1.3
CXD187	Harris Moran	Early				8,775	4.89	24.4	2.2	0.3	4.40	2.1
N6404	Nunhems	Intermediate	X			23,012	5.17	24.3	2.2	1.7	4.41	2.1
AB2	Seminis	Thin				5,133	5.35	24.4	2.3	1.4	4.32	1.3
N6394	Nunhems	Intermediate	X			5,714	5.54	23.2	2.4	0.8	4.44	2.0
Shasta	Harris Moran	Early				1,880	5.48	25.0	2.6	0.3	4.27	1.1
APT410	Seminis	Early				5,776	5.08	24.2	2.7	0.4	4.38	1.5
BQ163	Woodbridge	Thin				2,754	6.01	23.6	3.4	0.5	4.35	1.6
N6117	Nunhems	Early				2,840	5.18	24.0	3.4	0.3	4.36	1.0
BOS66509	Orsetti	Early				4,108	5.18	24.2	3.7	0.7	4.39	3.0

Note: Thin Viscosity - Juice Bostwick > 18.99, Intermediate Viscosity - Juice Bostwick 16.01 - 18.99, Thick Viscosity - Juice Bostwick < 16.01

2014 California Processing Tomato

Mold Sort (Low to High) > 1,500 Loads

Based on PTAB Reports W/E 10/25/14

Variety	Supplier	Category	TSW	F3	EFS	Total Loads	Solids	Color	LU	Mold	pH	Green
N6416	Nunhems	Early	X			2,451	5.14	24.4	1.5	0.2	4.32	1.9
CXD187	Harris Moran	Early				8,775	4.89	24.4	2.2	0.3	4.40	2.1
Shasta	Harris Moran	Early				1,880	5.48	25.0	2.6	0.3	4.27	1.1
N6117	Nunhems	Early				2,840	5.18	24.0	3.4	0.3	4.36	1.0
APT410	Seminis	Early				5,776	5.08	24.2	2.7	0.4	4.38	1.5
H1015	Heinz	Early			X	12,880	5.21	23.4	1.0	0.4	4.43	1.7
BQ163	Woodbridge	Thin				2,754	6.01	23.6	3.4	0.5	4.35	1.6
N6397	Nunhems	Early				16,777	5.22	23.7	1.4	0.6	4.41	1.8
HM7885	Harris Moran	Pear				4,843	5.01	23.9	0.7	0.7	4.53	0.7
BOS66509	Orsetti	Early				4,108	5.18	24.2	3.7	0.7	4.39	3.0
N6366	Nunhems	Thin				45,708	5.49	24.0	2.0	0.7	4.38	1.4
N6394	Nunhems	Intermediate	X			5,714	5.54	23.2	2.4	0.8	4.44	2.0
H3402	Heinz	Intermediate			X	8,228	5.04	24.6	0.7	0.8	4.40	3.2
H5508	Heinz	Thick	X		X	21,293	4.45	25.2	0.5	0.9	4.30	1.8
N6402	Nunhems	Thin	X			14,998	5.45	23.7	1.6	0.9	4.40	1.1
H8504	Heinz	Thick			X	77,594	4.99	24.7	0.8	0.9	4.29	3.1
HM9905	Harris Moran	Intermediate			X	10,140	4.88	25.1	0.8	1.0	4.40	2.1
H1161	Heinz	Thin				3,538	5.79	24.5	1.9	1.1	4.32	1.4
H1292	Heinz	Pear	X			5,139	5.42	22.4	2.0	1.1	4.45	1.3
BQ205	Woodbridge	Thin				6,181	5.56	24.5	2.0	1.2	4.33	1.3
BQ206	Woodbridge	Thin				5,089	5.35	24.9	1.8	1.2	4.32	1.1
N6407	Nunhems	Thin	X		X	7,653	5.12	25.3	0.9	1.3	4.32	0.9
HM1892	Harris Moran	Intermediate			X	12,449	5.24	24.2	1.3	1.3	4.39	1.8
H4707	Heinz	Thick			X	13,858	4.97	25.5	0.8	1.3	4.35	2.8
H9780	Heinz	Thick			X	5,321	5.10	24.7	1.9	1.3	4.31	1.7
AB2	Seminis	Thin				5,133	5.35	24.4	2.3	1.4	4.32	1.3
H1170	Heinz	Thick			X	3,862	5.28	24.8	0.8	1.5	4.37	2.0
UG19406	United Genetics	Thick			X	17,350	5.37	24.1	0.8	1.5	4.28	1.9
CXD255	Harris Moran	Intermediate				5,639	5.12	24.6	1.4	1.5	4.36	0.8
DRI319	Seminis	Thin	X			27,897	5.66	24.3	1.9	1.5	4.35	1.1
H5702	Heinz	Thick			X	3,737	4.96	24.3	0.6	1.5	4.38	3.5
N6410	Nunhems	Thick			X	2,272	5.15	25.4	1.3	1.6	4.35	1.4
H1175	Heinz	Thick			X	8,096	4.74	23.7	0.5	1.6	4.42	2.5
AB0311	Seminis	Thin	X			18,935	5.72	23.2	1.5	1.7	4.34	1.6
N6404	Nunhems	Intermediate	X			23,012	5.17	24.3	2.2	1.7	4.41	2.1
H2401	Heinz	Thick			X	28,800	4.87	25.5	0.9	1.8	4.29	2.7
AB3	Seminis	Thin				1,919	5.31	24.6	1.9	1.8	4.35	1.8
H5701	Heinz	Thick			X	3,926	4.70	25.4	0.8	1.9	4.33	2.9
H5608	Heinz	Thick	X			56,101	4.94	23.4	1.2	1.9	4.39	2.1
HP849	Seminis	Intermediate			X	3,380	4.78	24.3	1.0	2.2	4.34	0.6
CXD282	Harris Moran	Thick		X		3,377	4.78	24.2	1.1	2.8	4.35	1.5
H9663	Heinz	Thick				2,785	4.82	24.0	1.8	3.8	4.39	3.6

Note: Thin Viscosity - Juice Bostwick > 18.99, Intermediate Viscosity - Juice Bostwick 16.01 - 18.99, Thick Viscosity - Juice Bostwick < 16.01

2014 California Processing Tomato

pH Sort (Low to High) > 1,500 Loads

Based on PTAB Reports W/E 10/25/14

Variety	Supplier	Category	TSW	F3	EFS	Total Loads	Solids	Color	LU	Mold	pH	Green
Shasta	Harris Moran	Early				1,880	5.48	25.0	2.6	0.3	4.27	1.1
UG19406	United Genetics	Thick			X	17,350	5.37	24.1	0.8	1.5	4.28	1.9
H8504	Heinz	Thick			X	77,594	4.99	24.7	0.8	0.9	4.29	3.1
H2401	Heinz	Thick			X	28,800	4.87	25.5	0.9	1.8	4.29	2.7
H5508	Heinz	Thick	X		X	21,293	4.45	25.2	0.5	0.9	4.30	1.8
H9780	Heinz	Thick			X	5,321	5.10	24.7	1.9	1.3	4.31	1.7
AB2	Seminis	Thin				5,133	5.35	24.4	2.3	1.4	4.32	1.3
N6416	Nunhems	Early	X			2,451	5.14	24.4	1.5	0.2	4.32	1.9
BQ206	Woodbridge	Thin				5,089	5.35	24.9	1.8	1.2	4.32	1.1
H1161	Heinz	Thin				3,538	5.79	24.5	1.9	1.1	4.32	1.4
N6407	Nunhems	Thin	X		X	7,653	5.12	25.3	0.9	1.3	4.32	0.9
BQ205	Woodbridge	Thin				6,181	5.56	24.5	2.0	1.2	4.33	1.3
H5701	Heinz	Thick			X	3,926	4.70	25.4	0.8	1.9	4.33	2.9
AB0311	Seminis	Thin	X			18,935	5.72	23.2	1.5	1.7	4.34	1.6
HP849	Seminis	Intermediate			X	3,380	4.78	24.3	1.0	2.2	4.34	0.6
AB3	Seminis	Thin				1,919	5.31	24.6	1.9	1.8	4.35	1.8
CXD282	Harris Moran	Thick		X		3,377	4.78	24.2	1.1	2.8	4.35	1.5
BQ163	Woodbridge	Thin				2,754	6.01	23.6	3.4	0.5	4.35	1.6
DRI319	Seminis	Thin	X			27,897	5.66	24.3	1.9	1.5	4.35	1.1
N6410	Nunhems	Thick			X	2,272	5.15	25.4	1.3	1.6	4.35	1.4
H4707	Heinz	Thick			X	13,858	4.97	25.5	0.8	1.3	4.35	2.8
CXD255	Harris Moran	Intermediate				5,639	5.12	24.6	1.4	1.5	4.36	0.8
N6117	Nunhems	Early				2,840	5.18	24.0	3.4	0.3	4.36	1.0
H1170	Heinz	Thick			X	3,862	5.28	24.8	0.8	1.5	4.37	2.0
H5702	Heinz	Thick			X	3,737	4.96	24.3	0.6	1.5	4.38	3.5
APT410	Seminis	Early				5,776	5.08	24.2	2.7	0.4	4.38	1.5
N6366	Nunhems	Thin				45,708	5.49	24.0	2.0	0.7	4.38	1.4
H5608	Heinz	Thick	X			56,101	4.94	23.4	1.2	1.9	4.39	2.1
H9663	Heinz	Thick				2,785	4.82	24.0	1.8	3.8	4.39	3.6
HM1892	Harris Moran	Intermediate			X	12,449	5.24	24.2	1.3	1.3	4.39	1.8
BOS66509	Orsetti	Early				4,108	5.18	24.2	3.7	0.7	4.39	3.0
HM9905	Harris Moran	Intermediate			X	10,140	4.88	25.1	0.8	1.0	4.40	2.1
H3402	Heinz	Intermediate			X	8,228	5.04	24.6	0.7	0.8	4.40	3.2
N6402	Nunhems	Thin	X			14,998	5.45	23.7	1.6	0.9	4.40	1.1
CXD187	Harris Moran	Early				8,775	4.89	24.4	2.2	0.3	4.40	2.1
N6404	Nunhems	Intermediate	X			23,012	5.17	24.3	2.2	1.7	4.41	2.1
N6397	Nunhems	Early				16,777	5.22	23.7	1.4	0.6	4.41	1.8
H1175	Heinz	Thick			X	8,096	4.74	23.7	0.5	1.6	4.42	2.5
H1015	Heinz	Early			X	12,880	5.21	23.4	1.0	0.4	4.43	1.7
N6394	Nunhems	Intermediate	X			5,714	5.54	23.2	2.4	0.8	4.44	2.0
H1292	Heinz	Pear	X			5,139	5.42	22.4	2.0	1.1	4.45	1.3
HM7885	Harris Moran	Pear				4,843	5.01	23.9	0.7	0.7	4.53	0.7

Note: Thin Viscosity - Juice Bostwick > 18.99, Intermediate Viscosity - Juice Bostwick 16.01 - 18.99, Thick Viscosity - Juice Bostwick < 16.01

2014 California Processing Tomato

Green Sort (Low to High) > 1,500 Loads

Based on PTAB Reports W/E 10/25/14

Variety	Supplier	Category	TSW	F3	EFS	Total Loads	Solids	Color	LU	Mold	pH	Green
HP849	Seminis	Intermediate			X	3,380	4.78	24.3	1.0	2.2	4.34	0.6
HM7885	Harris Moran	Pear				4,843	5.01	23.9	0.7	0.7	4.53	0.7
CXD255	Harris Moran	Intermediate				5,639	5.12	24.6	1.4	1.5	4.36	0.8
N6407	Nunhems	Thin	X		X	7,653	5.12	25.3	0.9	1.3	4.32	0.9
N6117	Nunhems	Early				2,840	5.18	24.0	3.4	0.3	4.36	1.0
N6402	Nunhems	Thin	X			14,998	5.45	23.7	1.6	0.9	4.40	1.1
DRI319	Seminis	Thin	X			27,897	5.66	24.3	1.9	1.5	4.35	1.1
BQ206	Woodbridge	Thin				5,089	5.35	24.9	1.8	1.2	4.32	1.1
Shasta	Harris Moran	Early				1,880	5.48	25.0	2.6	0.3	4.27	1.1
BQ205	Woodbridge	Thin				6,181	5.56	24.5	2.0	1.2	4.33	1.3
AB2	Seminis	Thin				5,133	5.35	24.4	2.3	1.4	4.32	1.3
H1292	Heinz	Pear	X			5,139	5.42	22.4	2.0	1.1	4.45	1.3
N6410	Nunhems	Thick			X	2,272	5.15	25.4	1.3	1.6	4.35	1.4
H1161	Heinz	Thin				3,538	5.79	24.5	1.9	1.1	4.32	1.4
N6366	Nunhems	Thin				45,708	5.49	24.0	2.0	0.7	4.38	1.4
CXD282	Harris Moran	Thick		X		3,377	4.78	24.2	1.1	2.8	4.35	1.5
APT410	Seminis	Early				5,776	5.08	24.2	2.7	0.4	4.38	1.5
AB0311	Seminis	Thin	X			18,935	5.72	23.2	1.5	1.7	4.34	1.6
BQ163	Woodbridge	Thin				2,754	6.01	23.6	3.4	0.5	4.35	1.6
H1015	Heinz	Early			X	12,880	5.21	23.4	1.0	0.4	4.43	1.7
H9780	Heinz	Thick			X	5,321	5.10	24.7	1.9	1.3	4.31	1.7
AB3	Seminis	Thin				1,919	5.31	24.6	1.9	1.8	4.35	1.8
N6397	Nunhems	Early				16,777	5.22	23.7	1.4	0.6	4.41	1.8
HM1892	Harris Moran	Intermediate			X	12,449	5.24	24.2	1.3	1.3	4.39	1.8
H5508	Heinz	Thick	X		X	21,293	4.45	25.2	0.5	0.9	4.30	1.8
UG19406	United Genetics	Thick			X	17,350	5.37	24.1	0.8	1.5	4.28	1.9
N6416	Nunhems	Early	X			2,451	5.14	24.4	1.5	0.2	4.32	1.9
H1170	Heinz	Thick			X	3,862	5.28	24.8	0.8	1.5	4.37	2.0
N6394	Nunhems	Intermediate	X			5,714	5.54	23.2	2.4	0.8	4.44	2.0
CXD187	Harris Moran	Early				8,775	4.89	24.4	2.2	0.3	4.40	2.1
H5608	Heinz	Thick	X			56,101	4.94	23.4	1.2	1.9	4.39	2.1
HM9905	Harris Moran	Intermediate			X	10,140	4.88	25.1	0.8	1.0	4.40	2.1
N6404	Nunhems	Intermediate	X			23,012	5.17	24.3	2.2	1.7	4.41	2.1
H1175	Heinz	Thick			X	8,096	4.74	23.7	0.5	1.6	4.42	2.5
H2401	Heinz	Thick			X	28,800	4.87	25.5	0.9	1.8	4.29	2.7
H4707	Heinz	Thick			X	13,858	4.97	25.5	0.8	1.3	4.35	2.8
H5701	Heinz	Thick			X	3,926	4.70	25.4	0.8	1.9	4.33	2.9
BOS66509	Orsetti	Early				4,108	5.18	24.2	3.7	0.7	4.39	3.0
H8504	Heinz	Thick			X	77,594	4.99	24.7	0.8	0.9	4.29	3.1
H3402	Heinz	Intermediate			X	8,228	5.04	24.6	0.7	0.8	4.40	3.2
H5702	Heinz	Thick			X	3,737	4.96	24.3	0.6	1.5	4.38	3.5
H9663	Heinz	Thick				2,785	4.82	24.0	1.8	3.8	4.39	3.6

Note: Thin Viscosity - Juice Bostwick > 18.99, Intermediate Viscosity - Juice Bostwick 16.01 - 18.99, Thick Viscosity - Juice Bostwick < 16.01

2014 California Processing Tomato Solids History - Selected Counties

Solids

County	2010	2011	2012	2013	2014	5 Year Average
Colusa	5.09	5.03	4.99	4.96	4.71	4.96
Contra Costa	6.02	5.71	5.87	5.61	5.60	5.76
Fresno	5.45	5.30	5.21	5.35	5.44	5.35
Kern	5.01	5.02	4.88	4.95	5.08	4.99
Kings	5.25	5.25	5.27	5.24	5.20	5.24
Merced	5.47	5.20	5.13	5.23	5.12	5.23
Sacramento	5.11	5.25	5.15	5.14	4.96	5.12
San Joaquin	5.32	5.30	5.08	5.05	4.95	5.14
Solano	5.29	5.50	5.29	5.35	5.14	5.31
Stanislaus	5.52	5.43	5.18	5.30	5.20	5.33
Sutter	5.28	5.20	5.21	5.19	5.01	5.18
Yolo	5.30	5.32	5.08	5.09	4.85	5.13
State Average	5.34	5.27	5.17	5.22	5.15	5.23

% of State Average

County	2010	2011	2012	2013	2014	5 Year Average
Colusa	95.3%	95.4%	96.5%	95.0%	91.5%	95.4%
Contra Costa	112.7%	108.3%	113.5%	107.5%	108.7%	109.3%
Fresno	102.1%	100.6%	100.8%	102.5%	105.6%	101.7%
Kern	93.8%	95.3%	94.4%	94.8%	98.6%	94.8%
Kings	98.3%	99.6%	101.9%	100.4%	101.0%	100.5%
Merced	102.4%	98.7%	99.2%	100.2%	99.4%	100.2%
Sacramento	95.7%	99.6%	99.6%	98.5%	96.3%	97.9%
San Joaquin	99.6%	100.6%	98.3%	96.7%	96.1%	98.6%
Solano	99.1%	104.4%	102.3%	102.5%	99.8%	101.5%
Stanislaus	103.4%	103.0%	100.2%	101.5%	101.0%	101.6%
Sutter	98.9%	98.7%	100.8%	99.4%	97.3%	99.6%
Yolo	99.3%	100.9%	98.3%	97.5%	94.2%	98.7%
State Average	100.0%	100.0%	100.0%	100.0%	100.0%	100.0%

Note: 2014 based on W/E 10-25-14 PTAB Reports

