

2014 Processing Tomato Season
 PTAB Analysis (8/23/14) - County by Variety



County	Variety Name	Week Ending 8/23/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
COLUSA	6366, SUN	12	0.0	3.1	0.7	0.6	23.3	1.4	5.37	4.47	3,109	0.0	1.3	1.5	1.7	25.3	2.4	4.92	4.44
COLUSA	5608, HZ	1,370	0.0	5.4	2.1	1.8	24.7	1.0	4.44	4.42	2,214	0.0	4.3	2.1	2.0	24.5	0.9	4.50	4.41
COLUSA	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,046	0.0	0.6	2.7	1.2	24.1	1.3	5.08	4.46
COLUSA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,737	0.0	0.6	2.1	0.8	26.0	2.6	4.77	4.37
COLUSA	2401, HEINZ	714	0.0	2.8	3.3	1.6	26.6	0.9	4.46	4.31	1,576	0.0	3.0	4.0	1.5	26.9	0.9	4.38	4.31
COLUSA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,507	0.0	1.0	1.7	1.8	25.0	1.5	5.05	4.40
COLUSA	6397, N	6	0.0	1.7	0.8	1.6	22.8	0.6	5.82	4.45	1,063	0.0	1.2	1.2	0.8	24.9	1.3	4.82	4.47
COLUSA	4707, HEINZ	276	0.0	0.9	1.5	1.0	25.2	0.3	4.53	4.34	779	0.0	0.7	1.3	1.3	24.7	0.7	4.76	4.36
COLUSA	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	679	0.0	0.9	2.2	1.1	24.3	3.8	5.18	4.49
COLUSA	5701, HZ	329	0.0	2.8	1.7	1.7	26.2	0.8	4.45	4.35	450	0.0	2.5	2.0	1.6	26.2	0.7	4.57	4.34
COLUSA	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	423	0.0	1.0	4.7	1.3	28.2	3.9	4.89	4.39
COLUSA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	395	0.0	0.2	1.4	0.5	27.0	2.6	5.09	4.29
COLUSA	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	365	0.0	1.7	1.3	0.6	25.7	2.1	4.91	4.43
COLUSA	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	312	0.0	1.0	2.6	1.7	27.5	1.6	4.59	4.41
COLUSA	6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	281	0.0	1.5	1.8	1.1	24.3	6.2	4.95	4.44
COLUSA	0311, AB	26	0.0	11.2	0.9	0.1	23.2	1.4	4.82	4.39	277	0.0	4.8	0.9	0.4	23.6	1.7	4.92	4.43
COLUSA	0319, DRI	108	0.0	4.2	1.1	0.2	26.1	2.5	5.37	4.39	176	0.0	5.1	1.0	0.2	25.5	2.4	5.38	4.40
COLUSA	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	164	0.0	0.3	2.0	0.8	24.7	2.0	4.86	4.40
COLUSA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	164	0.0	0.5	2.0	0.3	25.7	1.0	4.81	4.34
COLUSA	816, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	159	0.0	0.7	2.7	0.9	26.7	7.3	5.43	4.40
COLUSA	66509, BOS	60	0.0	2.3	0.8	1.0	23.1	0.6	5.72	4.48	134	0.0	1.6	0.7	0.6	24.5	3.5	5.24	4.49
COLUSA	1170, HEINZ	20	0.0	2.0	2.7	0.1	26.4	0.7	4.94	4.40	128	0.0	0.7	1.0	0.1	26.6	1.4	4.70	4.42
COLUSA	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	125	0.0	5.0	4.9	1.7	26.6	1.8	4.85	4.43
COLUSA	1301, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	121	0.0	0.1	2.0	1.9	26.5	0.9	4.96	4.48
COLUSA	6404, N	96	0.0	4.2	0.2	0.1	24.2	1.5	4.66	4.46	105	0.0	4.0	0.2	0.1	24.1	1.4	4.71	4.46
COLUSA	282, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	97	0.0	3.2	1.6	2.3	26.7	0.8	4.41	4.35
COLUSA	9494, HEINZ	87	0.0	3.2	3.7	1.6	25.1	2.1	5.06	4.45	87	0.0	3.2	3.7	1.6	25.1	2.1	5.06	4.45
COLUSA	296, BQ	11	0.0	6.2	0.9	0.0	24.5	2.3	5.55	4.38	75	0.0	3.0	1.5	0.9	25.3	2.0	5.26	4.35
COLUSA	0299, PX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	6.0	0.8	0.1	24.4	3.4	4.96	4.42
COLUSA	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.2	1.5	0.5	26.3	1.3	4.96	4.29
COLUSA	313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.3	0.9	4.0	24.1	3.1	4.97	4.43
COLUSA	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	1.1	4.5	1.1	26.1	1.8	5.00	4.34
COLUSA	HEINZ TRIAL	13	0.0	1.8	5.4	1.0	29.3	0.4	4.16	4.31	13	0.0	1.8	5.4	1.0	29.3	0.4	4.16	4.31
COLUSA	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	0.3	0.4	1.1	23.5	3.0	5.15	4.43
COLUSA	3888, HMX	3	0.2	1.5	1.0	0.2	29.7	0.2	5.17	4.50	3	0.2	1.5	1.0	0.2	29.7	0.2	5.17	4.50
COLUSA	416, BQ	2	0.0	2.3	1.8	0.0	29.5	1.0	5.15	4.47	2	0.0	2.3	1.8	0.0	29.5	1.0	5.15	4.47
COLUSA	3887, HMX	2	0.0	4.0	1.3	0.0	29.0	0.3	4.65	4.35	2	0.0	4.0	1.3	0.0	29.0	0.3	4.65	4.35
COLUSA	8516, SV	2	0.0	2.5	0.8	0.0	26.0	1.8	4.85	4.30	2	0.0	2.5	0.8	0.0	26.0	1.8	4.85	4.30
COLUSA	9916, SV	2	0.0	1.5	1.0	0.0	24.5	0.3	5.15	4.47	2	0.0	1.5	1.0	0.0	24.5	0.3	5.15	4.47

2014 Processing Tomato Season
 PTAB Analysis (8/23/14) - County by Variety



County	Variety Name	Week Ending 8/23/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
COLUSA	31305, UG	2	0.0	5.5	0.8	0.3	24.5	2.5	4.65	4.56	2	0.0	5.5	0.8	0.3	24.5	2.5	4.65	4.56
COLUSA	MIX	1	0.0	3.0	2.5	0.0	29.0	1.0	4.70	4.32	1	0.0	3.0	2.5	0.0	29.0	1.0	4.70	4.32
COLUSA	6394, N	1	0.0	0.5	0.5	0.5	23.0	0.5	6.00	4.46	1	0.0	0.5	0.5	0.5	23.0	0.5	6.00	4.46
COLUSA		3,143	0.0	3.9	2.2	1.5	25.4	1.0	4.55	4.38	18,913	0.0	1.7	2.1	1.3	25.3	1.9	4.83	4.41
CONTRA COSTA	0311, AB	99	0.0	1.6	1.6	0.1	23.1	0.9	5.08	4.30	1,235	0.0	0.6	1.0	0.1	22.5	0.8	5.65	4.30
CONTRA COSTA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,189	0.0	0.1	0.7	0.2	23.4	0.9	5.97	4.31
CONTRA COSTA	0319, DRI	254	0.0	0.8	0.9	0.3	24.4	1.3	5.54	4.31	849	0.0	0.7	1.2	0.2	24.2	1.6	5.44	4.32
CONTRA COSTA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	540	0.0	0.1	0.6	0.2	23.3	1.2	5.47	4.30
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	323	0.0	0.1	0.7	0.1	23.3	1.4	6.11	4.24
CONTRA COSTA	6402, N	38	0.0	0.5	0.3	0.1	23.2	0.7	5.60	4.36	252	0.0	0.4	0.3	0.1	23.4	0.6	5.43	4.38
CONTRA COSTA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	223	0.0	0.2	0.8	0.1	22.0	0.6	5.21	4.38
CONTRA COSTA	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	214	0.0	0.2	0.8	0.3	22.7	1.0	5.18	4.26
CONTRA COSTA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	0.3	0.9	0.2	22.4	1.0	5.02	4.31
CONTRA COSTA	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	22.0	1.0	5.30	4.27
CONTRA COSTA	1292, HZ	1	0.0	0.5	0.0	0.5	23.0	1.0	5.80	4.34	1	0.0	0.5	0.0	0.5	23.0	1.0	5.80	4.34
CONTRA COSTA	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	0.0	21.0	1.0	5.30	4.48
CONTRA COSTA	6412, N	1	0.0	0.5	0.0	0.0	23.0	0.5	5.40	4.34	1	0.0	0.5	0.0	0.0	23.0	0.5	5.40	4.34
CONTRA COSTA		393	0.0	1.0	1.0	0.2	24.0	1.1	5.43	4.31	4,850	0.0	0.4	0.8	0.2	23.2	1.0	5.65	4.31
FRESNO	6366, SUN	154	0.0	1.1	1.1	0.4	24.3	3.6	5.44	4.47	17,241	0.0	0.5	1.5	0.6	23.4	2.0	5.77	4.38
FRESNO	5608, HZ	2,687	0.0	2.1	2.9	0.8	23.6	1.4	5.06	4.41	14,881	0.0	1.7	2.6	0.7	22.9	1.2	5.19	4.39
FRESNO	0311, AB	1,081	0.0	1.8	1.6	0.7	22.7	2.1	6.03	4.39	6,538	0.0	1.1	1.9	0.7	22.5	1.7	6.04	4.35
FRESNO	6404, N	972	0.0	2.3	1.4	0.6	23.2	2.7	5.46	4.47	6,154	0.0	1.2	2.0	0.7	23.6	2.0	5.51	4.42
FRESNO	6402, N	114	0.0	1.1	0.9	0.6	23.1	1.8	5.93	4.47	5,595	0.0	0.7	1.1	1.0	22.9	1.8	5.71	4.41
FRESNO	0319, DRI	991	0.0	1.5	1.2	0.3	23.7	1.9	5.91	4.39	5,527	0.0	1.3	1.0	0.3	23.5	1.7	5.89	4.38
FRESNO	1015, HEINZ	72	0.0	0.3	1.6	0.8	25.3	1.1	4.76	4.45	5,414	0.0	0.3	1.2	0.4	23.0	0.7	5.30	4.42
FRESNO	6397, N	91	0.0	1.1	2.3	1.1	25.8	1.1	4.97	4.47	4,945	0.0	0.4	2.0	0.9	23.2	1.1	5.45	4.39
FRESNO	6394, N	204	0.0	1.2	2.1	1.6	22.5	3.3	6.38	4.42	4,635	0.0	0.6	2.1	1.2	23.0	2.5	5.62	4.44
FRESNO	1292, HZ	527	0.0	1.8	1.2	0.3	22.2	1.7	5.38	4.45	2,849	0.0	1.1	1.2	0.5	22.0	1.8	5.54	4.47
FRESNO	7885, HMX	706	0.0	0.8	0.8	0.4	24.0	0.8	4.84	4.57	2,821	0.0	0.6	0.5	0.3	23.7	0.6	5.01	4.55
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,493	0.0	0.4	1.3	0.4	24.1	2.3	4.84	4.37
FRESNO	2401, HEINZ	768	0.0	1.2	3.5	0.3	25.3	1.0	4.98	4.33	2,408	0.0	1.8	2.9	0.4	24.4	0.9	5.02	4.31
FRESNO	4707, HEINZ	543	0.0	1.2	3.3	0.4	25.5	0.7	5.21	4.36	2,239	0.0	1.4	3.3	0.3	25.4	0.8	5.16	4.37
FRESNO	6117, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,156	0.0	0.4	0.9	0.3	23.6	3.5	5.23	4.36
FRESNO	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,136	0.0	1.1	1.5	0.5	23.5	1.9	5.75	4.31
FRESNO	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,906	0.0	1.0	2.7	1.4	24.0	4.2	5.29	4.38
FRESNO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,872	0.0	0.3	1.3	0.4	23.3	2.7	5.27	4.40
FRESNO	163, BQ	6	0.0	0.8	0.8	0.0	23.2	1.3	5.57	4.30	1,870	0.0	0.4	1.9	0.4	23.6	3.9	6.20	4.35
FRESNO	9663, HEINZ	800	0.0	3.5	4.3	0.2	23.5	2.2	5.07	4.41	1,729	0.0	4.2	4.0	0.3	23.4	1.9	5.01	4.40
FRESNO	19406, UG	49	0.0	1.1	2.5	0.4	25.9	2.0	5.54	4.33	1,721	0.0	0.6	1.8	0.6	23.3	0.6	5.90	4.28

2014 Processing Tomato Season
 PTAB Analysis (8/23/14) - County by Variety



County	Variety Name	Week Ending 8/23/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	255, CXD	788	0.0	2.2	0.8	0.4	23.4	1.6	5.52	4.37	1,695	0.0	2.0	0.5	0.3	23.2	1.4	5.33	4.37
FRESNO	205, BQ	293	0.0	1.3	0.8	0.2	24.1	1.5	5.64	4.33	1,628	0.0	0.8	0.8	0.3	23.6	1.6	5.74	4.32
FRESNO	3402, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,432	0.0	0.1	2.5	0.9	23.6	0.9	5.48	4.42
FRESNO	8504, HEINZ	898	0.0	2.6	2.8	0.2	23.4	0.8	5.19	4.31	1,383	0.0	1.8	3.0	0.2	23.6	0.8	5.24	4.31
FRESNO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,164	0.0	0.2	2.0	0.9	24.1	1.6	5.26	4.32
FRESNO	3, AB	146	0.0	2.3	1.1	0.2	25.0	2.6	4.90	4.34	1,041	0.0	1.1	1.3	0.3	23.9	2.0	5.40	4.32
FRESNO	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,006	0.0	0.5	1.1	0.4	24.4	3.3	5.09	4.33
FRESNO	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	994	0.0	0.4	1.6	0.2	23.3	1.5	5.11	4.31
FRESNO	1161, HEINZ	1	0.0	5.0	1.0	0.5	23.0	1.5	5.70	4.33	900	0.0	0.7	1.7	0.5	23.6	2.4	6.40	4.35
FRESNO	2601, HEINZ	4	0.0	0.0	2.3	0.1	28.0	0.0	5.00	4.37	805	0.0	0.4	1.0	0.3	24.0	1.4	5.12	4.44
FRESNO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	741	0.0	0.2	1.5	0.3	24.2	1.5	5.43	4.30
FRESNO	1892, HMX	623	0.0	1.3	3.1	1.5	23.6	1.2	5.33	4.40	641	0.0	1.3	3.0	1.5	23.7	1.2	5.33	4.40
FRESNO	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	612	0.0	0.8	1.3	0.4	22.8	0.5	5.70	4.49
FRESNO	18806, UG	266	0.0	0.8	0.9	0.2	25.3	1.7	4.87	4.33	568	0.0	0.7	0.9	0.2	25.3	1.4	4.88	4.30
FRESNO	1175, HEINZ	262	0.0	0.9	1.2	0.5	22.4	1.0	5.03	4.46	525	0.0	0.6	1.5	0.4	23.2	0.9	4.87	4.45
FRESNO	5702, HZ	115	0.0	1.0	3.1	0.2	24.4	0.7	4.90	4.40	494	0.0	3.5	2.8	0.4	24.2	0.6	5.10	4.41
FRESNO	6368, SUN	61	0.0	2.6	0.4	0.1	24.0	1.2	5.75	4.38	487	0.0	0.6	0.3	0.3	22.3	1.1	5.74	4.36
FRESNO	UNCODED	35	0.0	2.5	1.7	0.5	22.3	1.9	5.53	4.45	480	0.0	1.7	15.2	0.7	28.7	8.7	5.15	4.38
FRESNO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	461	0.0	0.1	0.7	0.2	25.4	1.1	5.40	4.37
FRESNO	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	451	0.0	0.6	2.3	0.3	22.8	3.5	5.48	4.39
FRESNO	67212, BOS	114	0.0	3.0	0.9	0.6	22.7	5.3	4.75	4.43	442	0.0	2.2	1.1	0.4	22.7	3.6	5.21	4.42
FRESNO	6385, N	149	0.0	1.3	1.6	0.2	23.7	1.3	4.76	4.41	429	0.0	0.8	1.4	0.3	23.1	1.1	4.81	4.41
FRESNO	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	421	0.0	0.1	1.4	0.5	24.8	1.1	5.03	4.32
FRESNO	5508, HZ	161	0.0	0.4	4.8	1.3	24.7	0.8	4.73	4.26	382	0.0	0.3	2.8	0.7	24.4	0.6	4.84	4.28
FRESNO	1570, RPT	214	0.0	0.6	1.5	0.5	24.7	3.8	4.96	4.44	297	0.0	0.6	1.4	0.4	24.9	3.7	4.95	4.43
FRESNO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	265	0.0	0.4	0.6	0.3	23.0	1.8	5.62	4.32
FRESNO	2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	245	0.0	0.0	1.8	0.5	26.1	0.6	5.10	4.31
FRESNO	296, BQ	131	0.0	2.9	0.7	0.2	23.3	2.5	5.44	4.44	236	0.0	1.8	1.1	0.5	23.1	2.3	5.80	4.41
FRESNO	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	212	0.0	0.0	0.9	0.4	23.1	1.3	4.79	4.30
FRESNO	MIX	24	0.0	1.6	1.3	0.6	23.2	1.4	5.20	4.52	181	0.1	6.0	1.6	0.5	24.2	2.0	4.80	4.58
FRESNO	002, PX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	137	0.0	0.8	0.4	0.1	22.6	3.2	5.34	4.39
FRESNO	204, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	129	0.0	0.0	1.1	0.3	24.0	1.7	5.14	4.31
FRESNO	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	129	0.0	0.3	2.9	1.7	23.2	1.0	5.93	4.35
FRESNO	1170, HEINZ	7	0.0	0.7	0.8	0.3	23.0	0.3	5.44	4.38	120	0.0	0.3	0.8	0.4	22.7	0.4	6.43	4.35
FRESNO	6420, N	36	0.0	1.3	3.7	0.2	26.5	0.8	5.15	4.41	105	0.0	0.9	1.7	0.1	24.9	0.6	5.20	4.43
FRESNO	9905, HARRIS MORAN	38	0.0	0.8	3.2	0.4	23.3	1.3	5.59	4.48	104	0.0	0.6	3.8	0.3	23.9	1.2	5.82	4.44
FRESNO	5701, HZ	61	0.0	0.5	6.2	0.4	24.8	0.9	5.90	4.37	74	0.0	0.4	6.8	0.4	24.9	0.9	5.91	4.36
FRESNO	HEINZ TRIAL	3	0.0	1.2	0.8	0.3	23.7	0.5	4.97	4.39	59	0.0	2.5	2.9	0.3	22.7	1.7	5.15	4.42
FRESNO	6410, N	15	0.0	2.6	2.3	0.8	25.0	2.0	5.25	4.39	44	0.0	1.3	1.0	0.6	23.7	1.1	5.21	4.36

2014 Processing Tomato Season
 PTAB Analysis (8/23/14) - County by Variety



County	Variety Name	Week Ending 8/23/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	2005, HZ	31	0.0	1.2	0.3	0.1	24.0	3.3	5.58	4.41	43	0.0	1.2	0.3	0.1	24.2	3.3	5.52	4.40
FRESNO	8516, SV	38	0.0	0.5	0.3	0.4	23.1	4.2	5.75	4.49	38	0.0	0.5	0.3	0.4	23.1	4.2	5.75	4.49
FRESNO	3888, HMX	36	0.0	0.4	3.5	1.2	26.2	0.7	5.52	4.40	36	0.0	0.4	3.5	1.2	26.2	0.7	5.52	4.40
FRESNO	7776, NDM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.3	2.9	0.5	23.1	4.3	6.13	4.44
FRESNO	1301, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.0	2.5	0.5	26.0	1.3	5.47	4.40
FRESNO	6415, N	5	0.0	0.5	2.5	0.6	24.2	1.2	5.18	4.33	27	0.0	0.2	0.6	0.1	22.3	0.5	5.55	4.37
FRESNO	268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.1	0.1	0.1	22.9	1.4	5.45	4.40
FRESNO	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	0.0	2.7	0.2	22.7	1.1	5.85	4.41
FRESNO	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.0	0.9	0.2	24.5	0.3	5.28	4.27
FRESNO	1291, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	0.9	0.6	0.3	22.4	1.3	5.66	4.51
FRESNO	292, BQ	6	0.0	2.1	0.5	0.2	22.7	2.0	5.80	4.35	7	0.0	2.0	0.5	0.4	22.7	1.9	5.69	4.36
FRESNO	3887, HMX	4	0.0	0.8	5.9	0.5	25.0	1.6	5.65	4.36	4	0.0	0.8	5.9	0.5	25.0	1.6	5.65	4.36
FRESNO	9916, SV	4	0.0	0.6	1.4	0.5	23.5	1.1	5.63	4.44	4	0.0	0.6	1.4	0.5	23.5	1.1	5.63	4.44
FRESNO	1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.5	0.3	0.8	22.7	2.7	6.57	4.46
FRESNO	1308, HZ	2	0.0	0.5	2.8	0.3	22.5	2.3	5.20	4.50	2	0.0	0.5	2.8	0.3	22.5	2.3	5.20	4.50
FRESNO	7883, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.3	0.8	0.8	0.3	23.5	0.3	5.15	4.53
FRESNO	206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.5	1.5	24.0	1.5	6.30	4.40
FRESNO	0250, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	23.0	0.0	5.10	4.54
FRESNO	316, C	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	23.0	0.5	6.50	4.30
FRESNO	650, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.5	25.0	1.5	4.20	4.67
FRESNO	1311, HZ	1	0.0	1.0	2.0	0.0	21.0	1.0	5.60	4.35	1	0.0	1.0	2.0	0.0	21.0	1.0	5.60	4.35
FRESNO	3885, HMX	1	0.0	0.0	2.0	0.5	25.0	1.0	5.20	4.34	1	0.0	0.0	2.0	0.5	25.0	1.0	5.20	4.34
FRESNO	7707, SV	1	0.0	1.0	2.5	0.0	22.0	0.0	5.20	4.48	1	0.0	1.0	2.5	0.0	22.0	0.0	5.20	4.48
FRESNO		14,339	0.0	1.8	2.2	0.5	23.7	1.7	5.31	4.40	118,961	0.0	1.0	1.8	0.6	23.4	1.7	5.49	4.39
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,953	0.0	1.0	0.9	0.7	24.2	1.9	5.05	4.44
KERN	8504, HEINZ	1,111	0.0	0.6	2.0	0.6	24.6	1.2	4.98	4.32	4,374	0.0	0.4	2.1	0.5	24.6	0.9	5.04	4.29
KERN	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,450	0.0	0.8	1.7	0.7	24.1	1.6	5.05	4.41
KERN	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,274	0.0	0.8	1.6	0.3	22.9	1.0	5.07	4.39
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,394	0.0	0.4	2.1	0.4	24.7	1.8	4.84	4.41
KERN	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,443	0.0	0.2	1.1	0.4	23.0	1.4	5.09	4.48
KERN	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	667	0.0	1.1	0.7	0.8	24.6	1.2	5.51	4.34
KERN	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	467	0.0	0.4	1.4	0.7	23.0	4.1	4.93	4.40
KERN	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	360	0.0	1.3	1.1	0.4	23.4	1.5	5.43	4.37
KERN	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	318	0.0	0.1	1.3	0.4	24.8	0.9	5.12	4.30
KERN	6117, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	301	0.0	0.2	2.1	0.4	25.5	5.1	5.04	4.38
KERN	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	268	0.0	0.4	1.1	0.2	22.9	1.1	5.48	4.37
KERN	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	211	0.0	3.4	1.8	0.5	24.5	2.2	4.70	4.45
KERN	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	184	0.0	0.9	1.0	0.9	22.1	0.8	5.52	4.48
KERN	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	181	0.0	0.7	3.0	0.8	24.4	3.5	5.19	4.45

2014 Processing Tomato Season
 PTAB Analysis (8/23/14) - County by Variety



County	Variety Name	Week Ending 8/23/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KERN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	131	0.0	0.2	2.3	0.3	25.0	1.3	5.19	4.39
KERN	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	125	0.0	0.1	0.6	0.2	23.2	3.5	5.90	4.52
KERN	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	110	0.0	0.3	1.2	0.2	23.4	2.0	5.83	4.36
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	99	0.0	0.2	2.4	0.3	26.0	2.3	4.88	4.37
KERN	3402, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	79	0.0	0.1	2.3	0.5	23.4	0.3	4.67	4.44
KERN	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	70	0.0	0.4	2.0	0.1	25.8	0.6	5.43	4.48
KERN	26761, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	68	0.0	0.1	4.9	0.7	26.5	2.6	5.61	4.41
KERN	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	66	0.0	0.4	1.3	0.6	23.7	1.5	4.80	4.35
KERN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	0.3	1.8	0.8	24.7	3.7	5.27	4.40
KERN	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	0.6	1.3	0.3	24.0	4.1	5.13	4.47
KERN	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	0.2	1.4	0.4	25.1	4.2	5.65	4.41
KERN	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	0.5	0.6	0.7	21.7	3.2	4.93	4.35
KERN	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	59	0.0	0.4	0.4	0.0	23.2	0.6	5.19	4.35
KERN	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	52	0.0	0.8	0.6	0.1	20.5	0.4	4.95	4.42
KERN	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.1	3.2	0.8	24.8	0.8	5.44	4.34
KERN	9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	1.1	2.5	0.5	24.3	1.5	5.57	4.40
KERN	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.8	3.4	0.2	20.9	2.7	5.17	4.43
KERN		1,111	0.0	0.6	2.0	0.6	24.6	1.2	4.98	4.32	24,021	0.0	0.7	1.6	0.5	24.0	1.6	5.07	4.39
KINGS	8504, HEINZ	3,120	0.0	0.6	2.3	0.4	25.0	1.0	4.91	4.33	10,991	0.0	0.4	3.1	0.5	24.8	0.8	4.97	4.29
KINGS	5608, HZ	327	0.0	4.1	3.7	1.1	26.2	1.1	4.83	4.44	6,110	0.0	1.6	2.0	0.6	23.6	1.0	5.28	4.38
KINGS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,384	0.0	0.5	1.3	0.5	24.1	1.4	5.75	4.38
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,888	0.0	0.2	2.5	0.5	24.4	2.3	4.94	4.42
KINGS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,386	0.0	0.5	3.1	1.5	23.5	1.5	5.38	4.40
KINGS	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,022	0.0	0.4	3.5	1.1	24.4	3.2	5.07	4.39
KINGS	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	848	0.0	0.4	1.0	0.3	22.3	1.0	5.55	4.45
KINGS	6404, N	251	0.0	3.3	0.4	0.2	22.2	3.1	5.79	4.45	771	0.0	3.9	1.2	0.5	23.4	2.0	5.47	4.43
KINGS	0311, AB	128	0.0	3.4	2.1	0.5	24.9	1.9	5.14	4.39	752	0.0	0.9	2.0	0.2	23.1	1.5	6.22	4.35
KINGS	0319, DRI	127	0.0	2.3	0.8	0.2	24.3	1.9	5.99	4.42	742	0.0	2.6	1.1	0.4	23.7	1.4	5.75	4.38
KINGS	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	740	0.0	0.7	2.0	0.1	24.7	1.3	5.97	4.33
KINGS	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	617	0.0	2.8	0.7	0.4	24.6	2.1	5.22	4.34
KINGS	204, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	616	0.0	0.0	0.9	0.2	25.1	1.1	5.16	4.33
KINGS	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	401	0.0	0.3	3.7	1.7	25.6	2.3	6.08	4.36
KINGS	9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	386	0.0	0.5	2.3	0.5	23.3	2.5	6.01	4.31
KINGS	6117, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	383	0.0	0.1	0.9	0.1	24.8	1.8	5.01	4.35
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	383	0.0	0.1	1.8	0.7	24.4	1.8	5.03	4.29
KINGS	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	317	0.0	0.4	2.9	0.4	24.6	0.7	5.53	4.39
KINGS	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	278	0.0	1.7	3.3	0.6	23.4	3.9	4.99	4.40
KINGS	3402, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	277	0.0	0.1	1.4	1.1	22.1	0.8	5.68	4.40
KINGS	1170, HEINZ	30	0.0	1.3	2.8	0.4	27.1	1.0	4.47	4.40	254	0.0	0.6	1.6	0.3	25.1	0.8	5.55	4.33

2014 Processing Tomato Season
 PTAB Analysis (8/23/14) - County by Variety



County	Variety Name	Week Ending 8/23/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KINGS	6385, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	210	0.0	0.2	0.6	0.5	21.7	3.0	5.63	4.43
KINGS	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	179	0.0	0.0	3.4	0.7	24.1	4.6	5.65	4.29
KINGS	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	129	0.0	0.1	1.7	0.6	25.0	2.2	5.88	4.36
KINGS	16609, UG	66	0.0	6.6	1.0	0.5	22.0	2.6	5.54	4.47	112	0.0	4.5	1.1	0.4	21.6	2.6	5.68	4.42
KINGS	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	111	0.0	2.6	1.7	0.3	24.3	2.0	5.72	4.38
KINGS	2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	0.1	4.1	0.5	25.4	2.4	5.08	4.32
KINGS	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	80	0.0	0.0	0.6	0.0	23.1	1.1	4.72	4.28
KINGS	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	75	0.0	0.1	1.8	0.2	22.0	1.2	6.85	4.29
KINGS	1175, HEINZ	70	0.0	0.3	1.5	0.4	23.0	0.8	5.60	4.49	70	0.0	0.3	1.5	0.4	23.0	0.8	5.60	4.49
KINGS	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	70	0.0	0.4	0.2	0.2	23.0	2.6	5.67	4.29
KINGS	6410, N	64	0.0	2.3	2.4	0.8	28.3	0.8	4.90	4.39	66	0.0	2.3	2.6	0.8	28.5	0.8	4.90	4.39
KINGS	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	2.5	0.8	0.6	22.6	2.1	5.25	4.49
KINGS	1892, HMX	51	0.0	1.2	3.7	0.6	30.8	0.7	5.26	4.34	51	0.0	1.2	3.7	0.6	30.8	0.7	5.26	4.34
KINGS	10, P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	3.3	0.8	0.1	23.1	4.2	4.71	4.47
KINGS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	0.8	0.3	0.1	24.5	0.6	4.88	4.34
KINGS	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.1	4.0	0.3	23.0	0.6	5.52	4.49
KINGS	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	1.4	1.1	0.5	23.4	1.8	5.68	4.31
KINGS	3888, HMX	16	0.0	2.9	1.1	0.5	24.8	2.2	5.90	4.45	16	0.0	2.9	1.1	0.5	24.8	2.2	5.90	4.45
KINGS	3887, HMX	5	0.0	1.7	1.4	0.4	24.6	1.9	5.82	4.41	5	0.0	1.7	1.4	0.4	24.6	1.9	5.82	4.41
KINGS	9916, SV	5	0.0	1.2	0.8	0.2	24.0	0.8	5.50	4.45	5	0.0	1.2	0.8	0.2	24.0	0.8	5.50	4.45
KINGS	296, BQ	4	0.0	2.6	1.4	1.1	26.0	3.1	5.70	4.34	4	0.0	2.6	1.4	1.1	26.0	3.1	5.70	4.34
KINGS	3884, HMX	4	0.0	2.1	0.6	0.3	25.0	1.6	6.05	4.42	4	0.0	2.1	0.6	0.3	25.0	1.6	6.05	4.42
KINGS	116, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	8.0	0.5	23.0	0.0	5.40	4.27
KINGS		4,268	0.0	1.3	2.2	0.5	25.0	1.2	5.03	4.35	39,958	0.0	0.8	2.3	0.6	24.2	1.4	5.29	4.36
MADERA	6366, SUN	173	0.0	2.2	0.6	0.5	23.6	2.8	5.17	4.42	1,051	0.0	1.7	0.7	0.5	25.0	2.6	4.93	4.39
MADERA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	803	0.0	1.2	2.2	0.6	24.5	1.9	4.73	4.44
MADERA	6404, N	291	0.0	4.8	3.5	1.7	24.1	3.0	5.18	4.43	781	0.0	3.7	2.2	0.9	24.7	2.4	5.04	4.42
MADERA	0319, DRI	292	0.0	3.6	1.2	1.0	24.8	2.3	5.47	4.46	588	0.0	2.6	0.8	0.6	25.1	1.8	5.39	4.39
MADERA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	588	0.0	1.1	1.0	1.3	23.5	2.1	5.35	4.45
MADERA	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	400	0.0	0.8	2.5	1.6	22.8	2.8	5.51	4.46
MADERA	5608, HZ	12	0.0	1.4	3.4	3.9	23.6	1.4	4.87	4.39	341	0.0	0.8	2.5	1.8	23.3	1.5	5.01	4.41
MADERA	1892, HMX	55	0.0	2.8	2.3	0.4	24.2	2.0	5.03	4.46	247	0.0	2.2	1.2	0.4	23.8	1.9	5.17	4.44
MADERA	5508, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	163	0.0	0.1	4.9	0.5	26.0	0.6	4.80	4.31
MADERA	4707, HEINZ	159	0.0	0.8	6.9	2.4	27.5	0.3	4.36	4.30	159	0.0	0.8	6.9	2.4	27.5	0.3	4.36	4.30
MADERA	0311, AB	107	0.0	9.5	2.2	0.6	24.1	1.3	5.10	4.44	107	0.0	9.5	2.2	0.6	24.1	1.3	5.10	4.44
MADERA	19406, UG	105	0.0	0.8	2.6	1.2	23.2	1.3	5.46	4.30	105	0.0	0.8	2.6	1.2	23.2	1.3	5.46	4.30
MADERA	3402, HEINZ	66	0.0	0.4	2.5	2.3	24.1	0.8	4.72	4.33	66	0.0	0.4	2.5	2.3	24.1	0.8	4.72	4.33
MADERA		1,260	0.0	3.3	2.7	1.3	24.5	2.0	5.12	4.40	5,399	0.0	1.9	1.8	0.9	24.5	2.0	5.06	4.41
MERCED	6366, SUN	299	0.0	1.0	3.1	1.3	24.9	2.2	5.27	4.35	2,548	0.0	0.5	2.7	0.5	24.9	1.8	5.43	4.36

2014 Processing Tomato Season
 PTAB Analysis (8/23/14) - County by Variety



County	Variety Name	Week Ending 8/23/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
MERCED	5608, HZ	704	0.0	1.2	2.5	1.0	24.3	1.8	4.79	4.40	2,078	0.0	0.9	2.5	1.7	23.5	2.5	5.02	4.39
MERCED	6404, N	762	0.0	0.9	2.9	1.2	25.4	2.3	5.28	4.37	2,008	0.0	1.0	4.1	1.9	25.1	2.9	5.35	4.41
MERCED	2401, HEINZ	448	0.0	0.3	3.4	1.7	25.9	1.0	5.05	4.25	754	0.0	0.2	3.1	1.6	25.8	1.0	5.32	4.25
MERCED	19406, UG	360	0.0	1.0	3.4	0.7	24.4	1.1	5.73	4.27	705	0.0	0.6	4.0	0.6	24.8	0.7	5.73	4.26
MERCED	4707, HEINZ	380	0.0	0.3	3.6	1.7	25.7	0.9	5.21	4.32	604	0.0	0.2	3.3	1.4	25.5	0.7	5.25	4.30
MERCED	1015, HEINZ	18	0.0	0.1	2.4	1.0	24.8	0.4	4.75	4.35	585	0.0	0.1	3.2	0.4	23.1	0.7	5.45	4.40
MERCED	2, AB	204	0.0	1.4	1.1	0.4	26.0	3.1	5.17	4.36	382	0.0	1.2	1.0	0.4	26.5	3.5	5.17	4.36
MERCED	3402, HEINZ	218	0.0	0.2	1.6	1.4	23.8	0.7	5.16	4.40	325	0.0	0.2	1.8	1.3	23.7	0.9	5.23	4.41
MERCED	8504, HEINZ	233	0.0	0.4	3.9	3.4	24.3	1.7	5.40	4.28	239	0.0	0.4	3.9	3.3	24.2	1.7	5.40	4.28
MERCED	6402, N	78	0.0	2.6	2.2	0.6	23.8	3.6	5.48	4.43	227	0.0	1.1	2.3	2.2	25.8	2.1	5.27	4.39
MERCED	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	208	0.0	1.1	18.7	2.7	32.0	8.6	5.12	4.33
MERCED	3, AB	186	0.0	4.6	5.4	0.5	26.8	2.1	4.77	4.41	188	0.0	4.6	5.3	0.5	26.8	2.1	4.77	4.41
MERCED	1161, HEINZ	90	0.0	0.4	4.1	0.2	24.9	1.7	6.21	4.33	160	0.0	0.3	4.3	0.2	25.0	1.7	6.27	4.32
MERCED	6394, N	14	0.0	1.1	0.0	0.0	28.9	0.4	4.45	4.50	123	0.0	1.3	0.1	0.0	26.8	0.3	4.93	4.49
MERCED	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	95	0.0	1.3	4.1	0.4	23.5	1.1	5.74	4.30
MERCED	163, BQ	89	0.0	0.8	1.3	0.2	23.1	0.9	5.96	4.30	94	0.0	0.8	1.3	0.2	23.1	1.0	5.97	4.30
MERCED	205, BQ	18	0.0	1.4	1.0	0.1	23.4	1.1	6.58	4.32	73	0.0	1.2	0.9	0.1	23.3	0.7	6.56	4.30
MERCED	1292, HZ	67	0.0	0.6	1.9	0.7	25.3	2.1	5.40	4.49	67	0.0	0.6	1.9	0.7	25.3	2.1	5.40	4.49
MERCED	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	0.0	1.1	0.2	23.6	0.6	5.11	4.22
MERCED	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.0	1.5	0.4	23.6	1.0	5.66	4.22
MERCED	3155,BOS	33	0.0	1.1	1.7	0.4	25.1	3.5	5.74	4.47	33	0.0	1.1	1.7	0.4	25.1	3.5	5.74	4.47
MERCED	1892, HMX	20	0.0	2.1	2.7	2.1	25.9	2.7	4.78	4.42	26	0.0	1.7	4.4	2.3	26.2	2.3	4.93	4.39
MERCED	31060, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.6	1.9	0.2	23.9	2.0	5.69	4.38
MERCED	CAL MARZANO 2	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.1	0.6	0.3	27.8	4.4	5.28	4.35
MERCED	7885, HMX	4	0.0	0.8	2.4	0.5	26.3	1.4	5.38	4.50	4	0.0	0.8	2.4	0.5	26.3	1.4	5.38	4.50
MERCED	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.0	10.5	0.8	31.3	0.0	4.23	4.22
MERCED	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.5	2.5	26.0	2.5	5.10	4.38
MERCED	1570, RPT	1	0.0	2.5	0.5	0.5	27.0	2.5	5.10	4.35	1	0.0	2.5	0.5	0.5	27.0	2.5	5.10	4.35
MERCED		4,226	0.0	1.0	2.9	1.2	25.0	1.7	5.22	4.35	11,655	0.0	0.7	3.3	1.2	24.8	2.0	5.33	4.36
SACRAMENTO	2, AB	151	0.0	0.5	1.0	0.4	23.6	1.6	5.92	4.28	151	0.0	0.5	1.0	0.4	23.6	1.6	5.92	4.28
SACRAMENTO	205, BQ	100	0.0	0.5	0.7	0.4	24.0	2.4	5.86	4.31	100	0.0	0.5	0.7	0.4	24.0	2.4	5.86	4.31
SACRAMENTO	2005, HZ	2	0.0	0.5	0.8	0.3	24.5	1.8	5.85	4.34	2	0.0	0.5	0.8	0.3	24.5	1.8	5.85	4.34
SACRAMENTO	255, CXD	1	0.0	0.5	0.0	0.0	23.0	2.5	5.50	4.35	1	0.0	0.5	0.0	0.0	23.0	2.5	5.50	4.35
SACRAMENTO	2002, CYEL	1	0.0	0.5	0.5	0.0	24.0	2.0	5.80	4.29	1	0.0	0.5	0.5	0.0	24.0	2.0	5.80	4.29
SACRAMENTO		255	0.0	0.5	0.8	0.4	23.8	1.9	5.90	4.29	255	0.0	0.5	0.8	0.4	23.8	1.9	5.90	4.29
SAN BENITO	1892, HMX	42	0.0	1.8	1.5	0.5	25.6	0.4	4.88	4.41	78	0.0	1.6	1.5	0.4	26.0	0.5	4.92	4.41
SAN BENITO	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.4	1.1	0.3	23.8	4.0	5.73	4.36
SAN BENITO		42	0.0	1.8	1.5	0.5	25.6	0.4	4.88	4.41	86	0.0	1.5	1.5	0.4	25.8	0.8	5.00	4.40
SAN JOAQUIN	6366, SUN	397	0.0	0.8	0.8	0.5	24.0	1.8	5.37	4.34	429	0.0	0.8	0.8	0.5	24.0	1.8	5.34	4.34

2014 Processing Tomato Season
 PTAB Analysis (8/23/14) - County by Variety



County	Variety Name	Week Ending 8/23/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SAN JOAQUIN	1892, HMX	357	0.0	0.8	2.5	1.1	23.8	1.1	5.20	4.35	357	0.0	0.8	2.5	1.1	23.8	1.1	5.20	4.35
SAN JOAQUIN	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	301	0.0	0.7	3.5	2.8	25.9	1.4	5.50	4.23
SAN JOAQUIN	5608, HZ	155	0.0	1.4	2.3	1.1	24.0	1.8	4.60	4.36	207	0.0	1.4	2.4	0.9	23.7	1.6	4.70	4.37
SAN JOAQUIN	0319, DRI	165	0.0	0.4	1.7	0.6	25.5	1.1	6.03	4.29	188	0.0	0.4	1.6	0.6	25.6	1.1	6.01	4.28
SAN JOAQUIN	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	124	0.0	0.3	0.6	0.2	23.6	0.7	4.79	4.28
SAN JOAQUIN	1161, HEINZ	76	0.0	0.6	1.0	0.5	23.9	2.1	5.75	4.26	104	0.0	0.6	1.1	0.4	24.2	2.0	5.70	4.25
SAN JOAQUIN	6402, N	62	0.0	1.3	0.6	1.1	25.4	0.9	5.08	4.38	62	0.0	1.3	0.6	1.1	25.4	0.9	5.08	4.38
SAN JOAQUIN	1292, HZ	56	0.0	0.8	1.0	1.1	21.8	2.3	5.63	4.45	56	0.0	0.8	1.0	1.1	21.8	2.3	5.63	4.45
SAN JOAQUIN	0311, AB	48	0.0	1.0	1.1	0.4	23.6	1.2	5.66	4.30	48	0.0	1.0	1.1	0.4	23.6	1.2	5.66	4.30
SAN JOAQUIN	6397, N	19	0.0	0.3	1.7	0.0	24.2	0.7	5.45	4.28	43	0.0	0.2	1.6	0.0	24.5	0.3	5.43	4.27
SAN JOAQUIN	2, AB	32	0.0	0.5	1.6	0.0	25.0	1.0	5.72	4.26	32	0.0	0.5	1.6	0.0	25.0	1.0	5.72	4.26
SAN JOAQUIN	0299, PX	17	0.0	3.5	0.4	0.1	22.9	4.6	4.58	4.49	17	0.0	3.5	0.4	0.1	22.9	4.6	4.58	4.49
SAN JOAQUIN	5702, HZ	15	0.0	0.6	2.0	1.0	24.9	0.4	4.47	4.35	15	0.0	0.6	2.0	1.0	24.9	0.4	4.47	4.35
SAN JOAQUIN	292, BQ	1	0.0	1.5	2.0	1.0	22.0	1.0	5.40	4.41	1	0.0	1.5	2.0	1.0	22.0	1.0	5.40	4.41
SAN JOAQUIN	1570, RPT	1	0.0	1.0	1.0	1.0	25.0	3.5	4.70	4.44	1	0.0	1.0	1.0	1.0	25.0	3.5	4.70	4.44
SAN JOAQUIN	7885, HMX	1	0.0	2.0	0.5	1.0	22.0	2.5	5.80	4.36	1	0.0	2.0	0.5	1.0	22.0	2.5	5.80	4.36
SAN JOAQUIN		1,402	0.0	0.9	1.6	0.8	24.1	1.5	5.34	4.34	1,986	0.0	0.8	1.8	1.0	24.4	1.4	5.32	4.32
SOLANO	0311, AB	322	0.0	1.1	0.3	0.2	23.8	1.4	5.49	4.33	936	0.0	1.0	0.7	0.4	25.2	1.4	5.62	4.34
SOLANO	0319, DRI	446	0.0	1.1	0.5	0.3	24.7	1.8	5.67	4.33	709	0.0	1.0	0.5	0.4	24.8	1.6	5.58	4.34
SOLANO	6402, N	192	0.0	1.0	0.9	0.3	24.5	1.0	5.22	4.41	453	0.0	0.9	1.1	0.5	24.9	1.1	5.21	4.41
SOLANO	6366, SUN	45	0.0	1.5	0.7	0.3	25.5	1.0	5.00	4.31	442	0.0	0.7	0.8	0.4	25.2	1.7	5.63	4.37
SOLANO	6404, N	67	0.0	1.9	4.8	1.2	26.0	2.2	5.04	4.38	416	0.0	1.1	2.7	2.3	25.4	2.0	5.18	4.40
SOLANO	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	325	0.0	0.6	0.9	0.3	26.1	2.9	5.12	4.36
SOLANO	255, CXD	122	0.0	1.6	1.1	0.3	26.8	0.6	5.05	4.35	275	0.0	1.2	1.2	0.2	27.3	1.0	5.35	4.36
SOLANO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	268	0.0	0.6	0.6	0.3	25.6	3.3	5.48	4.33
SOLANO	5608, HZ	185	0.0	1.1	0.8	1.5	24.1	0.7	4.53	4.35	210	0.0	1.1	1.0	1.4	24.3	0.6	4.53	4.35
SOLANO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	194	0.0	0.4	0.4	0.1	27.4	0.6	4.91	4.33
SOLANO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	186	0.0	0.4	0.8	0.4	24.4	1.3	5.64	4.43
SOLANO	5508, HZ	89	0.0	0.4	0.4	0.1	24.8	0.2	4.43	4.30	158	0.0	0.4	0.3	0.1	24.9	0.3	4.41	4.29
SOLANO	19406, UG	41	0.0	1.1	2.2	0.6	23.5	0.5	5.48	4.31	128	0.0	0.7	1.4	0.3	25.5	0.2	5.05	4.25
SOLANO	1292, HZ	41	0.0	1.8	2.3	0.6	21.5	1.6	5.38	4.49	117	0.0	0.9	1.7	0.5	24.0	2.1	5.58	4.45
SOLANO	205, BQ	5	0.0	0.8	0.1	0.3	25.0	1.0	5.04	4.26	113	0.0	0.7	1.1	0.8	25.6	1.5	5.27	4.33
SOLANO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	105	0.0	0.3	1.5	0.3	26.7	3.0	5.36	4.23
SOLANO	1161, HEINZ	19	0.0	2.2	0.4	0.6	24.5	1.5	5.07	4.31	101	0.0	1.0	0.5	1.0	25.7	1.1	5.57	4.33
SOLANO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	0.4	1.1	0.2	25.8	1.0	4.72	4.31
SOLANO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	1.0	0.8	0.2	24.5	4.2	5.13	4.45
SOLANO	10, P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	1.0	0.3	1.0	24.7	2.4	4.72	4.51
SOLANO	MIX	4	0.0	0.9	2.0	0.4	23.3	0.8	5.18	4.30	5	0.0	0.7	1.7	0.3	23.6	0.9	5.44	4.37
SOLANO	UNCODED	3	0.0	3.0	2.8	0.5	23.7	1.2	4.97	4.46	5	0.0	1.8	1.7	0.5	23.4	0.9	5.22	4.48

2014 Processing Tomato Season
 PTAB Analysis (8/23/14) - County by Variety



County	Variety Name	Week Ending 8/23/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SOLANO	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.5	0.3	0.4	24.8	0.2	5.34	4.43
SOLANO	6407, N	5	0.0	1.3	0.8	0.3	25.2	1.2	6.36	4.33	5	0.0	1.3	0.8	0.3	25.2	1.2	6.36	4.33
SOLANO	4895, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.1	1.5	0.4	24.5	3.9	5.38	4.42
SOLANO	6420, N	4	0.0	1.8	2.8	0.3	25.8	0.6	4.83	4.46	4	0.0	1.8	2.8	0.3	25.8	0.6	4.83	4.46
SOLANO	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.3	1.0	0.1	28.0	2.0	5.25	4.41
SOLANO	2601, HEINZ	3	0.0	1.5	3.7	0.5	25.3	1.5	4.93	4.45	3	0.0	1.5	3.7	0.5	25.3	1.5	4.93	4.45
SOLANO	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.0	1.3	1.5	24.0	1.0	5.70	4.33
SOLANO	1570, RPT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	2.3	0.0	27.0	0.3	5.00	4.27
SOLANO	1311, HZ	1	0.0	2.0	0.0	0.5	26.0	7.5	4.90	4.49	1	0.0	2.0	0.0	0.5	26.0	7.5	4.90	4.49
SOLANO	2009, CYEL	1	0.0	0.0	1.0	0.0	21.0	1.5	5.70	4.57	1	0.0	0.0	1.0	0.0	21.0	1.5	5.70	4.57
SOLANO	7040, BOS	1	0.0	1.0	1.0	0.0	23.0	0.5	5.80	4.44	1	0.0	1.0	1.0	0.0	23.0	0.5	5.80	4.44
SOLANO		1,596	0.0	1.2	0.9	0.5	24.6	1.2	5.26	4.35	5,348	0.0	0.9	1.0	0.6	25.4	1.6	5.34	4.36
STANISLAUS	0311, AB	344	0.0	1.0	3.9	0.2	23.4	1.8	5.88	4.34	475	0.0	1.0	4.0	0.2	23.5	1.7	5.98	4.34
STANISLAUS	6366, SUN	152	0.0	0.8	1.1	0.2	22.4	1.2	6.12	4.40	368	0.0	0.8	1.6	0.2	22.9	1.5	6.05	4.39
STANISLAUS	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	170	0.0	0.3	3.6	0.1	22.5	2.5	5.52	4.30
STANISLAUS	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	169	0.0	1.5	3.6	0.1	26.1	1.8	4.99	4.41
STANISLAUS	6402, N	111	0.0	0.6	0.6	0.1	22.6	1.5	6.13	4.37	167	0.0	0.6	1.0	0.2	22.9	1.2	5.99	4.37
STANISLAUS	0319, DRI	96	0.0	0.3	1.6	0.1	23.5	1.5	6.37	4.31	137	0.0	0.4	1.6	0.1	23.4	1.6	6.31	4.33
STANISLAUS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	121	0.0	0.3	4.6	0.1	24.1	0.8	5.07	4.30
STANISLAUS	2401, HEINZ	44	0.0	0.3	4.6	0.1	25.3	1.3	5.23	4.28	113	0.0	0.1	5.3	0.1	26.6	0.8	5.08	4.27
STANISLAUS	5608, HZ	71	0.0	0.9	5.0	0.0	24.9	2.4	5.10	4.42	71	0.0	0.9	5.0	0.0	24.9	2.4	5.10	4.42
STANISLAUS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	1.1	0.9	0.1	23.0	0.7	6.08	4.49
STANISLAUS	19406, UG	14	0.0	0.6	1.4	0.3	24.2	0.5	5.84	4.27	43	0.0	0.5	1.6	0.3	24.3	0.3	5.77	4.24
STANISLAUS	4707, HEINZ	40	0.0	0.1	3.0	0.1	27.0	0.8	5.04	4.33	40	0.0	0.1	3.0	0.1	27.0	0.8	5.04	4.33
STANISLAUS	205, BQ	37	0.0	0.2	0.3	0.1	24.6	1.2	5.82	4.29	37	0.0	0.2	0.3	0.1	24.6	1.2	5.82	4.29
STANISLAUS	7776, NDM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.6	6.8	0.0	25.6	1.0	4.63	4.31
STANISLAUS	3, AB	22	0.0	4.4	4.9	0.2	26.3	1.2	4.72	4.39	22	0.0	4.4	4.9	0.2	26.3	1.2	4.72	4.39
STANISLAUS	1175, HEINZ	20	0.0	0.9	0.5	0.0	22.1	1.5	5.73	4.46	20	0.0	0.9	0.5	0.0	22.1	1.5	5.73	4.46
STANISLAUS	16609, UG	20	0.0	1.6	1.1	0.1	25.5	0.9	4.71	4.28	20	0.0	1.6	1.1	0.1	25.5	0.9	4.71	4.28
STANISLAUS	6404, N	1	0.0	0.0	0.0	0.5	22.0	4.5	6.20	4.44	1	0.0	0.0	0.0	0.5	22.0	4.5	6.20	4.44
STANISLAUS		972	0.0	0.8	2.6	0.1	23.7	1.6	5.82	4.35	2,041	0.0	0.8	3.0	0.1	23.9	1.5	5.69	4.35
SUTTER	5608, HZ	625	0.0	2.4	1.8	1.3	24.2	1.5	4.91	4.40	1,574	0.0	1.5	1.3	1.4	24.2	1.4	4.94	4.40
SUTTER	0319, DRI	213	0.0	1.3	0.6	0.1	24.2	2.1	5.89	4.40	431	0.0	1.3	0.6	0.3	24.4	2.2	5.81	4.43
SUTTER	5701, HZ	271	0.0	3.9	5.3	1.0	26.3	0.8	4.93	4.36	330	0.0	3.5	5.4	1.0	26.1	0.8	4.99	4.36
SUTTER	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	281	0.0	0.8	2.0	2.0	24.6	0.8	5.00	4.42
SUTTER	282, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	244	0.0	0.8	0.9	3.9	24.1	3.3	5.05	4.43
SUTTER	5702, HZ	140	0.0	1.9	1.9	2.9	24.2	1.2	5.07	4.35	225	0.0	2.1	3.1	2.3	24.0	0.9	5.17	4.37
SUTTER	4707, HEINZ	51	0.0	1.0	1.7	1.6	25.6	1.0	5.08	4.32	219	0.0	1.0	3.3	2.5	25.1	0.6	5.25	4.32
SUTTER	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	184	0.0	0.8	0.4	0.3	22.6	1.1	5.37	4.41

2014 Processing Tomato Season
 PTAB Analysis (8/23/14) - County by Variety



County	Variety Name	Week Ending 8/23/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SUTTER	2401, HEINZ	146	0.0	1.7	1.2	2.7	23.9	1.2	5.30	4.36	151	0.0	1.7	1.2	2.8	23.9	1.2	5.29	4.35
SUTTER	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	118	0.0	0.8	0.2	0.2	23.7	2.0	5.39	4.49
SUTTER	6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	112	0.0	0.8	2.6	1.2	24.5	4.7	5.35	4.47
SUTTER	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	110	0.0	0.5	0.5	0.2	25.2	3.8	5.28	4.29
SUTTER	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	105	0.0	2.7	0.7	0.4	25.1	2.3	5.46	4.47
SUTTER	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	84	0.0	1.1	0.4	0.2	23.3	1.2	5.53	4.53
SUTTER	205, BQ	20	0.0	1.3	1.1	0.1	23.7	0.4	6.43	4.29	70	0.0	0.7	1.5	0.2	23.8	0.5	6.48	4.28
SUTTER	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	69	0.0	1.1	1.8	1.8	24.7	1.3	5.38	4.43
SUTTER	255, CXD	45	0.0	3.7	2.0	0.9	24.2	2.9	5.88	4.39	58	0.0	3.6	2.0	0.9	24.4	2.8	5.84	4.39
SUTTER	8232, SV	40	0.0	1.4	0.2	0.2	22.8	5.3	5.36	4.43	40	0.0	1.4	0.2	0.2	22.8	5.3	5.36	4.43
SUTTER	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.4	1.1	0.5	25.3	3.2	5.61	4.30
SUTTER	66508, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.1	0.2	0.5	0.3	23.8	3.7	5.33	4.37
SUTTER	5508, HZ	4	0.0	2.1	3.3	0.9	23.0	0.6	5.65	4.28	4	0.0	2.1	3.3	0.9	23.0	0.6	5.65	4.28
SUTTER	UNCODED	1	0.0	1.5	2.5	0.0	26.0	0.5	4.90	4.36	1	0.0	1.5	2.5	0.0	26.0	0.5	4.90	4.36
SUTTER	296, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	3.5	2.5	25.0	0.5	5.70	4.34
SUTTER	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	22.0	1.5	5.60	4.43
SUTTER		1,556	0.0	2.4	2.1	1.3	24.5	1.5	5.17	4.38	4,450	0.0	1.5	1.7	1.4	24.4	1.6	5.20	4.40
TULARE	0311, AB	24	0.0	7.5	5.6	2.5	24.3	1.9	5.22	4.41	176	0.0	4.0	1.1	0.6	23.7	1.0	5.04	4.36
TULARE	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	51	0.0	2.4	2.6	0.6	24.8	4.0	5.04	4.50
TULARE	0319, DRI	30	0.0	3.8	4.0	3.3	26.6	1.9	5.08	4.39	30	0.0	3.8	4.0	3.3	26.6	1.9	5.08	4.39
TULARE	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.1	2.7	5.8	0.3	26.6	1.9	5.41	4.36
TULARE		54	0.0	5.4	4.7	2.9	25.6	1.9	5.14	4.40	264	0.0	3.7	1.9	0.9	24.3	1.7	5.06	4.39
YOLO	5608, HZ	1,612	0.0	1.3	0.7	0.7	23.6	0.5	4.49	4.36	6,030	0.0	1.0	0.7	0.8	23.5	0.7	4.64	4.36
YOLO	6397, N	530	0.0	1.5	0.6	0.5	23.3	2.8	5.21	4.46	3,306	0.0	0.6	0.9	0.5	23.4	1.7	5.15	4.43
YOLO	6404, N	760	0.0	1.6	1.9	1.9	24.6	1.8	4.82	4.41	2,521	0.0	0.9	1.9	1.4	25.0	1.4	4.84	4.39
YOLO	6366, SUN	432	0.0	1.5	0.4	1.3	23.7	2.3	5.33	4.39	2,499	0.0	0.9	0.9	0.7	24.4	2.0	5.11	4.38
YOLO	6402, N	84	0.0	1.3	1.0	0.6	25.0	1.1	5.22	4.40	1,779	0.0	0.6	0.8	0.9	23.9	1.4	5.07	4.39
YOLO	0311, AB	157	0.0	2.8	1.3	0.4	22.7	1.5	5.59	4.35	1,674	0.0	1.4	1.0	0.3	23.4	1.1	5.42	4.34
YOLO	0319, DRI	690	0.0	1.5	0.5	0.3	24.9	1.6	5.43	4.32	1,603	0.0	1.2	0.6	0.5	24.4	1.5	5.56	4.32
YOLO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,057	0.0	0.5	1.1	0.5	24.7	2.8	5.44	4.27
YOLO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,054	0.0	0.2	1.2	0.8	24.4	1.4	4.96	4.42
YOLO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	930	0.0	0.3	0.8	0.7	24.1	3.0	5.07	4.40
YOLO	255, CXD	268	0.0	1.5	0.6	0.3	25.4	1.5	4.86	4.36	790	0.0	0.9	0.7	0.3	25.5	1.5	4.88	4.37
YOLO	282, CXD	465	0.0	2.5	0.9	0.2	23.8	1.4	4.42	4.38	729	0.0	2.0	0.9	0.1	24.3	1.3	4.45	4.37
YOLO	2401, HEINZ	150	0.0	0.6	4.1	1.9	26.0	0.8	4.53	4.28	726	0.0	0.7	2.9	1.2	26.3	0.7	4.26	4.28
YOLO	9905, HARRIS MORAN	161	0.0	0.1	2.4	2.3	25.9	1.5	5.04	4.38	530	0.0	0.3	1.2	1.2	25.4	1.0	4.90	4.43
YOLO	4707, HEINZ	275	0.0	3.2	1.7	1.4	25.3	0.6	4.49	4.36	494	0.0	4.2	1.9	1.8	25.3	1.0	4.69	4.37
YOLO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	474	0.0	0.3	0.7	0.4	26.8	1.2	5.30	4.35
YOLO	1892, HMX	65	0.0	0.4	2.6	0.4	25.2	2.0	5.30	4.41	467	0.0	0.4	2.3	1.3	24.5	1.1	5.24	4.36

2014 Processing Tomato Season
 PTAB Analysis (8/23/14) - County by Variety



County	Variety Name	Week Ending 8/23/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	402	0.0	0.4	0.6	0.2	25.2	2.8	4.87	4.31
YOLO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	371	0.0	0.3	0.9	0.5	24.4	1.0	5.15	4.33
YOLO	5701, HZ	154	0.0	1.0	1.7	2.3	25.1	0.8	4.60	4.31	362	0.0	0.7	3.2	1.6	25.7	0.7	4.65	4.29
YOLO	6407, N	331	0.0	0.6	0.6	0.4	26.2	0.8	5.19	4.34	360	0.0	0.6	0.6	0.4	26.2	1.0	5.14	4.34
YOLO	5508, HZ	198	0.0	0.4	0.4	0.1	25.2	0.5	4.36	4.31	346	0.0	0.4	0.5	0.1	25.5	0.6	4.50	4.32
YOLO	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	343	0.0	0.3	0.8	1.3	22.5	5.2	5.09	4.48
YOLO	6412, N	11	0.0	0.9	1.1	0.3	23.0	2.9	5.51	4.47	332	0.0	0.4	1.1	0.6	23.6	2.3	5.11	4.39
YOLO	16609, UG	129	0.0	0.6	0.2	0.2	24.8	1.0	4.52	4.29	239	0.0	0.4	0.5	0.3	24.9	2.1	4.65	4.31
YOLO	1170, HEINZ	198	0.0	0.2	0.3	0.4	22.5	0.2	4.71	4.41	198	0.0	0.2	0.3	0.4	22.5	0.2	4.71	4.41
YOLO	205, BQ	89	0.0	1.1	0.6	1.1	25.0	1.1	5.29	4.27	170	0.0	1.0	1.0	0.8	25.7	1.0	5.41	4.31
YOLO	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	148	0.0	0.3	0.5	0.3	25.1	2.5	5.36	4.33
YOLO	6410, N	64	0.0	1.0	1.6	0.3	24.8	1.2	5.50	4.37	142	0.0	0.7	0.9	0.3	25.4	0.7	5.00	4.36
YOLO	206, BQ	6	0.0	3.3	0.6	0.0	28.2	0.6	5.08	4.29	139	0.0	0.5	0.3	0.1	25.0	2.3	4.85	4.26
YOLO	650, PS	131	0.0	1.5	0.2	0.1	25.4	0.5	4.82	4.33	131	0.0	1.5	0.2	0.1	25.4	0.5	4.82	4.33
YOLO	6394, N	61	0.0	2.2	0.3	0.3	25.0	1.0	4.40	4.42	121	0.0	2.0	0.3	0.2	25.4	0.8	4.43	4.41
YOLO	UNCODED	58	0.0	1.4	1.2	1.9	24.3	1.0	4.65	4.36	86	0.0	1.0	1.3	1.6	24.0	1.3	4.71	4.37
YOLO	9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	0.7	3.0	0.5	27.0	1.9	4.46	4.37
YOLO	296, BQ	25	0.0	3.3	0.6	0.9	24.4	3.3	5.04	4.34	69	0.0	1.5	1.8	0.7	24.1	2.3	5.55	4.33
YOLO	9780, HEINZ	61	0.0	0.1	2.1	0.5	27.1	1.0	5.13	4.30	61	0.0	0.1	2.1	0.5	27.1	1.0	5.13	4.30
YOLO	HEINZ TRIAL	43	0.0	0.3	2.4	8.8	24.9	1.2	4.97	4.35	53	0.0	0.3	2.0	7.6	24.4	1.0	4.98	4.35
YOLO	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	46	0.0	0.5	1.0	0.5	26.9	1.8	5.13	4.45
YOLO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	44	0.0	4.9	1.5	0.1	23.7	1.8	5.43	4.49
YOLO	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	41	0.0	0.6	2.0	0.4	27.8	1.3	5.27	4.37
YOLO	1293, HZ	37	0.0	0.9	3.1	1.1	24.5	0.9	5.28	4.48	38	0.0	0.9	3.1	1.1	24.5	1.0	5.30	4.48
YOLO	2, AB	1	0.0	4.5	0.5	0.5	25.0	1.0	5.50	4.27	35	0.0	1.3	1.5	0.3	24.9	1.3	5.20	4.31
YOLO	19406, UG	14	0.0	1.2	1.3	0.6	23.8	1.3	5.39	4.32	30	0.0	1.0	1.6	0.6	25.6	0.9	5.39	4.34
YOLO	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.2	1.8	0.3	21.8	0.2	5.56	4.40
YOLO	1301, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.0	1.4	0.5	26.5	0.5	4.97	4.37
YOLO	322, C	10	0.0	0.3	5.0	0.6	28.2	0.2	5.37	4.22	21	0.0	0.4	2.6	0.6	26.4	0.4	5.30	4.26
YOLO	1181, USAT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.1	0.4	0.6	0.6	24.6	2.5	5.34	4.34
YOLO	5702, HZ	20	0.0	0.3	8.0	10.7	25.8	0.4	4.74	4.32	20	0.0	0.3	8.0	10.7	25.8	0.4	4.74	4.32
YOLO	1296, HZ	14	0.0	2.7	0.6	0.4	24.4	3.2	5.05	4.32	18	0.0	2.3	0.8	0.3	24.4	2.9	5.26	4.32
YOLO	8504, HEINZ	17	0.0	1.7	0.3	0.2	25.8	1.1	5.27	4.24	17	0.0	1.7	0.3	0.2	25.8	1.1	5.27	4.24
YOLO	9995, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	0.2	0.7	0.1	26.1	0.5	4.75	4.39
YOLO	MISC EXP	5	0.0	0.5	1.0	0.2	23.2	2.6	5.76	4.49	9	0.0	0.6	1.6	0.2	23.2	2.9	5.53	4.44
YOLO	MIX	5	0.0	2.6	0.4	0.0	23.6	0.9	4.64	4.33	9	0.0	1.7	0.4	0.1	24.4	1.3	4.96	4.34
YOLO	4895, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.2	0.5	0.3	25.6	5.1	4.70	4.36
YOLO	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.4	1.2	0.3	23.8	3.8	5.32	4.38
YOLO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.9	0.1	24.8	1.4	4.82	4.34

2014 Processing Tomato Season
 PTAB Analysis (8/23/14) - County by Variety



County	Variety Name	Week Ending 8/23/14									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	1310, HZ	5	0.0	0.9	1.6	0.2	25.0	0.8	4.50	4.39	5	0.0	0.9	1.6	0.2	25.0	0.8	4.50	4.39
YOLO	1425, HZ	5	0.0	0.4	2.1	0.2	23.0	1.6	4.90	4.54	5	0.0	0.4	2.1	0.2	23.0	1.6	4.90	4.54
YOLO	2005, HZ	5	0.0	1.3	0.3	0.1	23.6	1.1	5.20	4.28	5	0.0	1.3	0.3	0.1	23.6	1.1	5.20	4.28
YOLO	2, BP	4	0.0	1.0	3.1	0.3	27.5	0.5	4.38	4.31	4	0.0	1.0	3.1	0.3	27.5	0.5	4.38	4.31
YOLO	1427, HZ	4	0.0	0.5	1.4	0.1	22.8	2.3	4.75	4.50	4	0.0	0.5	1.4	0.1	22.8	2.3	4.75	4.50
YOLO	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.8	0.0	25.3	0.3	4.50	4.33
YOLO	142, BQ	3	0.0	1.3	3.3	0.3	23.7	3.0	4.70	4.42	3	0.0	1.3	3.3	0.3	23.7	3.0	4.70	4.42
YOLO	416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.5	3.0	0.2	23.0	4.3	5.53	4.37
YOLO	1311, HZ	2	0.0	4.0	0.0	0.0	24.0	2.8	5.85	4.40	2	0.0	4.0	0.0	0.0	24.0	2.8	5.85	4.40
YOLO	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	1.0	0.5	26.0	3.5	4.90	4.46
YOLO	1422, HZ	1	0.0	0.0	0.0	1.0	25.0	1.5	5.70	4.49	1	0.0	0.0	0.0	1.0	25.0	1.5	5.70	4.49
YOLO		7,360	0.0	1.4	1.0	0.9	24.4	1.3	4.86	4.37	31,281	0.0	0.9	1.0	0.7	24.3	1.4	4.97	4.37