

PTAB Data by Region by County

North Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	Mold	pH
COLUSA	BHN	BP1	Early	10	0.03%	5.15	109.3%	23.5	3.0	0.3	4.43
COLUSA	Harris Moran	CXD255	Intermediate	365	1.19%	4.91	104.1%	25.7	2.1	1.7	4.43
COLUSA	Harris Moran	CXD282	Thick	220	0.72%	4.36	92.4%	26.2	0.8	3.2	4.36
COLUSA	Harris Moran	HM1893	Early	30	0.10%	4.96	105.3%	26.3	1.3	0.2	4.29
COLUSA	Harris Moran	HM3887	Intermediate	2	0.01%	4.65	98.7%	29.0	0.3	4.0	4.35
COLUSA	Harris Moran	HM3888	Intermediate	3	0.01%	5.17	109.6%	29.7	0.2	1.5	4.50
COLUSA	Harris Moran	HM9905	Intermediate	180	0.59%	4.76	100.9%	26.4	0.8	2.3	4.52
COLUSA	Harris Moran	Shasta	Early	395	1.29%	5.09	108.0%	27.0	2.6	0.2	4.29
COLUSA	Heinz	H1015	Early	2,129	6.97%	5.08	107.9%	24.1	1.2	0.6	4.46
COLUSA	Heinz	H1161	Thin	76	0.25%	4.84	102.7%	26.1	1.8	5.5	4.32
COLUSA	Heinz	H1170	Thick	327	1.07%	4.57	97.0%	26.6	0.8	2.9	4.44
COLUSA	Heinz	H1175	Thick	578	1.89%	4.55	96.6%	24.7	0.3	3.3	4.47
COLUSA	Heinz	H1301	Early	121	0.40%	4.96	105.3%	26.5	0.9	0.1	4.48
COLUSA	Heinz	H2401	Thick	4,279	14.01%	4.48	95.1%	25.9	0.9	3.6	4.32
COLUSA	Heinz	H3402	Intermediate	561	1.84%	4.57	97.0%	25.4	0.6	2.6	4.48
COLUSA	Heinz	H4707	Thick	1,404	4.60%	4.71	99.9%	25.4	0.6	0.9	4.36
COLUSA	Heinz	H5003	Early	679	2.22%	5.18	109.8%	24.3	3.8	0.9	4.49
COLUSA	Heinz	H5508	Thick	1,930	6.32%	4.22	89.5%	26.3	0.5	1.2	4.35
COLUSA	Heinz	H5608	Thick	4,274	13.99%	4.47	94.8%	24.3	1.0	5.1	4.42
COLUSA	Heinz	H5701	Thick	1,131	3.70%	4.55	96.5%	25.6	0.6	2.5	4.34
COLUSA	Heinz	H5702	Thick	391	1.28%	4.78	101.5%	24.6	0.3	1.1	4.37
COLUSA	Heinz	H8504	Thick	523	1.71%	4.62	98.1%	26.8	0.6	4.1	4.33
COLUSA	Heinz	H9494	Intermediate	87	0.28%	5.06	107.5%	25.1	2.1	3.2	4.45
COLUSA	Heinz	Misc	Misc	40	0.13%	4.44	94.3%	26.6	0.7	5.1	4.36
COLUSA	Misc	Misc	Misc	124	0.41%	4.85	102.9%	26.7	1.8	5.0	4.43
COLUSA	Nunhems	N6366	Thin	3,108	10.17%	4.92	104.5%	25.3	2.4	1.3	4.44
COLUSA	Nunhems	N6394	Intermediate	1	0.00%	6.00	127.3%	23.0	0.5	0.5	4.46
COLUSA	Nunhems	N6397	Early	1,063	3.48%	4.82	102.3%	24.9	1.3	1.2	4.47
COLUSA	Nunhems	N6402	Thin	1,783	5.84%	5.00	106.1%	25.1	1.4	1.7	4.41
COLUSA	Nunhems	N6404	Intermediate	105	0.34%	4.71	100.0%	24.1	1.4	4.0	4.46
COLUSA	Nunhems	N6407	Thin	43	0.14%	5.53	117.4%	26.6	1.0	1.2	4.36
COLUSA	Nunhems	N6410	Thick	19	0.06%	4.73	100.4%	29.5	1.1	6.9	4.49
COLUSA	Nunhems	N6412	Early	658	2.15%	4.86	103.1%	24.7	5.9	2.8	4.42
COLUSA	Nunhems	N6416	Early	164	0.54%	4.81	102.0%	25.7	1.0	0.5	4.34
COLUSA	Orsetti	BOS66509	Early	134	0.44%	5.24	111.2%	24.5	3.5	1.6	4.49
COLUSA	Seminis	AB0311	Thin	277	0.91%	4.92	104.4%	23.6	1.7	4.8	4.43
COLUSA	Seminis	APT410	Early	1,737	5.69%	4.77	101.1%	26.0	2.6	0.6	4.37
COLUSA	Seminis	DRI319	Thin	375	1.23%	5.19	110.1%	26.0	1.5	3.3	4.37
COLUSA	Seminis	HP816	Early	159	0.52%	5.43	115.2%	26.7	7.3	0.7	4.40
COLUSA	Seminis	PX299	Thin	54	0.18%	4.96	105.3%	24.4	3.4	6.0	4.42
COLUSA	Seminis	SV0599TM	Early	300	0.98%	4.56	96.8%	27.7	1.6	1.0	4.41
COLUSA	Seminis	SV8516TM	Intermediate	2	0.01%	4.85	102.9%	26.0	1.8	2.5	4.30
COLUSA	Seminis	SV9916TM	Intermediate	2	0.01%	5.15	109.3%	24.5	0.3	1.5	4.47
COLUSA	United Genetics	UG16609	Intermediate	21	0.07%	5.00	106.2%	26.1	1.8	1.1	4.34
COLUSA	United Genetics	UG31305	Misc	2	0.01%	4.65	98.7%	24.5	2.5	5.5	4.56
COLUSA	Woodbridge	BQ163	Thin	164	0.54%	4.86	103.1%	24.7	2.0	0.3	4.40
COLUSA	Woodbridge	BQ205	Thin	424	1.39%	4.89	103.7%	28.2	3.9	1.0	4.39
COLUSA	Woodbridge	BQ296	Thin	75	0.25%	5.27	111.8%	25.3	2.0	3.0	4.35
COLUSA	Woodbridge	BQ313	Thin	22	0.07%	4.97	105.5%	24.1	3.1	1.3	4.43
COLUSA	Woodbridge	BQ416	Intermediate	2	0.01%	5.15	109.3%	29.5	1.0	2.3	4.47
COLUSA	OVERALL	OVERALL		30,553	100.00%	4.71	100.0%	25.4	1.5	2.4	4.40
GLENN	Harris Moran	HM9905	Intermediate	79	4.95%	4.99	105.9%	25.7	0.3	4.0	4.47

PTAB Data by Region by County

North Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	Mold	pH
GLENN	Heinz	H1175	Thick	176	11.03%	5.01	106.4%	24.6	0.1	2.7	4.38
GLENN	Heinz	H3402	Intermediate	458	28.71%	4.71	99.9%	25.9	0.2	1.7	4.38
GLENN	Heinz	H5508	Thick	322	20.19%	4.41	93.7%	26.7	0.2	1.4	4.32
GLENN	Heinz	H5608	Thick	51	3.20%	4.54	96.4%	26.4	0.4	4.9	4.41
GLENN	Heinz	H8504	Thick	506	31.72%	4.77	101.3%	26.4	0.3	2.3	4.28
GLENN	Misc	Misc	Misc	3	0.19%	4.97	105.4%	24.3	1.3	4.7	4.39
GLENN	OVERALL	OVERALL		1,595	100.00%	4.71	100.0%	26.1	0.2	2.2	4.34
SACRAMENTO	Harris Moran	CXD255	Intermediate	106	1.56%	4.93	99.6%	27.2	1.1	1.6	4.34
SACRAMENTO	Harris Moran	HM1892	Intermediate	322	4.72%	5.05	102.1%	24.5	0.9	1.8	4.36
SACRAMENTO	Harris Moran	HM7885	Pear	1	0.01%	5.20	105.1%	24.0	0.5	0.0	4.49
SACRAMENTO	Harris Moran	HM9905	Intermediate	404	5.93%	4.47	90.4%	27.0	0.8	2.4	4.32
SACRAMENTO	Heinz	H1015	Early	289	4.24%	5.11	103.3%	24.5	0.9	1.0	4.29
SACRAMENTO	Heinz	H1161	Thin	44	0.65%	4.90	98.9%	24.5	1.7	1.1	4.26
SACRAMENTO	Heinz	H1170	Thick	2	0.03%	5.80	117.2%	25.0	0.8	0.3	4.22
SACRAMENTO	Heinz	H1175	Thick	365	5.36%	4.45	89.9%	23.2	0.6	1.8	4.40
SACRAMENTO	Heinz	H2005	Intermediate	2	0.03%	5.85	118.2%	24.5	1.8	0.5	4.34
SACRAMENTO	Heinz	H5508	Thick	1,042	15.29%	4.30	86.9%	25.7	0.6	0.8	4.27
SACRAMENTO	Heinz	H8504	Thick	1,192	17.49%	4.78	96.5%	25.1	0.8	1.8	4.24
SACRAMENTO	Nunhems	N6366	Thin	148	2.17%	5.34	107.9%	23.2	1.1	0.9	4.36
SACRAMENTO	Nunhems	N6402	Thin	285	4.18%	5.03	101.7%	25.3	1.3	1.1	4.33
SACRAMENTO	Nunhems	N6407	Thin	532	7.81%	5.03	101.7%	25.8	0.8	0.9	4.30
SACRAMENTO	Nunhems	N6420	Pear	4	0.06%	5.80	117.2%	23.5	0.4	0.3	4.25
SACRAMENTO	Seminis	AB0311	Thin	3	0.04%	5.70	115.2%	23.3	0.8	0.7	4.24
SACRAMENTO	Seminis	AB2	Thin	471	6.91%	5.46	110.4%	23.9	2.2	1.2	4.30
SACRAMENTO	Seminis	DR1319	Thin	508	7.45%	5.47	110.6%	24.5	1.7	0.8	4.29
SACRAMENTO	Seminis	HP849	Intermediate	166	2.44%	4.55	91.8%	25.1	0.8	3.4	4.33
SACRAMENTO	United Genetics	UG19406	Thick	377	5.53%	5.94	120.1%	23.2	0.8	2.0	4.27
SACRAMENTO	Woodbridge	BQ205	Thin	196	2.88%	5.67	114.7%	24.7	1.8	0.5	4.30
SACRAMENTO	Woodbridge	BQ206	Thin	357	5.24%	5.18	104.8%	24.9	0.9	0.8	4.26
SACRAMENTO	OVERALL	OVERALL		6,816	100.00%	4.95	100.0%	24.95	0.99	1.36	4.29
SOLANO	Harris Moran	C322	Thick	46	0.27%	5.00	97.2%	22.9	0.7	0.8	4.37
SOLANO	Harris Moran	CXD255	Intermediate	861	5.14%	5.16	100.5%	25.2	1.1	1.0	4.33
SOLANO	Harris Moran	HM1892	Intermediate	108	0.64%	5.10	99.3%	24.8	1.1	2.1	4.45
SOLANO	Harris Moran	HM1893	Early	325	1.94%	5.12	99.7%	26.1	2.9	0.6	4.36
SOLANO	Harris Moran	HM3888	Intermediate	9	0.05%	5.27	102.5%	25.1	0.9	0.6	4.40
SOLANO	Harris Moran	HM9905	Intermediate	1,545	9.21%	4.93	95.9%	23.9	1.1	0.7	4.41
SOLANO	Harris Moran	HMX4895	Early	4	0.02%	5.38	104.6%	24.5	3.9	0.1	4.42
SOLANO	Harris Moran	Shasta	Early	105	0.63%	5.36	104.4%	26.7	3.0	0.3	4.23
SOLANO	Heinz	H1015	Early	6	0.04%	5.67	110.2%	22.5	1.3	0.7	4.45
SOLANO	Heinz	H1161	Thin	310	1.85%	5.38	104.8%	24.8	2.2	1.5	4.32
SOLANO	Heinz	H1170	Thick	149	0.89%	5.65	109.9%	24.1	0.7	0.8	4.27
SOLANO	Heinz	H1175	Thick	164	0.98%	4.67	90.9%	22.2	0.7	1.4	4.38
SOLANO	Heinz	H1292	Pear	193	1.15%	5.57	108.4%	23.2	1.8	0.8	4.43
SOLANO	Heinz	H1308	Thick	3	0.02%	4.67	90.8%	22.3	2.5	0.3	4.48
SOLANO	Heinz	H1311VHL™	Thick	4	0.02%	5.10	99.2%	24.3	2.9	1.8	4.34
SOLANO	Heinz	H2005	Intermediate	5	0.03%	5.30	103.1%	23.4	4.2	0.9	4.37
SOLANO	Heinz	H2601	Pear	3	0.02%	4.93	96.0%	25.3	1.5	1.5	4.45
SOLANO	Heinz	H3402	Intermediate	97	0.58%	4.78	93.0%	25.0	0.8	0.2	4.39
SOLANO	Heinz	H5508	Thick	655	3.91%	4.39	85.4%	24.7	0.4	0.7	4.31
SOLANO	Heinz	H5608	Thick	1,133	6.76%	4.62	89.9%	23.3	1.3	1.5	4.38
SOLANO	Heinz	H8504	Thick	11	0.07%	4.88	95.0%	25.2	1.2	0.4	4.27
SOLANO	Heinz	H9995	Intermediate	6	0.04%	4.85	94.4%	24.2	0.3	0.8	4.40

PTAB Data by Region by County

North Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	Mold	pH
SOLANO	Heinz	Misc	Misc	12	0.07%	4.43	86.3%	23.2	1.9	0.6	4.42
SOLANO	Misc	Misc	Misc	14	0.08%	5.21	101.4%	24.4	1.2	1.3	4.40
SOLANO	Nunhems	N6366	Thin	442	2.64%	5.63	109.5%	25.2	1.7	0.7	4.37
SOLANO	Nunhems	N6397	Early	186	1.11%	5.64	109.7%	24.4	1.3	0.4	4.43
SOLANO	Nunhems	N6402	Thin	650	3.88%	5.25	102.1%	24.7	1.2	0.8	4.38
SOLANO	Nunhems	N6404	Intermediate	1,814	10.82%	5.00	97.2%	24.2	2.5	1.2	4.41
SOLANO	Nunhems	N6407	Thin	418	2.49%	5.44	105.8%	24.5	1.7	0.6	4.30
SOLANO	Nunhems	N6410	Thick	284	1.69%	5.04	98.1%	24.8	1.8	0.8	4.34
SOLANO	Nunhems	N6416	Early	92	0.55%	4.72	91.7%	25.8	1.0	0.4	4.31
SOLANO	Nunhems	N6420	Pear	5	0.03%	5.04	98.1%	25.4	0.6	1.5	4.42
SOLANO	Orsetti	BOS7040	Misc	1	0.01%	5.80	112.8%	23.0	0.5	1.0	4.44
SOLANO	Seminis	AB0311	Thin	1,304	7.78%	5.54	107.8%	24.6	1.5	1.1	4.33
SOLANO	Seminis	AB3	Thin	1	0.01%	5.60	109.0%	22.0	1.0	0.5	4.40
SOLANO	Seminis	APT410	Early	54	0.32%	5.13	99.8%	24.5	4.2	1.0	4.45
SOLANO	Seminis	DRI319	Thin	1,938	11.56%	5.52	107.5%	24.5	2.3	1.2	4.34
SOLANO	Seminis	HP849	Intermediate	1,360	8.11%	4.80	93.4%	23.7	1.1	1.7	4.36
SOLANO	Seminis	SV0599TM	Early	194	1.16%	4.91	95.6%	27.4	0.6	0.4	4.33
SOLANO	Syngenta	1570	Pear	12	0.07%	5.02	97.6%	25.8	1.0	0.5	4.40
SOLANO	United Genetics	UG10109	Misc	4	0.02%	5.25	102.1%	28.0	2.0	0.3	4.41
SOLANO	United Genetics	UG16609	Intermediate	268	1.60%	5.48	106.6%	25.6	3.3	0.6	4.33
SOLANO	United Genetics	UG19406	Thick	988	5.89%	5.23	101.8%	24.0	0.7	0.9	4.25
SOLANO	US Agriseed	P10	Thin	24	0.14%	4.72	91.8%	24.7	2.4	1.0	4.51
SOLANO	Woodbridge	BQ163	Thin	82	0.49%	5.86	114.1%	24.7	1.5	0.5	4.29
SOLANO	Woodbridge	BQ205	Thin	359	2.14%	5.43	105.7%	24.6	1.6	0.8	4.32
SOLANO	Woodbridge	BQ206	Thin	517	3.08%	5.12	99.6%	24.5	2.4	0.7	4.32
SOLANO	Woodbridge	BQ296	Thin	2	0.01%	5.70	110.9%	24.0	1.0	1.0	4.33
SOLANO	OVERALL	OVERALL		16,767	100.00%	5.14	100.0%	24.4	1.6	1.0	4.35
SUTTER	BHN	BP2	Thin	105	0.59%	4.96	99.0%	24.6	2.0	1.3	4.47
SUTTER	Harris Moran	CXD255	Intermediate	60	0.34%	5.83	116.4%	24.4	2.8	3.6	4.39
SUTTER	Harris Moran	CXD282	Thick	1,498	8.44%	5.01	99.9%	24.1	1.3	2.5	4.34
SUTTER	Harris Moran	HM1892	Intermediate	78	0.44%	6.13	122.5%	24.1	1.5	1.8	4.33
SUTTER	Harris Moran	HM1893	Early	110	0.62%	5.28	105.4%	25.2	3.8	0.5	4.29
SUTTER	Harris Moran	HM3888	Intermediate	2	0.01%	5.75	114.8%	27.0	0.0	0.3	4.36
SUTTER	Harris Moran	HM9905	Intermediate	201	1.13%	5.15	102.8%	23.2	0.5	1.5	4.42
SUTTER	Heinz	H1015	Early	281	1.58%	5.00	99.8%	24.6	0.8	0.8	4.42
SUTTER	Heinz	H1170	Thick	240	1.35%	5.02	100.1%	24.6	0.3	1.7	4.31
SUTTER	Heinz	H1175	Thick	1,598	9.01%	4.56	91.0%	24.2	0.3	2.6	4.43
SUTTER	Heinz	H1304	Intermediate	117	0.66%	5.47	109.2%	24.4	5.3	2.2	4.41
SUTTER	Heinz	H1310	Thick	53	0.30%	5.14	102.7%	23.9	2.6	2.0	4.42
SUTTER	Heinz	H1425	Thin	1	0.01%	5.00	99.8%	25.0	3.0	2.0	4.43
SUTTER	Heinz	H1427	Intermediate	3	0.02%	5.37	107.1%	22.7	3.7	1.3	4.40
SUTTER	Heinz	H2401	Thick	1,690	9.52%	4.70	93.9%	25.2	0.6	2.6	4.29
SUTTER	Heinz	H3402	Intermediate	862	4.86%	4.93	98.5%	25.0	0.2	1.7	4.41
SUTTER	Heinz	H4707	Thick	909	5.12%	5.07	101.3%	24.5	0.7	1.4	4.35
SUTTER	Heinz	H5508	Thick	1,462	8.24%	4.61	92.0%	24.5	0.5	1.2	4.31
SUTTER	Heinz	H5608	Thick	2,838	15.99%	4.98	99.3%	23.7	1.3	2.4	4.40
SUTTER	Heinz	H5701	Thick	930	5.24%	4.77	95.2%	25.7	0.6	3.4	4.35
SUTTER	Heinz	H5702	Thick	397	2.24%	4.91	98.0%	23.8	0.6	2.1	4.38
SUTTER	Heinz	H8504	Thick	1,072	6.04%	4.81	95.9%	25.7	0.4	3.4	4.31
SUTTER	Heinz	H9663	Thick	156	0.88%	5.22	104.2%	22.6	0.8	1.8	4.31
SUTTER	Heinz	Misc	Misc	60	0.34%	4.60	91.8%	25.6	1.3	2.9	4.36
SUTTER	Misc	Misc	Misc	47	0.26%	5.06	101.0%	24.3	2.4	2.9	4.41

PTAB Data by Region by County

North Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	Mold	pH
SUTTER	Nunhems	N6366	Thin	119	0.67%	5.39	107.6%	23.7	2.0	0.8	4.49
SUTTER	Nunhems	N6397	Early	84	0.47%	5.53	110.4%	23.3	1.2	1.1	4.53
SUTTER	Nunhems	N6402	Thin	70	0.39%	5.39	107.5%	24.7	1.3	1.1	4.42
SUTTER	Nunhems	N6407	Thin	405	2.28%	5.46	108.9%	24.9	1.2	1.6	4.36
SUTTER	Nunhems	N6410	Thick	19	0.11%	5.14	102.5%	26.6	1.2	3.4	4.39
SUTTER	Nunhems	N6412	Early	130	0.73%	5.22	104.1%	25.0	4.1	1.4	4.44
SUTTER	Orsetti	BOS66509	Early	6	0.03%	5.33	106.5%	23.8	3.7	0.2	4.37
SUTTER	Seminis	AB0311	Thin	475	2.68%	5.66	113.1%	23.2	0.9	2.1	4.32
SUTTER	Seminis	DR1319	Thin	1,238	6.98%	5.99	119.6%	24.3	1.8	1.7	4.35
SUTTER	Seminis	SV8232TM	Intermediate	92	0.52%	5.41	108.0%	23.3	4.1	1.6	4.37
SUTTER	United Genetics	UG16609	Intermediate	32	0.18%	5.61	111.9%	25.3	3.2	0.4	4.30
SUTTER	Woodbridge	BQ142	Intermediate	3	0.02%	4.77	95.2%	23.3	5.5	1.3	4.45
SUTTER	Woodbridge	BQ205	Thin	97	0.55%	6.54	130.6%	23.6	0.9	0.9	4.30
SUTTER	Woodbridge	BQ206	Thin	203	1.14%	5.48	109.4%	24.5	1.6	3.0	4.30
SUTTER	Woodbridge	BQ296	Thin	1	0.01%	5.70	113.8%	25.0	0.0	1.0	4.26
SUTTER	OVERALL	OVERALL		17,744	100.00%	5.01	100.0%	24.4	1.0	2.2	4.36
YOLO	BHN	BP1	Early	3	0.00%	4.50	92.8%	25.3	0.3	0.3	4.33
YOLO	BHN	BP2	Thin	5	0.01%	4.32	89.1%	27.6	0.4	1.3	4.34
YOLO	Harris Moran	C322	Thick	49	0.07%	4.88	100.6%	24.9	1.1	0.9	4.35
YOLO	Harris Moran	CXD255	Intermediate	2,232	3.32%	4.91	101.2%	25.2	1.4	1.1	4.34
YOLO	Harris Moran	CXD282	Thick	1,659	2.47%	4.64	95.7%	24.1	1.0	2.9	4.36
YOLO	Harris Moran	HM1892	Intermediate	1,338	1.99%	5.12	105.6%	24.3	1.0	0.6	4.34
YOLO	Harris Moran	HM1893	Early	492	0.73%	4.92	101.5%	25.2	2.6	0.5	4.30
YOLO	Harris Moran	HM3887	Intermediate	13	0.02%	5.19	107.1%	26.1	0.2	1.2	4.31
YOLO	Harris Moran	HM3888	Intermediate	18	0.03%	5.31	109.5%	27.5	0.2	0.7	4.32
YOLO	Harris Moran	HM9905	Intermediate	5,960	8.87%	4.81	99.2%	25.3	0.6	0.6	4.38
YOLO	Harris Moran	HMX4895	Early	8	0.01%	4.70	96.9%	25.6	5.1	0.2	4.36
YOLO	Harris Moran	Shasta	Early	1,057	1.57%	5.44	112.1%	24.7	2.8	0.5	4.27
YOLO	Heinz	H1015	Early	1,224	1.82%	5.01	103.2%	24.5	1.3	0.6	4.41
YOLO	Heinz	H1161	Thin	71	0.11%	5.45	112.4%	26.0	1.7	0.8	4.35
YOLO	Heinz	H1170	Thick	286	0.43%	4.75	97.9%	23.2	0.2	0.7	4.38
YOLO	Heinz	H1175	Thick	1,874	2.79%	4.58	94.4%	23.3	0.3	0.9	4.38
YOLO	Heinz	H1285	Thick	30	0.04%	4.87	100.5%	25.6	0.4	0.3	4.24
YOLO	Heinz	H1292	Pear	249	0.37%	5.20	107.2%	23.6	1.5	1.3	4.39
YOLO	Heinz	H1293	Pear	57	0.08%	5.55	114.5%	24.0	0.9	0.7	4.49
YOLO	Heinz	H1296	Thin	23	0.03%	5.24	108.1%	24.3	2.8	2.6	4.32
YOLO	Heinz	H1301	Early	24	0.04%	4.97	102.5%	26.5	0.5	0.0	4.37
YOLO	Heinz	H1304	Intermediate	13	0.02%	5.88	121.3%	23.8	2.1	1.5	4.39
YOLO	Heinz	H1310	Thick	19	0.03%	5.64	116.2%	23.9	0.8	2.4	4.34
YOLO	Heinz	H1311VHL™	Thick	2	0.00%	5.85	120.6%	24.0	2.8	4.0	4.40
YOLO	Heinz	H1422	Thick	1	0.00%	5.70	117.5%	25.0	1.5	0.0	4.49
YOLO	Heinz	H1425	Thin	5	0.01%	4.90	101.0%	23.0	1.6	0.4	4.54
YOLO	Heinz	H1427	Intermediate	4	0.01%	4.75	97.9%	22.8	2.3	0.5	4.50
YOLO	Heinz	H2005	Intermediate	8	0.01%	5.09	104.9%	25.1	1.4	1.0	4.29
YOLO	Heinz	H2401	Thick	1,273	1.90%	4.29	88.5%	26.5	0.6	0.8	4.28
YOLO	Heinz	H3402	Intermediate	519	0.77%	4.86	100.2%	28.2	0.4	0.6	4.35
YOLO	Heinz	H4707	Thick	1,101	1.64%	4.68	96.5%	24.5	0.8	2.2	4.37
YOLO	Heinz	H5003	Early	343	0.51%	5.09	104.9%	22.5	5.2	0.3	4.48
YOLO	Heinz	H5508	Thick	5,809	8.65%	4.31	88.8%	25.5	0.5	0.5	4.30
YOLO	Heinz	H5608	Thick	9,654	14.37%	4.57	94.2%	23.4	0.7	1.3	4.36
YOLO	Heinz	H5701	Thick	964	1.44%	4.66	96.1%	24.7	0.6	0.9	4.30
YOLO	Heinz	H5702	Thick	753	1.12%	4.78	98.5%	23.1	0.4	0.6	4.36

PTAB Data by Region by County

North Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	Mold	pH
YOLO	Heinz	H8504	Thick	1,890	2.81%	4.68	96.5%	25.5	0.8	1.1	4.25
YOLO	Heinz	H9280	Early	82	0.12%	4.46	92.0%	27.0	1.9	0.7	4.37
YOLO	Heinz	H9780	Thick	267	0.40%	4.43	91.4%	26.2	1.5	1.1	4.37
YOLO	Heinz	H9995	Intermediate	21	0.03%	4.81	99.2%	24.9	0.7	0.4	4.40
YOLO	Heinz	Misc	Misc	97	0.14%	4.83	99.5%	24.1	0.8	0.9	4.35
YOLO	Misc	Misc	Misc	132	0.20%	4.94	101.8%	24.9	1.6	1.0	4.35
YOLO	Nunhems	N6366	Thin	2,531	3.77%	5.12	105.5%	24.4	2.0	0.9	4.38
YOLO	Nunhems	N6394	Intermediate	121	0.18%	4.43	91.4%	25.4	0.8	2.0	4.41
YOLO	Nunhems	N6397	Early	3,431	5.11%	5.15	106.2%	23.4	1.7	0.7	4.43
YOLO	Nunhems	N6402	Thin	1,931	2.88%	5.05	104.2%	24.0	1.4	0.7	4.39
YOLO	Nunhems	N6404	Intermediate	4,632	6.90%	4.81	99.2%	25.0	1.8	1.5	4.40
YOLO	Nunhems	N6407	Thin	1,534	2.28%	5.06	104.4%	25.5	0.8	1.1	4.34
YOLO	Nunhems	N6410	Thick	601	0.89%	5.13	105.8%	24.3	1.7	1.5	4.34
YOLO	Nunhems	N6412	Early	490	0.73%	5.38	110.9%	23.8	2.0	1.5	4.38
YOLO	Nunhems	N6416	Early	371	0.55%	5.15	106.3%	24.4	1.0	0.3	4.33
YOLO	Nunhems	N6420	Pear	10	0.01%	5.46	112.6%	25.6	1.0	1.0	4.38
YOLO	Orsetti	BOS66509	Early	46	0.07%	5.13	105.8%	26.9	1.8	0.5	4.45
YOLO	Sementi	ISI1181	Misc	20	0.03%	5.34	110.1%	24.6	2.5	0.4	4.34
YOLO	Seminis	AB0311	Thin	1,983	2.95%	5.42	111.8%	23.6	1.1	1.5	4.33
YOLO	Seminis	AB2	Thin	36	0.05%	5.17	106.6%	24.9	1.3	1.3	4.31
YOLO	Seminis	APT410	Early	931	1.39%	5.07	104.5%	24.1	3.0	0.3	4.40
YOLO	Seminis	DRI319	Thin	3,668	5.46%	5.50	113.3%	24.4	1.8	1.3	4.31
YOLO	Seminis	HP849	Intermediate	860	1.28%	4.80	98.9%	24.7	1.1	1.3	4.31
YOLO	Seminis	PS650	Intermediate	213	0.32%	4.81	99.3%	25.1	0.5	1.4	4.32
YOLO	Seminis	SV0599TM	Early	474	0.71%	5.30	109.2%	26.8	1.2	0.3	4.35
YOLO	Seminis	SV8232TM	Intermediate	20	0.03%	6.46	133.2%	23.5	2.2	2.9	4.35
YOLO	United Genetics	UG10109	Misc	2	0.00%	4.90	101.0%	26.0	3.5	0.5	4.46
YOLO	United Genetics	UG16609	Intermediate	280	0.42%	4.63	95.5%	25.0	2.0	0.6	4.31
YOLO	United Genetics	UG19406	Thick	1,442	2.15%	4.66	96.0%	24.7	0.6	1.9	4.25
YOLO	US Agriseed	P10	Thin	14	0.02%	3.49	71.9%	26.7	2.2	3.5	4.38
YOLO	Woodbridge	BQ142	Intermediate	5	0.01%	4.60	94.8%	25.8	3.0	3.6	4.44
YOLO	Woodbridge	BQ163	Thin	148	0.22%	5.36	110.6%	25.1	2.5	0.3	4.33
YOLO	Woodbridge	BQ205	Thin	679	1.01%	5.28	108.9%	24.8	1.9	1.1	4.30
YOLO	Woodbridge	BQ206	Thin	903	1.34%	5.00	103.0%	25.6	2.1	1.3	4.29
YOLO	Woodbridge	BQ268	Intermediate	48	0.07%	5.41	111.6%	24.8	3.4	1.9	4.33
YOLO	Woodbridge	BQ273	Early	5	0.01%	4.82	99.4%	24.8	1.4	0.1	4.34
YOLO	Woodbridge	BQ296	Thin	98	0.15%	5.42	111.8%	24.0	2.6	2.0	4.33
YOLO	Woodbridge	BQ312	Intermediate	6	0.01%	5.32	109.6%	23.8	3.8	0.4	4.38
YOLO	Woodbridge	BQ416	Intermediate	3	0.00%	5.53	114.1%	23.0	4.3	0.5	4.37
YOLO	OVERALL	OVERALL		67,165	100.00%	4.85	100.0%	24.5	1.2	1.1	4.35
NORTH REGION				140,640		4.88		24.7	1.2	1.5	4.36