

PTAB Data by Region by County

South Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	Mold	pH
FRESNO	BHN	BP1	Early	18	0.01%	5.28	97.0%	24.5	0.3	0.0	4.27
FRESNO	Harris Moran	CXD187	Early	2,493	1.43%	4.84	89.0%	24.1	2.3	0.4	4.37
FRESNO	Harris Moran	CXD255	Intermediate	1,904	1.10%	5.35	98.3%	23.2	1.4	2.0	4.37
FRESNO	Harris Moran	HM1892	Intermediate	3,622	2.08%	5.45	100.1%	23.3	1.5	1.3	4.43
FRESNO	Harris Moran	HM3885	Intermediate	1	0.00%	5.20	95.6%	25.0	1.0	0.0	4.34
FRESNO	Harris Moran	HM3887	Intermediate	4	0.00%	5.65	103.8%	25.0	1.6	0.8	4.36
FRESNO	Harris Moran	HM3888	Intermediate	36	0.02%	5.52	101.5%	26.2	0.7	0.4	4.40
FRESNO	Harris Moran	HM7883	Thin	3	0.00%	5.30	97.4%	23.3	0.2	0.5	4.50
FRESNO	Harris Moran	HM7885	Pear	4,419	2.54%	5.00	92.0%	23.9	0.7	0.6	4.54
FRESNO	Harris Moran	HM9905	Intermediate	512	0.29%	5.31	97.6%	24.7	1.0	2.6	4.46
FRESNO	Heinz	H1015	Early	5,520	3.18%	5.30	97.4%	23.0	0.7	0.3	4.42
FRESNO	Heinz	H1161	Thin	900	0.52%	6.40	117.6%	23.6	2.4	0.7	4.35
FRESNO	Heinz	H1170	Thick	1,332	0.77%	5.48	100.8%	24.8	0.7	1.0	4.36
FRESNO	Heinz	H1175	Thick	1,512	0.87%	5.07	93.1%	23.7	0.7	1.1	4.46
FRESNO	Heinz	H1292	Pear	3,476	2.00%	5.51	101.3%	22.2	2.0	1.2	4.47
FRESNO	Heinz	H1293	Pear	668	0.38%	5.70	104.7%	23.0	0.7	0.9	4.49
FRESNO	Heinz	H1296	Thin	3	0.00%	6.57	120.7%	22.7	2.7	0.5	4.46
FRESNO	Heinz	H1301	Early	31	0.02%	5.47	100.5%	26.0	1.3	0.0	4.40
FRESNO	Heinz	H1308	Thick	2	0.00%	5.20	95.6%	22.5	2.3	0.5	4.50
FRESNO	Heinz	H1311VHL™	Thick	25	0.01%	5.66	104.0%	20.9	2.2	1.0	4.37
FRESNO	Heinz	H2005	Intermediate	43	0.02%	5.52	101.4%	24.2	3.3	1.2	4.40
FRESNO	Heinz	H2401	Thick	10,936	6.29%	5.12	94.0%	24.8	0.9	1.7	4.30
FRESNO	Heinz	H2601	Pear	901	0.52%	5.10	93.6%	23.9	1.6	0.6	4.44
FRESNO	Heinz	H3402	Intermediate	2,309	1.33%	5.39	99.0%	24.0	0.8	0.6	4.40
FRESNO	Heinz	H4707	Thick	6,028	3.47%	5.17	95.0%	25.7	0.7	1.5	4.37
FRESNO	Heinz	H5508	Thick	1,634	0.94%	4.79	88.0%	24.9	0.4	1.2	4.32
FRESNO	Heinz	H5608	Thick	18,378	10.57%	5.19	95.4%	23.0	1.3	2.0	4.39
FRESNO	Heinz	H5701	Thick	232	0.13%	5.56	102.2%	24.6	2.5	0.4	4.44
FRESNO	Heinz	H5702	Thick	1,210	0.70%	5.17	95.1%	24.7	0.9	3.0	4.41
FRESNO	Heinz	H5705	Thick	58	0.03%	4.97	91.4%	24.0	3.2	1.4	4.59
FRESNO	Heinz	H8004	Intermediate	789	0.45%	5.15	94.6%	22.9	1.2	1.8	4.43
FRESNO	Heinz	H8504	Thick	10,430	6.00%	5.15	94.7%	24.2	0.8	1.6	4.31
FRESNO	Heinz	H9491	Intermediate	1,016	0.58%	5.11	93.9%	23.3	1.5	0.4	4.31
FRESNO	Heinz	H9663	Thick	1,931	1.11%	4.98	91.6%	23.6	1.9	4.5	4.41
FRESNO	Heinz	Misc	Misc	131	0.08%	5.23	96.1%	23.2	1.9	2.4	4.40
FRESNO	Keithly Williams	K2769	Early	245	0.14%	5.10	93.7%	26.1	0.6	0.0	4.31
FRESNO	Keithly Williams	K2770	Early	421	0.24%	5.03	92.4%	24.8	1.1	0.1	4.32
FRESNO	Keithly Williams	K2930	Thick	1	0.00%	5.90	108.4%	24.0	3.0	1.5	4.60
FRESNO	Misc	Misc	Misc	857	0.49%	5.07	93.1%	27.6	6.6	2.6	4.41
FRESNO	NDM	NDM7776	Misc	127	0.07%	5.73	105.3%	22.2	2.5	1.4	4.38
FRESNO	Nunhems	N6117	Early	2,156	1.24%	5.23	96.2%	23.6	3.5	0.4	4.36
FRESNO	Nunhems	N6366	Thin	18,592	10.70%	5.77	106.0%	23.4	2.0	0.6	4.38
FRESNO	Nunhems	N6368	Thin	943	0.54%	5.57	102.4%	22.7	1.1	2.6	4.40
FRESNO	Nunhems	N6385	Thick	745	0.43%	4.71	86.6%	23.3	1.6	1.6	4.44
FRESNO	Nunhems	N6394	Intermediate	4,810	2.77%	5.61	103.2%	23.0	2.5	0.7	4.44
FRESNO	Nunhems	N6397	Early	4,945	2.85%	5.45	100.2%	23.2	1.1	0.4	4.39
FRESNO	Nunhems	N6402	Thin	6,432	3.70%	5.76	105.8%	22.9	1.8	0.7	4.41
FRESNO	Nunhems	N6404	Intermediate	8,151	4.69%	5.47	100.6%	23.7	2.2	1.4	4.43
FRESNO	Nunhems	N6407	Thin	309	0.18%	5.74	105.5%	24.8	1.0	1.2	4.37
FRESNO	Nunhems	N6410	Thick	364	0.21%	5.53	101.7%	24.6	1.1	1.6	4.36

PTAB Data by Region by County

South Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	Mold	pH
FRESNO	Nunhems	N6415	Thick	71	0.04%	5.30	97.5%	23.0	0.5	0.7	4.36
FRESNO	Nunhems	N6416	Early	1,165	0.67%	5.26	96.7%	24.1	1.6	0.2	4.32
FRESNO	Nunhems	N6420	Pear	184	0.11%	5.25	96.5%	24.5	1.3	1.2	4.45
FRESNO	Nunhems	U373	Early	1,006	0.58%	5.09	93.5%	24.4	3.3	0.5	4.33
FRESNO	Orsetti	BOS602	Early	452	0.26%	5.48	100.8%	22.8	3.5	0.6	4.39
FRESNO	Orsetti	BOS66509	Early	1,906	1.10%	5.29	97.1%	24.0	4.2	1.0	4.38
FRESNO	Orsetti	BOS67212	Pear	462	0.27%	5.17	95.1%	22.8	3.6	2.3	4.42
FRESNO	Sementi	ISI1181	Misc	2	0.00%	5.65	103.8%	23.5	1.8	3.5	4.62
FRESNO	Sementi	ISI29805	Thin	212	0.12%	4.79	88.1%	23.1	1.3	0.0	4.30
FRESNO	Seminis	AB0311	Thin	7,580	4.36%	6.00	110.2%	22.6	1.8	1.4	4.35
FRESNO	Seminis	AB2	Thin	2,201	1.27%	5.73	105.3%	23.7	1.9	1.1	4.31
FRESNO	Seminis	AB3	Thin	1,461	0.84%	5.40	99.2%	24.2	1.8	1.3	4.34
FRESNO	Seminis	APT410	Early	1,872	1.08%	5.27	96.9%	23.3	2.7	0.3	4.40
FRESNO	Seminis	DRI319	Thin	9,806	5.64%	5.95	109.3%	23.7	1.8	1.4	4.38
FRESNO	Seminis	HP108	Pear	371	0.21%	5.40	99.2%	25.6	2.5	1.4	4.47
FRESNO	Seminis	PS002	Intermediate	137	0.08%	5.34	98.2%	22.6	3.2	0.8	4.39
FRESNO	Seminis	PS650	Intermediate	3	0.00%	5.07	93.1%	25.0	1.2	1.2	4.44
FRESNO	Seminis	SV0599TM	Early	461	0.27%	5.40	99.3%	25.4	1.1	0.1	4.37
FRESNO	Seminis	SV8516TM	Intermediate	37	0.02%	5.76	105.8%	23.1	4.2	0.5	4.49
FRESNO	Seminis	SV9916TM	Intermediate	4	0.00%	5.63	103.4%	23.5	1.1	0.6	4.44
FRESNO	Syngenta	1570	Pear	462	0.27%	4.92	90.5%	25.0	3.9	1.0	4.45
FRESNO	United Genetics	UG16609	Intermediate	304	0.17%	5.62	103.3%	23.0	1.8	0.6	4.33
FRESNO	United Genetics	UG18510	Thick	4	0.00%	5.25	96.5%	26.5	2.8	1.4	4.39
FRESNO	United Genetics	UG18806	Thick	996	0.57%	4.96	91.1%	25.7	1.3	1.3	4.35
FRESNO	United Genetics	UG19210	Thick	10	0.01%	5.41	99.4%	24.7	2.1	3.1	4.39
FRESNO	United Genetics	UG19406	Thick	3,782	2.18%	5.76	105.8%	22.9	0.8	1.4	4.31
FRESNO	US Agriseed	P95	Misc	14	0.01%	5.63	103.4%	24.1	8.2	4.1	4.57
FRESNO	Woodbridge	BQ163	Thin	1,870	1.08%	6.20	113.9%	23.6	3.9	0.4	4.35
FRESNO	Woodbridge	BQ204	Early	129	0.07%	5.14	94.5%	24.0	1.7	0.0	4.31
FRESNO	Woodbridge	BQ205	Thin	2,616	1.51%	5.82	106.9%	23.7	1.9	1.0	4.33
FRESNO	Woodbridge	BQ206	Thin	1,329	0.76%	5.87	107.9%	24.4	1.6	1.0	4.36
FRESNO	Woodbridge	BQ268	Intermediate	22	0.01%	5.45	100.2%	22.9	1.4	1.1	4.40
FRESNO	Woodbridge	BQ273	Early	741	0.43%	5.43	99.7%	24.2	1.5	0.2	4.30
FRESNO	Woodbridge	BQ292	Intermediate	237	0.14%	5.24	96.3%	23.6	2.4	3.2	4.43
FRESNO	Woodbridge	BQ296	Thin	262	0.15%	5.81	106.7%	23.1	2.2	1.9	4.40
FRESNO	Woodbridge	BQ312	Intermediate	19	0.01%	5.85	107.6%	22.7	1.1	0.0	4.41
FRESNO	OVERALL	OVERALL		173,795	100.00%	5.44	100.0%	23.7	1.6	1.2	4.38
KERN	Harris Moran	CXD187	Early	2,394	8.13%	4.84	95.2%	24.7	1.8	0.4	4.41
KERN	Harris Moran	HM1892	Intermediate	125	0.42%	5.90	116.1%	23.2	3.5	0.1	4.52
KERN	Heinz	H1015	Early	1,443	4.90%	5.09	100.1%	23.0	1.4	0.2	4.48
KERN	Heinz	H1161	Thin	110	0.37%	5.83	114.6%	23.4	2.0	0.3	4.36
KERN	Heinz	H1170	Thick	355	1.21%	5.45	107.2%	23.6	1.1	0.6	4.37
KERN	Heinz	H1175	Thick	52	0.18%	4.95	97.3%	20.5	0.4	0.8	4.42
KERN	Heinz	H1292	Pear	184	0.62%	5.52	108.5%	22.1	0.8	0.9	4.48
KERN	Heinz	H1293	Pear	70	0.24%	5.43	106.9%	25.8	0.6	0.4	4.48
KERN	Heinz	H3402	Intermediate	79	0.27%	4.67	91.9%	23.4	0.3	0.1	4.44
KERN	Heinz	H5508	Thick	145	0.49%	5.24	103.0%	24.4	0.6	1.0	4.36
KERN	Heinz	H5608	Thick	3,280	11.14%	5.07	99.7%	22.9	1.0	0.8	4.39
KERN	Heinz	H8504	Thick	9,507	32.28%	5.10	100.3%	24.8	0.8	0.5	4.30
KERN	Heinz	H9491	Intermediate	66	0.22%	4.80	94.3%	23.7	1.5	0.4	4.35

PTAB Data by Region by County

South Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	Mold	pH
KERN	Heinz	H9780	Thick	23	0.08%	5.57	109.5%	24.3	1.5	1.1	4.40
KERN	Keithly Williams	K2770	Early	318	1.08%	5.12	100.8%	24.8	0.9	0.1	4.30
KERN	Misc	Misc	Misc	187	0.64%	5.13	100.8%	24.6	1.3	0.9	4.41
KERN	Nunhems	N6117	Early	301	1.02%	5.04	99.0%	25.5	5.1	0.2	4.38
KERN	Nunhems	N6366	Thin	4,953	16.82%	5.05	99.3%	24.2	1.9	1.0	4.44
KERN	Nunhems	N6394	Intermediate	63	0.21%	5.13	100.9%	24.0	4.1	0.6	4.47
KERN	Nunhems	N6397	Early	3,450	11.72%	5.05	99.3%	24.1	1.6	0.8	4.41
KERN	Nunhems	N6404	Intermediate	211	0.72%	4.70	92.5%	24.5	2.2	3.4	4.45
KERN	Nunhems	N6407	Thin	63	0.21%	5.65	111.0%	25.1	4.2	0.2	4.41
KERN	Nunhems	N6410	Thick	59	0.20%	5.19	102.1%	23.2	0.6	0.4	4.35
KERN	Nunhems	N6416	Early	99	0.34%	4.88	96.1%	26.0	2.3	0.2	4.37
KERN	Orsetti	BOS602	Early	60	0.20%	4.93	97.0%	21.7	3.2	0.5	4.35
KERN	Sementi	ISI26761	Thin	68	0.23%	5.61	110.3%	26.5	2.6	0.1	4.41
KERN	Seminis	AB0311	Thin	360	1.22%	5.43	106.8%	23.4	1.5	1.3	4.37
KERN	Seminis	AB2	Thin	181	0.61%	5.19	102.1%	24.4	3.5	0.7	4.45
KERN	Seminis	APT410	Early	467	1.59%	4.93	96.9%	23.0	4.1	0.4	4.40
KERN	Seminis	DRI319	Thin	667	2.27%	5.51	108.3%	24.6	1.2	1.1	4.34
KERN	United Genetics	UG16609	Intermediate	35	0.12%	5.44	107.0%	24.8	0.8	0.1	4.34
KERN	Woodbridge	BQ273	Early	64	0.22%	5.27	103.7%	24.7	3.7	0.3	4.40
KERN	Woodbridge	BQ312	Intermediate	9	0.03%	5.17	101.6%	20.9	2.7	0.8	4.43
KERN	OVERALL	OVERALL		29,448	100.00%	5.08	100.0%	24.2	1.4	0.7	4.38
KINGS	Harris Moran	CXD187	Early	3,888	5.81%	4.94	95.0%	24.4	2.3	0.2	4.42
KINGS	Harris Moran	CXD255	Intermediate	111	0.17%	5.72	110.0%	24.3	2.0	2.6	4.38
KINGS	Harris Moran	HM1892	Intermediate	348	0.52%	5.55	106.7%	26.5	0.8	1.1	4.39
KINGS	Harris Moran	HM1893	Early	70	0.10%	5.67	109.1%	23.0	2.6	0.4	4.29
KINGS	Harris Moran	HM3884	Intermediate	4	0.01%	6.05	116.4%	25.0	1.6	2.1	4.42
KINGS	Harris Moran	HM3887	Intermediate	5	0.01%	5.82	112.0%	24.6	1.9	1.7	4.41
KINGS	Harris Moran	HM3888	Intermediate	18	0.03%	5.86	112.8%	25.0	2.2	2.8	4.44
KINGS	Heinz	H1015	Early	848	1.27%	5.55	106.9%	22.3	1.0	0.4	4.45
KINGS	Heinz	H1161	Thin	742	1.11%	5.97	114.9%	24.7	1.3	0.7	4.33
KINGS	Heinz	H1170	Thick	814	1.22%	5.31	102.2%	26.5	0.9	1.7	4.37
KINGS	Heinz	H1175	Thick	167	0.25%	5.89	113.2%	23.3	0.7	0.5	4.44
KINGS	Heinz	H1292	Pear	54	0.08%	5.25	101.0%	22.6	2.1	2.5	4.49
KINGS	Heinz	H1308	Thick	3	0.00%	5.17	99.4%	26.0	3.7	2.7	4.51
KINGS	Heinz	H2401	Thick	964	1.44%	5.09	98.0%	26.5	0.8	1.2	4.26
KINGS	Heinz	H3402	Intermediate	277	0.41%	5.68	109.2%	22.1	0.8	0.1	4.40
KINGS	Heinz	H4707	Thick	197	0.29%	5.10	98.2%	26.0	0.5	1.2	4.35
KINGS	Heinz	H5508	Thick	801	1.20%	4.73	91.1%	25.3	0.4	1.9	4.28
KINGS	Heinz	H5608	Thick	6,314	9.44%	5.28	101.6%	23.6	1.0	1.6	4.38
KINGS	Heinz	H8504	Thick	33,305	49.78%	5.01	96.5%	24.5	0.7	0.6	4.30
KINGS	Heinz	H9491	Intermediate	278	0.42%	4.99	95.9%	23.4	3.9	1.7	4.40
KINGS	Heinz	H9780	Thick	386	0.58%	6.01	115.6%	23.3	2.5	0.5	4.31
KINGS	Heinz	Misc	Misc	20	0.03%	5.52	106.1%	23.0	0.6	0.1	4.49
KINGS	Keithly Williams	K2769	Early	81	0.12%	5.08	97.7%	25.4	2.4	0.1	4.32
KINGS	Keithly Williams	K2770	Early	179	0.27%	5.65	108.7%	24.1	4.6	0.0	4.29
KINGS	Misc	Misc	Misc	476	0.71%	5.43	104.5%	24.3	0.8	0.7	4.38
KINGS	Nunhems	N6117	Early	383	0.57%	5.01	96.4%	24.8	1.8	0.1	4.35
KINGS	Nunhems	N6366	Thin	5,382	8.04%	5.75	110.7%	24.1	1.4	0.5	4.38
KINGS	Nunhems	N6385	Thick	513	0.77%	5.00	96.2%	23.5	2.5	1.3	4.46
KINGS	Nunhems	N6397	Early	2,386	3.57%	5.38	103.6%	23.5	1.5	0.5	4.40

PTAB Data by Region by County

South Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	Mold	pH
KINGS	Nunhems	N6402	Thin	401	0.60%	6.08	117.1%	25.6	2.3	0.3	4.36
KINGS	Nunhems	N6404	Intermediate	961	1.44%	5.54	106.7%	23.6	2.1	3.8	4.43
KINGS	Nunhems	N6407	Thin	193	0.29%	6.00	115.4%	26.7	1.0	1.9	4.32
KINGS	Nunhems	N6410	Thick	464	0.69%	4.97	95.7%	28.3	0.8	1.9	4.37
KINGS	Nunhems	N6416	Early	383	0.57%	5.03	96.8%	24.4	1.8	0.1	4.29
KINGS	Orsetti	BOS602	Early	129	0.19%	5.88	113.0%	25.0	2.2	0.1	4.36
KINGS	Orsetti	BOS66509	Early	2,022	3.02%	5.07	97.6%	24.4	3.2	0.4	4.39
KINGS	Sementi	ISI29805	Thin	80	0.12%	4.72	90.8%	23.1	1.1	0.0	4.28
KINGS	Seminis	AB0311	Thin	752	1.12%	6.22	119.6%	23.1	1.5	0.9	4.35
KINGS	Seminis	DRI319	Thin	838	1.25%	5.74	110.5%	23.8	1.4	2.6	4.38
KINGS	Seminis	SV9916TM	Intermediate	5	0.01%	5.50	105.8%	24.0	0.8	1.2	4.45
KINGS	United Genetics	UG16609	Intermediate	113	0.17%	5.68	109.2%	21.6	2.6	4.5	4.42
KINGS	United Genetics	UG19406	Thick	80	0.12%	5.37	103.2%	25.1	1.0	2.8	4.30
KINGS	US Agriseed	P10	Thin	27	0.04%	4.71	90.6%	23.1	4.2	3.3	4.47
KINGS	Woodbridge	BQ163	Thin	75	0.11%	6.85	131.9%	22.0	1.2	0.1	4.29
KINGS	Woodbridge	BQ204	Early	616	0.92%	5.16	99.3%	25.1	1.1	0.0	4.33
KINGS	Woodbridge	BQ205	Thin	617	0.92%	5.22	100.5%	24.6	2.1	2.8	4.34
KINGS	Woodbridge	BQ206	Thin	107	0.16%	5.87	113.0%	25.9	1.0	0.4	4.28
KINGS	Woodbridge	BQ273	Early	26	0.04%	4.88	93.8%	24.5	0.6	0.8	4.34
KINGS	Woodbridge	BQ296	Thin	4	0.01%	5.70	109.7%	26.0	3.1	2.6	4.34
KINGS	OVERALL	OVERALL		66,907	100.00%	5.20	100.0%	24.3	1.1	0.8	4.34
MADERA	Harris Moran	HM1892	Intermediate	878	7.36%	4.95	100.2%	24.8	1.7	3.1	4.47
MADERA	Harris Moran	HM3885	Intermediate	2	0.02%	4.90	99.2%	24.5	1.8	1.0	4.40
MADERA	Harris Moran	HM3888	Intermediate	5	0.04%	5.32	107.7%	25.2	1.4	1.4	4.46
MADERA	Harris Moran	HM9905	Intermediate	416	3.49%	4.74	95.9%	28.7	1.1	2.0	4.39
MADERA	Heinz	H1015	Early	50	0.42%	4.50	91.0%	25.1	1.5	1.7	4.37
MADERA	Heinz	H1308	Thick	4	0.03%	4.93	99.7%	23.5	2.5	2.1	4.50
MADERA	Heinz	H2401	Thick	923	7.74%	4.80	97.1%	25.7	0.9	1.0	4.28
MADERA	Heinz	H3402	Intermediate	140	1.17%	4.78	96.6%	23.7	0.8	0.4	4.34
MADERA	Heinz	H4707	Thick	1,089	9.13%	4.52	91.5%	26.3	0.6	1.1	4.34
MADERA	Heinz	H5508	Thick	306	2.57%	4.63	93.6%	26.1	1.1	1.4	4.35
MADERA	Heinz	H5608	Thick	668	5.60%	4.62	93.5%	24.7	1.6	1.4	4.38
MADERA	Heinz	H8504	Thick	1,260	10.57%	4.91	99.5%	25.0	0.8	0.7	4.30
MADERA	Misc	Misc	Misc	1	0.01%	5.60	113.3%	24.0	1.0	0.5	4.46
MADERA	Nunhems	N6366	Thin	1,265	10.61%	4.92	99.6%	25.1	2.4	2.1	4.40
MADERA	Nunhems	N6394	Intermediate	400	3.35%	5.51	111.5%	22.8	2.8	0.8	4.46
MADERA	Nunhems	N6397	Early	832	6.98%	4.73	95.7%	24.7	1.9	1.2	4.44
MADERA	Nunhems	N6402	Thin	588	4.93%	5.35	108.3%	23.5	2.1	1.1	4.45
MADERA	Nunhems	N6404	Intermediate	1,134	9.51%	5.05	102.2%	24.4	2.8	3.7	4.44
MADERA	Nunhems	N6407	Thin	106	0.89%	5.06	102.5%	26.0	0.3	1.9	4.36
MADERA	Nunhems	N6410	Thick	15	0.13%	4.83	97.8%	26.9	0.6	1.6	4.37
MADERA	Nunhems	N6415	Thick	4	0.03%	4.93	99.7%	24.3	1.3	1.4	4.36
MADERA	Seminis	AB0311	Thin	296	2.48%	5.08	102.8%	24.5	1.2	7.4	4.38
MADERA	Seminis	DRI319	Thin	888	7.45%	5.33	107.9%	25.4	1.7	3.2	4.40
MADERA	Seminis	SV8516TM	Intermediate	2	0.02%	5.45	110.3%	23.5	2.5	1.8	4.42
MADERA	United Genetics	UG19406	Thick	653	5.48%	5.33	107.8%	23.9	0.8	1.2	4.30
MADERA	OVERALL	OVERALL		11,925	100.00%	4.94	100.0%	25.0	1.6	1.9	4.38
TULARE	Heinz	H1161	Thin	7	1.91%	5.41	106.0%	26.6	1.9	2.7	4.36
TULARE	Nunhems	N6366	Thin	51	13.90%	5.04	98.8%	24.8	4.0	2.4	4.50
TULARE	Seminis	AB0311	Thin	228	62.13%	5.10	99.9%	23.9	1.1	4.7	4.37

PTAB Data by Region by County

South Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	Mold	pH
TULARE	Seminis	DRI319	Thin	81	22.07%	5.14	100.6%	25.4	1.8	4.1	4.44
TULARE	OVERALL	OVERALL		367	100.00%	5.11	100.0%	24.4	1.7	4.2	4.40
SOUTH REGION				282,442	100.00%	5.32	100.0%	23.9	1.5	1.1	4.37