

2015 Processing Tomato Season
 PTAB Analysis (8/15/15) - County by Variety



County	Variety Name	Week Ending 8/15/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
BUTTE	5702, HZ	12	0.0	1.1	7.0	5.0	25.2	0.4	4.94	4.35	12	0.0	1.1	7.0	5.0	25.2	0.4	4.94	4.35
BUTTE		12	0.0	1.1	7.0	5.0	25.2	0.4	4.94	4.35	12	0.0	1.1	7.0	5.0	25.2	0.4	4.94	4.35
COLUSA	1015, HEINZ	21	0.0	0.5	3.4	0.7	23.0	0.7	5.30	4.41	2,885	0.0	0.4	2.0	1.3	25.3	0.7	5.07	4.40
COLUSA	6366, SUN	69	0.0	4.2	0.8	2.2	26.3	3.3	5.19	4.53	2,277	0.0	1.3	1.3	1.9	26.9	1.7	5.16	4.42
COLUSA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,635	0.0	0.8	2.0	1.2	27.4	2.0	4.81	4.38
COLUSA	6402, N	112	0.0	1.0	1.0	0.8	24.5	1.9	5.02	4.40	1,515	0.0	0.9	1.2	1.8	26.1	1.7	5.16	4.42
COLUSA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,452	0.0	0.6	1.5	1.5	26.3	0.9	4.99	4.41
COLUSA	0311, AB	219	0.0	1.5	3.6	0.8	23.6	0.8	5.27	4.32	1,291	0.0	1.3	2.3	0.7	24.4	0.9	5.41	4.32
COLUSA	0319, DRI	374	0.0	2.0	2.2	0.7	25.1	2.0	5.20	4.36	1,086	0.0	1.5	2.0	0.9	25.5	2.6	5.47	4.37
COLUSA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	748	0.0	0.7	1.4	0.6	26.4	1.2	4.88	4.33
COLUSA	4707, HEINZ	711	0.0	0.5	2.4	2.0	26.7	0.4	4.64	4.37	711	0.0	0.5	2.4	2.0	26.7	0.4	4.64	4.37
COLUSA	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	695	0.0	0.9	2.4	1.0	30.9	0.9	4.54	4.36
COLUSA	2401, HEINZ	682	0.0	0.5	2.5	1.3	25.5	0.5	5.01	4.26	682	0.0	0.5	2.5	1.3	25.5	0.5	5.01	4.26
COLUSA	2, BP	140	0.0	2.0	3.6	0.9	26.6	1.6	4.57	4.48	517	0.0	2.2	5.1	1.4	26.9	1.4	4.62	4.49
COLUSA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	469	0.0	0.3	0.6	0.5	27.8	4.1	4.74	4.29
COLUSA	3887, HMX	119	0.0	2.4	14.6	1.8	26.4	0.7	5.12	4.43	432	0.0	1.1	5.9	1.0	27.4	0.8	5.21	4.38
COLUSA	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	374	0.0	1.0	1.9	1.9	26.1	2.3	4.91	4.40
COLUSA	5608, HZ	308	0.0	1.3	1.8	1.2	23.9	0.6	4.80	4.41	308	0.0	1.3	1.8	1.2	23.9	0.6	4.80	4.41
COLUSA	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	285	0.0	0.7	3.1	1.4	27.1	1.2	5.57	4.30
COLUSA	1424, HZ	17	0.0	1.7	7.7	2.5	27.4	2.2	5.45	4.29	235	0.0	0.9	2.5	1.0	27.3	2.1	4.89	4.33
COLUSA	5702, HZ	204	0.0	0.5	3.9	2.1	24.4	0.4	4.89	4.36	204	0.0	0.5	3.9	2.1	24.4	0.4	4.89	4.36
COLUSA	9494, HEINZ	202	0.0	2.6	3.9	1.5	24.7	1.7	4.49	4.42	202	0.0	2.6	3.9	1.5	24.7	1.7	4.49	4.42
COLUSA	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	153	0.0	0.8	1.9	0.8	27.2	0.9	5.14	4.33
COLUSA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	107	0.0	0.9	1.3	0.4	27.9	0.8	4.74	4.30
COLUSA	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	0.9	2.0	2.2	27.8	0.7	4.74	4.34
COLUSA	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	77	0.0	0.6	2.0	0.7	25.6	2.7	5.15	4.41
COLUSA	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	73	0.0	1.2	1.7	0.8	28.2	1.9	5.14	4.50
COLUSA	1175, HEINZ	71	0.0	0.6	4.1	1.1	24.1	0.2	4.96	4.41	71	0.0	0.6	4.1	1.1	24.1	0.2	4.96	4.41
COLUSA	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	69	0.0	0.5	1.2	2.0	27.6	2.3	4.68	4.34
COLUSA	5701, HZ	57	0.0	0.7	2.8	0.8	25.3	0.3	4.84	4.35	57	0.0	0.7	2.8	0.8	25.3	0.3	4.84	4.35
COLUSA	141, BQ	34	0.0	2.1	5.5	1.5	24.3	3.9	4.76	4.40	39	0.0	2.1	5.6	2.5	24.5	3.8	4.75	4.40
COLUSA	HEINZ TRIAL	23	0.0	1.0	2.3	1.1	25.0	1.2	5.24	4.35	23	0.0	1.0	2.3	1.1	25.0	1.2	5.24	4.35
COLUSA	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	0.4	3.0	0.6	26.0	0.6	5.30	4.30
COLUSA	6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	1.7	2.8	2.2	30.6	2.4	4.73	4.34
COLUSA	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.5	1.7	2.0	28.7	0.9	4.56	4.28
COLUSA	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.3	0.4	0.0	26.5	1.3	4.40	4.35
COLUSA	312, BQ	1	0.0	0.5	2.0	0.5	25.0	1.5	5.50	4.35	1	0.0	0.5	2.0	0.5	25.0	1.5	5.50	4.35
COLUSA	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	0.0	26.0	1.0	4.60	4.38
COLUSA		3,364	0.0	1.2	3.1	1.4	25.3	0.9	4.90	4.36	18,818	0.0	0.9	2.1	1.3	26.3	1.4	5.03	4.38
CONTRA COSTA	6366, SUN	269	0.0	0.5	0.5	0.3	23.3	2.4	5.66	4.38	2,104	0.0	0.3	0.6	0.3	24.8	1.5	5.59	4.33
CONTRA COSTA	0311, AB	631	0.0	1.2	1.7	0.2	22.5	1.9	5.73	4.28	1,781	0.0	0.8	1.4	0.2	23.3	1.6	5.66	4.30

2015 Processing Tomato Season
PTAB Analysis (8/15/15) - County by Variety



County	Variety Name	Week Ending 8/15/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
CONTRA COSTA	6397, N	47	0.0	0.3	1.6	0.4	21.6	1.2	6.06	4.35	367	0.0	0.2	0.7	0.1	24.2	0.6	5.24	4.35
CONTRA COSTA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	323	0.0	0.2	0.5	0.1	27.1	2.5	4.60	4.30
CONTRA COSTA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	280	0.0	0.2	0.8	0.3	24.3	1.5	4.89	4.30
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	262	0.0	0.0	0.6	0.1	26.2	2.7	5.13	4.23
CONTRA COSTA	0319, DRI	13	0.0	0.8	1.0	0.3	24.4	1.5	5.76	4.25	166	0.0	0.5	0.8	0.1	24.9	1.9	5.57	4.25
CONTRA COSTA	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	162	0.0	0.2	0.7	0.2	25.3	1.1	5.00	4.25
CONTRA COSTA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	162	0.0	0.2	1.7	0.1	25.4	0.7	5.48	4.36
CONTRA COSTA	3884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	0.4	0.5	0.3	26.5	1.9	5.84	4.35
CONTRA COSTA	9905, HARRIS MORAN	4	0.0	0.3	1.3	0.3	27.3	0.5	5.48	4.30	4	0.0	0.3	1.3	0.3	27.3	0.5	5.48	4.30
CONTRA COSTA	3, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.8	0.0	24.0	1.5	5.45	4.25
CONTRA COSTA	1311, HZ	1	0.0	1.0	3.0	0.5	23.0	3.0	5.20	4.29	1	0.0	1.0	3.0	0.5	23.0	3.0	5.20	4.29
CONTRA COSTA		965	0.0	0.9	1.3	0.3	22.7	2.0	5.72	4.31	5,674	0.0	0.4	0.9	0.2	24.5	1.6	5.46	4.31
FRESNO	6366, SUN	1,620	0.0	0.8	2.3	0.7	22.8	1.7	5.74	4.38	19,183	0.0	0.5	1.3	0.6	24.3	1.7	5.66	4.38
FRESNO	0311, AB	2,547	0.0	2.3	3.2	0.4	22.8	1.5	5.86	4.36	9,630	0.0	1.5	3.0	0.6	22.9	1.4	5.96	4.35
FRESNO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8,039	0.0	0.3	1.5	0.6	25.1	1.0	5.00	4.31
FRESNO	6402, N	332	0.0	1.4	1.0	0.5	23.0	1.4	5.74	4.41	6,268	0.0	0.8	1.8	1.2	24.0	1.0	5.77	4.38
FRESNO	6404, N	1,545	0.0	0.9	3.5	0.8	24.1	1.5	5.32	4.42	6,086	0.0	0.8	2.5	0.9	24.4	1.6	5.55	4.40
FRESNO	1892, HMX	936	0.0	2.1	2.0	0.8	24.0	1.3	5.58	4.47	5,571	0.0	0.8	2.4	1.3	25.0	1.0	5.51	4.41
FRESNO	0319, DRI	1,346	0.0	1.3	1.5	0.3	24.2	1.4	5.84	4.36	5,220	0.0	0.9	1.4	0.3	24.1	1.4	6.04	4.35
FRESNO	6397, N	112	0.0	2.2	2.0	0.0	23.5	1.4	5.34	4.41	5,162	0.0	0.4	1.7	0.8	23.8	0.9	5.37	4.40
FRESNO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,945	0.0	0.4	0.7	0.3	23.7	0.6	5.40	4.43
FRESNO	5608, HZ	1,003	0.0	2.0	3.1	0.4	22.5	1.1	5.03	4.42	2,843	0.0	1.6	2.5	0.3	23.0	0.9	5.08	4.40
FRESNO	1292, HZ	497	0.0	2.0	2.7	0.7	22.6	2.0	5.57	4.48	2,497	0.0	1.0	1.7	0.5	22.9	2.0	5.66	4.48
FRESNO	6394, N	56	0.0	0.9	1.4	0.4	23.3	1.1	5.74	4.48	2,490	0.0	1.0	1.9	0.6	23.9	2.4	5.65	4.43
FRESNO	1161, HEINZ	293	0.0	0.9	1.4	0.2	24.5	2.6	6.08	4.36	2,481	0.0	0.8	2.8	0.8	24.7	2.7	5.91	4.34
FRESNO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,338	0.0	0.5	1.9	0.7	24.6	1.2	5.35	4.31
FRESNO	1293, HZ	791	0.0	1.8	2.1	0.5	23.8	1.4	5.42	4.48	2,067	0.0	1.1	2.0	0.6	23.8	1.3	5.49	4.47
FRESNO	19406, UG	424	0.0	2.8	2.8	0.9	23.8	1.5	5.85	4.33	2,060	0.0	1.3	1.6	0.5	24.3	1.0	5.87	4.32
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,825	0.0	0.6	1.1	0.4	25.6	1.2	4.56	4.35
FRESNO	7885, HMX	275	0.0	0.6	1.2	0.2	25.6	0.8	4.91	4.48	1,397	0.0	0.5	0.9	0.2	25.7	0.5	4.97	4.48
FRESNO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,317	0.0	0.6	2.5	0.3	23.4	1.5	5.61	4.35
FRESNO	2401, HEINZ	701	0.0	0.5	2.7	0.3	23.5	1.3	5.27	4.36	1,251	0.0	0.5	2.3	0.3	23.7	1.3	5.28	4.36
FRESNO	1308, HZ	558	0.0	0.8	2.8	0.5	22.3	2.8	5.46	4.51	959	0.0	0.6	3.0	0.4	22.3	2.0	5.50	4.50
FRESNO	4707, HEINZ	607	0.0	0.3	5.0	0.4	24.7	0.4	5.16	4.37	927	0.0	0.2	4.8	0.3	25.0	0.3	5.11	4.36
FRESNO	6410, N	542	0.0	0.7	3.5	1.6	25.1	0.8	5.54	4.36	927	0.0	0.6	3.9	1.6	25.5	0.9	5.64	4.34
FRESNO	2, AB	9	0.0	0.3	0.6	0.1	24.4	0.7	5.67	4.25	926	0.0	0.7	0.6	0.3	24.0	1.4	5.87	4.31
FRESNO	3887, HMX	618	0.0	0.9	6.1	0.7	24.2	0.9	5.86	4.37	883	0.0	0.8	4.9	0.6	24.4	1.1	5.86	4.38
FRESNO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	812	0.0	0.7	0.9	0.6	24.6	2.3	5.18	4.33
FRESNO	9663, HEINZ	291	0.0	1.8	1.9	0.3	22.5	2.0	5.07	4.41	692	0.0	1.3	3.0	0.2	22.4	1.7	5.16	4.41
FRESNO	9491, HEINZ	41	0.0	1.2	2.5	0.1	22.8	0.8	5.07	4.47	661	0.0	1.1	2.6	0.4	23.7	1.8	5.01	4.40
FRESNO	205, BQ	104	0.0	1.0	0.7	0.3	23.7	2.0	5.56	4.37	657	0.0	0.9	0.6	0.3	23.6	1.8	5.68	4.34

2015 Processing Tomato Season
 PTAB Analysis (8/15/15) - County by Variety



County	Variety Name	Week Ending 8/15/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	255, CXD	409	0.0	1.7	0.8	0.1	23.6	1.5	5.31	4.41	640	0.0	1.6	0.6	0.1	24.0	1.2	5.22	4.39
FRESNO	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	620	0.0	1.7	1.2	0.6	23.4	2.1	5.09	4.41
FRESNO	18806, UG	250	0.0	0.5	1.4	0.4	24.8	2.6	5.52	4.41	602	0.0	0.5	1.6	0.3	25.6	2.0	5.46	4.38
FRESNO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	493	0.0	0.4	0.5	0.3	26.7	0.5	5.03	4.30
FRESNO	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	465	0.0	0.6	0.7	0.4	24.4	3.2	5.16	4.38
FRESNO	8892, HEINZ	62	0.0	1.4	0.8	0.1	23.0	4.5	5.40	4.47	456	0.0	1.3	1.2	0.2	23.0	3.4	5.01	4.43
FRESNO	602, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	437	0.0	0.9	0.8	0.2	23.7	2.8	5.18	4.32
FRESNO	8516, SV	219	0.0	0.9	1.3	0.2	23.4	1.9	5.70	4.39	378	0.0	1.3	1.2	0.3	23.9	1.7	5.54	4.37
FRESNO	313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	343	0.0	0.5	1.3	0.2	24.3	1.0	5.31	4.38
FRESNO	67212, BOS	140	0.0	6.7	0.3	0.5	25.0	3.6	5.05	4.49	290	0.0	4.5	0.6	0.4	25.6	3.1	5.01	4.46
FRESNO	303, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	249	0.0	1.8	4.6	0.7	23.2	1.3	5.23	4.43
FRESNO	6368, SUN	126	0.0	0.4	0.5	0.3	24.2	0.5	5.74	4.40	241	0.0	0.3	0.4	0.2	24.3	0.4	5.92	4.35
FRESNO	2601, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	230	0.0	0.5	1.2	0.2	27.1	1.5	5.22	4.41
FRESNO	5702, HZ	174	0.0	0.6	3.7	0.4	23.3	1.1	5.14	4.40	225	0.0	0.6	4.0	0.3	23.4	0.9	5.11	4.40
FRESNO	6420, N	61	0.0	2.9	2.0	0.8	25.7	1.4	4.78	4.49	212	0.0	2.1	1.4	0.6	24.3	0.8	4.99	4.44
FRESNO	8504, HEINZ	168	0.0	0.4	4.1	0.3	23.3	0.9	5.39	4.34	196	0.0	0.3	4.0	0.3	23.4	0.9	5.37	4.34
FRESNO	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	178	0.0	0.3	0.3	0.1	24.8	1.2	5.35	4.27
FRESNO	5508, HZ	81	0.0	0.2	1.8	0.1	21.7	0.3	5.52	4.34	160	0.0	0.1	2.1	0.3	21.9	0.3	5.57	4.33
FRESNO	108, HYPEEL	5	0.0	0.6	1.4	0.6	25.6	2.3	5.20	4.42	153	0.0	0.6	1.2	0.3	26.9	2.1	5.20	4.40
FRESNO	3, AB	3	0.0	0.5	1.0	0.0	24.3	2.2	5.53	4.32	147	0.0	0.6	0.8	0.1	25.1	1.3	5.49	4.28
FRESNO	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	143	0.0	0.0	1.0	1.8	26.1	0.7	5.07	4.21
FRESNO	6385, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	129	0.0	1.1	2.0	0.4	26.6	0.7	4.60	4.38
FRESNO	1570, RPT	67	0.0	5.6	0.6	0.1	25.8	4.1	4.47	4.51	112	0.0	3.6	1.3	0.3	27.3	3.2	4.46	4.43
FRESNO	292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	80	0.0	2.1	1.5	0.2	24.0	1.7	5.28	4.34
FRESNO	MIX	2	0.0	2.3	0.3	0.0	24.5	1.0	5.75	4.39	54	0.0	1.8	1.1	0.5	23.2	1.2	5.59	4.34
FRESNO	1115,FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	45	0.0	0.4	1.8	0.1	23.4	1.2	5.90	4.39
FRESNO	3888, HMX	39	0.0	0.9	2.9	0.2	25.4	1.7	5.64	4.43	39	0.0	0.9	2.9	0.2	25.4	1.7	5.64	4.43
FRESNO	9661, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.1	0.6	0.0	25.9	0.3	4.70	4.37
FRESNO	UNCODED	4	0.0	2.5	5.9	3.6	22.5	1.1	5.53	4.47	30	0.0	0.6	2.0	0.7	24.0	2.7	5.72	4.40
FRESNO	30622, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	0.9	1.0	0.3	25.3	3.0	4.89	4.40
FRESNO	4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.4	1.6	0.3	25.5	2.3	5.11	4.38
FRESNO	19910, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.3	0.3	0.2	25.1	1.5	5.10	4.50
FRESNO	327, BQ	17	0.0	1.9	0.5	0.4	23.3	1.7	5.44	4.40	22	0.0	1.5	0.6	0.4	23.7	1.9	5.53	4.37
FRESNO	1311, HZ	1	0.0	7.0	2.5	0.5	24.0	1.0	5.40	4.35	21	0.0	1.8	1.5	0.3	22.5	1.2	5.70	4.33
FRESNO	257, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.7	2.6	0.4	23.9	1.2	5.42	4.45
FRESNO	5234, IVF	19	0.0	0.9	2.7	0.1	23.8	2.8	5.77	4.34	19	0.0	0.9	2.7	0.1	23.8	2.8	5.77	4.34
FRESNO	39663, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	3.9	1.5	0.5	26.4	1.9	5.22	4.46
FRESNO	2849, SV	12	0.0	2.2	1.0	0.2	22.0	3.1	4.81	4.43	16	0.0	2.0	0.8	0.2	22.6	3.4	4.94	4.44
FRESNO	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	0.0	1.4	0.3	25.3	0.4	6.09	4.27
FRESNO	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.4	0.9	0.6	23.4	3.1	5.93	4.26
FRESNO	1298, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.9	0.4	24.0	1.2	5.06	4.45

2015 Processing Tomato Season
 PTAB Analysis (8/15/15) - County by Variety



County	Variety Name	Week Ending 8/15/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.7	0.4	0.6	23.4	1.2	5.74	4.42
FRESNO	4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.9	1.7	0.9	24.4	6.5	7.14	4.58
FRESNO	4907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	1.6	0.2	29.6	0.8	5.58	4.26
FRESNO	329, BQ	1	0.0	2.0	0.5	0.0	23.0	1.0	5.20	4.50	2	0.3	1.3	0.8	0.5	23.5	0.8	5.30	4.49
FRESNO	1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.8	0.3	25.5	1.0	5.50	4.42
FRESNO	31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.0	1.3	26.0	1.3	4.95	4.36
FRESNO	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	1.0	22.0	0.5	5.40	4.43
FRESNO	140, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	2.0	27.0	1.5	5.10	4.35
FRESNO	268, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	24.0	2.5	5.40	4.43
FRESNO	385, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	24.0	0.0	5.10	4.51
FRESNO	416, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.5	27.0	0.5	5.40	4.25
FRESNO	1294, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	1.0	5.60	4.38
FRESNO	1296, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	24.0	0.5	5.20	4.39
FRESNO	1297, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	1.0	23.0	1.5	6.20	4.28
FRESNO	2001, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	0.5	26.0	1.0	5.30	4.38
FRESNO	2009, CYEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	26.0	1.0	5.40	4.28
FRESNO	3046, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	28.0	0.0	5.10	4.32
FRESNO	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	26.0	0.5	5.40	4.41
FRESNO	6412, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	26.0	0.0	5.20	4.26
FRESNO	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	22.0	0.0	6.20	4.31
FRESNO	9014, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	24.0	1.0	5.50	4.55
FRESNO	52295, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	25.0	1.0	5.30	4.34
FRESNO		17,108	0.0	1.5	2.7	0.5	23.5	1.5	5.54	4.40	106,749	0.0	0.8	1.9	0.6	24.2	1.4	5.53	4.38
GLENN	1175, HEINZ	170	0.0	2.2	5.8	2.0	23.9	0.6	4.95	4.52	216	0.0	2.2	5.5	2.1	23.9	0.7	4.97	4.52
GLENN	5702, HZ	177	0.0	2.2	5.4	3.1	24.0	0.5	4.98	4.48	177	0.0	2.2	5.4	3.1	24.0	0.5	4.98	4.48
GLENN	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	150	0.0	1.9	2.4	2.1	27.2	1.0	4.88	4.40
GLENN		347	0.0	2.2	5.6	2.5	23.9	0.5	4.97	4.50	543	0.0	2.1	4.6	2.4	24.9	0.7	4.95	4.47
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,722	0.0	1.4	0.8	0.5	25.8	2.1	5.05	4.45
KERN	5608, HZ	179	0.0	1.0	0.9	0.1	23.5	0.9	5.08	4.45	3,393	0.0	2.0	1.0	0.6	24.6	0.8	5.01	4.41
KERN	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,881	0.0	0.8	2.7	1.4	24.9	1.3	4.97	4.40
KERN	8504, HEINZ	859	0.0	2.1	3.2	0.7	24.7	0.9	5.39	4.38	2,679	0.0	1.8	2.5	0.8	26.2	0.8	5.09	4.34
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,700	0.0	0.7	1.2	0.7	26.3	1.2	4.59	4.40
KERN	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,346	0.0	0.3	0.8	0.3	25.2	0.5	4.86	4.44
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,200	0.0	0.4	2.1	0.7	26.8	1.1	4.61	4.36
KERN	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,137	0.0	0.6	2.3	2.5	24.4	2.8	4.96	4.40
KERN	0319, DRI	86	0.0	1.4	1.4	1.0	24.0	1.3	6.04	4.39	995	0.0	2.0	1.4	0.9	25.9	1.6	5.35	4.36
KERN	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	437	0.0	0.6	1.3	0.4	25.3	0.7	5.45	4.37
KERN	1892, HMX	176	0.0	1.3	1.4	1.4	24.2	1.0	5.58	4.46	392	0.0	1.2	1.1	0.9	25.5	1.0	5.28	4.43
KERN	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	367	0.0	3.1	1.7	0.5	24.9	2.0	4.88	4.36
KERN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	337	0.0	0.5	1.0	0.3	26.9	0.8	5.09	4.32
KERN	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	324	0.0	0.2	1.1	0.7	26.4	0.8	4.96	4.25

2015 Processing Tomato Season
 PTAB Analysis (8/15/15) - County by Variety



County	Variety Name	Week Ending 8/15/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KERN	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	322	0.0	1.9	1.3	0.5	24.4	3.3	5.43	4.38
KERN	1308, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	309	0.0	2.5	1.5	0.6	23.1	1.2	5.35	4.48
KERN	6404, N	1	0.0	2.0	0.0	0.0	23.0	1.0	5.00	4.48	287	0.0	0.2	1.8	1.0	26.5	0.8	5.20	4.40
KERN	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	255	0.0	0.8	0.8	0.5	23.4	2.3	5.53	4.43
KERN	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	240	0.0	1.4	0.6	0.8	23.9	3.1	5.28	4.55
KERN	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	142	0.0	0.5	1.0	0.2	29.6	1.8	4.52	4.30
KERN	1175, HEINZ	24	0.0	2.1	3.8	1.7	23.7	0.3	5.20	4.46	126	0.0	1.5	3.7	1.0	23.6	0.3	5.21	4.45
KERN	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	109	0.0	1.8	1.3	0.3	23.2	3.3	5.64	4.56
KERN	31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	84	0.0	0.7	0.4	0.3	23.4	1.1	5.14	4.44
KERN	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	1.0	0.5	0.3	26.9	0.7	5.40	4.38
KERN	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	72	0.0	0.6	3.9	0.7	24.4	1.9	5.08	4.35
KERN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	65	0.0	0.8	1.7	0.9	25.6	0.9	5.46	4.42
KERN	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	5.0	0.8	0.4	25.6	1.6	5.20	4.41
KERN	313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	41	0.0	1.0	0.8	0.6	24.7	1.3	4.60	4.43
KERN	9661, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	0.8	0.8	0.8	26.1	0.9	4.28	4.42
KERN	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.1	0.1	0.6	28.6	1.0	4.83	4.30
KERN	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	4.0	1.0	24.0	0.5	5.00	4.48
KERN		1,325	0.0	1.8	2.6	0.7	24.4	0.9	5.41	4.41	23,152	0.0	1.3	1.6	0.8	25.4	1.3	5.01	4.40
KINGS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,550	0.0	0.7	1.1	0.3	24.7	2.1	5.57	4.41
KINGS	0319, DRI	1,698	0.0	1.0	4.1	0.3	23.6	1.0	6.36	4.34	4,989	0.0	0.9	3.1	0.4	24.3	1.0	6.21	4.33
KINGS	5608, HZ	816	0.0	1.9	3.0	0.7	22.9	0.9	5.59	4.42	4,466	0.0	1.0	3.0	0.5	24.1	0.7	5.28	4.39
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,442	0.0	0.2	2.5	0.6	25.5	1.0	4.87	4.31
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,162	0.0	0.5	1.2	0.7	26.0	1.3	4.38	4.40
KINGS	19406, UG	523	0.0	1.8	3.4	0.4	25.1	0.8	5.19	4.29	1,504	0.0	1.7	2.3	0.4	25.7	0.8	5.13	4.29
KINGS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	980	0.0	0.3	1.8	0.7	24.9	0.7	5.15	4.38
KINGS	8504, HEINZ	519	0.0	0.7	4.2	0.6	24.2	1.1	6.14	4.34	966	0.0	0.5	3.2	0.6	25.1	0.9	5.81	4.35
KINGS	1892, HMX	54	0.0	2.7	1.1	0.2	25.7	0.6	5.10	4.45	825	0.0	0.6	1.8	0.8	25.6	0.9	5.42	4.40
KINGS	1161, HEINZ	12	0.0	0.2	1.8	0.1	22.8	5.0	6.83	4.32	722	0.0	0.6	3.1	0.7	25.9	1.6	5.67	4.31
KINGS	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	695	0.0	1.2	1.4	0.3	23.9	0.7	5.12	4.45
KINGS	0311, AB	66	0.0	13.0	1.4	1.5	22.8	1.7	5.56	4.45	588	0.0	4.8	1.0	1.2	23.5	1.5	5.65	4.37
KINGS	6402, N	7	0.0	2.1	1.2	0.4	23.9	1.9	5.70	4.40	516	0.0	0.8	1.2	0.5	24.1	1.3	6.08	4.41
KINGS	3887, HMX	234	0.0	1.1	3.2	0.4	25.3	0.9	5.66	4.37	449	0.0	0.7	2.9	0.4	25.2	0.9	5.79	4.37
KINGS	1175, HEINZ	170	0.0	1.4	2.0	0.7	24.8	1.4	4.70	4.51	448	0.0	1.0	2.4	0.6	25.0	1.0	4.84	4.49
KINGS	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	445	0.0	2.2	1.1	0.2	26.3	1.7	5.35	4.31
KINGS	1308, HZ	127	0.0	1.5	2.2	0.3	23.6	1.2	4.98	4.54	358	0.0	0.8	3.0	0.4	24.2	1.1	5.19	4.49
KINGS	6404, N	176	0.0	1.5	1.4	0.3	24.3	1.6	5.76	4.40	351	0.0	1.1	1.6	0.7	23.9	1.8	5.89	4.42
KINGS	16609, UG	23	0.0	1.5	1.7	0.4	24.3	1.2	5.17	4.44	340	0.0	0.8	2.4	0.3	24.6	1.2	5.37	4.34
KINGS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	327	0.0	1.2	2.6	0.6	26.4	1.0	5.09	4.35
KINGS	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	209	0.0	1.0	0.3	0.3	26.8	2.2	5.38	4.50
KINGS	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	201	0.0	0.4	1.6	0.1	28.3	1.0	5.11	4.38
KINGS	9780, HEINZ	39	0.0	0.6	7.2	1.6	24.2	0.7	5.88	4.30	184	0.0	0.6	8.6	1.6	24.4	1.2	5.72	4.29

2015 Processing Tomato Season
 PTAB Analysis (8/15/15) - County by Variety



County	Variety Name	Week Ending 8/15/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KINGS	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	175	0.0	0.5	0.9	0.5	23.8	2.3	5.57	4.40
KINGS	UNCODED	48	0.0	0.9	4.2	0.6	23.1	0.7	6.23	4.35	174	0.0	0.5	2.5	0.5	24.9	0.7	5.63	4.34
KINGS	8892, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	119	0.0	7.1	2.3	1.1	23.1	3.1	4.98	4.55
KINGS	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	116	0.0	4.9	2.2	0.9	23.1	2.2	4.93	4.50
KINGS	18806, UG	95	0.0	0.5	2.0	0.2	27.8	0.8	4.80	4.30	95	0.0	0.5	2.0	0.2	27.8	0.8	4.80	4.30
KINGS	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	0.3	0.4	0.4	24.6	1.2	5.93	4.29
KINGS	313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	47	0.0	0.3	0.6	0.1	23.4	2.6	5.35	4.42
KINGS	19910, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	44	0.0	0.4	0.3	0.2	25.8	1.6	5.07	4.43
KINGS	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	1.0	1.0	0.6	28.4	1.8	4.97	4.44
KINGS	8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.6	0.0	0.0	25.0	0.7	5.19	4.34
KINGS	6368, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15	0.0	0.1	0.4	0.1	26.0	0.2	6.01	4.24
KINGS	4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.1	0.6	0.0	25.3	1.9	5.64	4.39
KINGS	31305, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.3	0.2	0.3	23.0	1.8	5.28	4.53
KINGS	29805, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	1.2	0.5	25.0	0.7	5.17	4.33
KINGS	5508, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.8	3.8	0.0	25.0	0.0	4.50	4.42
KINGS	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.3	0.5	0.0	23.5	0.0	5.00	4.45
KINGS		4,607	0.0	1.5	3.4	0.5	24.0	1.0	5.84	4.37	33,682	0.0	0.9	2.1	0.5	24.9	1.3	5.39	4.37
MADERA	6404, N	262	0.0	2.4	1.2	0.4	26.1	1.1	4.66	4.43	696	0.0	1.4	3.6	0.5	27.7	1.8	4.71	4.42
MADERA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	694	0.0	0.3	5.1	1.2	26.7	1.2	4.66	4.29
MADERA	1892, HMX	188	0.0	0.5	0.7	0.3	25.3	0.9	5.07	4.39	617	0.0	0.5	1.8	1.2	26.2	2.1	4.95	4.43
MADERA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	486	0.0	0.4	3.1	2.2	25.0	1.3	4.96	4.41
MADERA	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	364	0.0	0.7	0.6	0.4	26.3	0.4	5.07	4.29
MADERA	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	309	0.0	0.9	3.1	1.6	26.6	3.1	5.51	4.36
MADERA	18806, UG	292	0.0	0.5	5.0	1.2	25.2	0.8	5.01	4.33	292	0.0	0.5	5.0	1.2	25.2	0.8	5.01	4.33
MADERA	6402, N	8	0.0	1.4	1.3	0.3	25.4	1.6	5.05	4.46	241	0.0	1.1	2.7	0.5	25.5	1.2	5.43	4.43
MADERA	9663, HEINZ	161	0.0	1.8	1.2	0.6	22.1	2.6	5.17	4.36	161	0.0	1.8	1.2	0.6	22.1	2.6	5.17	4.36
MADERA	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	111	0.0	0.4	5.1	0.9	29.6	1.6	4.37	4.32
MADERA	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	0.9	0.4	0.2	25.4	1.5	5.59	4.39
MADERA	6366, SUN	63	0.0	2.2	1.1	0.4	23.3	2.1	5.13	4.39	63	0.0	2.2	1.1	0.4	23.3	2.1	5.13	4.39
MADERA	0311, AB	13	0.0	1.0	12.0	1.2	23.8	0.8	5.22	4.37	14	0.0	1.0	11.4	1.2	24.0	0.9	5.24	4.37
MADERA	296, BQ	2	0.0	0.5	11.0	0.5	24.5	0.0	5.10	4.34	2	0.0	0.5	11.0	0.5	24.5	0.0	5.10	4.34
MADERA		989	0.0	1.3	2.4	0.6	24.8	1.3	4.96	4.38	4,131	0.0	0.8	3.1	1.0	26.2	1.6	4.96	4.37
MERCED	6366, SUN	1,173	0.0	0.6	3.1	1.0	23.8	2.0	5.49	4.38	2,640	0.0	0.4	2.5	0.8	24.1	2.3	5.53	4.38
MERCED	1892, HMX	1,418	0.0	0.2	3.1	1.5	23.7	1.0	5.51	4.38	2,023	0.0	0.2	3.0	1.4	24.1	1.0	5.47	4.37
MERCED	6404, N	890	0.0	0.5	1.2	0.9	23.9	1.2	5.43	4.40	1,699	0.0	0.6	1.2	0.9	24.9	1.6	5.37	4.41
MERCED	6402, N	492	0.0	0.6	3.1	1.4	22.7	1.2	5.81	4.40	932	0.0	0.5	2.3	1.4	23.0	1.4	5.94	4.41
MERCED	0319, DRI	515	0.0	0.5	1.6	0.2	22.6	1.4	6.21	4.38	659	0.0	0.5	1.6	0.2	22.7	1.4	6.20	4.38
MERCED	1161, HEINZ	272	0.0	1.3	1.1	0.1	24.3	3.7	5.75	4.36	593	0.0	1.0	1.3	0.1	25.1	2.7	5.55	4.35
MERCED	3887, HMX	191	0.0	0.3	3.2	0.4	24.4	1.6	5.89	4.36	510	0.0	0.3	2.9	1.1	24.9	1.5	5.84	4.39
MERCED	0311, AB	338	0.0	1.1	2.7	1.1	22.1	1.8	6.40	4.38	466	0.0	0.9	2.6	0.9	22.4	1.6	6.28	4.36
MERCED	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	374	0.0	0.1	1.2	0.2	25.7	0.8	4.79	4.32

2015 Processing Tomato Season
 PTAB Analysis (8/15/15) - County by Variety



County	Variety Name	Week Ending 8/15/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
MERCED	9494, HEINZ	65	0.0	0.4	1.2	0.3	24.2	1.1	4.60	4.36	354	0.0	0.2	1.1	0.2	23.8	0.8	4.82	4.35
MERCED	8504, HEINZ	273	0.0	0.2	5.0	3.3	23.1	0.8	5.47	4.26	273	0.0	0.2	5.0	3.3	23.1	0.8	5.47	4.26
MERCED	6410, N	250	0.0	0.6	4.0	0.8	24.1	1.4	5.59	4.38	253	0.0	0.6	3.9	0.8	24.1	1.4	5.58	4.38
MERCED	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	171	0.0	0.2	2.8	0.7	24.0	1.3	6.26	4.32
MERCED	5608, HZ	143	0.0	0.9	1.5	0.1	22.7	1.5	5.23	4.40	143	0.0	0.9	1.5	0.1	22.7	1.5	5.23	4.40
MERCED	205, BQ	85	0.0	0.7	0.8	0.5	23.6	1.8	5.92	4.35	85	0.0	0.7	0.8	0.5	23.6	1.8	5.92	4.35
MERCED	2401, HEINZ	78	0.0	0.2	3.4	2.6	24.7	1.0	4.71	4.24	78	0.0	0.2	3.4	2.6	24.7	1.0	4.71	4.24
MERCED	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	76	0.0	0.3	1.4	0.1	26.1	0.5	4.92	4.33
MERCED	4707, HEINZ	42	0.0	0.3	2.2	1.3	24.0	1.0	5.57	4.31	42	0.0	0.3	2.2	1.3	24.0	1.0	5.57	4.31
MERCED	9905, HARRIS MORAN	26	0.0	0.4	2.6	1.1	23.8	0.8	5.30	4.39	26	0.0	0.4	2.6	1.1	23.8	0.8	5.30	4.39
MERCED	18806, UG	21	0.0	0.5	5.6	0.2	27.4	0.8	4.30	4.30	21	0.0	0.5	5.6	0.2	27.4	0.8	4.30	4.30
MERCED	9663, HEINZ	17	0.0	6.7	4.0	0.9	23.0	5.8	4.54	4.44	17	0.0	6.7	4.0	0.9	23.0	5.8	4.54	4.44
MERCED	5702, HZ	15	0.0	0.1	6.6	1.3	22.5	1.9	5.41	4.32	15	0.0	0.1	6.6	1.3	22.5	1.9	5.41	4.32
MERCED	5701, HZ	12	0.0	0.2	8.7	0.8	24.2	0.6	5.24	4.24	12	0.0	0.2	8.7	0.8	24.2	0.6	5.24	4.24
MERCED	30622, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.2	0.7	0.0	25.5	1.2	5.00	4.34
MERCED	1293, HZ	4	0.0	0.9	1.4	0.8	22.3	2.4	5.80	4.49	4	0.0	0.9	1.4	0.8	22.3	2.4	5.80	4.49
MERCED	2930, K	1	0.0	0.5	1.0	0.0	21.0	2.0	6.10	4.50	1	0.0	0.5	1.0	0.0	21.0	2.0	6.10	4.50
MERCED	6397, N	1	0.0	2.0	5.0	2.0	22.0	1.5	6.50	4.41	1	0.0	2.0	5.0	2.0	22.0	1.5	6.50	4.41
MERCED		6,322	0.0	0.5	2.7	1.1	23.5	1.5	5.62	4.37	11,479	0.0	0.5	2.3	0.9	24.1	1.6	5.56	4.38
SAN BENITO	9663, HEINZ	140	0.0	1.4	1.7	0.6	22.0	2.3	5.25	4.40	182	0.0	1.3	1.6	0.6	22.3	2.5	5.35	4.39
SAN BENITO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	146	0.0	0.2	1.2	0.4	23.7	2.6	6.01	4.48
SAN BENITO	8504, HEINZ	76	0.0	0.3	0.9	0.8	22.9	2.1	5.84	4.32	139	0.0	0.3	0.8	0.7	23.4	1.6	5.81	4.29
SAN BENITO	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	131	0.0	0.8	1.3	0.4	26.0	3.8	4.91	4.39
SAN BENITO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	129	0.0	0.2	0.9	0.5	23.6	3.0	6.50	4.45
SAN BENITO	0311, AB	6	0.0	2.0	3.0	0.3	22.5	3.3	6.58	4.44	6	0.0	2.0	3.0	0.3	22.5	3.3	6.58	4.44
SAN BENITO		222	0.0	1.0	1.4	0.7	22.3	2.3	5.49	4.37	733	0.0	0.6	1.2	0.5	23.7	2.7	5.70	4.40
SAN JOAQUIN	6397, N	102	0.0	1.0	0.4	0.4	22.9	0.9	5.30	4.39	146	0.0	0.7	0.4	0.3	22.9	0.8	5.30	4.37
SAN JOAQUIN	6420, N	82	0.0	1.7	0.6	0.3	26.0	1.8	4.57	4.38	82	0.0	1.7	0.6	0.3	26.0	1.8	4.57	4.38
SAN JOAQUIN	6366, SUN	75	0.0	0.2	3.2	2.7	23.8	0.7	4.78	4.27	75	0.0	0.2	3.2	2.7	23.8	0.7	4.78	4.27
SAN JOAQUIN	4909, HMX	44	0.0	0.4	0.2	0.4	24.3	0.3	5.91	4.22	55	0.0	0.4	0.2	0.4	24.7	0.3	5.91	4.22
SAN JOAQUIN	5608, HZ	25	0.0	0.5	0.2	0.2	22.2	2.0	4.82	4.39	35	0.0	0.4	0.3	0.4	22.6	1.6	4.86	4.37
SAN JOAQUIN	5701, HZ	34	0.0	0.1	2.2	1.1	24.2	0.2	4.54	4.20	34	0.0	0.1	2.2	1.1	24.2	0.2	4.54	4.20
SAN JOAQUIN	2, AB	32	0.0	0.9	0.3	0.1	24.5	2.3	5.15	4.24	32	0.0	0.9	0.3	0.1	24.5	2.3	5.15	4.24
SAN JOAQUIN	1293, HZ	22	0.0	0.3	0.4	0.3	23.7	1.4	5.81	4.40	22	0.0	0.3	0.4	0.3	23.7	1.4	5.81	4.40
SAN JOAQUIN	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	0.1	0.0	0.0	28.1	0.1	4.55	4.38
SAN JOAQUIN	0311, AB	7	0.0	0.6	0.1	0.3	23.7	4.6	5.94	4.41	7	0.0	0.6	0.1	0.3	23.7	4.6	5.94	4.41
SAN JOAQUIN	1292, HZ	5	0.0	0.7	0.4	0.2	22.8	1.8	5.64	4.34	5	0.0	0.7	0.4	0.2	22.8	1.8	5.64	4.34
SAN JOAQUIN	6394, N	2	0.0	1.5	0.8	0.8	24.0	0.3	5.35	4.41	3	0.0	1.0	0.5	0.5	23.7	0.2	5.33	4.37
SAN JOAQUIN	8892, HEINZ	2	0.0	1.3	0.3	0.0	24.0	2.5	5.35	4.22	2	0.0	1.3	0.3	0.0	24.0	2.5	5.35	4.22
SAN JOAQUIN		432	0.0	0.8	1.0	0.8	24.0	1.2	5.07	4.32	520	0.0	0.7	0.9	0.7	24.1	1.1	5.09	4.32
SOLANO	0311, AB	446	0.0	0.9	0.5	0.3	23.6	1.0	5.70	4.29	1,161	0.0	0.8	0.6	0.3	23.9	1.0	5.72	4.29

2015 Processing Tomato Season
 PTAB Analysis (8/15/15) - County by Variety



County	Variety Name	Week Ending 8/15/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SOLANO	6402, N	2	0.0	0.3	1.0	0.3	23.5	0.3	5.35	4.38	552	0.0	0.7	0.8	0.9	25.1	1.2	5.59	4.38
SOLANO	6366, SUN	76	0.0	0.5	0.4	0.3	23.5	1.6	5.54	4.32	395	0.0	0.8	0.5	0.3	25.6	1.6	5.59	4.36
SOLANO	6404, N	48	0.0	0.5	0.2	0.3	23.5	1.8	5.43	4.36	347	0.0	0.4	0.9	1.6	24.5	1.8	5.49	4.37
SOLANO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	292	0.0	0.3	0.7	0.4	26.3	1.5	5.22	4.39
SOLANO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	285	0.0	0.3	0.6	0.3	28.8	0.6	4.90	4.28
SOLANO	5608, HZ	104	0.0	0.9	0.2	1.1	22.8	1.1	5.05	4.37	271	0.0	0.7	0.2	0.8	23.6	0.8	5.14	4.34
SOLANO	0319, DRI	174	0.0	0.7	1.3	0.4	23.9	1.2	5.64	4.31	203	0.0	0.7	1.5	0.4	24.3	1.2	5.81	4.30
SOLANO	3887, HMX	9	0.0	0.4	0.1	0.2	26.4	0.3	5.29	4.26	183	0.0	0.6	0.6	0.4	27.1	0.7	5.44	4.35
SOLANO	255, CXD	127	0.0	1.2	0.3	0.3	25.8	1.2	5.68	4.33	138	0.0	1.1	0.8	0.3	26.0	1.1	5.71	4.33
SOLANO	206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	114	0.0	0.5	0.5	0.1	25.6	1.6	5.33	4.32
SOLANO	5701, HZ	112	0.0	0.2	2.4	1.7	24.1	0.3	5.14	4.28	112	0.0	0.2	2.4	1.7	24.1	0.3	5.14	4.28
SOLANO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	110	0.0	0.3	0.7	0.4	25.4	3.2	5.69	4.26
SOLANO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	100	0.0	0.4	0.4	0.2	29.0	0.6	4.98	4.32
SOLANO	19406, UG	94	0.0	0.7	1.2	0.4	26.1	0.9	5.79	4.22	96	0.0	0.7	1.2	0.4	26.2	0.9	5.78	4.22
SOLANO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	94	0.0	0.4	0.2	0.0	24.0	0.2	5.29	4.38
SOLANO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	85	0.0	0.1	0.6	0.2	28.2	2.1	5.03	4.26
SOLANO	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	0.7	0.9	0.4	23.8	3.0	5.43	4.35
SOLANO	8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	50	0.0	0.6	0.4	0.3	25.7	1.3	5.53	4.30
SOLANO	1892, HMX	30	0.0	0.2	0.1	0.4	23.1	0.4	5.30	4.35	40	0.0	0.4	0.7	0.5	23.5	0.6	5.26	4.35
SOLANO	9663, HEINZ	28	0.0	2.4	1.0	1.6	22.5	1.8	5.04	4.46	31	0.0	2.3	1.0	1.8	22.9	1.7	5.03	4.45
SOLANO	4909, HMX	27	0.0	2.5	1.7	0.6	25.9	0.7	7.04	4.22	30	0.0	2.3	1.7	0.5	25.8	0.7	6.87	4.23
SOLANO	5702, HZ	25	0.0	0.3	5.3	3.2	24.9	0.2	5.52	4.29	25	0.0	0.3	5.3	3.2	24.9	0.2	5.52	4.29
SOLANO	1310, HZ	13	0.0	1.6	0.8	1.4	23.8	2.6	5.69	4.41	14	0.0	1.7	0.8	1.7	24.1	2.5	5.68	4.41
SOLANO	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	0.6	0.3	0.8	25.2	2.0	4.95	4.39
SOLANO	5234, IVF	4	0.0	0.6	1.5	0.1	23.8	0.9	6.33	4.24	7	0.0	0.4	2.4	0.6	25.6	0.9	6.17	4.23
SOLANO	6410, N	6	0.0	1.2	0.8	0.3	26.8	0.3	5.75	4.30	6	0.0	1.2	0.8	0.3	26.8	0.3	5.75	4.30
SOLANO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.8	0.3	0.0	26.7	0.2	6.00	4.35
SOLANO	4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	1.3	0.0	26.7	1.5	6.07	4.38
SOLANO	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	0.5	27.0	5.0	6.10	4.36
SOLANO	8892, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.5	0.5	24.0	1.0	5.30	4.38
SOLANO		1,325	0.0	0.8	0.9	0.6	24.1	1.0	5.58	4.30	4,816	0.0	0.7	0.8	0.6	25.2	1.2	5.49	4.33
STANISLAUS	3887, HMX	198	0.0	0.7	1.1	0.1	25.0	0.8	5.45	4.35	218	0.0	0.7	1.0	0.1	25.0	0.8	5.44	4.34
STANISLAUS	6397, N	75	0.0	0.8	0.8	0.1	21.9	1.0	5.89	4.41	172	0.0	0.6	0.9	0.1	22.6	0.8	5.86	4.38
STANISLAUS	6366, SUN	60	0.0	1.7	0.1	0.1	24.0	2.6	5.14	4.40	95	0.0	1.3	0.1	0.1	24.2	2.3	5.14	4.38
STANISLAUS	0311, AB	66	0.0	0.4	1.0	0.2	22.0	0.8	6.06	4.22	66	0.0	0.4	1.0	0.2	22.0	0.8	6.06	4.22
STANISLAUS	5608, HZ	52	0.0	0.6	0.0	0.0	22.2	1.0	4.79	4.34	52	0.0	0.6	0.0	0.0	22.2	1.0	4.79	4.34
STANISLAUS	1292, HZ	29	0.0	0.3	0.7	0.1	23.1	1.6	5.02	4.34	29	0.0	0.3	0.7	0.1	23.1	1.6	5.02	4.34
STANISLAUS	0319, DRI	28	0.0	0.2	0.5	0.0	25.1	0.7	5.21	4.30	28	0.0	0.2	0.5	0.0	25.1	0.7	5.21	4.30
STANISLAUS	1892, HMX	20	0.0	0.3	0.8	0.2	22.7	0.6	6.18	4.39	20	0.0	0.3	0.8	0.2	22.7	0.6	6.18	4.39
STANISLAUS	6394, N	1	0.0	0.5	0.5	0.0	22.0	0.0	5.90	4.46	4	0.0	0.6	0.9	0.1	22.8	1.0	5.98	4.34
STANISLAUS		529	0.0	0.7	0.8	0.1	23.6	1.1	5.48	4.34	684	0.0	0.7	0.7	0.1	23.7	1.1	5.51	4.34

2015 Processing Tomato Season
 PTAB Analysis (8/15/15) - County by Variety



County	Variety Name	Week Ending 8/15/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SUTTER	2401, HEINZ	597	0.0	0.7	3.0	1.7	24.7	0.6	5.30	4.28	597	0.0	0.7	3.0	1.7	24.7	0.6	5.30	4.28
SUTTER	5608, HZ	299	0.0	1.3	1.3	1.1	23.5	1.5	5.04	4.38	512	0.0	1.2	0.9	0.8	23.4	1.6	5.27	4.39
SUTTER	2, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	454	0.0	0.6	2.6	1.2	27.2	2.0	5.45	4.50
SUTTER	3887, HMX	331	0.0	1.0	4.7	1.2	32.8	0.5	4.85	4.37	362	0.0	1.0	4.6	1.3	32.5	0.5	4.89	4.37
SUTTER	0319, DRI	110	0.0	1.0	1.9	0.7	24.6	2.6	5.61	4.40	352	0.0	1.2	3.8	1.0	25.2	2.9	5.45	4.39
SUTTER	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	303	0.0	0.3	3.0	0.7	25.3	0.3	5.02	4.39
SUTTER	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	220	0.0	1.8	1.0	1.6	26.3	1.2	5.15	4.41
SUTTER	9494, HEINZ	216	0.0	0.6	2.8	1.6	23.7	0.6	4.93	4.33	216	0.0	0.6	2.8	1.6	23.7	0.6	4.93	4.33
SUTTER	6402, N	5	0.0	1.8	0.1	0.0	23.6	1.0	4.70	4.56	189	0.0	1.3	0.1	0.1	23.7	1.2	4.94	4.47
SUTTER	0311, AB	129	0.0	3.6	0.9	0.0	22.7	1.2	5.68	4.38	149	0.0	3.4	1.9	0.2	23.3	1.1	5.75	4.37
SUTTER	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	136	0.0	0.2	1.3	2.6	25.1	1.7	5.22	4.26
SUTTER	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	135	0.0	0.7	0.6	0.5	26.5	3.1	5.52	4.28
SUTTER	141, BQ	74	0.0	1.3	0.8	0.2	24.9	3.2	4.58	4.41	76	0.0	1.3	0.8	0.2	25.0	3.1	4.58	4.41
SUTTER	6397, N	15	0.0	2.6	2.5	2.9	26.3	1.5	4.79	4.44	66	0.0	2.4	2.2	3.1	26.2	1.4	4.94	4.44
SUTTER	1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	51	0.0	0.8	0.6	1.1	26.7	5.7	5.05	4.44
SUTTER	5003, HEINZ	39	0.0	3.3	3.2	1.7	25.5	2.7	4.92	4.42	50	0.0	3.1	3.3	1.7	25.6	2.5	4.95	4.42
SUTTER	4707, HEINZ	44	0.0	0.6	2.7	0.7	26.7	0.5	4.55	4.34	44	0.0	0.6	2.7	0.7	26.7	0.5	4.55	4.34
SUTTER	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	42	0.0	0.7	0.5	1.6	27.3	5.8	5.15	4.49
SUTTER	255, CXD	20	0.0	0.7	0.8	0.6	23.9	1.5	6.15	4.31	38	0.0	0.5	1.2	1.0	24.3	1.3	6.13	4.29
SUTTER	8504, HEINZ	32	0.0	0.6	4.1	2.0	24.8	0.6	5.36	4.30	32	0.0	0.6	4.1	2.0	24.8	0.6	5.36	4.30
SUTTER	1292, HZ	30	0.0	2.3	1.1	0.3	22.9	1.3	5.17	4.46	30	0.0	2.3	1.1	0.3	22.9	1.3	5.17	4.46
SUTTER	5702, HZ	9	0.0	1.2	3.6	2.6	24.0	0.9	5.30	4.34	9	0.0	1.2	3.6	2.6	24.0	0.9	5.30	4.34
SUTTER	142, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.0	27.0	10.5	5.10	4.41
SUTTER	849, HYPEEL	1	0.0	1.0	4.0	1.5	28.0	0.0	5.20	4.33	1	0.0	1.0	4.0	1.5	28.0	0.0	5.20	4.33
SUTTER		1,951	0.0	1.2	2.7	1.3	25.7	1.0	5.14	4.34	4,065	0.0	1.0	2.3	1.2	25.7	1.5	5.22	4.38
TULARE	1892, HMX	170	0.0	1.3	6.4	2.9	23.7	2.6	5.52	4.43	170	0.0	1.3	6.4	2.9	23.7	2.6	5.52	4.43
TULARE	1161, HEINZ	52	0.0	0.9	1.4	0.0	25.3	2.1	5.53	4.43	149	0.0	1.2	1.6	0.1	25.9	2.0	5.54	4.40
TULARE	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	142	0.0	2.0	1.2	0.2	26.5	1.2	5.02	4.47
TULARE	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	125	0.0	3.1	0.5	0.4	23.3	1.5	5.92	4.41
TULARE		222	0.0	1.2	5.2	2.3	24.1	2.5	5.52	4.43	586	0.0	1.8	2.7	1.0	24.9	1.9	5.49	4.43
YOLO	3887, HMX	1,290	0.0	0.6	0.6	0.3	25.4	0.6	5.10	4.33	3,502	0.0	0.5	0.7	0.5	26.5	0.6	5.01	4.33
YOLO	0311, AB	840	0.0	1.4	0.4	0.3	22.9	1.3	5.48	4.30	3,055	0.0	1.0	0.8	0.5	23.7	0.9	5.43	4.29
YOLO	6397, N	321	0.0	1.3	0.2	0.3	22.2	1.3	5.24	4.44	3,013	0.0	0.4	0.8	0.6	24.7	1.0	5.11	4.38
YOLO	6366, SUN	21	0.0	2.4	0.5	0.8	23.1	1.3	5.65	4.34	2,649	0.0	0.6	1.2	0.6	26.4	1.0	5.14	4.36
YOLO	5608, HZ	1,048	0.0	0.7	0.8	0.7	23.0	0.5	4.90	4.34	2,297	0.0	0.6	0.7	0.4	23.8	0.5	4.82	4.33
YOLO	0319, DRI	760	0.0	1.0	0.9	0.8	24.0	2.0	5.42	4.30	1,574	0.0	0.8	1.0	1.0	24.7	1.9	5.62	4.31
YOLO	2, BP	295	0.0	1.2	0.7	0.3	24.5	1.1	4.64	4.45	1,288	0.0	0.8	1.5	1.4	26.1	1.5	4.74	4.48
YOLO	6394, N	156	0.0	0.7	0.5	0.4	24.0	0.7	4.81	4.38	1,234	0.0	0.6	0.8	0.8	26.5	1.0	5.07	4.42
YOLO	1015, HEINZ	37	0.0	0.2	0.4	0.2	22.8	1.0	4.86	4.40	1,112	0.0	0.1	2.2	0.9	27.6	0.3	4.91	4.34
YOLO	6416, N	1	0.0	2.5	0.0	0.5	25.0	3.5	4.80	4.46	968	0.0	0.3	0.8	0.6	25.8	1.0	5.02	4.33
YOLO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	966	0.0	0.2	1.1	0.6	27.2	2.9	5.06	4.24

2015 Processing Tomato Season
 PTAB Analysis (8/15/15) - County by Variety



County	Variety Name	Week Ending 8/15/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	6402, N	57	0.0	0.5	1.4	0.3	24.3	0.4	5.22	4.33	793	0.0	0.8	0.9	1.0	25.3	1.5	5.11	4.39
YOLO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	541	0.0	0.3	1.1	1.1	28.3	1.0	4.78	4.30
YOLO	6404, N	86	0.0	0.6	0.6	0.3	23.3	0.6	5.42	4.36	532	0.0	0.9	0.8	0.6	25.8	1.1	4.72	4.40
YOLO	6412, N	83	0.0	1.0	0.9	0.3	23.3	4.7	4.83	4.47	477	0.0	0.5	0.9	0.5	25.1	2.2	5.00	4.37
YOLO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	468	0.0	0.4	0.6	0.2	25.2	3.2	4.98	4.30
YOLO	142, BQ	189	0.0	0.6	0.8	0.2	23.2	1.7	5.01	4.35	391	0.0	0.5	1.2	0.7	24.1	2.0	5.03	4.38
YOLO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	351	0.0	0.4	2.0	1.0	28.2	1.0	4.56	4.28
YOLO	2401, HEINZ	335	0.0	0.5	1.7	1.1	25.4	0.5	4.73	4.27	345	0.0	0.5	1.7	1.1	25.4	0.5	4.74	4.27
YOLO	9905, HARRIS MORAN	116	0.0	0.4	0.9	0.4	23.6	0.7	5.49	4.37	342	0.0	0.3	0.5	0.2	24.8	0.6	5.13	4.38
YOLO	206, BQ	280	0.0	0.7	0.1	0.1	24.2	1.6	5.22	4.30	335	0.0	0.7	0.1	0.1	24.3	1.5	5.17	4.29
YOLO	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	291	0.0	0.3	2.9	1.7	26.4	1.0	4.98	4.28
YOLO	6410, N	253	0.0	0.8	0.9	0.9	25.9	1.6	5.09	4.35	275	0.0	0.8	0.8	0.8	26.0	1.6	5.08	4.36
YOLO	6385, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	217	0.0	1.4	1.5	0.4	25.4	0.7	4.79	4.40
YOLO	255, CXD	56	0.0	1.6	0.5	0.1	25.1	2.2	5.28	4.38	189	0.0	1.0	0.6	0.4	25.8	2.1	5.13	4.35
YOLO	1892, HMX	16	0.0	0.8	0.0	0.0	23.9	1.5	5.11	4.44	172	0.0	0.5	1.4	0.4	23.9	1.2	5.34	4.40
YOLO	0320, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	166	0.0	0.7	0.1	0.0	25.6	0.8	5.40	4.28
YOLO	141, BQ	124	0.0	0.9	0.4	0.1	23.3	1.3	4.75	4.33	164	0.0	0.7	1.6	0.5	24.2	1.5	4.74	4.34
YOLO	1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	164	0.0	0.4	2.0	1.6	27.4	1.4	5.00	4.32
YOLO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	152	0.0	1.0	1.5	0.4	24.4	1.4	5.53	4.33
YOLO	282, CXD	140	0.1	0.9	0.3	0.4	23.9	1.0	4.77	4.33	151	0.1	0.9	0.3	0.5	24.0	1.0	4.76	4.33
YOLO	312, BQ	1	0.0	1.0	0.5	0.5	22.0	0.0	5.50	4.24	127	0.0	0.6	0.4	0.2	23.4	2.0	5.33	4.35
YOLO	4707, HEINZ	114	0.0	0.2	1.3	1.5	25.3	0.5	4.80	4.29	114	0.0	0.2	1.3	1.5	25.3	0.5	4.80	4.29
YOLO	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	88	0.0	0.2	0.2	0.5	26.1	1.2	4.79	4.31
YOLO	5234, IVF	24	0.0	0.6	0.1	0.0	24.1	0.6	4.60	4.22	80	0.0	0.5	0.4	0.1	24.9	0.7	5.46	4.22
YOLO	8504, HEINZ	76	0.0	0.4	1.4	1.1	25.0	0.3	5.17	4.20	76	0.0	0.4	1.4	1.1	25.0	0.3	5.17	4.20
YOLO	5702, HZ	75	0.0	0.2	2.2	1.0	24.1	0.3	4.87	4.28	75	0.0	0.2	2.2	1.0	24.1	0.3	4.87	4.28
YOLO	4907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	73	0.0	0.3	1.8	2.5	32.8	0.7	4.88	4.31
YOLO	8232, SV	70	0.0	0.9	0.4	0.1	23.1	0.8	5.23	4.32	70	0.0	0.9	0.4	0.1	23.1	0.8	5.23	4.32
YOLO	9494, HEINZ	70	0.0	0.3	2.2	1.1	24.0	0.8	4.87	4.32	70	0.0	0.3	2.2	1.1	24.0	0.8	4.87	4.32
YOLO	19406, UG	48	0.0	0.3	0.7	0.4	23.3	0.6	5.60	4.23	48	0.0	0.3	0.7	0.4	23.3	0.6	5.60	4.23
YOLO	0306, AB	40	0.0	1.5	0.9	0.4	23.5	8.2	5.57	4.47	40	0.0	1.5	0.9	0.4	23.5	8.2	5.57	4.47
YOLO	6407, N	37	0.0	0.6	0.2	0.1	25.4	0.6	4.74	4.31	39	0.0	0.6	0.2	0.1	25.4	0.6	4.78	4.31
YOLO	MIX	5	0.0	1.6	1.3	0.6	23.4	0.9	5.08	4.31	29	0.0	0.7	0.6	0.2	24.3	0.6	5.12	4.33
YOLO	1, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.0	1.5	0.8	29.7	0.2	4.53	4.29
YOLO	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	0.1	1.7	1.2	26.4	0.5	5.37	4.21
YOLO	205, BQ	22	0.0	0.7	0.5	0.2	23.9	1.3	5.39	4.27	22	0.0	0.7	0.5	0.2	23.9	1.3	5.39	4.27
YOLO	4887, HMX	21	0.0	0.3	0.8	0.2	22.4	1.4	5.70	4.25	21	0.0	0.3	0.8	0.2	22.4	1.4	5.70	4.25
YOLO	8516, SV	19	0.0	0.3	0.2	0.2	23.4	0.8	5.64	4.27	19	0.0	0.3	0.2	0.2	23.4	0.8	5.64	4.27
YOLO	3907, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.4	2.0	0.4	25.1	0.9	5.33	4.38
YOLO	2493, SV	15	0.0	0.8	0.2	0.1	23.5	0.2	5.03	4.28	15	0.0	0.8	0.2	0.1	23.5	0.2	5.03	4.28
YOLO	1311, HZ	2	0.3	1.5	0.3	0.0	23.0	0.5	5.80	4.33	14	0.0	1.0	0.4	0.1	23.3	0.6	5.30	4.32

2015 Processing Tomato Season
 PTAB Analysis (8/15/15) - County by Variety



County	Variety Name	Week Ending 8/15/15									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	HEINZ TRIAL	2	0.0	0.0	0.3	0.0	20.5	0.0	5.35	4.25	12	0.0	0.1	1.0	0.0	24.8	1.1	4.93	4.37
YOLO	UNCODED	2	0.0	2.3	0.8	0.3	23.5	0.5	5.35	4.27	12	0.0	0.5	1.4	0.4	25.3	0.5	5.23	4.28
YOLO	1175, HEINZ	7	0.0	5.6	2.4	3.1	24.1	5.2	5.14	4.59	7	0.0	5.6	2.4	3.1	24.1	5.2	5.14	4.59
YOLO	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.9	0.1	0.0	27.0	0.7	4.96	4.37
YOLO	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.3	0.9	0.1	25.4	2.2	4.88	4.25
YOLO	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.6	1.0	0.6	27.5	1.6	4.73	4.34
YOLO	4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.4	2.0	0.1	26.5	5.4	4.68	4.36
YOLO	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	1.0	0.3	22.5	0.3	4.80	4.47
YOLO	9995, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.8	0.0	24.5	0.5	5.15	4.39
YOLO	292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	1.0	0.5	23.0	5.0	4.50	4.49
YOLO	388, OSX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	26.0	0.0	4.70	4.34
YOLO	1422, HZ	1	0.0	0.0	0.5	0.5	24.0	0.0	5.70	4.18	1	0.0	0.0	0.5	0.5	24.0	0.0	5.70	4.18
YOLO	6424, N	1	0.0	0.0	0.5	0.0	22.0	1.0	5.50	4.22	1	0.0	0.0	0.5	0.0	22.0	1.0	5.50	4.22
YOLO	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	25.0	1.0	4.80	4.40
YOLO		7,156	0.0	0.8	0.7	0.5	24.0	1.1	5.11	4.33	29,315	0.0	0.6	1.0	0.7	25.5	1.1	5.08	4.34