

# 2015 PTAB Data by Region / County

## Central Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	Mold	pH
Contra Costa	Harris Moran	HM1893	Early	162	2.2%	5.00	91.9%	25.3	1.1	0.2	4.25
Contra Costa	Harris Moran	HM9905	Intermediate	77	1.1%	5.39	99.2%	25.4	0.7	0.4	4.32
Contra Costa	Harris Moran	HMX3884	Intermediate	60	0.8%	5.84	107.5%	26.5	1.9	0.4	4.35
Contra Costa	Harris Moran	Shasta	Early	262	3.6%	5.13	94.4%	26.2	2.7	0.0	4.23
Contra Costa	Heinz	H1161	Thin	11	0.2%	5.11	94.0%	25.2	1.6	0.8	4.33
Contra Costa	Heinz	H1311VHL™	Thick	2	0.0%	5.80	106.7%	22.5	3.0	5.5	4.35
Contra Costa	Heinz	H8504	Thick	237	3.3%	4.27	78.6%	26.6	0.9	0.7	4.29
Contra Costa	Nunhems	N6366	Thin	2263	31.2%	5.57	102.5%	24.7	1.6	0.3	4.34
Contra Costa	Nunhems	N6397	Early	391	5.4%	5.28	97.2%	24.0	0.7	0.2	4.36
Contra Costa	Nunhems	N6402	Thin	239	3.3%	5.55	102.2%	24.0	0.7	1.5	4.41
Contra Costa	Nunhems	N6404	Intermediate	61	0.8%	4.50	82.8%	28.0	1.2	0.6	4.34
Contra Costa	Nunhems	N6416	Early	280	3.9%	4.89	89.9%	24.3	1.5	0.2	4.30
Contra Costa	Nunhems	N6420	Pear	1	0.0%	5.40	99.3%	21.0	1.0	7.5	4.50
Contra Costa	Seminis	AB0311	Thin	2408	33.2%	5.70	104.8%	23.1	1.7	1.7	4.31
Contra Costa	Seminis	AB3	Thin	2	0.0%	5.45	100.3%	24.0	1.5	0.3	4.25
Contra Costa	Seminis	APT410	Early	323	4.5%	4.60	84.5%	27.1	2.5	0.2	4.30
Contra Costa	Seminis	DR1319	Thin	352	4.9%	5.67	104.4%	23.9	2.0	2.1	4.30
Contra Costa	United Genetics	UG19406	Thick	112	1.5%	4.55	83.7%	28.6	0.6	0.3	4.29
<b>CONTRA COSTA</b>	<b>OVERALL</b>			<b>7,243</b>	<b>100.0%</b>	<b>5.44</b>	<b>100.0%</b>	<b>24.4</b>	<b>1.6</b>	<b>0.9</b>	<b>4.32</b>
Merced	Harris Moran	HM1892	Intermediate	2816	5.2%	5.49	103.2%	24.1	1.1	0.6	4.39
Merced	Harris Moran	HM3887	Intermediate	2386	4.4%	5.72	107.5%	25.2	1.9	2.2	4.40
Merced	Harris Moran	HM9905	Intermediate	1066	2.0%	5.26	98.8%	24.9	1.7	1.2	4.44
Merced	Harris Moran	HM3888	Intermediate	476	0.9%	5.57	104.7%	27.0	0.9	0.8	4.40
Merced	Harris Moran	HM7885	Pear	112	0.2%	4.62	86.8%	25.7	0.8	0.7	4.51
Merced	Harris Moran	CXD255	Intermediate	1	0.0%	5.40	101.5%	24.0	1.0	0.5	4.41
Merced	Heinz	H8504	Thick	6776	12.5%	5.04	94.6%	24.3	1.0	1.0	4.28
Merced	Heinz	H2401	Thick	5570	10.3%	5.05	94.9%	24.2	1.0	1.5	4.29
Merced	Heinz	H4707	Thick	2117	3.9%	5.06	95.1%	24.3	0.8	1.0	4.33
Merced	Heinz	H1161	Thin	1485	2.7%	5.64	106.0%	25.0	2.7	1.5	4.34
Merced	Heinz	H5608	Thick	1159	2.1%	4.93	92.6%	23.6	1.6	2.2	4.39
Merced	Heinz	H5508	Thick	1155	2.1%	4.79	89.9%	23.2	0.6	0.4	4.33
Merced	Heinz	H5701	Thick	1003	1.9%	5.04	94.6%	24.2	0.9	0.6	4.30
Merced	Heinz	H5702	Thick	823	1.5%	5.19	97.6%	23.7	0.8	0.6	4.38
Merced	Heinz	H1170	Thick	568	1.1%	5.01	94.1%	25.0	1.0	2.3	4.40
Merced	Heinz	H9663	Thick	563	1.0%	4.72	88.7%	23.0	3.1	5.1	4.38
Merced	Heinz	H9780	Thick	451	0.8%	5.23	98.2%	25.6	1.3	3.0	4.37
Merced	Heinz	H9494	Intermediate	365	0.7%	4.82	90.6%	23.8	0.8	0.3	4.35
Merced	Heinz	H1293	Pear	130	0.2%	6.04	113.4%	23.6	1.4	0.9	4.47
Merced	Heinz	H8004	Intermediate	126	0.2%	6.32	118.7%	23.2	1.5	0.3	4.39
Merced	Heinz	H3402	Intermediate	123	0.2%	5.12	96.3%	23.2	0.2	0.4	4.29
Merced	Heinz	H1292	Pear	80	0.1%	5.48	102.9%	23.1	3.5	1.1	4.54
Merced	Heinz	H1311VHL™	Thick	3	0.0%	6.33	119.0%	22.3	1.8	2.0	4.31
Merced	Heinz	Misc	Misc	2	0.0%	6.30	118.4%	22.5	2.3	0.3	4.23

# 2015 PTAB Data by Region / County

## Central Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	Mold	pH
Merced	Heinz	H1421	Pear	1	0.0%	6.30	118.4%	23.0	3.0	1.5	4.41
Merced	Keithly Williams	K2930	Thick	1	0.0%	6.10	114.6%	21.0	2.0	0.5	4.50
Merced	Misc	Misc	Misc	29	0.1%	4.83	90.8%	22.4	1.2	5.9	4.40
Merced	NDM	NDM7776	Thin	25	0.0%	6.14	115.3%	23.2	1.6	1.1	4.30
Merced	Nunhems	N6366	Thin	4684	8.7%	5.54	104.1%	24.4	2.1	1.0	4.38
Merced	Nunhems	N6404	Intermediate	3432	6.4%	5.25	98.6%	25.1	1.7	1.9	4.42
Merced	Nunhems	N6410	Thick	2482	4.6%	5.23	98.2%	25.6	1.5	1.7	4.39
Merced	Nunhems	N6402	Thin	1019	1.9%	5.93	111.4%	23.0	1.4	0.5	4.41
Merced	Nunhems	N6407	Thin	379	0.7%	5.50	103.3%	26.1	0.9	0.7	4.28
Merced	Nunhems	N6416	Early	374	0.7%	4.79	90.0%	25.7	0.8	0.1	4.32
Merced	Nunhems	N6415	Thick	163	0.3%	5.04	94.8%	25.8	0.9	1.9	4.32
Merced	Nunhems	N6420	Pear	51	0.1%	5.59	105.0%	23.7	1.2	3.4	4.40
Merced	Nunhems	N6397	Early	1	0.0%	6.50	122.1%	22.0	1.5	2.0	4.41
Merced	Orsetti	BOS67212	Pear	221	0.4%	5.49	103.2%	24.2	3.8	2.4	4.48
Merced	Orsetti	BOS7218807	Misc	1	0.0%	5.40	101.5%	24.0	2.5	2.5	4.31
Merced	Seeds of Solution	IVF5234	Thick	11	0.0%	5.29	99.4%	23.9	3.0	1.4	4.25
Merced	Sementi ISI	ISI30622	Thin	11	0.0%	5.00	93.9%	25.5	1.2	0.2	4.34
Merced	Seminis	AB0311	Thin	2225	4.1%	5.83	109.5%	24.1	2.0	2.4	4.36
Merced	Seminis	DRI319	Thin	1973	3.7%	5.98	112.4%	24.2	1.8	1.6	4.37
Merced	United Genetics	UG19406	Thick	5706	10.6%	5.44	102.3%	24.2	1.0	2.0	4.32
Merced	United Genetics	UG18806	Thick	1209	2.2%	5.10	95.8%	25.4	1.3	0.9	4.32
Merced	United Genetics	UG9436	Intermediate	54	0.1%	5.22	98.0%	22.7	1.9	3.9	4.41
Merced	Woodbridge	BQ205	Thin	369	0.7%	5.81	109.1%	24.2	2.3	1.8	4.39
Merced	Woodbridge	BQ206	Thin	151	0.3%	6.03	113.2%	24.5	1.4	1.7	4.26
Merced	Woodbridge	BQ273	Early	76	0.1%	4.92	92.4%	26.1	0.5	0.3	4.33
Merced	Woodbridge	BQ328	Thick	4	0.0%	5.00	93.9%	23.5	2.5	7.5	4.45
Merced	Woodbridge	BQ257	Thick	1	0.0%	4.60	86.4%	24.0	1.0	1.5	4.50
<b>MERCED</b>		<b>OVERALL</b>		<b>54,009</b>	<b>100.0%</b>	<b>5.32</b>	<b>100.0%</b>	<b>24.4</b>	<b>1.4</b>	<b>1.4</b>	<b>4.35</b>
San Joaquin	BHN Seed	BP16	Intermediate	3	0.0%	5.80	113.4%	25.3	1.0	5.0	4.44
San Joaquin	Harris Moran	HM1892	Intermediate	3480	6.3%	5.33	104.2%	24.0	1.4	1.7	4.42
San Joaquin	Harris Moran	HM9905	Intermediate	3313	6.0%	5.14	100.4%	24.9	1.0	1.0	4.41
San Joaquin	Harris Moran	HM3887	Intermediate	1394	2.5%	5.33	104.3%	25.6	1.1	2.0	4.36
San Joaquin	Harris Moran	HM3888	Intermediate	447	0.8%	4.90	95.7%	25.5	1.4	2.9	4.46
San Joaquin	Harris Moran	HM7885	Pear	247	0.4%	4.75	92.9%	24.7	0.8	0.8	4.48
San Joaquin	Harris Moran	HMX4909	Intermediate	88	0.2%	5.54	108.4%	24.8	0.8	2.0	4.30
San Joaquin	Harris Moran	HMX3884	Intermediate	54	0.1%	5.20	101.7%	25.0	2.6	1.1	4.34
San Joaquin	Harris Moran	CXD282	Thick	3	0.0%	5.10	99.7%	21.7	1.3	11.8	4.37
San Joaquin	Harris Moran	CXD255	Intermediate	1	0.0%	5.00	97.8%	24.0	4.0	3.0	4.55
San Joaquin	Harris Moran	HMX3885	Intermediate	1	0.0%	4.70	91.9%	24.0	0.0	1.0	4.24
San Joaquin	Heinz	H8504	Thick	6712	12.1%	4.98	97.4%	25.0	0.8	0.8	4.25
San Joaquin	Heinz	H5608	Thick	2244	4.0%	4.69	91.8%	23.4	1.4	2.8	4.40
San Joaquin	Heinz	H5508	Thick	1684	3.0%	4.59	89.7%	24.2	0.5	0.4	4.32
San Joaquin	Heinz	H9780	Thick	1366	2.5%	5.44	106.3%	24.7	1.4	1.1	4.26

# 2015 PTAB Data by Region / County

## Central Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	Mold	pH
San Joaquin	Heinz	H1161	Thin	1322	2.4%	5.26	102.9%	25.7	2.7	1.5	4.33
San Joaquin	Heinz	H2401	Thick	1189	2.1%	4.80	93.9%	24.7	0.7	0.6	4.22
San Joaquin	Heinz	H5702	Thick	1158	2.1%	4.71	92.2%	23.4	0.5	0.5	4.33
San Joaquin	Heinz	H4707	Thick	1005	1.8%	4.70	91.9%	24.6	0.4	0.6	4.31
San Joaquin	Heinz	H5701	Thick	975	1.8%	4.65	91.0%	24.3	0.6	0.5	4.27
San Joaquin	Heinz	H1293	Pear	643	1.2%	5.42	106.0%	24.3	0.9	0.9	4.43
San Joaquin	Heinz	H1292	Pear	606	1.1%	5.45	106.5%	22.8	1.8	0.6	4.42
San Joaquin	Heinz	H1308	Thick	406	0.7%	5.37	105.0%	22.6	2.3	1.3	4.45
San Joaquin	Heinz	H9663	Thick	401	0.7%	4.15	81.1%	25.4	1.7	4.5	4.34
San Joaquin	Heinz	H1170	Thick	187	0.3%	5.29	103.5%	22.6	0.3	2.2	4.29
San Joaquin	Heinz	H1424	Thin	125	0.2%	6.08	118.9%	25.0	2.3	0.4	4.29
San Joaquin	Heinz	H9905	Thick	90	0.2%	4.92	96.1%	24.8	1.1	1.1	4.39
San Joaquin	Heinz	H8004	Intermediate	63	0.1%	5.26	102.8%	25.5	1.8	1.1	4.37
San Joaquin	Heinz	H1539	Thick	53	0.1%	4.69	91.7%	21.6	0.7	1.5	4.39
San Joaquin	Heinz	H2601	Pear	25	0.0%	5.53	108.1%	24.8	2.0	0.2	4.33
San Joaquin	Heinz	H8892	Thick	25	0.0%	5.06	98.9%	24.2	1.3	1.1	4.40
San Joaquin	Heinz	Misc	Misc	24	0.0%	5.30	103.6%	22.6	0.4	1.3	4.32
San Joaquin	Heinz	H1428	Thick	18	0.0%	4.97	97.1%	22.6	0.7	0.5	4.33
San Joaquin	Heinz	H3402	Intermediate	18	0.0%	4.48	87.7%	23.7	0.7	1.9	4.47
San Joaquin	Heinz	H1541	Thick	12	0.0%	5.27	103.0%	21.4	0.3	0.3	4.35
San Joaquin	Heinz	H1422	Thick	4	0.0%	5.00	97.8%	24.0	2.0	3.8	4.35
San Joaquin	Misc	Misc	Misc	310	0.6%	5.09	99.6%	22.9	0.7	3.2	4.33
San Joaquin	Nunhems	N6404	Intermediate	3191	5.7%	5.15	100.8%	24.5	1.9	2.1	4.37
San Joaquin	Nunhems	N6407	Thin	3030	5.4%	5.12	100.1%	25.9	1.1	1.0	4.33
San Joaquin	Nunhems	N6410	Thick	2115	3.8%	5.04	98.5%	25.6	1.3	1.6	4.37
San Joaquin	Nunhems	N6420	Pear	987	1.8%	4.58	89.6%	25.7	1.6	2.4	4.46
San Joaquin	Nunhems	N6402	Thin	694	1.2%	5.01	97.9%	24.0	1.4	1.6	4.42
San Joaquin	Nunhems	N6366	Thin	396	0.7%	4.86	95.0%	24.2	1.3	0.7	4.32
San Joaquin	Nunhems	N6415	Thick	240	0.4%	5.20	101.7%	23.5	1.2	0.8	4.29
San Joaquin	Nunhems	N6397	Early	200	0.4%	5.30	103.6%	22.9	0.8	1.1	4.40
San Joaquin	Nunhems	N6368	Thin	54	0.1%	4.93	96.4%	28.4	1.1	0.5	4.35
San Joaquin	Nunhems	N6424	Intermediate	5	0.0%	5.20	101.7%	23.2	0.5	2.3	4.39
San Joaquin	Nunhems	N6394	Intermediate	3	0.0%	5.33	104.3%	23.7	0.2	1.0	4.37
San Joaquin	Nunhems	N6416	Early	1	0.0%	5.40	105.6%	24.0	0.0	0.5	4.26
San Joaquin	Orsetti	BOS388	Thick	11	0.0%	5.01	98.0%	25.5	0.7	1.1	4.39
San Joaquin	Seeds of Solution	IVF5234	Thick	21	0.0%	5.83	114.1%	24.4	1.1	0.5	4.20
San Joaquin	Seminis	DRI319	Thin	5254	9.4%	5.40	105.7%	24.8	2.3	1.5	4.35
San Joaquin	Seminis	AB0311	Thin	2621	4.7%	5.35	104.7%	24.2	1.6	1.6	4.31
San Joaquin	Seminis	AB2	Thin	383	0.7%	5.20	101.7%	24.5	2.5	1.9	4.29
San Joaquin	Seminis	PS650	Intermediate	226	0.4%	5.16	101.0%	26.1	1.8	1.7	4.43
San Joaquin	Seminis	HP108	Pear	146	0.3%	5.06	98.9%	25.9	2.9	2.4	4.44
San Joaquin	Seminis	SV8516TM	Intermediate	73	0.1%	6.20	121.3%	24.7	1.4	0.7	4.31
San Joaquin	Seminis	SV2493TM	Thick	2	0.0%	5.40	105.6%	22.5	1.8	5.0	4.46

# 2015 PTAB Data by Region / County

## Central Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	Mold	pH
San Joaquin	Seminis	SV0599TM	Early	1	0.0%	4.90	95.8%	28.0	5.5	1.0	4.38
San Joaquin	Seminis	SV8011TM	Thick	1	0.0%	5.60	109.5%	23.0	1.0	1.0	4.38
San Joaquin	United Genetics	UG19406	Thick	5,312	9.6%	5.29	103.4%	24.4	0.8	2.0	4.28
San Joaquin	United Genetics	UG18806	Thick	278	0.5%	4.86	95.1%	26.5	1.2	1.1	4.29
San Joaquin	United Genetics	UG9436	Intermediate	58	0.1%	5.51	107.8%	21.4	2.0	1.7	4.35
San Joaquin	Woodbridge	BQ206	Thin	569	1.0%	5.23	102.2%	25.4	1.5	0.9	4.30
San Joaquin	Woodbridge	BQ205	Thin	33	0.1%	5.42	106.0%	24.7	1.1	0.7	4.33
San Joaquin	Woodbridge	BQ257	Thick	7	0.0%	4.43	86.6%	26.6	0.6	0.5	4.40
San Joaquin	Woodbridge	BQ312	Intermediate	5	0.0%	5.60	109.5%	26.6	1.3	1.0	4.29
San Joaquin	Woodbridge	BQ141	Thick	1	0.0%	5.10	99.7%	25.0	0.0	0.5	4.26
<b>SAN JOAQUIN OVERALL</b>				<b>55,614</b>	<b>100.0%</b>	<b>5.11</b>	<b>100.0%</b>	<b>24.7</b>	<b>1.3</b>	<b>1.4</b>	<b>4.34</b>
Stanislaus	Harris Moran	HM3887	Intermediate	1245	8.8%	5.41	102.4%	25.3	1.1	1.9	4.39
Stanislaus	Harris Moran	HM1892	Intermediate	1215	8.6%	5.26	99.5%	23.7	0.9	1.9	4.39
Stanislaus	Harris Moran	HM9905	Intermediate	165	1.2%	5.15	97.3%	24.0	1.2	1.2	4.43
Stanislaus	Harris Moran	HM3888	Intermediate	74	0.5%	5.56	105.1%	23.6	1.4	2.6	4.56
Stanislaus	Harris Moran	HM7885	Pear	47	0.3%	4.73	89.5%	24.8	1.9	0.6	4.61
Stanislaus	Harris Moran	HMX3884	Intermediate	30	0.2%	5.78	109.2%	27.0	1.8	0.9	4.33
Stanislaus	Harris Moran	HMX4886	Intermediate	1	0.0%	6.00	113.5%	25.0	1.0	1.5	4.28
Stanislaus	Harris Moran	HMX4909	Intermediate	1	0.0%	6.20	117.2%	26.0	1.0	0.0	4.27
Stanislaus	Heinz	H8504	Thick	1834	13.0%	4.97	94.0%	24.0	0.7	1.7	4.26
Stanislaus	Heinz	H5608	Thick	683	4.8%	4.80	90.7%	22.3	1.2	2.5	4.40
Stanislaus	Heinz	H2401	Thick	629	4.4%	4.64	87.8%	25.0	0.7	3.4	4.27
Stanislaus	Heinz	H5508	Thick	301	2.1%	4.44	83.9%	22.6	0.4	1.7	4.33
Stanislaus	Heinz	H9780	Thick	243	1.7%	5.34	100.9%	23.2	1.8	1.0	4.28
Stanislaus	Heinz	H1293	Pear	182	1.3%	5.28	99.9%	24.2	1.5	0.7	4.44
Stanislaus	Heinz	H1170	Thick	166	1.2%	5.14	97.2%	22.5	0.4	3.0	4.31
Stanislaus	Heinz	H1292	Pear	155	1.1%	5.19	98.1%	23.2	1.3	0.5	4.40
Stanislaus	Heinz	H3402	Intermediate	113	0.8%	4.54	85.8%	22.1	1.5	6.1	4.43
Stanislaus	Heinz	H8892	Thick	18	0.1%	4.69	88.8%	24.8	1.2	0.1	4.61
Stanislaus	Heinz	Misc	Misc	6	0.0%	4.87	92.0%	27.8	1.8	0.8	4.30
Stanislaus	Heinz	H1311VHL™	Thick	6	0.0%	5.72	108.1%	23.3	1.5	1.8	4.33
Stanislaus	Heinz	H1424	Thin	3	0.0%	5.57	105.3%	24.7	3.0	0.3	4.28
Stanislaus	Heinz	H1421	Pear	1	0.0%	5.20	98.3%	25.0	3.5	0.5	4.35
Stanislaus	Misc	Misc	Misc	95	0.7%	4.95	93.6%	22.3	1.7	1.5	4.35
Stanislaus	Namdhari	NS970	Misc	2	0.0%	4.80	90.8%	22.0	0.0	2.0	4.34
Stanislaus	Nunhems	N6407	Thin	877	6.2%	5.37	101.6%	23.6	1.1	1.2	4.33
Stanislaus	Nunhems	N6404	Intermediate	464	3.3%	5.42	102.4%	24.2	1.2	1.9	4.40
Stanislaus	Nunhems	N6415	Thick	254	1.8%	4.85	91.8%	25.6	1.3	1.2	4.35
Stanislaus	Nunhems	N6410	Thick	243	1.7%	5.26	99.5%	23.9	0.5	0.7	4.35
Stanislaus	Nunhems	N6366	Thin	185	1.3%	5.16	97.6%	25.5	2.5	1.3	4.38
Stanislaus	Nunhems	N6397	Early	173	1.2%	5.86	110.8%	22.6	0.8	0.6	4.37
Stanislaus	Nunhems	N6402	Thin	145	1.0%	6.01	113.7%	21.7	0.7	1.1	4.44
Stanislaus	Nunhems	N6420	Pear	70	0.5%	4.90	92.7%	25.0	0.9	0.5	4.40

# 2015 PTAB Data by Region / County

## Central Region

Based on Final PTAB Reports

County	Supplier	Variety	Category	Total Loads	% of Loads	Solids	Solids % of Mean	Color	LU	Mold	pH
Stanislaus	Nunhems	N6394	Intermediate	4	0.0%	5.98	113.0%	22.8	1.0	0.6	4.34
Stanislaus	Seminis	DRI319	Thin	1960	13.9%	5.68	107.4%	24.5	2.5	1.6	4.34
Stanislaus	Seminis	AB0311	Thin	1308	9.2%	5.83	110.2%	22.8	1.8	3.3	4.33
Stanislaus	Seminis	AB2	Thin	86	0.6%	5.02	94.9%	24.0	2.6	2.4	4.31
Stanislaus	Seminis	APT410	Early	30	0.2%	5.39	101.9%	23.4	0.5	1.1	4.32
Stanislaus	United Genetics	UG19406	Thick	1101	7.8%	5.30	100.3%	23.9	0.9	5.5	4.33
Stanislaus	Woodbridge	BQ313	Thin	23	0.2%	4.76	90.0%	23.0	1.4	1.6	4.38
Stanislaus	Woodbridge	BQ205	Thin	12	0.1%	5.40	102.1%	21.7	2.9	9.4	4.27
Stanislaus	Woodbridge	BQ323	Intermediate	1	0.0%	6.00	113.5%	23.0	4.0	0.0	4.26
<b>STANISLAUS</b>		<b>OVERALL</b>		<b>14,151</b>	<b>100.0%</b>	<b>5.29</b>	<b>100.0%</b>	<b>23.9</b>	<b>1.3</b>	<b>2.2</b>	<b>4.34</b>
<b>CENTRAL REGION</b>				<b>131,017</b>	<b>100.0%</b>	<b>5.24</b>	<b>100.0%</b>	<b>24.5</b>	<b>1.3</b>	<b>1.5</b>	<b>4.34</b>