

2016 Processing Tomato Season
 PTAB Analysis (8/13/16) - County by Variety



County	Variety Name	Week Ending 8/13/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
COLUSA	1015, HEINZ	312	0.0	0.5	1.5	1.7	25.8	0.9	4.93	4.49	2,761	0.0	0.6	3.0	1.7	26.4	1.2	4.85	4.45
COLUSA	6366, SUN	303	0.0	0.8	2.0	1.6	26.3	3.1	5.20	4.43	1,749	0.0	0.7	3.0	1.6	27.7	2.3	5.06	4.39
COLUSA	0311, AB	910	0.0	1.7	2.4	1.4	25.2	2.4	5.41	4.41	1,609	0.0	1.3	2.3	1.3	25.2	2.3	5.40	4.40
COLUSA	410, APT	30	0.0	2.0	2.8	1.5	26.0	7.5	4.55	4.60	1,043	0.0	0.8	2.9	1.3	27.8	2.9	4.67	4.41
COLUSA	0319, DRI	551	0.0	1.4	2.6	1.4	26.3	3.0	5.52	4.42	954	0.0	1.2	2.4	1.2	26.2	2.7	5.61	4.40
COLUSA	6397, N	233	0.0	0.6	1.3	1.4	25.3	1.4	4.96	4.47	824	0.0	0.6	1.8	1.4	25.8	1.2	4.97	4.44
COLUSA	3887, HMX	731	0.0	1.2	2.1	1.1	28.2	1.7	4.88	4.47	771	0.0	1.1	2.2	1.1	28.3	1.7	4.88	4.47
COLUSA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	643	0.0	0.5	2.7	1.0	25.8	1.0	5.05	4.32
COLUSA	6402, N	169	0.0	0.6	2.7	2.5	26.1	1.4	5.16	4.40	530	0.0	0.8	3.4	2.1	26.9	1.5	5.22	4.40
COLUSA	2, BP	496	0.0	0.7	3.2	1.4	26.4	2.3	4.92	4.54	496	0.0	0.7	3.2	1.4	26.4	2.3	4.92	4.54
COLUSA	13, BP	150	0.0	0.3	2.4	0.9	26.4	2.9	5.00	4.44	453	0.0	0.3	3.2	1.1	28.4	2.4	4.88	4.42
COLUSA	205, BQ	79	0.0	0.9	1.5	1.2	27.2	2.9	5.03	4.39	388	0.0	0.6	1.9	1.3	27.2	2.9	5.19	4.39
COLUSA	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	353	0.0	0.7	3.0	1.2	26.5	4.5	4.77	4.44
COLUSA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	350	0.0	0.3	1.9	0.7	28.7	4.1	4.74	4.25
COLUSA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	280	0.0	0.3	1.2	0.3	25.8	0.6	5.10	4.33
COLUSA	6394, N	17	0.0	0.4	0.7	0.8	24.5	4.3	5.29	4.55	251	0.0	0.7	2.2	1.5	26.4	3.1	5.03	4.50
COLUSA	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	216	0.0	0.6	2.4	1.2	26.8	3.0	5.33	4.34
COLUSA	5608, HZ	174	0.0	0.8	1.9	0.7	25.4	1.4	4.46	4.39	189	0.0	0.7	1.8	0.6	25.4	1.3	4.46	4.38
COLUSA	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	127	0.0	0.5	4.9	1.9	28.1	1.7	4.89	4.35
COLUSA	141, BQ	124	0.0	0.4	6.3	1.6	26.8	1.8	4.89	4.43	124	0.0	0.4	6.3	1.6	26.8	1.8	4.89	4.43
COLUSA	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	101	0.0	0.5	3.1	1.6	29.7	2.5	5.09	4.42
COLUSA	3888, HMX	72	0.0	0.9	6.3	2.4	27.4	2.5	5.41	4.50	72	0.0	0.9	6.3	2.4	27.4	2.5	5.41	4.50
COLUSA	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	69	0.0	0.4	1.0	0.7	27.2	0.9	5.12	4.29
COLUSA	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	36	0.0	0.4	1.3	0.8	25.2	1.8	5.56	4.30
COLUSA	4909, HMX	20	0.0	1.4	0.3	0.2	26.7	1.6	5.12	4.25	20	0.0	1.4	0.3	0.2	26.7	1.6	5.12	4.25
COLUSA	16, BP	9	0.0	0.2	4.6	2.7	28.7	1.1	4.82	4.38	9	0.0	0.2	4.6	2.7	28.7	1.1	4.82	4.38
COLUSA	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.0	26.0	1.5	5.60	4.47
COLUSA		4,380	0.0	1.0	2.5	1.4	26.3	2.2	5.12	4.45	14,419	0.0	0.7	2.7	1.4	26.7	2.1	5.03	4.41
CONTRA COSTA	6366, SUN	418	0.0	0.8	0.2	0.2	23.6	1.7	5.30	4.42	2,520	0.0	0.3	0.6	0.1	24.8	1.6	5.56	4.34
CONTRA COSTA	0311, AB	392	0.0	0.4	0.5	0.1	23.6	1.0	5.88	4.28	486	0.0	0.3	0.5	0.0	23.6	1.0	6.00	4.28
CONTRA COSTA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	370	0.0	0.1	0.7	0.1	25.7	1.6	5.23	4.24
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	247	0.0	0.1	1.1	0.1	25.3	3.6	5.74	4.20
CONTRA COSTA	3884, HMX	120	0.0	0.4	0.2	0.0	26.1	1.0	5.52	4.34	212	0.0	0.3	0.3	0.1	26.2	1.2	5.68	4.33
CONTRA COSTA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	177	0.0	0.1	0.4	0.0	24.3	0.5	5.95	4.35
CONTRA COSTA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	164	0.0	0.2	1.1	0.1	24.3	0.6	5.66	4.24
CONTRA COSTA	0319, DRI	131	0.0	0.4	1.2	0.0	23.7	0.6	5.73	4.35	155	0.0	0.4	1.2	0.0	23.6	0.6	5.82	4.34
CONTRA COSTA	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	57	0.0	0.1	0.6	0.1	24.6	0.9	5.81	4.26
CONTRA COSTA	1293, HZ	45	0.0	0.2	0.6	0.3	22.6	0.5	5.81	4.42	45	0.0	0.2	0.6	0.3	22.6	0.5	5.81	4.42
CONTRA COSTA	402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.3	0.1	25.2	0.4	5.90	4.31
CONTRA COSTA	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.1	0.4	0.0	23.3	0.3	5.48	4.36
CONTRA COSTA	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	0.5	0.2	23.3	0.2	5.80	4.29

2016 Processing Tomato Season
 PTAB Analysis (8/13/16) - County by Variety



County	Variety Name	Week Ending 8/13/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
CONTRA COSTA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	23.0	0.0	5.90	4.32
CONTRA COSTA		1,106	0.0	0.5	0.4	0.1	23.8	1.2	5.60	4.35	4,446	0.0	0.2	0.7	0.1	24.7	1.5	5.63	4.31
FRESNO	6366, SUN	801	0.0	0.8	1.5	1.3	24.0	2.6	5.74	4.43	12,614	0.0	0.6	1.3	0.7	24.6	2.6	5.74	4.39
FRESNO	0311, AB	3,404	0.0	2.5	1.5	0.5	23.2	2.1	5.92	4.36	12,368	0.0	1.5	1.8	0.6	23.3	2.0	6.01	4.36
FRESNO	6416, N	4	0.0	0.5	1.8	0.5	23.8	1.3	5.85	4.38	7,034	0.0	0.2	1.8	0.7	24.3	1.6	5.24	4.30
FRESNO	273, BQ	175	0.0	0.6	2.3	0.6	23.4	1.5	5.53	4.38	5,757	0.0	0.4	2.1	0.8	24.0	1.3	5.69	4.31
FRESNO	1892, HMX	958	0.0	1.3	2.0	1.3	24.3	2.3	5.85	4.52	5,739	0.0	0.6	2.4	1.5	24.8	1.7	5.82	4.43
FRESNO	0319, DRI	1,548	0.0	1.7	1.5	0.4	24.1	3.2	6.11	4.40	5,114	0.0	1.2	1.2	0.4	24.5	2.9	6.13	4.40
FRESNO	3887, HMX	595	0.0	1.2	3.9	1.1	25.0	2.0	5.93	4.45	4,381	0.0	0.7	3.6	1.3	25.4	2.3	5.86	4.43
FRESNO	6415, N	1,118	0.0	0.6	1.2	0.2	24.2	0.9	5.11	4.34	3,707	0.0	0.4	1.7	0.3	24.4	1.4	5.21	4.35
FRESNO	5608, HZ	1,463	0.0	2.1	1.9	0.7	23.6	2.8	5.19	4.43	2,998	0.0	1.4	2.0	1.0	23.6	2.1	5.27	4.41
FRESNO	9663, HEINZ	799	0.0	3.2	3.4	0.6	23.3	2.9	5.09	4.39	2,122	0.0	2.2	3.8	0.5	23.5	2.7	5.23	4.39
FRESNO	6394, N	354	0.0	1.9	1.5	5.3	22.9	2.3	5.59	4.54	1,980	0.0	0.8	1.7	2.1	23.9	2.6	5.69	4.46
FRESNO	6402, N	369	0.0	1.4	0.7	0.4	23.1	2.1	6.30	4.45	1,979	0.0	0.8	0.8	0.9	23.5	1.8	6.07	4.40
FRESNO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,951	0.0	0.5	1.2	0.7	22.7	2.6	5.86	4.47
FRESNO	1015, HEINZ	94	0.0	0.2	1.3	0.7	24.7	0.4	5.45	4.37	1,856	0.0	0.5	0.8	0.4	23.6	1.7	5.45	4.44
FRESNO	7885, HMX	716	0.0	0.5	0.9	0.3	25.6	1.5	5.37	4.53	1,819	0.0	0.9	0.7	0.3	25.6	1.6	5.23	4.55
FRESNO	19406, UG	126	0.0	0.6	1.3	0.3	24.4	2.0	6.83	4.44	1,561	0.0	0.9	1.0	0.2	25.2	1.5	6.14	4.34
FRESNO	16609, UG	55	0.0	0.3	1.5	0.6	22.8	2.5	5.84	4.38	1,554	0.0	0.3	1.4	0.3	23.4	2.4	5.69	4.34
FRESNO	1293, HZ	481	0.0	1.7	1.6	0.4	24.1	1.0	5.41	4.45	1,551	0.0	0.9	1.6	0.6	23.6	1.1	5.62	4.47
FRESNO	4885, HMX	435	0.0	0.8	0.7	0.2	23.0	0.8	5.34	4.32	1,402	0.0	0.5	1.3	0.2	23.8	1.0	5.38	4.33
FRESNO	4707, HEINZ	700	0.0	0.3	2.6	0.6	25.9	1.6	5.37	4.38	1,265	0.0	0.3	2.8	0.6	26.1	1.3	5.37	4.37
FRESNO	8504, HEINZ	536	0.0	1.1	3.5	0.6	24.5	2.0	5.95	4.35	1,078	0.0	0.7	3.5	0.6	24.7	2.4	5.93	4.35
FRESNO	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	939	0.0	0.4	3.1	0.4	24.9	2.9	5.20	4.39
FRESNO	6397, N	73	0.0	0.5	5.0	0.5	24.6	0.8	5.38	4.37	748	0.0	0.4	1.4	0.6	24.4	1.1	5.59	4.40
FRESNO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	720	0.0	0.4	0.5	0.2	25.6	0.9	5.25	4.33
FRESNO	6404, N	324	0.0	1.4	0.7	1.5	24.2	4.2	5.27	4.49	633	0.0	1.1	0.7	1.1	24.3	3.2	5.19	4.44
FRESNO	9436, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	568	0.0	0.3	1.5	0.3	24.1	2.1	5.94	4.41
FRESNO	6410, N	563	0.0	0.7	1.9	0.4	24.2	0.6	5.74	4.41	563	0.0	0.7	1.9	0.4	24.2	0.6	5.74	4.41
FRESNO	6420, N	165	0.0	1.2	2.2	0.6	24.8	1.8	5.42	4.48	553	0.0	0.9	1.7	0.6	24.6	1.6	5.34	4.47
FRESNO	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	483	0.0	1.2	1.0	0.5	24.2	2.5	4.88	4.36
FRESNO	4909, HMX	152	0.0	1.9	0.5	0.2	24.6	1.0	6.18	4.27	483	0.0	1.2	0.9	0.4	25.2	1.1	5.80	4.27
FRESNO	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	479	0.0	0.7	1.0	0.6	24.7	2.2	6.17	4.39
FRESNO	18806, UG	403	0.0	1.0	0.7	0.1	24.8	3.2	5.84	4.42	435	0.0	1.0	0.7	0.2	24.8	3.2	5.88	4.41
FRESNO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	427	0.0	0.4	1.1	0.4	24.6	3.1	5.62	4.39
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	301	0.0	0.2	1.4	0.5	23.1	1.7	5.07	4.33
FRESNO	1161, HEINZ	53	0.0	0.8	0.7	0.3	23.5	2.9	6.55	4.48	252	0.0	0.4	2.8	0.2	25.3	5.1	6.30	4.45
FRESNO	1428, HZ	152	0.0	0.4	1.2	0.3	23.3	0.4	5.30	4.26	204	0.0	0.3	1.4	0.3	23.1	0.4	5.39	4.28
FRESNO	313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	170	0.0	0.7	1.1	0.2	24.6	3.5	4.84	4.42
FRESNO	002, PS	102	0.0	3.5	0.5	0.2	23.6	2.4	5.15	4.49	168	0.0	2.5	0.8	0.2	24.2	2.3	5.29	4.47
FRESNO	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	166	0.0	0.3	0.7	0.4	23.0	0.7	5.45	4.36

2016 Processing Tomato Season
 PTAB Analysis (8/13/16) - County by Variety



County	Variety Name	Week Ending 8/13/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	166	0.0	0.3	1.8	0.5	25.2	3.1	5.97	4.28
FRESNO	5701, HZ	155	0.0	0.7	1.1	0.5	24.6	3.2	5.50	4.41	155	0.0	0.7	1.1	0.5	24.6	3.2	5.50	4.41
FRESNO	2756, SV	4	0.0	0.4	6.0	0.0	23.3	1.0	5.55	4.26	129	0.0	0.1	1.3	0.3	25.1	0.3	5.32	4.34
FRESNO	8516, SV	67	0.0	1.6	0.8	0.2	22.6	2.3	6.27	4.38	120	0.0	1.0	1.0	0.2	24.0	2.7	6.16	4.38
FRESNO	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	111	0.0	0.3	0.9	0.7	24.3	1.9	5.11	4.36
FRESNO	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	108	0.0	0.2	0.5	0.4	24.2	4.0	5.59	4.32
FRESNO	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	79	0.0	0.1	1.0	0.7	25.5	1.1	5.68	4.25
FRESNO	4886, HMX	37	0.0	2.1	0.8	0.5	24.8	2.2	5.98	4.41	71	0.0	2.1	0.8	0.5	24.8	2.2	6.00	4.42
FRESNO	8232, SV	30	0.0	2.0	2.2	0.2	23.0	5.7	5.48	4.38	46	0.0	1.9	2.6	0.3	23.0	5.4	5.45	4.38
FRESNO	1311, HZ	6	0.0	2.3	1.2	0.3	23.0	1.8	6.32	4.34	43	0.0	1.1	0.7	0.4	23.8	1.5	5.72	4.36
FRESNO	5702, HZ	41	0.0	1.4	2.1	0.3	24.5	0.8	4.93	4.31	41	0.0	1.4	2.1	0.3	24.5	0.8	4.93	4.31
FRESNO	8011, SV	33	0.0	1.8	1.0	0.6	24.6	4.5	5.80	4.49	34	0.0	1.8	1.0	0.6	24.6	4.4	5.80	4.49
FRESNO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.4	1.4	0.5	24.7	1.2	5.71	4.29
FRESNO	6428, N	26	0.0	1.8	0.9	0.3	25.0	0.2	5.02	4.41	26	0.0	1.8	0.9	0.3	25.0	0.2	5.02	4.41
FRESNO	142, BQ	22	0.0	1.6	0.8	0.2	23.7	4.9	5.19	4.45	22	0.0	1.6	0.8	0.2	23.7	4.9	5.19	4.45
FRESNO	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	1.0	0.3	0.5	24.5	2.3	5.21	4.60
FRESNO	UNCODED	9	0.0	0.9	2.1	0.6	24.4	0.9	5.81	4.42	9	0.0	0.9	2.1	0.6	24.4	0.9	5.81	4.42
FRESNO	MIX	3	0.0	1.7	0.7	0.3	24.0	1.2	5.63	4.44	8	0.0	1.2	0.8	0.5	24.1	1.5	5.35	4.39
FRESNO	2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.3	1.3	1.1	23.2	0.9	5.73	4.47
FRESNO	141, BQ	4	0.0	2.0	1.1	0.1	24.8	4.0	5.40	4.45	4	0.0	2.0	1.1	0.1	24.8	4.0	5.40	4.45
FRESNO	58871, HMX	4	0.0	0.9	1.1	0.3	24.8	0.9	6.63	4.32	4	0.0	0.9	1.1	0.3	24.8	0.9	6.63	4.32
FRESNO	25, BP	3	0.0	0.5	2.7	0.3	23.7	2.0	5.40	4.40	3	0.0	0.5	2.7	0.3	23.7	2.0	5.40	4.40
FRESNO	26, BP	3	0.0	1.2	3.3	0.7	23.3	3.5	5.33	4.48	3	0.0	1.2	3.3	0.7	23.3	3.5	5.33	4.48
FRESNO	28, BP	3	0.0	0.2	4.8	0.0	26.3	3.5	5.40	4.38	3	0.0	0.2	4.8	0.0	26.3	3.5	5.40	4.38
FRESNO	1538, HZ	2	0.0	0.0	0.3	0.0	24.5	1.0	5.60	4.32	2	0.0	0.0	0.3	0.0	24.5	1.0	5.60	4.32
FRESNO	9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	1.3	1.8	23.5	1.5	5.50	4.48
FRESNO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	27.0	2.5	6.20	4.43
FRESNO	129, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	2.0	0.5	23.0	0.0	5.30	4.57
FRESNO	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	26.0	1.5	5.40	4.37
FRESNO	292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	1.0	23.0	2.0	5.70	4.40
FRESNO	323, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	26.0	3.5	5.60	4.39
FRESNO	329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	0.5	22.0	0.5	6.00	4.52
FRESNO	402, BQ	1	0.0	0.0	0.0	0.5	22.0	4.0	6.30	4.39	1	0.0	0.0	0.0	0.5	22.0	4.0	6.30	4.39
FRESNO	1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	0.0	23.0	0.5	6.00	4.40
FRESNO	2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	1.5	25.0	1.5	5.30	4.38
FRESNO	5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	24.0	1.5	6.90	4.31
FRESNO	7883, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.5	23.0	2.0	4.80	4.55
FRESNO		17,171	0.0	1.5	1.8	0.7	24.0	2.1	5.66	4.41	89,370	0.0	0.8	1.8	0.7	24.2	2.0	5.68	4.38
GLENN	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	377	0.0	0.3	1.8	1.4	26.8	0.7	4.83	4.44
GLENN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	100	0.0	0.4	1.8	2.2	26.4	2.2	4.94	4.44

2016 Processing Tomato Season
 PTAB Analysis (8/13/16) - County by Variety



County	Variety Name	Week Ending 8/13/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
GLENN		0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	477	0.0	0.4	1.8	1.6	26.7	1.0	4.86	4.44
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	0.00	4,441	0.0	0.8	2.0	0.9	26.1	2.3	5.11	4.42
KERN	8504, HEINZ	764	0.0	0.6	2.4	0.7	25.1	1.3	5.43	4.45	4,154	0.0	0.5	2.1	0.6	25.6	1.4	5.24	4.39
KERN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,021	0.0	0.7	2.8	1.0	25.4	1.9	5.16	4.38
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,193	0.0	0.5	1.6	0.5	24.4	1.4	5.04	4.34
KERN	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,538	0.0	0.7	2.5	1.0	24.5	1.3	5.09	4.40
KERN	5608, HZ	339	0.0	2.5	0.9	0.4	23.9	1.6	4.88	4.46	1,352	0.0	1.4	1.7	0.4	24.0	1.3	4.93	4.42
KERN	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,205	0.0	2.0	1.6	0.5	25.7	2.8	5.39	4.43
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	992	0.0	0.4	2.1	0.7	25.0	2.9	4.74	4.44
KERN	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	958	0.0	1.5	2.3	0.4	25.6	1.5	5.33	4.33
KERN	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	468	0.0	1.7	2.3	0.5	27.3	1.4	4.82	4.42
KERN	1170, HEINZ	21	0.0	0.3	0.5	0.3	25.5	1.8	4.95	4.51	374	0.0	0.9	0.9	0.2	25.9	1.1	5.11	4.36
KERN	1892, HMX	7	0.0	1.1	0.1	0.2	25.0	4.2	5.04	4.57	275	0.0	0.4	1.1	0.4	25.4	1.9	5.38	4.44
KERN	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	211	0.0	0.3	0.6	0.4	24.4	0.6	4.70	4.42
KERN	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	192	0.0	0.2	3.0	0.3	24.5	1.8	5.24	4.36
KERN	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	185	0.0	0.2	3.0	0.4	25.4	2.4	5.39	4.36
KERN	4909, HMX	146	0.0	1.3	0.6	0.5	25.7	0.9	5.54	4.29	184	0.0	1.2	0.5	0.5	25.7	1.1	5.55	4.30
KERN	3887, HMX	57	0.0	0.5	1.8	0.2	27.2	2.0	5.13	4.45	160	0.0	0.3	1.6	0.2	25.3	3.2	5.39	4.48
KERN	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	149	0.0	0.8	0.2	0.1	23.1	0.3	5.30	4.32
KERN	2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	109	0.0	0.3	1.2	0.8	24.6	0.8	4.81	4.26
KERN	6133, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	55	0.0	1.7	1.9	0.6	25.6	2.3	5.99	4.44
KERN	UNCODED	15	0.0	0.9	3.9	0.4	24.3	2.0	5.70	4.61	37	0.0	0.8	3.1	0.4	25.5	1.7	5.53	4.50
KERN	6415, N	14	0.0	2.3	1.0	0.1	24.4	1.6	4.79	4.47	32	0.0	1.1	0.7	0.2	25.0	0.8	5.11	4.34
KERN	67212, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	1.4	2.1	0.1	28.8	1.9	4.59	4.41
KERN	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	0.6	2.8	0.4	24.9	2.7	5.23	4.45
KERN	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	2.0	5.20	4.25
KERN	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	1.0	26.0	0.0	4.80	4.39
KERN		1,363	0.0	1.1	1.8	0.6	25.0	1.4	5.28	4.44	23,332	0.0	0.8	2.1	0.7	25.4	1.8	5.14	4.39
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,843	0.0	0.2	1.9	0.7	25.5	1.7	4.98	4.32
KINGS	5608, HZ	307	0.0	3.7	2.4	0.5	24.5	1.7	4.94	4.38	3,611	0.0	0.8	2.1	0.6	24.4	1.2	4.96	4.39
KINGS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,117	0.0	0.3	2.8	0.6	25.7	1.4	5.28	4.32
KINGS	6366, SUN	539	0.0	1.5	0.9	0.5	24.4	3.1	5.52	4.38	2,907	0.0	0.7	1.6	0.4	24.7	2.6	5.84	4.40
KINGS	0319, DRI	723	0.0	1.6	2.4	0.6	24.8	1.3	6.20	4.31	2,801	0.0	1.2	2.1	0.4	25.2	2.3	5.95	4.36
KINGS	3887, HMX	676	0.0	1.5	2.1	0.4	26.0	1.4	5.47	4.41	2,177	0.0	1.2	3.1	0.5	25.5	1.5	5.63	4.40
KINGS	1892, HMX	656	0.0	1.4	0.9	0.3	25.2	1.0	5.63	4.51	2,083	0.0	0.8	1.3	0.5	25.8	1.5	5.51	4.48
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,297	0.0	0.4	2.0	0.7	24.3	2.5	4.63	4.43
KINGS	8504, HEINZ	631	0.0	1.4	1.5	0.6	25.4	1.2	5.13	4.44	1,205	0.0	1.1	1.6	0.6	25.4	1.2	5.30	4.43
KINGS	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,040	0.0	1.0	0.9	0.5	25.0	1.5	5.42	4.36
KINGS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	964	0.0	0.3	3.3	0.7	24.7	1.1	5.41	4.40
KINGS	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	708	0.0	0.5	3.3	1.3	24.4	2.0	5.21	4.43

2016 Processing Tomato Season
 PTAB Analysis (8/13/16) - County by Variety



County	Variety Name	Week Ending 8/13/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KINGS	18806, UG	418	0.0	2.4	2.3	0.5	27.5	2.1	5.08	4.34	425	0.0	2.4	2.3	0.5	27.5	2.1	5.08	4.34
KINGS	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	416	0.0	0.5	1.1	0.3	25.8	3.2	5.97	4.32
KINGS	6402, N	4	0.0	7.3	1.4	0.4	23.5	1.4	5.65	4.39	394	0.0	1.1	0.6	0.2	24.7	1.4	5.61	4.47
KINGS	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	350	0.0	0.6	2.7	0.5	24.8	2.2	5.61	4.33
KINGS	UNCODED	215	0.0	2.1	2.0	0.6	27.3	1.5	5.11	4.40	279	0.0	1.7	1.9	0.5	26.5	1.6	5.28	4.40
KINGS	8516, SV	21	0.0	6.4	2.0	0.3	25.1	2.6	5.10	4.42	265	0.0	3.7	1.4	0.3	24.3	3.1	5.24	4.42
KINGS	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	212	0.0	0.9	3.2	0.6	26.0	3.2	4.77	4.38
KINGS	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	165	0.0	0.5	1.3	0.3	24.3	4.1	5.51	4.51
KINGS	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	147	0.0	0.1	1.4	0.4	23.6	1.6	6.25	4.30
KINGS	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	138	0.0	0.4	0.5	0.1	26.8	1.0	5.28	4.53
KINGS	5234, IVF	134	0.0	4.0	1.4	0.8	24.5	4.9	5.64	4.48	134	0.0	4.0	1.4	0.8	24.5	4.9	5.64	4.48
KINGS	4885, HMX	96	0.0	1.5	1.1	0.4	23.2	0.7	5.38	4.36	130	0.0	1.3	1.1	0.3	23.4	0.8	5.27	4.35
KINGS	6133, SV	96	0.0	5.8	2.5	0.4	25.2	1.7	4.89	4.45	96	0.0	5.8	2.5	0.4	25.2	1.7	4.89	4.45
KINGS	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	67	0.0	0.7	1.8	0.6	26.9	1.6	5.52	4.30
KINGS	9436, UG	42	0.0	5.4	1.8	0.5	24.6	2.0	4.81	4.43	42	0.0	5.4	1.8	0.5	24.6	2.0	4.81	4.43
KINGS	4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	41	0.0	0.9	1.0	0.3	27.0	2.8	6.66	4.43
KINGS	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	0.5	0.5	0.1	22.2	1.4	5.48	4.45
KINGS	1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	1.2	4.6	1.0	26.2	2.9	5.25	4.37
KINGS	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.1	6.7	2.3	0.6	25.2	1.8	4.74	4.39
KINGS	6428, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.4	0.9	0.3	26.8	1.9	4.84	4.47
KINGS	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	3.3	1.9	1.2	26.4	3.3	4.68	4.45
KINGS	1115, FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	2.0	0.0	23.0	1.5	5.40	4.47
KINGS	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.8	1.8	0.5	25.0	3.0	5.20	4.48
KINGS		4,558	0.0	2.0	1.7	0.5	25.4	1.7	5.46	4.40	31,147	0.0	0.8	2.1	0.6	25.2	1.8	5.34	4.38
MADERA	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	584	0.0	0.5	4.0	1.5	24.5	1.4	5.34	4.35
MADERA	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	510	0.0	0.6	2.9	1.3	24.0	4.8	5.65	4.48
MADERA	1892, HMX	189	0.0	0.9	4.0	3.6	26.8	2.2	5.23	4.53	472	0.0	0.7	4.0	3.5	26.9	2.2	5.43	4.51
MADERA	5608, HZ	231	0.0	1.0	0.6	0.1	24.1	1.1	5.05	4.38	323	0.0	0.8	0.5	0.1	24.1	1.0	5.07	4.38
MADERA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	275	0.0	1.4	2.1	0.3	24.8	1.4	4.73	4.34
MADERA	3887, HMX	173	0.0	1.5	5.9	0.2	26.7	1.1	5.58	4.41	180	0.0	1.4	6.0	0.2	26.8	1.1	5.59	4.41
MADERA	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	130	0.0	3.2	2.3	0.8	26.2	3.3	4.33	4.45
MADERA	18806, UG	107	0.0	0.6	1.1	0.2	27.2	1.5	5.23	4.33	107	0.0	0.6	1.1	0.2	27.2	1.5	5.23	4.33
MADERA	6410, N	46	0.0	0.6	9.3	1.8	28.1	1.1	6.38	4.37	46	0.0	0.6	9.3	1.8	28.1	1.1	6.38	4.37
MADERA		746	0.0	1.0	3.3	1.1	26.1	1.4	5.33	4.42	2,627	0.0	0.9	3.2	1.4	25.3	2.2	5.30	4.42
MERCED	6415, N	368	0.0	0.6	0.9	0.6	23.9	1.1	5.12	4.38	1,139	0.0	0.4	0.7	0.5	24.1	2.2	5.02	4.36
MERCED	0319, DRI	302	0.0	1.3	0.7	0.4	24.1	2.7	5.69	4.33	757	0.0	1.1	0.8	0.3	24.5	2.9	5.79	4.35
MERCED	1892, HMX	686	0.0	0.8	2.5	1.5	24.7	1.7	5.69	4.47	692	0.0	0.8	2.5	1.5	24.7	1.7	5.69	4.47
MERCED	0311, AB	47	0.0	0.4	1.2	0.4	23.5	1.3	6.14	4.29	665	0.0	0.4	0.7	0.2	23.4	2.1	5.81	4.32
MERCED	6366, SUN	442	0.0	0.9	1.2	1.3	24.0	6.3	5.78	4.55	619	0.0	0.9	1.1	1.2	24.1	5.8	5.60	4.50
MERCED	8504, HEINZ	442	0.0	0.3	1.3	0.8	26.0	0.7	4.77	4.24	461	0.0	0.3	1.3	0.8	26.0	0.7	4.77	4.24

2016 Processing Tomato Season
PTAB Analysis (8/13/16) - County by Variety



County	Variety Name	Week Ending 8/13/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
MERCED	5702, HZ	428	0.0	0.1	1.5	1.4	24.5	1.2	5.17	4.34	459	0.0	0.1	1.5	1.4	24.5	1.2	5.17	4.34
MERCED	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	358	0.0	0.1	0.6	0.3	24.6	1.3	4.98	4.27
MERCED	1428, HZ	330	0.0	0.2	0.8	0.4	23.2	1.3	5.00	4.34	330	0.0	0.2	0.8	0.4	23.2	1.3	5.00	4.34
MERCED	6404, N	49	0.0	1.7	0.5	0.2	26.8	1.4	4.70	4.42	309	0.0	1.3	2.1	1.6	26.0	3.3	5.37	4.52
MERCED	2401, HEINZ	125	0.0	0.3	1.2	0.9	26.2	1.6	4.49	4.32	251	0.0	0.3	1.7	1.0	26.3	1.4	4.51	4.31
MERCED	4707, HEINZ	131	0.0	0.0	1.4	1.2	26.5	0.4	4.81	4.30	187	0.0	0.0	1.7	1.3	26.7	0.4	4.76	4.29
MERCED	6410, N	90	0.0	0.7	2.1	0.8	25.0	3.0	5.66	4.47	90	0.0	0.7	2.1	0.8	25.0	3.0	5.66	4.47
MERCED	5608, HZ	87	0.0	0.5	0.8	0.3	22.4	1.1	4.86	4.33	87	0.0	0.5	0.8	0.3	22.4	1.1	4.86	4.33
MERCED	9663, HEINZ	72	0.0	1.6	3.5	0.6	23.5	1.4	4.78	4.26	72	0.0	1.6	3.5	0.6	23.5	1.4	4.78	4.26
MERCED	5701, HZ	69	0.0	0.2	1.6	0.9	26.3	0.6	4.69	4.27	69	0.0	0.2	1.6	0.9	26.3	0.6	4.69	4.27
MERCED	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	0.4	0.4	0.4	22.7	2.9	5.58	4.42
MERCED	5706, HZ	5	0.0	0.5	3.8	1.2	24.0	0.3	5.22	4.24	5	0.0	0.5	3.8	1.2	24.0	0.3	5.22	4.24
MERCED		3,673	0.0	0.6	1.4	1.0	24.6	2.0	5.27	4.38	6,614	0.0	0.6	1.2	0.8	24.5	2.2	5.30	4.37
SAN JOAQUIN	1892, HMX	77	0.0	0.4	3.6	1.0	24.3	0.7	5.56	4.38	77	0.0	0.4	3.6	1.0	24.3	0.7	5.56	4.38
SAN JOAQUIN	1293, HZ	26	0.0	0.3	1.8	1.5	25.6	1.0	5.49	4.41	50	0.0	0.3	1.6	1.1	25.4	1.0	5.44	4.44
SAN JOAQUIN	0319, DRI	48	0.0	0.5	2.4	1.7	27.1	1.7	6.35	4.24	48	0.0	0.5	2.4	1.7	27.1	1.7	6.35	4.24
SAN JOAQUIN	6404, N	31	0.0	3.3	0.4	0.1	25.4	2.3	4.54	4.44	35	0.0	3.2	0.4	0.1	25.5	2.4	4.51	4.43
SAN JOAQUIN	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	1.3	1.3	25.0	0.5	5.35	4.43
SAN JOAQUIN	0311, AB	1	0.0	1.0	0.0	0.0	25.0	0.0	5.70	4.22	1	0.0	1.0	0.0	0.0	25.0	0.0	5.70	4.22
SAN JOAQUIN		183	0.0	0.9	2.5	1.1	25.4	1.3	5.58	4.36	213	0.0	0.9	2.3	1.0	25.4	1.3	5.53	4.37
SOLANO	6366, SUN	102	0.0	0.7	0.4	0.3	25.2	1.7	5.87	4.35	539	0.0	0.5	1.0	0.6	26.9	2.0	5.70	4.39
SOLANO	0311, AB	339	0.0	1.3	0.8	0.8	25.0	1.1	5.98	4.28	462	0.0	1.1	0.7	0.7	24.9	1.1	5.90	4.27
SOLANO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	256	0.0	0.6	0.6	0.5	27.1	3.0	5.55	4.34
SOLANO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	209	0.0	0.4	0.7	0.4	25.2	2.4	5.30	4.41
SOLANO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	199	0.0	0.5	0.6	0.4	29.2	0.7	5.21	4.28
SOLANO	273, BQ	34	0.0	0.8	0.2	0.1	25.1	1.4	5.00	4.43	198	0.0	0.6	0.5	0.1	25.7	1.4	5.16	4.40
SOLANO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	183	0.0	0.3	0.6	0.1	26.1	0.9	5.05	4.31
SOLANO	5234, IVF	165	0.0	0.4	0.4	0.2	24.9	2.0	5.49	4.29	180	0.0	0.4	0.4	0.2	25.2	1.9	5.51	4.29
SOLANO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	142	0.0	0.4	0.7	0.1	24.8	0.4	5.04	4.45
SOLANO	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	116	0.0	0.4	2.9	0.6	29.3	1.4	4.93	4.45
SOLANO	5608, HZ	115	0.0	0.3	0.3	0.1	24.4	0.3	4.62	4.31	115	0.0	0.3	0.3	0.1	24.4	0.3	4.62	4.31
SOLANO	9905, HARRIS MORAN	87	0.0	0.3	0.9	0.7	27.7	0.7	5.34	4.34	90	0.0	0.3	0.9	0.7	27.7	0.7	5.34	4.34
SOLANO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	89	0.0	0.4	0.6	0.3	27.2	1.6	5.94	4.23
SOLANO	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.4	1.0	0.1	24.7	1.6	5.18	4.36
SOLANO	255, CXD	29	0.0	0.3	0.1	0.1	23.5	2.7	5.24	4.36	29	0.0	0.3	0.1	0.1	23.5	2.7	5.24	4.36
SOLANO	206, BQ	28	0.0	1.3	0.3	0.2	26.6	1.5	5.51	4.28	28	0.0	1.3	0.3	0.2	26.6	1.5	5.51	4.28
SOLANO	2303, SV	13	0.0	0.2	0.6	0.0	26.6	0.2	5.02	4.33	13	0.0	0.2	0.6	0.0	26.6	0.2	5.02	4.33
SOLANO	4886, HMX	12	0.0	0.8	1.3	0.2	27.4	0.2	5.28	4.29	12	0.0	0.8	1.3	0.2	27.4	0.2	5.28	4.29
SOLANO	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.5	1.1	0.3	30.8	1.5	5.57	4.27
SOLANO	6431, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.4	0.3	0.1	25.4	2.5	6.10	4.46

2016 Processing Tomato Season
 PTAB Analysis (8/13/16) - County by Variety



County	Variety Name	Week Ending 8/13/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SOLANO	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.0	0.7	1.0	25.0	3.7	5.40	4.43
SOLANO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.5	0.5	2.0	2.0	26.0	0.0	5.40	4.25
SOLANO	1311, HZ	1	0.0	0.0	2.5	0.0	27.0	1.0	6.50	4.27	1	0.0	0.0	2.5	0.0	27.0	1.0	6.50	4.27
SOLANO		925	0.0	0.8	0.6	0.5	25.2	1.2	5.55	4.31	2,913	0.0	0.6	0.8	0.4	26.3	1.5	5.44	4.34
STANISLAUS	3887, HMX	214	0.0	0.4	0.5	0.3	25.4	1.3	5.45	4.32	332	0.0	0.3	0.6	0.2	25.6	1.4	5.56	4.34
STANISLAUS	6415, N	84	0.0	0.3	1.0	0.1	25.0	1.4	5.02	4.31	242	0.0	0.3	0.7	0.1	24.8	1.8	5.08	4.30
STANISLAUS	6397, N	96	0.0	0.5	0.5	0.0	23.2	2.3	5.46	4.46	192	0.0	0.4	0.5	0.0	23.1	2.3	5.59	4.46
STANISLAUS	5608, HZ	164	0.0	0.4	0.6	0.6	22.8	0.9	5.02	4.28	164	0.0	0.4	0.6	0.6	22.8	0.9	5.02	4.28
STANISLAUS	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	55	0.0	0.6	2.8	0.2	23.0	0.9	5.65	4.26
STANISLAUS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	0.5	1.1	0.3	24.5	0.9	5.50	4.23
STANISLAUS	141, BQ	24	0.0	1.8	3.2	0.5	21.9	6.1	5.19	4.39	24	0.0	1.8	3.2	0.5	21.9	6.1	5.19	4.39
STANISLAUS	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	0.4	0.4	0.1	24.3	1.1	5.71	4.24
STANISLAUS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	0.1	0.7	0.2	23.9	0.4	5.29	4.30
STANISLAUS	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.0	1.9	0.5	24.8	0.7	5.39	4.22
STANISLAUS	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15	0.0	0.0	0.8	0.0	24.4	0.4	6.16	4.26
STANISLAUS	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.5	0.0	22.5	1.0	5.85	4.40
STANISLAUS		582	0.0	0.5	0.7	0.3	24.1	1.6	5.26	4.34	1,123	0.0	0.4	0.8	0.2	24.3	1.6	5.38	4.33
SUTTER	6366, SUN	48	0.0	1.1	3.4	2.2	26.6	3.0	5.03	4.45	577	0.0	0.8	1.7	2.0	25.9	1.5	5.31	4.42
SUTTER	13, BP	24	0.0	0.5	0.3	0.3	24.6	3.0	4.85	4.44	494	0.0	0.4	2.9	1.4	26.5	2.3	4.74	4.42
SUTTER	2, BP	198	0.0	0.9	4.3	1.8	27.3	2.3	4.90	4.54	439	0.0	0.6	3.8	1.7	27.3	2.3	5.03	4.54
SUTTER	0311, AB	293	0.0	1.7	4.2	1.2	25.3	1.5	5.35	4.35	410	0.0	1.6	3.4	1.0	25.0	1.4	5.57	4.34
SUTTER	0319, DRI	326	0.0	1.2	3.1	1.3	26.0	2.6	5.65	4.40	326	0.0	1.2	3.1	1.3	26.0	2.6	5.65	4.40
SUTTER	5608, HZ	151	0.0	1.1	0.4	0.4	24.6	2.4	4.75	4.41	264	0.0	1.1	0.4	0.4	24.6	2.4	4.89	4.39
SUTTER	3888, HMX	93	0.0	0.3	1.1	1.4	27.5	1.5	5.63	4.54	162	0.0	0.3	1.9	2.8	28.4	3.3	5.47	4.56
SUTTER	142, BQ	31	0.0	2.6	0.6	0.2	25.1	1.9	5.16	4.38	138	0.0	1.5	0.9	0.2	24.9	2.8	5.61	4.38
SUTTER	1015, HEINZ	138	0.0	0.4	1.2	1.1	24.6	1.1	5.16	4.51	138	0.0	0.4	1.2	1.1	24.6	1.1	5.16	4.51
SUTTER	6394, N	128	0.0	1.3	0.7	2.3	25.4	3.1	5.11	4.53	128	0.0	1.3	0.7	2.3	25.4	3.1	5.11	4.53
SUTTER	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	118	0.0	0.5	3.4	2.7	25.5	1.2	5.03	4.31
SUTTER	1893, HMX	59	0.0	0.6	0.4	0.6	24.8	5.0	5.08	4.34	112	0.0	0.5	0.7	0.5	25.6	3.8	5.02	4.34
SUTTER	1892, HMX	32	0.0	0.6	0.6	0.1	24.1	0.3	5.79	4.32	95	0.0	0.7	1.0	0.3	24.6	0.3	5.73	4.35
SUTTER	3887, HMX	57	0.0	1.1	2.2	2.5	28.3	1.4	5.39	4.45	69	0.0	1.0	2.4	2.3	28.5	1.4	5.42	4.45
SUTTER	4909, HMX	41	0.0	1.2	0.4	0.5	27.4	1.1	5.38	4.28	64	0.0	1.1	0.5	0.5	27.6	0.9	5.42	4.27
SUTTER	5900, HMX	12	0.0	0.3	0.2	0.5	24.7	6.4	5.42	4.34	47	0.0	0.5	0.6	0.6	24.9	2.6	5.43	4.33
SUTTER	1292, HZ	28	0.0	1.7	1.5	0.5	24.4	2.0	5.87	4.44	28	0.0	1.7	1.5	0.5	24.4	2.0	5.87	4.44
SUTTER	0599, SV	2	0.0	2.0	0.5	1.0	26.0	5.5	5.55	4.34	19	0.0	0.7	0.4	0.6	24.9	1.3	5.34	4.31
SUTTER	141, BQ	17	0.0	0.5	0.6	0.2	24.7	5.0	4.66	4.47	17	0.0	0.5	0.6	0.2	24.7	5.0	4.66	4.47
SUTTER	2493, SV	8	0.0	0.2	0.4	0.1	24.6	2.1	5.61	4.45	8	0.0	0.2	0.4	0.1	24.6	2.1	5.61	4.45
SUTTER	25, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.8	0.0	24.5	1.8	4.55	4.44
SUTTER	401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.0	0.3	26.0	0.8	4.95	4.45
SUTTER	402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.3	0.0	26.5	0.8	5.35	4.43

2016 Processing Tomato Season
 PTAB Analysis (8/13/16) - County by Variety



County	Variety Name	Week Ending 8/13/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SUTTER	16, BP	1	0.0	1.0	8.0	1.0	28.0	0.5	4.90	4.47	1	0.0	1.0	8.0	1.0	28.0	0.5	4.90	4.47
SUTTER	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.0	0.0	24.0	0.5	5.50	4.45
SUTTER	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	23.0	1.5	5.10	4.52
SUTTER	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.5	25.0	0.5	5.10	4.43
SUTTER	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	25.0	1.5	4.20	4.46
SUTTER		1,687	0.0	1.1	2.4	1.3	25.8	2.2	5.27	4.43	3,664	0.0	0.9	2.2	1.4	25.9	2.1	5.23	4.42
TULARE	0311, AB	86	0.0	2.7	0.7	0.4	21.8	1.7	6.75	4.44	202	0.0	3.1	0.6	0.3	22.2	1.6	6.36	4.42
TULARE	6415, N	105	0.0	3.4	1.7	0.2	26.3	1.5	4.77	4.45	197	0.0	3.0	1.7	0.2	26.6	1.1	4.67	4.42
TULARE	0319, DRI	154	0.0	7.7	1.4	0.3	25.2	1.7	5.17	4.43	157	0.0	7.6	1.4	0.3	25.3	1.7	5.16	4.43
TULARE	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	114	0.0	0.5	1.7	0.7	22.4	1.5	6.02	4.45
TULARE	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	7.2	1.0	0.3	28.3	0.7	4.68	4.30
TULARE	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.5	0.5	22.0	0.8	6.80	4.42
TULARE	1311, HZ	1	0.0	6.0	2.5	0.5	20.0	4.0	6.40	4.45	1	0.0	6.0	2.5	0.5	20.0	4.0	6.40	4.45
TULARE	6410, N	1	0.0	7.5	1.0	0.0	26.0	2.0	5.50	4.34	1	0.0	7.5	1.0	0.0	26.0	2.0	5.50	4.34
TULARE		347	0.0	5.1	1.3	0.3	24.7	1.6	5.44	4.44	700	0.0	3.8	1.3	0.3	24.4	1.4	5.50	4.42
YOLO	0311, AB	2,511	0.0	1.2	0.8	0.5	24.2	1.3	5.50	4.32	4,358	0.0	0.9	0.8	0.5	24.4	1.3	5.48	4.32
YOLO	13, BP	351	0.0	0.5	2.1	1.5	26.5	1.7	4.72	4.40	1,863	0.0	0.3	3.7	1.2	27.4	1.4	4.90	4.37
YOLO	3887, HMX	1,241	0.0	0.8	1.0	0.7	28.0	0.7	4.97	4.34	1,708	0.0	0.6	1.2	0.6	28.2	0.7	5.05	4.34
YOLO	6397, N	214	0.0	0.5	0.5	0.3	24.5	1.7	5.50	4.44	1,643	0.0	0.3	0.7	0.3	24.9	1.8	5.22	4.40
YOLO	6366, SUN	182	0.0	0.7	2.0	1.4	25.6	2.8	5.26	4.48	1,490	0.0	0.5	1.3	0.6	25.7	1.7	5.12	4.39
YOLO	5608, HZ	731	0.0	0.6	0.4	0.3	24.0	0.8	4.77	4.33	1,234	0.0	0.5	0.5	0.2	24.3	1.2	4.80	4.36
YOLO	2, BP	789	0.0	0.8	2.4	2.1	26.9	1.6	5.01	4.50	1,162	0.0	0.7	3.0	1.6	27.0	1.9	5.04	4.48
YOLO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,082	0.0	0.6	1.7	0.6	26.1	2.6	5.34	4.23
YOLO	6402, N	554	0.0	0.8	2.0	1.7	25.9	1.1	5.16	4.43	970	0.0	0.7	3.0	1.3	26.3	1.5	5.19	4.44
YOLO	6394, N	219	0.0	0.5	2.3	2.3	26.0	2.8	5.96	4.46	842	0.0	0.4	1.6	1.3	25.8	2.5	5.27	4.44
YOLO	0319, DRI	369	0.0	0.9	2.8	1.5	27.0	1.5	5.51	4.34	819	0.0	0.6	2.3	1.5	26.7	1.6	5.62	4.35
YOLO	273, BQ	121	0.0	0.6	0.4	0.5	24.4	0.8	5.40	4.32	814	0.0	0.3	1.1	0.3	25.9	0.8	5.16	4.34
YOLO	255, CXD	401	0.0	0.8	0.8	0.2	27.2	1.0	5.17	4.32	795	0.0	0.7	0.8	0.2	26.9	1.2	5.02	4.34
YOLO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	446	0.0	0.2	2.2	2.1	25.7	1.2	4.95	4.45
YOLO	16609, UG	51	0.0	0.4	0.9	0.3	25.8	4.7	5.60	4.35	430	0.0	0.3	0.8	0.2	26.4	2.6	5.07	4.32
YOLO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	371	0.0	0.4	0.6	0.3	28.3	1.0	5.10	4.33
YOLO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	320	0.0	0.8	1.8	1.4	26.3	3.3	4.49	4.42
YOLO	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	254	0.0	0.5	3.6	2.5	28.4	1.6	4.78	4.46
YOLO	141, BQ	149	0.0	0.7	0.5	0.2	24.1	3.1	4.89	4.39	243	0.0	0.7	0.6	0.2	23.9	3.5	4.92	4.42
YOLO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	207	0.0	0.2	2.0	1.0	28.2	0.6	4.56	4.25
YOLO	5234, IVF	69	0.0	1.3	0.9	0.6	26.2	1.2	4.71	4.24	147	0.0	0.9	0.8	0.4	25.5	1.7	4.96	4.25
YOLO	4909, HMX	78	0.0	0.9	0.3	0.1	26.4	0.8	5.15	4.23	146	0.0	0.7	0.5	0.1	27.0	0.7	5.23	4.25
YOLO	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	138	0.0	0.9	3.0	2.1	26.5	3.5	4.76	4.47
YOLO	8516, SV	69	0.0	0.7	0.1	0.1	24.4	1.5	5.42	4.35	120	0.0	0.6	0.1	0.1	24.8	2.0	5.36	4.35
YOLO	650, PS	108	0.0	0.6	0.5	0.4	29.4	0.9	4.98	4.28	108	0.0	0.6	0.5	0.4	29.4	0.9	4.98	4.28

2016 Processing Tomato Season
 PTAB Analysis (8/13/16) - County by Variety



County	Variety Name	Week Ending 8/13/16									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	2493, SV	69	0.0	0.6	0.5	0.3	24.7	3.1	5.33	4.41	69	0.0	0.6	0.5	0.3	24.7	3.1	5.33	4.41
YOLO	19406, UG	25	0.0	0.4	0.1	0.1	25.7	1.8	5.46	4.28	67	0.0	0.3	0.2	0.1	26.0	1.9	5.37	4.28
YOLO	6133, SV	24	0.0	1.0	1.1	0.4	24.8	1.4	6.18	4.42	63	0.0	1.0	0.7	0.2	25.9	0.9	5.81	4.42
YOLO	8011, SV	18	0.0	1.0	0.8	0.3	25.0	1.9	6.32	4.39	59	0.0	0.8	0.5	0.1	26.4	0.8	5.78	4.39
YOLO	9436, UG	7	0.0	0.4	1.6	0.7	22.7	0.8	6.86	4.39	57	0.0	0.3	1.1	0.3	23.6	1.9	5.38	4.42
YOLO	1892, HMX	19	0.0	0.2	0.8	0.0	26.3	0.6	5.36	4.36	52	0.0	0.1	0.9	0.0	27.9	0.7	5.34	4.38
YOLO	142, BQ	40	0.0	0.4	0.7	0.3	23.9	1.5	5.01	4.34	40	0.0	0.4	0.7	0.3	23.9	1.5	5.01	4.34
YOLO	16, BP	32	0.0	0.3	0.7	0.0	23.6	1.8	4.98	4.37	32	0.0	0.3	0.7	0.0	23.6	1.8	4.98	4.37
YOLO	3888, HMX	29	0.0	0.2	4.0	1.1	28.7	0.6	5.46	4.45	29	0.0	0.2	4.0	1.1	28.7	0.6	5.46	4.45
YOLO	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.2	4.3	2.9	28.3	1.6	5.15	4.34
YOLO	1311, HZ	3	0.0	1.7	1.2	0.2	23.0	0.3	5.70	4.23	21	0.0	0.6	0.6	0.2	24.4	2.1	5.39	4.33
YOLO	1292, HZ	20	0.0	0.4	0.7	0.4	24.0	1.0	5.78	4.43	20	0.0	0.4	0.7	0.4	24.0	1.0	5.78	4.43
YOLO	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.2	1.3	0.2	27.9	2.8	5.07	4.35
YOLO	4886, HMX	12	0.0	0.8	0.1	0.2	26.0	1.7	5.27	4.30	12	0.0	0.8	0.1	0.2	26.0	1.7	5.27	4.30
YOLO	4885, HMX	10	0.0	0.6	1.6	0.5	28.3	2.4	5.41	4.34	10	0.0	0.6	1.6	0.5	28.3	2.4	5.41	4.34
YOLO	MIX	4	0.0	0.6	0.5	0.1	26.0	2.8	4.70	4.34	7	0.0	0.6	0.4	0.1	25.9	2.1	4.80	4.35
YOLO	CAL MARZANO 2	5	0.0	2.1	0.9	0.4	25.6	0.2	4.44	4.42	5	0.0	2.1	0.9	0.4	25.6	0.2	4.44	4.42
YOLO	402, BQ	1	0.0	1.0	0.5	0.5	22.0	0.5	5.70	4.38	3	0.0	0.7	0.3	0.3	22.3	1.5	6.00	4.43
YOLO	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	22.0	1.5	6.30	4.41
YOLO		8,525	0.0	0.9	1.2	0.8	25.7	1.3	5.22	4.36	22,299	0.0	0.6	1.5	0.8	26.0	1.6	5.17	4.36