

2016 Processing Tomato Season
PTAB Analysis (8/13/16) - Statewide by Variety



Variety Name	Week Ending 8/13/16									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
6366, SUN	2,835	0.0	1.0	1.2	1.0	24.5	3.2	5.54	4.44	27,556	0.0	0.6	1.5	0.7	25.2	2.4	5.54	4.39
0311, AB	7,983	0.0	1.8	1.4	0.6	23.9	1.8	5.72	4.34	22,614	0.0	1.3	1.6	0.6	23.9	1.8	5.80	4.35
6416, N	4	0.0	0.5	1.8	0.5	23.8	1.3	5.85	4.38	16,757	0.0	0.3	1.8	0.7	24.9	1.6	5.09	4.31
273, BQ	330	0.0	0.6	1.4	0.5	23.9	1.2	5.43	4.37	14,397	0.0	0.5	2.3	0.7	24.9	1.5	5.40	4.33
0319, DRI	4,152	0.0	1.7	2.0	0.7	25.0	2.4	5.88	4.37	12,355	0.0	1.3	1.7	0.6	25.1	2.6	5.89	4.39
5608, HZ	3,762	0.0	1.7	1.3	0.5	23.9	1.8	4.97	4.39	10,337	0.0	1.0	1.7	0.6	24.1	1.5	5.01	4.39
3887, HMX	3,744	0.0	1.0	2.1	0.8	27.0	1.3	5.26	4.40	9,778	0.0	0.8	2.8	0.9	26.2	1.7	5.57	4.41
1892, HMX	2,624	0.0	1.1	2.0	1.2	24.8	1.7	5.69	4.49	9,500	0.0	0.7	2.2	1.3	25.2	1.6	5.71	4.45
8504, HEINZ	2,373	0.0	0.8	2.2	0.7	25.2	1.3	5.34	4.38	6,898	0.0	0.6	2.2	0.6	25.5	1.5	5.33	4.38
1015, HEINZ	544	0.0	0.4	1.4	1.4	25.3	0.9	5.08	4.47	6,639	0.0	0.5	2.1	1.2	25.2	1.4	5.07	4.44
6397, N	616	0.0	0.5	1.4	0.7	24.6	1.6	5.28	4.45	6,182	0.0	0.4	1.8	0.7	24.8	1.4	5.25	4.41
6415, N	1,689	0.0	0.8	1.2	0.3	24.3	1.0	5.08	4.35	5,901	0.0	0.5	1.7	0.5	24.5	1.5	5.16	4.35
6402, N	1,096	0.0	1.0	1.7	1.4	25.0	1.5	5.55	4.43	4,634	0.0	0.8	1.7	1.0	25.1	1.6	5.59	4.42
6394, N	718	0.0	1.3	1.6	3.8	24.3	2.7	5.61	4.51	3,716	0.0	0.7	1.8	1.8	24.6	2.9	5.53	4.47
16609, UG	106	0.0	0.3	1.2	0.4	24.2	3.5	5.72	4.37	2,818	0.0	0.3	1.5	0.3	24.4	2.4	5.54	4.34
13, BP	525	0.0	0.4	2.1	1.3	26.4	2.1	4.81	4.42	2,810	0.0	0.3	3.5	1.2	27.4	1.7	4.87	4.39
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,590	0.0	0.4	1.9	0.7	24.4	2.6	4.72	4.43
410, APT	30	0.0	2.0	2.8	1.5	26.0	7.5	4.55	4.60	2,295	0.0	0.6	2.1	1.0	26.5	2.7	4.93	4.37
9663, HEINZ	871	0.0	3.1	3.4	0.6	23.3	2.8	5.07	4.38	2,194	0.0	2.2	3.8	0.5	23.5	2.7	5.22	4.39
1292, HZ	48	0.0	1.1	1.1	0.5	24.2	1.6	5.83	4.44	2,165	0.0	0.5	1.2	0.7	22.9	2.7	5.83	4.48
2, BP	1,483	0.0	0.8	3.0	1.8	26.8	1.9	4.96	4.52	2,097	0.0	0.7	3.2	1.6	26.9	2.1	5.01	4.50
7885, HMX	716	0.0	0.5	0.9	0.3	25.6	1.5	5.37	4.53	1,957	0.0	0.8	0.7	0.3	25.7	1.6	5.23	4.55
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,769	0.0	0.4	1.6	0.5	26.6	3.0	5.31	4.23
4885, HMX	541	0.0	0.9	0.8	0.2	23.1	0.8	5.35	4.33	1,691	0.0	0.6	1.2	0.2	23.7	0.9	5.36	4.33
1293, HZ	552	0.0	1.5	1.5	0.5	24.1	1.0	5.44	4.45	1,648	0.0	0.8	1.6	0.6	23.6	1.1	5.62	4.46
19406, UG	151	0.0	0.6	1.1	0.2	24.6	2.0	6.61	4.41	1,628	0.0	0.8	0.9	0.2	25.3	1.6	6.11	4.34
4707, HEINZ	831	0.0	0.2	2.4	0.7	26.0	1.4	5.29	4.36	1,452	0.0	0.2	2.7	0.7	26.1	1.2	5.29	4.36
0599, SV	2	0.0	2.0	0.5	1.0	26.0	5.5	5.55	4.34	1,310	0.0	0.4	0.6	0.3	26.9	0.9	5.20	4.33
6404, N	404	0.0	1.6	0.7	1.2	24.6	3.7	5.14	4.48	1,231	0.0	1.1	1.6	1.5	25.6	2.8	5.13	4.47
9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,151	0.0	0.5	3.1	0.4	25.1	2.9	5.12	4.39
4909, HMX	437	0.0	1.4	0.4	0.3	25.6	1.0	5.66	4.27	990	0.0	1.2	0.8	0.4	25.9	1.1	5.58	4.27
18806, UG	928	0.0	1.6	1.5	0.3	26.3	2.5	5.43	4.37	967	0.0	1.6	1.4	0.3	26.3	2.5	5.46	4.37
255, CXD	430	0.0	0.8	0.8	0.2	27.0	1.1	5.18	4.33	893	0.0	0.7	0.8	0.2	26.8	1.2	5.04	4.33

2016 Processing Tomato Season
 PTAB Analysis (8/13/16) - Statewide by Variety



Variety Name	Week Ending 8/13/16									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
205, BQ	79	0.0	0.9	1.5	1.2	27.2	2.9	5.03	4.39	867	0.0	0.6	1.4	0.9	25.8	2.5	5.73	4.39
1161, HEINZ	53	0.0	0.8	0.7	0.3	23.5	2.9	6.55	4.48	853	0.0	0.4	2.0	0.3	25.5	3.6	5.94	4.36
6410, N	700	0.0	0.7	2.4	0.6	24.5	0.9	5.78	4.42	700	0.0	0.7	2.4	0.6	24.5	0.9	5.78	4.42
9436, UG	49	0.0	4.7	1.7	0.5	24.4	1.8	5.10	4.42	667	0.0	0.7	1.5	0.3	24.1	2.1	5.82	4.42
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	613	0.0	1.6	1.3	0.6	24.6	2.7	4.77	4.38
6420, N	165	0.0	1.2	2.2	0.6	24.8	1.8	5.42	4.48	554	0.0	0.9	1.6	0.6	24.6	1.6	5.34	4.47
1428, HZ	482	0.0	0.2	0.9	0.4	23.3	1.0	5.09	4.32	548	0.0	0.2	1.1	0.4	23.2	1.0	5.15	4.32
5900, HMX	12	0.0	0.3	0.2	0.5	24.7	6.4	5.42	4.34	515	0.0	0.4	1.8	0.7	26.0	2.7	5.59	4.31
8516, SV	157	0.0	1.8	0.7	0.2	23.7	2.0	5.74	4.37	505	0.0	2.3	1.0	0.3	24.3	2.7	5.49	4.39
5702, HZ	469	0.0	0.2	1.6	1.3	24.5	1.2	5.15	4.33	500	0.0	0.2	1.6	1.3	24.5	1.2	5.15	4.34
5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	491	0.0	0.8	3.0	1.4	26.5	4.2	4.77	4.45
UNCODED	239	0.0	2.0	2.1	0.6	27.0	1.5	5.17	4.41	476	0.0	1.2	2.9	1.0	26.9	1.6	5.20	4.39
5234, IVF	368	0.0	1.9	0.8	0.5	25.0	2.9	5.40	4.35	462	0.0	1.6	0.8	0.4	25.1	2.7	5.37	4.33
141, BQ	318	0.0	0.6	3.0	0.8	25.0	2.9	4.90	4.41	417	0.0	0.7	2.4	0.6	24.7	3.2	4.91	4.42
1170, HEINZ	21	0.0	0.3	0.5	0.3	25.5	1.8	4.95	4.51	374	0.0	0.9	0.9	0.2	25.9	1.1	5.11	4.36
1893, HMX	59	0.0	0.6	0.4	0.6	24.8	5.0	5.08	4.34	367	0.0	0.2	0.9	0.4	24.4	3.0	5.68	4.31
2401, HEINZ	125	0.0	0.3	1.2	0.9	26.2	1.6	4.49	4.32	362	0.0	0.3	1.5	0.9	25.7	1.5	4.70	4.32
400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	314	0.0	0.4	1.0	0.5	22.7	1.0	5.66	4.40
3888, HMX	194	0.0	0.5	3.5	1.7	27.6	1.7	5.52	4.51	263	0.0	0.5	3.3	2.5	28.1	2.8	5.45	4.53
5701, HZ	224	0.0	0.6	1.3	0.6	25.1	2.4	5.25	4.37	224	0.0	0.6	1.3	0.6	25.1	2.4	5.25	4.37
6133, SV	120	0.0	4.8	2.2	0.4	25.1	1.6	5.15	4.44	214	0.0	3.3	1.8	0.4	25.5	1.6	5.45	4.44
3884, HMX	120	0.0	0.4	0.2	0.0	26.1	1.0	5.52	4.34	212	0.0	0.3	0.3	0.1	26.2	1.2	5.68	4.33
142, BQ	93	0.0	1.4	0.7	0.2	24.3	2.4	5.10	4.38	200	0.0	1.3	0.9	0.2	24.6	2.7	5.44	4.38
2770, KW	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	188	0.0	0.2	1.1	0.8	25.0	0.9	5.18	4.26
313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	170	0.0	0.7	1.1	0.2	24.6	3.5	4.84	4.42
002, PS	102	0.0	3.5	0.5	0.2	23.6	2.4	5.15	4.49	168	0.0	2.5	0.8	0.2	24.2	2.3	5.29	4.47
4886, HMX	61	0.0	1.6	0.7	0.4	25.5	1.7	5.70	4.37	136	0.0	1.5	0.8	0.4	25.8	2.2	6.07	4.40
2756, SV	4	0.0	0.4	6.0	0.0	23.3	1.0	5.55	4.26	129	0.0	0.1	1.3	0.3	25.1	0.3	5.32	4.34
8011, SV	51	0.0	1.5	0.9	0.5	24.8	3.6	5.99	4.45	112	0.0	2.1	1.0	0.3	25.6	2.1	5.61	4.42
650, PS	108	0.0	0.6	0.5	0.4	29.4	0.9	4.98	4.28	108	0.0	0.6	0.5	0.4	29.4	0.9	4.98	4.28
163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	102	0.0	0.5	3.1	1.5	29.7	2.5	5.09	4.42
9905, HARRIS MORAN	87	0.0	0.3	0.9	0.7	27.7	0.7	5.34	4.34	90	0.0	0.3	0.9	0.7	27.7	0.7	5.34	4.34
2493, SV	77	0.0	0.6	0.5	0.2	24.7	3.0	5.36	4.42	77	0.0	0.6	0.5	0.2	24.7	3.0	5.36	4.42

2016 Processing Tomato Season
 PTAB Analysis (8/13/16) - Statewide by Variety



Variety Name	Week Ending 8/13/16									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
1311, HZ	11	0.0	2.2	1.4	0.2	23.1	1.5	6.17	4.31	66	0.0	1.0	0.7	0.4	24.0	1.7	5.63	4.35
8232, SV	30	0.0	2.0	2.2	0.2	23.0	5.7	5.48	4.38	46	0.0	1.9	2.6	0.3	23.0	5.4	5.45	4.38
16, BP	42	0.0	0.3	1.7	0.6	24.8	1.6	4.95	4.37	42	0.0	0.3	1.7	0.6	24.8	1.6	4.95	4.37
6428, N	26	0.0	1.8	0.9	0.3	25.0	0.2	5.02	4.41	35	0.0	1.5	0.9	0.3	25.5	0.7	4.97	4.43
403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	0.4	1.3	0.5	24.6	1.0	5.70	4.30
312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.4	1.0	0.1	24.7	1.6	5.18	4.36
67212, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	1.4	2.1	0.1	28.8	1.9	4.59	4.41
206, BQ	28	0.0	1.3	0.3	0.2	26.6	1.5	5.51	4.28	28	0.0	1.3	0.3	0.2	26.6	1.5	5.51	4.28
1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	1.2	4.6	1.0	26.2	2.9	5.25	4.37
MIX	7	0.0	1.1	0.6	0.2	25.1	2.1	5.10	4.38	16	0.0	0.8	0.6	0.3	24.9	1.8	5.10	4.36
108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	0.8	0.4	0.6	24.6	2.0	5.23	4.58
2303, SV	13	0.0	0.2	0.6	0.0	26.6	0.2	5.02	4.33	13	0.0	0.2	0.6	0.0	26.6	0.2	5.02	4.33
402, BQ	2	0.0	0.5	0.3	0.5	22.0	2.3	6.00	4.39	11	0.0	0.3	0.3	0.2	24.4	1.1	5.86	4.37
2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.3	1.3	1.1	23.2	0.9	5.73	4.47
CAL MARZANO 2	5	0.0	2.1	0.9	0.4	25.6	0.2	4.44	4.42	5	0.0	2.1	0.9	0.4	25.6	0.2	4.44	4.42
25, BP	3	0.0	0.5	2.7	0.3	23.7	2.0	5.40	4.40	5	0.0	0.5	1.9	0.2	24.0	1.9	5.06	4.41
5706, HZ	5	0.0	0.5	3.8	1.2	24.0	0.3	5.22	4.24	5	0.0	0.5	3.8	1.2	24.0	0.3	5.22	4.24
6431, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.4	0.3	0.1	25.4	2.5	6.10	4.46
58871, HMX	4	0.0	0.9	1.1	0.3	24.8	0.9	6.63	4.32	4	0.0	0.9	1.1	0.3	24.8	0.9	6.63	4.32
26, BP	3	0.0	1.2	3.3	0.7	23.3	3.5	5.33	4.48	3	0.0	1.2	3.3	0.7	23.3	3.5	5.33	4.48
28, BP	3	0.0	0.2	4.8	0.0	26.3	3.5	5.40	4.38	3	0.0	0.2	4.8	0.0	26.3	3.5	5.40	4.38
401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.0	0.3	26.0	0.8	4.95	4.45
1115,FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	2.0	0.0	23.0	1.5	5.40	4.47
1538, HZ	2	0.0	0.0	0.3	0.0	24.5	1.0	5.60	4.32	2	0.0	0.0	0.3	0.0	24.5	1.0	5.60	4.32
9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	1.3	1.8	23.5	1.5	5.50	4.48
129, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	2.0	0.5	23.0	0.0	5.30	4.57
292, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	1.0	23.0	2.0	5.70	4.40
323, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	26.0	3.5	5.60	4.39
329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	0.5	22.0	0.5	6.00	4.52
1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	0.0	23.0	0.5	6.00	4.40
2769, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	1.5	25.0	1.5	5.30	4.38
7883, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.5	23.0	2.0	4.80	4.55
STATEWIDE	45,246	0.0	1.3	1.7	0.8	24.9	1.8	5.43	4.40	203,344	0.0	0.7	1.9	0.7	25.0	1.9	5.43	4.38