

**2017 Processing Tomato Season**  
 PTAB Analysis (9/16/17) - County by Variety



County	Variety Name	Week Ending 9/16/17									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
BUTTE	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	7.2	9.9	3.7	25.5	2.2	5.30	4.63
BUTTE	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	3.9	2.0	0.4	0.0	1.2	4.54	4.55
BUTTE	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	5.4	3.6	1.1	27.5	1.1	5.36	4.50
BUTTE	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	8.0	14.8	3.6	28.3	3.1	6.05	4.63
BUTTE	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	1.5	37.6	2.3	33.2	0.8	4.21	4.35
BUTTE	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	6.9	15.2	3.1	24.4	1.4	6.50	4.53
BUTTE	4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	4.5	1.5	0.0	0.5	4.00	4.64
<b>BUTTE</b>		<b>0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.00</b>	<b>0.00</b>	<b>133</b>	<b>0.0</b>	<b>6.3</b>	<b>11.0</b>	<b>3.0</b>	<b>23.5</b>	<b>2.0</b>	<b>5.26</b>	<b>4.59</b>
COLUSA	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,615	0.0	0.5	3.4	1.3	24.0	0.7	5.15	4.48
COLUSA	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,683	0.0	0.6	4.1	1.1	25.2	0.9	5.08	4.44
COLUSA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,248	0.0	1.2	3.5	1.8	24.5	1.1	5.24	4.44
COLUSA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,134	0.0	1.2	1.6	0.7	24.9	1.2	5.12	4.41
COLUSA	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,110	0.0	2.7	8.8	1.4	26.0	1.8	5.39	4.51
COLUSA	4707, HEINZ	963	0.0	2.1	4.6	0.9	24.8	1.2	4.98	4.53	1,070	0.0	2.0	4.4	1.1	24.9	1.3	4.95	4.54
COLUSA	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	854	0.0	0.6	2.8	1.2	25.1	1.7	5.53	4.39
COLUSA	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	823	0.0	3.4	5.3	1.0	26.7	1.5	5.48	4.41
COLUSA	0311, AB	2	0.3	4.3	8.3	0.5	0.0	1.0	5.20	4.31	689	0.0	1.7	4.3	1.8	23.2	1.1	5.80	4.41
COLUSA	5702, HZ	520	0.0	2.0	5.2	1.4	25.1	0.8	4.84	4.49	644	0.0	2.5	5.8	1.5	25.0	0.8	4.87	4.51
COLUSA	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	486	0.0	3.3	4.4	1.9	23.4	1.0	4.97	4.51
COLUSA	2401, HEINZ	101	0.0	3.5	3.1	3.5	27.1	2.2	4.59	4.44	485	0.0	2.8	6.2	1.7	24.9	1.1	4.98	4.37
COLUSA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	448	0.0	1.9	2.6	1.5	25.1	1.1	5.70	4.50
COLUSA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	417	0.0	0.7	0.8	0.2	25.6	0.6	5.07	4.37
COLUSA	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	395	0.0	1.1	3.0	0.8	24.9	0.4	5.03	4.36
COLUSA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	388	0.0	0.8	2.8	1.1	25.6	2.6	5.04	4.38
COLUSA	1428, HZ	288	0.0	1.5	1.6	1.9	23.1	1.2	5.05	4.52	385	0.0	2.3	2.6	1.7	24.1	1.1	5.00	4.51
COLUSA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	358	0.0	0.6	1.1	0.5	29.0	2.2	4.90	4.39
COLUSA	1310, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	336	0.0	3.4	7.6	1.0	26.3	0.9	4.92	4.59
COLUSA	16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	309	0.0	2.1	6.9	1.1	26.7	0.7	5.32	4.47
COLUSA	1422, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	286	0.0	1.6	5.3	0.9	24.7	1.0	5.52	4.47
COLUSA	5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	237	0.0	0.3	1.7	1.3	24.2	4.1	5.00	4.46
COLUSA	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	183	0.0	1.1	7.0	1.0	26.3	1.9	4.40	4.51
COLUSA	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	146	0.0	2.9	4.8	1.0	25.7	2.6	4.68	4.49
COLUSA	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	132	0.0	1.3	1.4	0.6	27.1	1.5	5.40	4.36
COLUSA	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	125	0.0	1.2	0.7	0.6	27.6	1.9	4.94	4.39
COLUSA	32, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	124	0.0	0.3	0.1	0.1	25.0	1.2	5.06	4.49
COLUSA	19406, UG	91	0.0	4.4	0.7	0.3	24.8	0.9	4.98	4.48	91	0.0	4.4	0.7	0.3	24.8	0.9	4.98	4.48
COLUSA	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	86	0.0	2.9	3.5	0.7	26.2	1.2	5.04	4.46
COLUSA	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	86	0.0	2.0	9.7	2.5	24.9	1.0	5.93	4.42

**2017 Processing Tomato Season**  
 PTAB Analysis (9/16/17) - County by Variety



County	Variety Name	Week Ending 9/16/17										Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
COLUSA	16112, UG	82	0.0	2.3	1.2	1.3	34.0	0.4	4.59	4.38	82	0.0	2.3	1.2	1.3	34.0	0.4	4.59	4.38	
COLUSA	8504, HEINZ	54	0.0	1.3	1.0	0.2	26.3	0.6	5.04	4.28	77	0.0	1.3	1.0	0.2	26.3	0.5	4.97	4.27	
COLUSA	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	67	0.0	2.4	1.4	1.1	28.0	2.6	5.01	4.47	
COLUSA	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	1.5	1.4	0.4	26.3	2.8	4.91	4.44	
COLUSA	6426, N	46	0.0	4.8	1.3	0.9	0.0	1.0	4.64	4.55	46	0.0	4.8	1.3	0.9	0.0	1.0	4.64	4.55	
COLUSA	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	44	0.0	1.2	4.0	1.7	26.0	1.8	4.81	4.42	
COLUSA	6428, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	44	0.0	0.2	0.2	0.1	25.9	0.6	4.95	4.42	
COLUSA	4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.7	4.0	1.3	24.1	1.4	5.36	4.49	
COLUSA	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	2.9	0.9	0.5	0.0	0.8	4.86	4.48	
COLUSA	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	0.5	0.2	0.2	22.7	1.0	5.07	4.40	
COLUSA	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	1.3	3.8	1.6	28.2	0.6	5.34	4.40	
COLUSA	6436, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.9	0.6	0.1	25.6	0.8	5.10	4.44	
COLUSA	2828, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.3	0.8	0.2	26.8	0.8	5.37	4.47	
COLUSA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.2	0.2	24.8	0.9	5.58	4.40	
COLUSA	401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.5	0.3	0.0	25.7	0.0	5.33	4.36	
COLUSA	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.0	0.3	0.0	25.7	0.7	5.53	4.33	
COLUSA	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.0	0.0	26.0	0.5	4.77	4.51	
COLUSA	58811, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.0	0.0	23.3	2.7	5.23	4.40	
COLUSA	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.5	0.3	24.5	0.5	5.40	4.43	
COLUSA	2756, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.5	0.0	25.0	0.5	4.70	4.65	
<b>COLUSA</b>		<b>2,147</b>	<b>0.0</b>	<b>2.2</b>	<b>3.8</b>	<b>1.3</b>	<b>24.6</b>	<b>1.1</b>	<b>4.92</b>	<b>4.50</b>	<b>17,932</b>	<b>0.0</b>	<b>1.5</b>	<b>4.0</b>	<b>1.2</b>	<b>25.0</b>	<b>1.2</b>	<b>5.17</b>	<b>4.45</b>	
CONTRA COSTA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,901	0.0	0.3	0.5	0.3	26.4	0.8	5.63	4.41	
CONTRA COSTA	0311, AB	110	0.0	3.7	1.7	0.7	24.0	1.3	6.70	4.39	1,334	0.0	0.9	1.0	0.3	23.6	0.9	6.02	4.35	
CONTRA COSTA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	638	0.0	0.4	0.3	0.1	26.4	1.1	5.53	4.46	
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	419	0.0	0.2	0.7	0.1	26.9	1.9	5.28	4.24	
CONTRA COSTA	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	266	0.0	0.6	0.8	0.1	25.4	1.8	5.40	4.38	
CONTRA COSTA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	244	0.0	0.1	0.6	0.0	26.6	1.2	5.11	4.36	
CONTRA COSTA	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	127	0.0	1.0	1.4	0.6	22.8	0.9	5.76	4.57	
CONTRA COSTA	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	112	0.0	0.1	0.7	0.1	26.1	1.1	5.66	4.34	
CONTRA COSTA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	104	0.0	0.3	0.9	0.7	25.8	0.8	5.17	4.36	
CONTRA COSTA	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	0.1	0.9	0.1	24.4	0.6	5.49	4.42	
CONTRA COSTA	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	0.1	0.5	0.6	25.7	1.4	5.45	4.40	
CONTRA COSTA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	52	0.0	0.5	0.7	0.0	26.2	1.1	5.21	4.45	
CONTRA COSTA	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	45	0.0	0.3	0.8	0.2	23.3	0.6	6.66	4.33	
CONTRA COSTA	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	0.0	0.5	0.1	25.1	0.3	5.48	4.44	
CONTRA COSTA	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.0	0.5	0.0	25.0	0.3	4.90	4.42	
CONTRA COSTA	329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	22.0	1.0	6.20	4.57	

**2017 Processing Tomato Season**  
 PTAB Analysis (9/16/17) - County by Variety



County	Variety Name	Week Ending 9/16/17									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
CONTRA COSTA	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	22.0	0.0	6.50	4.53
<b>CONTRA COSTA</b>		<b>110</b>	<b>0.0</b>	<b>3.7</b>	<b>1.7</b>	<b>0.7</b>	<b>24.0</b>	<b>1.3</b>	<b>6.70</b>	<b>4.39</b>	<b>5,375</b>	<b>0.0</b>	<b>0.5</b>	<b>0.7</b>	<b>0.2</b>	<b>25.6</b>	<b>1.0</b>	<b>5.65</b>	<b>4.39</b>
FRESNO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13,393	0.0	0.5	1.3	0.5	24.7	1.5	5.38	4.39
FRESNO	0311, AB	20	0.0	7.3	2.1	0.3	24.2	2.7	5.62	4.48	13,390	0.0	2.7	1.1	0.5	23.9	2.3	5.78	4.44
FRESNO	6415, N	387	0.0	2.6	2.5	1.5	23.9	1.5	5.80	4.50	10,427	0.0	2.1	1.3	0.4	24.6	1.3	5.13	4.48
FRESNO	0319, DRI	986	0.0	4.0	1.7	0.5	25.0	2.8	5.73	4.50	9,985	0.0	2.9	1.2	0.4	24.5	2.9	5.80	4.49
FRESNO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7,726	0.0	0.8	0.7	0.4	24.9	2.9	5.53	4.48
FRESNO	2401, HEINZ	605	0.0	3.7	1.8	0.8	24.9	1.7	5.09	4.52	7,320	0.0	1.8	1.9	0.7	24.9	1.7	5.09	4.45
FRESNO	5608, HZ	110	0.0	3.8	2.5	0.6	24.8	4.4	5.28	4.66	5,898	0.0	1.3	1.1	0.5	23.8	1.3	5.12	4.47
FRESNO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5,187	0.0	0.2	0.9	0.3	25.2	1.5	4.97	4.37
FRESNO	4707, HEINZ	580	0.0	6.3	1.9	0.7	25.9	1.8	4.80	4.59	5,093	0.0	1.7	2.0	0.7	25.8	1.0	5.03	4.49
FRESNO	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,872	0.0	1.3	1.0	0.6	24.9	1.7	5.43	4.52
FRESNO	3887, HMX	15	0.0	3.3	0.4	0.2	25.2	2.4	5.55	4.62	4,815	0.0	1.3	1.8	0.7	25.3	1.4	5.59	4.46
FRESNO	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,506	0.0	2.1	1.2	0.9	25.9	1.2	5.56	4.35
FRESNO	9663, HEINZ	71	0.0	6.8	2.2	1.3	24.7	4.5	5.39	4.59	3,904	0.0	4.1	2.4	0.7	23.8	3.1	4.90	4.49
FRESNO	1428, HZ	331	0.0	4.8	2.1	0.5	24.5	1.0	4.98	4.59	3,835	0.0	1.8	2.5	0.4	23.8	1.0	5.01	4.52
FRESNO	4885, HMX	212	0.0	5.6	1.8	0.4	24.0	0.7	5.44	4.45	3,682	0.0	2.2	0.7	0.3	23.8	0.8	5.24	4.43
FRESNO	1293, HZ	334	0.0	2.1	0.8	0.9	24.2	1.6	5.55	4.57	3,344	0.0	1.8	1.4	0.6	23.8	1.4	5.52	4.57
FRESNO	7885, HMX	164	0.0	2.4	1.2	0.8	24.7	1.0	5.11	4.64	2,878	0.0	1.4	0.6	0.3	25.8	1.1	4.93	4.62
FRESNO	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,187	0.0	0.4	0.9	0.7	23.4	1.0	5.22	4.43
FRESNO	6420, N	6	0.0	3.4	2.4	0.8	27.3	3.8	5.32	4.65	1,696	0.0	2.4	0.9	0.3	25.4	1.6	5.00	4.53
FRESNO	2756, SV	23	0.0	2.4	1.0	0.0	27.1	1.0	4.83	4.46	1,680	0.0	1.0	1.4	0.4	25.6	1.1	4.92	4.48
FRESNO	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,598	0.0	1.3	0.7	0.4	24.6	2.1	5.80	4.50
FRESNO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,573	0.0	0.7	0.8	0.3	24.2	2.2	5.42	4.41
FRESNO	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,508	0.0	3.6	1.0	0.3	25.2	1.0	5.37	4.41
FRESNO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,428	0.0	0.5	0.8	0.5	24.2	2.0	5.42	4.54
FRESNO	8011, SV	2	0.0	7.0	4.0	0.3	23.5	2.8	6.25	4.46	1,107	0.0	1.2	1.0	0.3	24.4	0.5	5.52	4.41
FRESNO	2493, SV	153	0.0	8.2	1.7	0.3	24.6	2.4	4.83	4.55	887	0.0	5.7	1.8	0.3	23.9	2.6	4.76	4.55
FRESNO	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	863	0.0	1.8	1.6	1.1	24.3	3.1	5.67	4.46
FRESNO	15212, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	825	0.0	1.9	1.1	0.1	25.0	0.9	4.89	4.45
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	803	0.0	0.2	1.0	0.2	25.3	1.5	4.88	4.39
FRESNO	8504, HEINZ	5	0.0	8.5	2.3	0.7	26.6	1.5	4.40	4.46	667	0.0	2.1	2.0	0.5	25.2	1.2	5.02	4.40
FRESNO	6428, N	157	0.0	8.6	2.1	0.6	26.4	2.6	4.42	4.58	560	0.0	5.4	2.1	0.3	26.1	1.9	4.64	4.54
FRESNO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	516	0.0	0.1	1.4	0.8	25.0	1.4	5.34	4.29
FRESNO	5508, HZ	374	0.0	1.6	1.4	0.2	25.5	0.6	5.05	4.45	461	0.0	1.6	1.5	0.2	25.0	0.8	5.16	4.46
FRESNO	8232, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	430	0.0	3.4	1.4	0.3	23.6	5.1	5.28	4.56
FRESNO	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	416	0.0	0.5	2.5	1.2	23.2	1.0	5.56	4.51

**2017 Processing Tomato Season**  
 PTAB Analysis (9/16/17) - County by Variety



County	Variety Name	Week Ending 9/16/17									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	345	0.0	0.4	0.5	0.3	24.2	0.7	5.45	4.50
FRESNO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	337	0.0	0.4	2.3	0.2	26.0	0.6	5.07	4.47
FRESNO	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	330	0.0	0.5	1.2	0.4	24.9	6.4	4.81	4.50
FRESNO	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	279	0.0	3.9	1.9	0.2	23.3	3.0	4.55	4.56
FRESNO	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	251	0.0	6.0	0.8	0.5	22.0	4.8	5.53	4.65
FRESNO	9436, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	241	0.0	1.1	1.6	0.4	24.5	2.5	5.17	4.49
FRESNO	373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	236	0.0	0.9	0.5	0.3	23.7	4.4	5.20	4.51
FRESNO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	228	0.0	0.3	0.8	0.2	25.8	1.0	5.41	4.39
FRESNO	8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	213	0.0	3.3	0.4	0.5	24.5	2.4	4.79	4.45
FRESNO	6404, N	1	0.0	11.0	1.5	0.0	28.0	1.5	4.20	4.56	197	0.0	1.4	0.3	0.2	23.5	1.4	5.44	4.47
FRESNO	16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	182	0.0	2.9	2.8	1.8	27.5	1.6	5.32	4.54
FRESNO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	140	0.0	0.2	0.7	0.3	25.4	1.6	5.60	4.37
FRESNO	4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	116	0.0	1.8	1.1	0.3	25.8	1.5	5.95	4.46
FRESNO	0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	106	0.0	1.8	0.8	0.4	23.0	1.0	5.57	4.47
FRESNO	6436, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	104	0.0	2.1	0.4	0.3	24.5	1.8	5.35	4.54
FRESNO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	98	0.0	3.0	1.1	0.2	23.4	1.2	5.27	4.45
FRESNO	16112, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	0.3	0.8	0.1	23.8	0.3	5.46	4.44
FRESNO	6133, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	80	0.0	0.3	1.2	0.0	26.7	0.2	5.50	4.38
FRESNO	19306, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	80	0.0	1.9	1.1	0.3	23.5	1.4	5.19	4.44
FRESNO	MISC TRIAL	1	0.0	4.0	2.5	0.0	23.0	1.0	5.70	4.42	77	0.0	3.2	0.8	0.3	24.3	3.1	5.63	4.59
FRESNO	2828, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	69	0.0	1.1	0.7	0.2	25.4	1.1	5.39	4.44
FRESNO	6426, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	2.1	0.8	0.1	22.0	1.1	5.19	4.53
FRESNO	6434, N	20	0.0	10.3	2.9	0.8	25.4	0.9	4.50	4.63	61	0.0	6.7	2.5	0.6	25.9	1.5	4.70	4.59
FRESNO	1659, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	2.7	1.9	1.1	26.0	3.4	5.03	4.52
FRESNO	7791, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	5.1	0.7	0.3	24.3	1.7	5.86	4.58
FRESNO	1082, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	45	0.0	2.2	2.6	1.4	25.0	1.8	5.38	4.43
FRESNO	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	1.1	0.8	0.1	24.5	2.0	6.02	4.50
FRESNO	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.8	1.5	0.6	24.7	2.8	5.40	4.56
FRESNO	1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	4.2	0.3	0.5	24.2	2.8	4.90	4.51
FRESNO	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.2	0.8	0.2	26.4	0.8	5.52	4.35
FRESNO	HEINZ TRIAL	11	0.0	22.0	2.1	1.8	28.2	1.8	4.54	4.70	29	0.0	10.1	1.8	0.9	25.6	2.1	5.24	4.61
FRESNO	5655, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	2.1	0.6	0.0	26.5	0.8	5.13	4.50
FRESNO	1775, HZ	18	0.0	1.4	2.2	0.3	29.8	0.7	4.79	4.46	18	0.0	1.4	2.2	0.3	29.8	0.7	4.79	4.46
FRESNO	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15	0.0	2.7	0.5	0.4	24.9	2.6	5.63	4.48
FRESNO	6429, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	1.5	0.5	0.2	26.6	2.4	5.15	4.54
FRESNO	401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	2.4	1.1	0.7	27.3	3.1	5.02	4.52
FRESNO	2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.5	1.4	0.6	24.6	1.8	5.55	4.57

**2017 Processing Tomato Season**  
 PTAB Analysis (9/16/17) - County by Variety



County	Variety Name	Week Ending 9/16/17									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
FRESNO	2349, BOS	1	0.0	8.5	2.5	0.0	23.0	4.5	4.80	4.53	8	0.0	5.9	2.4	0.8	24.1	3.2	4.90	4.54
FRESNO	32, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	1.9	0.8	0.1	24.1	2.1	5.77	4.46
FRESNO	1662, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	4.6	0.6	0.6	25.2	1.2	5.12	4.62
FRESNO	5235, HM	4	0.0	3.8	0.9	1.1	25.5	2.4	5.50	4.43	4	0.0	3.8	0.9	1.1	25.5	2.4	5.50	4.43
FRESNO	402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.7	1.7	0.5	23.3	0.7	6.33	4.49
FRESNO	26, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	4.8	3.0	1.0	25.0	1.5	4.40	4.67
FRESNO	58811, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.5	0.0	22.5	1.8	5.00	4.52
FRESNO	20, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.0	0.0	23.0	9.0	5.90	4.48
FRESNO	228, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	4.5	0.0	0.0	24.0	5.0	5.60	4.51
FRESNO	329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	7.0	2.5	0.5	26.0	12.5	6.10	4.42
FRESNO	1100, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	0.0	24.0	1.5	5.70	4.37
FRESNO	1424, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.0	24.0	0.0	4.40	4.46
FRESNO	2693, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	22.0	3.5	5.50	4.52
FRESNO	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.5	0.0	27.0	7.5	4.80	4.71
FRESNO	5897, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.5	23.0	0.5	5.60	4.53
FRESNO	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.0	23.0	1.5	7.80	4.45
FRESNO	9280, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	1.5	22.0	0.0	6.50	4.51
FRESNO	10109, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	1.0	27.0	0.5	5.60	4.48
<b>FRESNO</b>		<b>4,591</b>	<b>0.0</b>	<b>4.3</b>	<b>1.8</b>	<b>0.6</b>	<b>25.0</b>	<b>1.9</b>	<b>5.26</b>	<b>4.53</b>	<b>133,817</b>	<b>0.0</b>	<b>1.8</b>	<b>1.3</b>	<b>0.5</b>	<b>24.6</b>	<b>1.8</b>	<b>5.34</b>	<b>4.46</b>
GLENN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	395	0.0	3.9	6.3	3.2	25.4	1.5	4.99	4.56
GLENN	2401, HEINZ	168	0.0	4.7	3.9	2.1	25.6	0.7	5.09	4.46	188	0.0	4.4	4.8	2.1	25.9	0.7	5.04	4.46
GLENN	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	86	0.0	5.8	4.9	3.6	24.4	1.6	5.79	4.63
GLENN	5701, HZ	37	0.0	2.9	8.6	1.8	29.5	0.5	4.58	4.44	56	0.0	2.9	8.7	1.8	29.5	0.6	4.65	4.43
GLENN	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	47	0.0	10.6	6.2	0.8	26.3	1.0	5.18	4.60
GLENN	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	8.0	6.9	3.0	27.0	1.1	5.50	4.47
GLENN	1428, HZ	29	0.0	12.5	5.1	2.4	24.5	0.3	5.00	4.58	29	0.0	12.5	5.1	2.4	24.5	0.3	5.00	4.58
GLENN	HEINZ TRIAL	10	0.0	11.0	5.7	3.8	25.4	0.3	5.06	4.57	10	0.0	11.0	5.7	3.8	25.4	0.3	5.06	4.57
<b>GLENN</b>		<b>244</b>	<b>0.0</b>	<b>5.6</b>	<b>4.8</b>	<b>2.1</b>	<b>26.1</b>	<b>0.6</b>	<b>5.00</b>	<b>4.48</b>	<b>844</b>	<b>0.0</b>	<b>5.1</b>	<b>6.0</b>	<b>2.8</b>	<b>25.8</b>	<b>1.2</b>	<b>5.09</b>	<b>4.53</b>
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,371	0.0	1.2	0.6	0.5	24.5	1.7	5.03	4.49
KERN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,055	0.0	0.7	0.7	0.4	24.2	1.7	5.10	4.39
KERN	4885, HMX	56	0.0	2.5	0.8	0.8	24.5	1.0	6.43	4.46	2,847	0.0	3.1	1.0	0.9	24.4	1.1	5.22	4.46
KERN	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,298	0.0	1.0	0.8	0.5	23.4	0.8	4.80	4.48
KERN	2756, SV	504	0.0	4.4	1.2	1.0	26.7	0.9	5.30	4.56	1,296	0.0	3.9	1.2	0.8	26.1	1.1	5.18	4.59
KERN	8504, HEINZ	44	0.0	1.7	2.0	3.1	25.4	1.1	5.61	4.34	856	0.0	2.1	1.6	0.7	27.5	0.9	4.73	4.38
KERN	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	763	0.0	2.5	1.0	0.3	25.8	1.3	5.00	4.47
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	622	0.0	1.2	0.6	0.5	24.8	1.6	4.69	4.42
KERN	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	499	0.1	2.1	2.3	0.4	26.5	1.3	5.04	4.51

**2017 Processing Tomato Season**  
 PTAB Analysis (9/16/17) - County by Variety



County	Variety Name	Week Ending 9/16/17									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KERN	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	416	0.0	3.3	0.6	0.3	23.4	2.9	5.40	4.54
KERN	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	414	0.0	1.2	0.5	0.4	23.9	1.1	5.11	4.42
KERN	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	372	0.0	2.9	0.5	0.5	25.2	0.6	4.57	4.46
KERN	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	230	0.0	1.7	0.5	0.3	22.8	1.9	5.20	4.52
KERN	1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	190	0.0	0.4	1.3	0.4	24.4	3.3	5.24	4.43
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	171	0.0	3.7	1.6	1.8	26.4	1.2	4.68	4.46
KERN	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	161	0.0	3.2	1.1	0.7	27.3	1.3	4.67	4.39
KERN	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	147	0.0	0.7	4.3	1.1	23.9	1.3	5.43	4.32
KERN	58811, HMX	23	0.0	1.6	1.9	0.6	25.9	0.5	5.92	4.51	147	0.0	2.1	1.8	0.5	26.1	0.7	5.42	4.54
KERN	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	125	0.0	1.5	1.1	0.6	21.9	1.9	5.31	4.49
KERN	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	117	0.1	2.0	0.3	0.5	22.9	1.2	5.29	4.39
KERN	58841, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	115	0.0	5.4	1.9	1.4	25.0	1.4	5.40	4.60
KERN	58871, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	48	0.0	6.8	1.4	0.9	24.8	1.0	5.55	4.57
KERN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	42	0.0	2.7	0.4	0.6	23.4	1.8	5.76	4.60
KERN	4707, HEINZ	13	0.0	1.7	2.1	2.2	26.8	0.5	5.60	4.33	29	0.0	1.7	2.3	1.4	27.2	0.5	5.16	4.36
KERN	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	1.0	1.8	1.1	26.0	0.7	4.93	4.32
KERN	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.9	1.1	0.7	23.5	1.8	5.18	4.42
KERN	15212, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	1.6	0.3	0.3	28.4	0.2	4.43	4.44
KERN	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	2.4	0.6	1.0	22.9	1.4	5.23	4.42
KERN	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	0.3	1.5	0.3	24.3	0.5	4.51	4.43
KERN	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	5.0	0.4	0.2	23.9	0.5	4.65	4.50
KERN	6426, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	3.8	1.0	2.5	24.5	2.8	5.10	4.68
<b>KERN</b>		<b>640</b>	<b>0.0</b>	<b>3.9</b>	<b>1.3</b>	<b>1.2</b>	<b>26.4</b>	<b>0.9</b>	<b>5.45</b>	<b>4.53</b>	<b>17,467</b>	<b>0.0</b>	<b>1.9</b>	<b>0.9</b>	<b>0.6</b>	<b>24.7</b>	<b>1.4</b>	<b>5.05</b>	<b>4.46</b>
KINGS	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12,371	0.0	3.2	1.8	0.6	25.9	1.6	5.60	4.54
KINGS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7,386	0.0	0.2	1.9	0.5	26.1	1.3	5.01	4.40
KINGS	4885, HMX	980	0.0	4.1	0.9	0.8	25.1	1.0	5.34	4.44	5,417	0.0	3.2	1.0	0.7	25.1	1.2	5.28	4.46
KINGS	2756, SV	1,204	0.0	3.1	0.7	0.7	26.2	1.2	5.19	4.54	5,349	0.0	2.3	1.4	0.6	26.3	1.2	5.07	4.56
KINGS	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,956	0.0	0.8	2.1	0.4	24.9	1.0	4.88	4.49
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,975	0.0	0.4	1.2	0.5	25.8	1.4	4.82	4.35
KINGS	6415, N	87	0.0	4.8	1.2	0.3	31.0	0.6	4.48	4.57	1,735	0.0	1.1	1.7	0.5	25.5	1.4	5.01	4.45
KINGS	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,293	0.0	2.8	0.9	0.4	23.8	1.9	5.64	4.53
KINGS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,135	0.0	1.5	0.8	0.4	24.1	3.5	5.42	4.58
KINGS	8504, HEINZ	149	0.0	6.1	1.0	0.5	24.7	0.7	5.26	4.48	998	0.0	4.7	1.3	0.4	24.6	1.2	5.09	4.48
KINGS	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	992	0.0	2.6	1.5	0.7	24.0	2.2	5.72	4.49
KINGS	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	721	0.0	1.3	0.8	0.7	24.8	2.0	5.45	4.44
KINGS	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	651	0.0	3.5	1.5	0.8	23.3	1.6	6.02	4.46
KINGS	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	599	0.0	0.1	1.2	0.8	23.4	0.7	5.01	4.41

**2017 Processing Tomato Season**  
PTAB Analysis (9/16/17) - County by Variety



County	Variety Name	Week Ending 9/16/17									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
KINGS	2401, HEINZ	9	0.0	8.3	0.8	0.3	25.8	1.3	4.81	4.37	505	0.0	5.6	2.8	0.5	24.8	1.0	5.00	4.46
KINGS	6428, N	72	0.0	2.6	0.6	0.5	25.8	1.5	5.12	4.54	491	0.0	2.0	2.0	0.4	26.0	1.4	4.88	4.56
KINGS	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	455	0.0	1.7	1.7	0.3	25.1	3.3	4.50	4.48
KINGS	1428, HZ	25	0.0	3.7	1.0	1.0	23.8	1.1	5.90	4.48	441	0.0	3.4	1.9	0.4	24.3	0.8	4.79	4.53
KINGS	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	290	0.0	5.1	5.4	0.4	24.3	2.6	4.55	4.47
KINGS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	288	0.0	0.3	1.9	0.7	24.9	2.6	5.18	4.53
KINGS	4707, HEINZ	97	0.0	1.4	1.6	0.2	26.7	0.3	5.28	4.40	259	0.0	6.4	3.1	0.4	26.6	0.4	4.90	4.49
KINGS	UNCODED	98	0.0	3.4	1.1	0.6	24.6	1.3	5.18	4.48	254	0.0	2.7	1.4	0.6	25.1	1.2	5.27	4.47
KINGS	58841, HMX	89	0.0	4.5	1.5	1.1	25.0	1.6	5.64	4.53	218	0.0	3.2	1.4	0.8	24.2	1.1	5.90	4.51
KINGS	6426, N	71	0.0	4.7	0.5	0.4	22.9	1.6	5.52	4.52	213	0.0	4.4	1.8	0.8	22.6	1.9	5.38	4.58
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	202	0.0	0.3	1.2	0.3	25.7	1.4	4.86	4.43
KINGS	4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	198	0.0	5.0	1.3	1.0	23.7	2.4	5.76	4.54
KINGS	58811, HMX	108	0.0	1.7	0.8	0.4	25.4	0.8	5.41	4.48	197	0.0	1.7	1.2	0.5	25.1	0.7	5.33	4.50
KINGS	6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	137	0.0	6.4	1.3	0.8	26.6	1.4	5.05	4.54
KINGS	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	135	0.0	3.3	1.4	0.3	24.1	1.0	5.16	4.50
KINGS	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	131	0.0	0.5	1.1	0.7	24.2	4.2	5.69	4.46
KINGS	16112, UG	73	0.0	2.2	1.0	0.4	23.9	0.8	5.15	4.46	73	0.0	2.2	1.0	0.4	23.9	0.8	5.15	4.46
KINGS	6436, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	52	0.0	0.5	1.2	0.3	24.0	2.6	5.07	4.55
KINGS	58871, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	50	0.0	3.4	1.9	1.1	23.8	1.1	5.74	4.52
KINGS	22693, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	3.6	1.0	1.1	23.4	1.0	5.14	4.60
KINGS	2828, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	41	0.0	0.7	0.5	0.1	24.5	2.8	5.27	4.54
KINGS	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	1.9	0.7	0.4	22.6	1.3	5.44	4.52
KINGS	1082, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	35	0.0	0.5	2.0	0.4	28.7	0.3	5.41	4.38
KINGS	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	2.8	1.4	0.7	24.1	0.9	5.64	4.58
KINGS	402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	1.8	0.4	0.2	24.7	1.4	5.41	4.50
KINGS	0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	1.7	1.6	0.8	22.3	0.8	5.68	4.53
KINGS	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.1	0.9	3.9	0.2	26.4	0.9	5.39	4.56
KINGS	7791, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	2.0	0.3	0.3	23.3	0.3	5.63	4.61
KINGS	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	7.3	0.0	0.0	24.7	0.5	5.03	4.58
<b>KINGS</b>		<b>3,062</b>	<b>0.0</b>	<b>3.6</b>	<b>0.9</b>	<b>0.7</b>	<b>25.7</b>	<b>1.1</b>	<b>5.25</b>	<b>4.49</b>	<b>50,393</b>	<b>0.0</b>	<b>2.2</b>	<b>1.6</b>	<b>0.6</b>	<b>25.4</b>	<b>1.4</b>	<b>5.24</b>	<b>4.49</b>
MADERA	6415, N	301	0.0	5.8	2.9	0.5	25.7	1.6	5.16	4.57	2,037	0.0	4.8	2.5	0.8	24.7	1.4	5.07	4.54
MADERA	4707, HEINZ	536	0.0	1.8	1.5	0.9	26.1	1.1	5.00	4.52	1,183	0.0	1.2	2.6	1.0	25.6	0.8	5.05	4.48
MADERA	2401, HEINZ	146	0.0	6.1	2.0	0.6	24.5	0.9	4.99	4.45	892	0.0	3.3	1.8	0.5	24.8	1.6	4.86	4.47
MADERA	8504, HEINZ	265	0.0	3.8	1.6	0.7	25.0	0.9	4.73	4.44	568	0.0	2.9	1.5	0.4	24.9	0.9	4.72	4.40
MADERA	3887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	557	0.0	0.8	0.6	0.4	26.4	0.8	5.49	4.45
MADERA	1428, HZ	197	0.0	3.6	3.0	1.1	24.7	1.0	4.66	4.56	522	0.0	2.4	2.7	1.0	24.5	0.8	4.72	4.51
MADERA	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	508	0.0	1.8	2.1	0.9	23.9	0.8	5.48	4.49

**2017 Processing Tomato Season**  
 PTAB Analysis (9/16/17) - County by Variety



County	Variety Name	Week Ending 9/16/17									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
MADERA	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	331	0.0	2.6	2.5	1.7	22.7	0.7	5.11	4.47
MADERA	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	246	0.0	1.6	3.2	1.0	23.6	2.1	5.73	4.42
MADERA	5702, HZ	183	0.0	1.7	3.7	3.3	23.5	0.4	4.93	4.46	233	0.0	1.8	3.3	2.8	23.7	0.4	4.84	4.47
MADERA	4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	171	0.0	1.5	0.5	0.5	24.2	1.0	5.71	4.43
MADERA	5706, HZ	93	0.0	1.4	2.1	1.3	24.8	0.6	4.61	4.51	136	0.0	1.5	2.1	1.5	25.0	0.7	4.55	4.51
MADERA	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	120	0.0	0.9	0.3	0.4	23.9	0.3	4.95	4.39
MADERA	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	0.5	0.3	0.0	25.5	0.5	5.55	4.37
MADERA	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	67	0.0	0.9	0.1	0.1	25.4	1.9	5.78	4.44
MADERA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	1.0	1.7	0.2	24.6	1.0	5.41	4.38
MADERA	16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	51	0.0	2.0	2.2	2.3	26.7	0.7	5.08	4.49
MADERA	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	3.0	0.6	0.3	25.0	1.9	5.04	4.70
MADERA	8011, SV	11	0.0	7.1	19.4	1.1	26.2	1.1	4.81	4.46	11	0.0	7.1	19.4	1.1	26.2	1.1	4.81	4.46
MADERA	HEINZ TRIAL	4	0.0	7.4	2.3	0.1	24.5	1.9	5.03	4.58	10	0.0	5.5	1.8	0.2	25.1	2.3	5.03	4.57
<b>MADERA</b>		<b>1,736</b>	<b>0.0</b>	<b>3.4</b>	<b>2.4</b>	<b>1.1</b>	<b>25.2</b>	<b>1.0</b>	<b>4.92</b>	<b>4.51</b>	<b>7,815</b>	<b>0.0</b>	<b>2.7</b>	<b>2.1</b>	<b>0.9</b>	<b>24.8</b>	<b>1.1</b>	<b>5.08</b>	<b>4.48</b>
MERCED	2401, HEINZ	808	0.0	2.0	3.3	0.6	26.6	0.9	4.89	4.41	3,013	0.0	1.2	2.7	0.6	25.8	0.9	5.04	4.40
MERCED	3887, HMX	402	0.0	3.6	2.6	0.8	26.3	1.8	5.36	4.50	2,896	0.0	3.0	3.8	0.8	25.8	1.9	5.33	4.52
MERCED	4707, HEINZ	257	0.0	1.1	2.5	1.1	25.3	0.7	4.84	4.45	2,839	0.0	0.5	1.9	0.9	25.4	0.9	5.03	4.43
MERCED	273, BQ	4	0.0	0.5	1.1	3.1	25.0	0.6	5.18	4.46	1,915	0.0	0.8	1.6	1.1	25.0	2.1	5.31	4.45
MERCED	5702, HZ	6	0.0	1.6	2.8	1.5	23.7	2.1	5.17	4.57	1,857	0.0	0.5	2.0	1.9	23.3	0.5	5.16	4.46
MERCED	1892, HMX	204	0.0	2.1	5.6	2.8	25.4	1.6	5.18	4.53	1,558	0.0	3.2	2.7	1.7	25.0	1.9	5.30	4.57
MERCED	6415, N	276	0.0	2.1	2.5	0.8	25.6	1.6	5.14	4.46	1,411	0.0	1.6	2.6	1.3	25.0	1.4	5.20	4.44
MERCED	5608, HZ	399	0.0	4.3	3.6	1.3	24.7	1.6	4.71	4.52	1,272	0.0	2.5	2.4	0.8	24.4	1.6	4.87	4.53
MERCED	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,263	0.0	2.3	2.8	1.3	24.0	1.3	5.23	4.50
MERCED	2756, SV	76	0.0	1.3	4.1	1.3	24.5	0.9	5.17	4.45	1,214	0.0	1.4	2.6	1.5	25.1	1.3	5.35	4.49
MERCED	0311, AB	17	0.0	2.3	1.4	1.3	27.2	1.1	5.32	4.34	1,150	0.0	2.7	2.0	0.6	23.9	1.5	5.65	4.41
MERCED	0319, DRI	145	0.0	5.2	1.5	0.7	24.5	4.0	5.48	4.56	1,084	0.0	3.1	1.9	0.9	24.6	3.2	5.58	4.51
MERCED	1428, HZ	134	0.0	1.8	1.4	1.1	22.8	1.1	5.62	4.52	958	0.0	0.9	1.7	1.1	23.4	1.0	5.01	4.50
MERCED	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	840	0.0	2.2	1.2	0.8	25.4	1.2	5.44	4.37
MERCED	6404, N	135	0.0	5.4	0.5	0.4	27.1	1.7	5.08	4.49	692	0.0	6.0	1.0	0.6	26.0	1.8	4.84	4.57
MERCED	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	677	0.0	1.0	0.7	0.9	24.5	4.6	5.42	4.49
MERCED	1175, HEINZ	106	0.0	3.0	0.3	0.2	23.8	1.2	4.88	4.62	612	0.0	1.5	0.3	0.1	23.6	1.2	4.90	4.66
MERCED	16, BP	228	0.0	3.6	5.9	1.2	27.8	1.0	5.27	4.52	519	0.0	2.9	3.2	0.9	26.0	1.3	5.44	4.52
MERCED	5706, HZ	89	0.0	0.6	2.7	2.6	23.3	0.4	5.34	4.45	373	0.0	0.9	2.5	3.7	23.6	1.0	5.31	4.50
MERCED	4885, HMX	102	0.0	4.4	1.7	0.7	23.6	1.0	5.90	4.43	284	0.0	2.5	1.0	0.3	24.5	1.1	5.50	4.42
MERCED	1170, HEINZ	49	0.0	2.8	0.4	0.6	23.8	1.2	5.33	4.54	221	0.0	1.2	0.4	0.2	23.5	1.2	5.35	4.52
MERCED	19406, UG	209	0.0	2.0	1.8	0.3	23.9	0.9	5.78	4.41	209	0.0	2.0	1.8	0.3	23.9	0.9	5.78	4.41
MERCED	3888, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	185	0.0	0.7	0.3	0.2	23.8	1.8	5.95	4.63



**2017 Processing Tomato Season**  
 PTAB Analysis (9/16/17) - County by Variety



County	Variety Name	Week Ending 9/16/17										Year to Date							
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
MERCED	6428, N	46	0.0	1.8	2.1	0.7	25.7	1.9	5.22	4.55	175	0.0	1.9	4.1	0.7	25.8	1.8	5.02	4.54
MERCED	6429, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	172	0.0	2.4	2.2	1.6	25.6	1.9	4.85	4.58
MERCED	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	151	0.0	0.3	0.6	0.2	25.0	2.0	5.28	4.50
MERCED	9436, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	135	0.0	1.1	1.3	0.4	23.9	1.2	5.35	4.44
MERCED	9905, HARRIS MORAN	78	0.0	1.7	2.5	1.1	24.7	3.1	5.29	4.64	115	0.0	1.5	2.6	1.1	24.6	2.8	5.27	4.63
MERCED	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	93	0.0	7.8	4.8	2.0	23.2	3.9	5.12	4.59
MERCED	16609, UG	5	0.0	1.9	2.6	1.8	24.4	3.5	5.48	4.43	54	0.0	1.2	3.0	1.2	25.6	3.3	5.54	4.42
MERCED	32, BP	48	0.0	3.1	7.4	1.6	29.0	1.7	5.28	4.49	48	0.0	3.1	7.4	1.6	29.0	1.7	5.28	4.49
MERCED	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	42	0.0	2.8	5.0	1.4	24.3	1.8	5.01	4.51
MERCED	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	28	0.0	3.8	1.4	0.5	26.3	1.5	5.06	4.59
MERCED	6434, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	1.7	1.3	0.1	27.3	0.9	4.86	4.53
MERCED	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15	0.0	7.1	0.3	0.1	24.9	1.1	5.32	4.50
MERCED	6402, N	15	0.0	0.6	2.1	1.8	25.9	3.8	6.65	4.36	15	0.0	0.6	2.1	1.8	25.9	3.8	6.65	4.36
MERCED	1082, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	0.9	0.5	0.4	25.0	1.3	5.78	4.37
MERCED	6436, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	1.1	0.3	0.3	24.7	1.3	5.09	4.48
MERCED	HEINZ TRIAL	3	0.0	3.3	1.3	0.8	23.3	1.8	6.10	4.44	8	0.0	2.3	1.1	0.6	25.6	1.8	5.43	4.51
MERCED	1776, HZ	2	0.0	2.3	1.5	0.3	24.5	2.0	5.00	4.50	2	0.0	2.3	1.5	0.3	24.5	2.0	5.00	4.50
MERCED	1662, HZ	1	0.0	3.5	3.5	1.5	27.0	1.5	5.00	4.49	1	0.0	3.5	3.5	1.5	27.0	1.5	5.00	4.49
MERCED	1770, HZ	1	0.0	6.5	2.5	1.0	28.0	5.5	5.00	4.54	1	0.0	6.5	2.5	1.0	28.0	5.5	5.00	4.54
MERCED	1772, HZ	1	0.0	6.5	5.0	1.0	30.0	1.0	5.10	4.40	1	0.0	6.5	5.0	1.0	30.0	1.0	5.10	4.40
MERCED	1775, HZ	1	0.0	6.5	3.0	1.0	28.0	1.0	5.60	4.52	1	0.0	6.5	3.0	1.0	28.0	1.0	5.60	4.52
MERCED	8504, HEINZ	1	0.0	1.0	2.5	0.5	25.0	1.5	5.00	4.38	1	0.0	1.0	2.5	0.5	25.0	1.5	5.00	4.38
<b>MERCED</b>		<b>3,848</b>	<b>0.0</b>	<b>2.7</b>	<b>3.0</b>	<b>1.0</b>	<b>25.6</b>	<b>1.4</b>	<b>5.15</b>	<b>4.48</b>	<b>28,144</b>	<b>0.0</b>	<b>1.8</b>	<b>2.3</b>	<b>1.0</b>	<b>24.9</b>	<b>1.5</b>	<b>5.22</b>	<b>4.48</b>
SACRAMENTO	5900, HMX	36	0.0	0.7	0.5	0.9	26.1	1.1	5.38	4.35	129	0.0	0.6	0.7	0.6	26.6	1.4	5.52	4.35
SACRAMENTO	19406, UG	68	0.0	0.8	1.7	0.3	26.4	0.4	5.79	4.30	68	0.0	0.8	1.7	0.3	26.4	0.4	5.79	4.30
SACRAMENTO	0311, AB	64	0.0	1.0	0.2	0.6	24.8	1.9	5.60	4.37	65	0.0	0.9	0.2	0.6	24.8	1.9	5.59	4.37
<b>SACRAMENTO</b>		<b>168</b>	<b>0.0</b>	<b>0.8</b>	<b>0.8</b>	<b>0.5</b>	<b>25.7</b>	<b>1.1</b>	<b>5.63</b>	<b>4.34</b>	<b>262</b>	<b>0.0</b>	<b>0.7</b>	<b>0.8</b>	<b>0.5</b>	<b>26.1</b>	<b>1.3</b>	<b>5.61</b>	<b>4.34</b>
SAN JOAQUIN	0319, DRI	1,620	0.0	1.5	0.9	0.4	25.2	3.3	5.63	4.43	2,749	0.0	1.4	1.0	0.4	25.0	3.3	5.62	4.44
SAN JOAQUIN	0311, AB	712	0.0	2.9	1.2	1.1	23.9	2.3	5.67	4.42	1,486	0.0	2.3	1.2	0.7	23.6	2.1	5.69	4.40
SAN JOAQUIN	1892, HMX	473	0.0	1.6	1.1	2.2	25.1	1.4	5.28	4.55	1,081	0.0	1.4	1.1	1.4	24.9	1.6	5.39	4.56
SAN JOAQUIN	5608, HZ	617	0.0	2.2	2.3	0.3	24.4	1.4	5.01	4.48	1,074	0.0	1.9	2.4	0.4	24.3	1.3	5.15	4.47
SAN JOAQUIN	4707, HEINZ	437	0.0	0.6	2.1	1.1	25.4	0.4	4.69	4.48	1,056	0.0	0.5	2.6	1.1	25.3	0.4	4.82	4.44
SAN JOAQUIN	4909, HMX	236	0.0	2.2	1.0	0.3	25.5	0.7	6.01	4.36	656	0.0	3.6	1.0	0.2	24.6	0.7	5.86	4.35
SAN JOAQUIN	5702, HZ	478	0.0	0.9	1.6	1.5	24.6	0.6	4.71	4.48	616	0.0	1.0	1.5	1.4	24.5	0.7	4.71	4.49
SAN JOAQUIN	3887, HMX	55	0.0	4.0	2.5	0.7	26.7	2.4	5.25	4.52	615	0.0	2.7	2.6	1.0	26.0	1.8	5.16	4.50
SAN JOAQUIN	1293, HZ	96	0.0	0.4	0.5	0.5	25.8	1.4	5.54	4.49	528	0.0	0.5	1.4	0.5	24.6	1.8	5.67	4.50
SAN JOAQUIN	19406, UG	223	0.0	1.0	1.4	0.1	27.4	0.4	5.22	4.33	505	0.0	1.0	1.8	0.1	27.3	0.5	5.07	4.37

**2017 Processing Tomato Season**  
 PTAB Analysis (9/16/17) - County by Variety



County	Variety Name	Week Ending 9/16/17										Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
SAN JOAQUIN	273, BQ	13	0.0	0.4	3.7	0.2	23.6	0.5	5.32	4.42	450	0.0	1.4	3.2	1.6	23.8	1.4	5.26	4.44	
SAN JOAQUIN	1428, HZ	255	0.0	0.8	2.1	1.3	23.9	0.6	4.86	4.53	421	0.0	0.8	2.4	1.2	23.9	0.6	4.75	4.52	
SAN JOAQUIN	9905, HARRIS MORAN	242	0.0	2.2	0.8	0.6	24.9	1.5	5.16	4.56	406	0.0	1.5	1.0	0.6	25.1	1.2	5.25	4.56	
SAN JOAQUIN	6415, N	263	0.0	0.8	2.1	2.6	25.9	0.8	5.07	4.41	292	0.0	0.9	2.0	2.4	26.0	0.9	5.05	4.41	
SAN JOAQUIN	6420, N	178	0.0	2.6	2.5	1.0	26.1	2.4	4.89	4.50	288	0.0	2.1	2.1	0.7	26.2	2.7	4.91	4.50	
SAN JOAQUIN	8011, SV	144	0.0	4.3	2.4	0.8	24.6	1.3	5.04	4.50	248	0.0	3.6	2.5	2.1	24.8	1.7	4.94	4.52	
SAN JOAQUIN	2756, SV	191	0.0	1.4	1.5	2.3	27.2	1.2	4.94	4.50	236	0.0	1.3	1.4	2.1	27.0	1.3	5.01	4.50	
SAN JOAQUIN	9780, HEINZ	56	0.0	0.6	1.8	0.6	23.2	1.3	5.94	4.40	170	0.0	0.6	1.5	0.5	23.5	1.1	5.85	4.39	
SAN JOAQUIN	5706, HZ	64	0.0	0.4	4.2	1.9	25.2	0.4	5.17	4.41	169	0.0	0.6	4.6	1.9	26.0	0.4	5.05	4.42	
SAN JOAQUIN	5900, HMX	18	0.0	1.5	1.1	1.1	24.1	1.2	5.33	4.45	166	0.0	0.5	1.8	0.6	25.8	0.9	5.65	4.37	
SAN JOAQUIN	1292, HZ	72	0.0	4.2	3.3	1.0	27.3	2.1	4.42	4.53	141	0.0	2.3	1.7	0.6	24.9	1.8	4.83	4.49	
SAN JOAQUIN	6428, N	16	0.0	1.7	4.3	0.2	26.9	0.6	5.00	4.45	140	0.0	1.5	1.3	0.2	25.3	0.4	4.43	4.49	
SAN JOAQUIN	8504, HEINZ	134	0.0	1.0	4.0	0.1	26.2	0.6	4.71	4.36	134	0.0	1.0	4.0	0.1	26.2	0.6	4.71	4.36	
SAN JOAQUIN	4885, HMX	75	0.0	1.6	1.2	0.1	25.5	0.9	4.99	4.43	128	0.0	1.3	1.1	0.1	25.4	1.0	5.11	4.44	
SAN JOAQUIN	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	119	0.0	2.3	0.6	0.3	23.3	5.0	5.21	4.52	
SAN JOAQUIN	1161, HEINZ	34	0.0	0.9	0.8	0.4	27.6	1.1	5.54	4.38	73	0.0	0.7	0.8	0.4	28.5	1.1	5.67	4.38	
SAN JOAQUIN	1421, HZ	22	0.0	2.7	1.0	0.6	24.0	5.6	5.43	4.43	56	0.0	2.5	1.5	0.4	24.1	5.1	5.26	4.45	
SAN JOAQUIN	58871, HMX	47	0.0	1.1	0.4	0.3	26.3	0.4	5.70	4.42	47	0.0	1.1	0.4	0.3	26.3	0.4	5.70	4.42	
SAN JOAQUIN	58811, HMX	43	0.0	0.5	0.3	0.3	25.6	0.6	5.29	4.49	43	0.0	0.5	0.3	0.3	25.6	0.6	5.29	4.49	
SAN JOAQUIN	16, BP	35	0.0	1.8	0.3	0.5	24.9	0.9	5.14	4.45	35	0.0	1.8	0.3	0.5	24.9	0.9	5.14	4.45	
SAN JOAQUIN	5235, HM	20	0.0	3.9	1.2	0.0	24.0	1.2	5.40	4.45	30	0.0	3.7	1.3	0.1	24.4	1.9	5.43	4.45	
SAN JOAQUIN	6407, N	29	0.0	0.9	2.0	4.6	23.7	0.8	6.15	4.31	29	0.0	0.9	2.0	4.6	23.7	0.8	6.15	4.31	
SAN JOAQUIN	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	0.6	2.3	0.8	25.2	1.2	5.81	4.31	
SAN JOAQUIN	6429, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.7	6.7	1.5	27.7	1.5	4.88	4.52	
SAN JOAQUIN	58841, HMX	19	0.0	1.4	0.3	1.0	25.2	1.0	5.35	4.46	19	0.0	1.4	0.3	1.0	25.2	1.0	5.35	4.46	
SAN JOAQUIN	1082, SVTM	15	0.0	0.5	0.6	0.3	24.3	1.8	5.58	4.34	15	0.0	0.5	0.6	0.3	24.3	1.8	5.58	4.34	
SAN JOAQUIN	MIX	8	0.0	1.0	1.0	0.4	24.8	2.1	5.39	4.41	12	0.0	1.0	1.1	0.4	24.7	2.0	5.42	4.41	
SAN JOAQUIN	58801, HMX	11	0.0	1.4	0.0	0.5	24.3	2.4	5.23	4.49	11	0.0	1.4	0.0	0.5	24.3	2.4	5.23	4.49	
SAN JOAQUIN	HEINZ TRIAL	3	0.0	3.3	3.8	0.2	26.7	0.8	5.10	4.46	6	0.2	2.0	2.9	0.1	26.2	0.4	5.15	4.45	
SAN JOAQUIN	32, BP	5	0.0	3.7	2.3	0.7	30.4	1.7	4.42	4.43	5	0.0	3.7	2.3	0.7	30.4	1.7	4.42	4.43	
SAN JOAQUIN	6434, N	5	0.0	3.2	2.6	0.1	26.6	1.6	4.60	4.61	5	0.0	3.2	2.6	0.1	26.6	1.6	4.60	4.61	
SAN JOAQUIN	8892, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.2	0.9	0.1	24.8	1.0	5.78	4.54	
SAN JOAQUIN	MISC TRIAL	4	0.0	1.5	3.6	0.0	25.8	2.5	5.05	4.50	4	0.0	1.5	3.6	0.0	25.8	2.5	5.05	4.50	
SAN JOAQUIN	1662, HZ	4	0.0	1.8	3.4	0.0	25.5	2.4	4.85	4.46	4	0.0	1.8	3.4	0.0	25.5	2.4	4.85	4.46	
SAN JOAQUIN	2401, HEINZ	4	0.0	0.6	3.6	0.1	25.3	0.8	4.70	4.38	4	0.0	0.6	3.6	0.1	25.3	0.8	4.70	4.38	
SAN JOAQUIN	1311, HZ	2	0.0	2.3	0.8	0.5	24.0	3.0	5.40	4.49	3	0.0	2.5	0.7	0.5	24.0	2.7	5.33	4.46	
SAN JOAQUIN	2349, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	2.0	0.5	0.0	24.7	2.3	5.73	4.44	

**2017 Processing Tomato Season**  
 PTAB Analysis (9/16/17) - County by Variety



County	Variety Name	Week Ending 9/16/17									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SAN JOAQUIN	7791, SVTM	3	0.0	4.0	6.8	0.0	26.3	1.8	4.53	4.55	3	0.0	4.0	6.8	0.0	26.3	1.8	4.53	4.55
SAN JOAQUIN	108, HYPEEL	1	0.0	1.0	1.0	0.5	25.0	3.0	5.50	4.34	2	0.0	1.8	1.5	0.5	23.5	2.5	5.20	4.36
SAN JOAQUIN	6402, N	1	0.0	1.5	2.5	3.5	28.0	0.0	6.20	4.29	1	0.0	1.5	2.5	3.5	28.0	0.0	6.20	4.29
SAN JOAQUIN	6404, N	1	0.0	4.5	0.0	0.0	25.0	0.5	5.70	4.43	1	0.0	4.5	0.0	0.0	25.0	0.5	5.70	4.43
<b>SAN JOAQUIN</b>		<b>6,984</b>	<b>0.0</b>	<b>1.7</b>	<b>1.5</b>	<b>0.9</b>	<b>25.1</b>	<b>1.7</b>	<b>5.26</b>	<b>4.46</b>	<b>14,340</b>	<b>0.0</b>	<b>1.6</b>	<b>1.7</b>	<b>0.8</b>	<b>24.9</b>	<b>1.7</b>	<b>5.31</b>	<b>4.46</b>
SOLANO	0319, DRI	526	0.0	1.1	0.7	0.9	25.7	3.4	5.84	4.42	1,219	0.0	1.4	2.2	0.9	25.5	2.8	5.84	4.41
SOLANO	0311, AB	69	0.0	2.7	0.8	0.3	22.9	1.3	6.28	4.45	1,084	0.0	2.7	1.9	0.5	23.4	1.6	6.15	4.41
SOLANO	19406, UG	286	0.0	1.5	0.5	0.5	23.5	1.2	5.89	4.39	843	0.0	1.7	0.8	0.5	24.9	0.8	5.95	4.36
SOLANO	8011, SV	55	0.0	2.9	0.5	1.3	0.0	0.6	5.58	4.53	697	0.0	2.3	1.1	0.5	24.5	0.6	5.50	4.48
SOLANO	4885, HMX	171	0.0	1.6	0.7	0.4	25.7	1.0	5.12	4.42	549	0.0	1.9	0.9	0.4	25.1	0.6	5.40	4.41
SOLANO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	548	0.0	0.7	0.8	0.3	25.4	1.0	5.64	4.35
SOLANO	2401, HEINZ	140	0.0	1.2	3.4	1.0	25.1	1.7	4.96	4.41	410	0.0	1.0	5.7	1.1	26.0	1.7	4.84	4.39
SOLANO	5234, IVF	124	0.0	1.6	1.1	0.8	0.0	2.5	5.61	4.47	374	0.0	1.3	1.1	0.6	22.9	1.8	5.89	4.38
SOLANO	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	368	0.0	2.2	1.8	0.3	25.6	1.8	4.88	4.41
SOLANO	5702, HZ	231	0.0	1.3	2.1	1.5	24.7	0.6	5.01	4.47	326	0.0	1.1	2.0	1.3	24.5	0.7	5.08	4.46
SOLANO	1428, HZ	225	0.0	1.2	3.1	1.2	23.2	0.6	5.08	4.40	307	0.0	1.2	3.6	1.7	23.0	0.7	5.16	4.40
SOLANO	9905, HARRIS MORAN	189	0.0	1.5	0.4	0.2	25.3	1.1	5.33	4.60	281	0.0	1.5	0.6	0.2	25.9	0.8	5.34	4.58
SOLANO	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	274	0.0	0.5	0.5	0.3	23.2	0.4	5.31	4.42
SOLANO	16609, UG	40	0.0	1.1	1.5	0.1	24.3	1.8	6.32	4.30	273	0.0	1.4	1.6	0.5	24.7	1.3	5.89	4.31
SOLANO	4909, HMX	52	0.0	3.9	0.9	1.4	0.0	0.5	5.83	4.39	193	0.0	2.5	0.9	0.7	26.1	0.4	5.74	4.34
SOLANO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	188	0.0	0.3	0.7	0.5	26.4	4.1	5.72	4.33
SOLANO	5706, HZ	76	0.0	0.3	0.2	0.5	23.7	0.8	4.95	4.52	184	0.0	0.4	0.3	0.4	23.6	0.9	4.87	4.51
SOLANO	4707, HEINZ	42	0.0	0.9	5.0	1.3	27.6	0.5	4.63	4.40	169	0.0	1.2	3.1	2.0	25.6	1.3	4.85	4.48
SOLANO	6366, SUN	24	0.0	1.4	0.6	0.4	25.4	1.0	6.29	4.39	167	0.0	1.4	3.3	2.1	25.4	1.1	5.66	4.46
SOLANO	1015, HEINZ	25	0.0	0.0	0.3	1.4	25.6	0.3	5.26	4.36	114	0.0	0.3	0.4	0.4	24.9	0.5	5.20	4.40
SOLANO	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	106	0.0	1.2	1.7	0.3	23.7	0.3	5.22	4.41
SOLANO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	99	0.0	0.6	0.5	0.5	29.0	0.2	5.46	4.39
SOLANO	206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	88	0.0	2.2	0.5	0.2	26.8	1.7	6.00	4.45
SOLANO	849, HYPEEL	69	0.0	2.5	0.6	0.5	0.0	1.2	5.25	4.46	83	0.0	2.6	0.7	0.5	28.2	1.1	5.22	4.46
SOLANO	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	0.7	8.2	1.6	24.3	0.6	5.35	4.36
SOLANO	5655, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	65	0.0	1.2	0.4	0.1	25.7	0.5	5.28	4.41
SOLANO	1293, HZ	26	0.0	0.2	1.2	1.5	24.1	1.3	6.01	4.51	51	0.0	0.3	1.3	1.1	23.7	2.6	6.38	4.54
SOLANO	6428, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	50	0.0	1.3	1.6	0.4	27.3	0.6	4.82	4.48
SOLANO	5508, HZ	44	0.0	0.6	0.3	0.1	0.0	0.3	4.90	4.48	44	0.0	0.6	0.3	0.1	0.0	0.3	4.90	4.48
SOLANO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	44	0.0	0.4	0.4	0.1	24.0	3.0	5.34	4.40
SOLANO	5900, HMX	26	0.0	0.8	0.5	3.3	25.8	2.5	5.38	4.33	26	0.0	0.8	0.5	3.3	25.8	2.5	5.38	4.33
SOLANO	58801, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	2.0	0.6	0.2	27.0	1.3	5.50	4.47

**2017 Processing Tomato Season**  
 PTAB Analysis (9/16/17) - County by Variety



County	Variety Name	Week Ending 9/16/17									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
SOLANO	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	2.7	0.8	0.4	25.8	0.7	5.37	4.42
SOLANO	UNCODED	10	0.0	1.6	1.1	1.0	23.0	3.6	5.62	4.44	19	0.0	1.4	1.1	0.6	24.3	3.9	5.41	4.44
SOLANO	2828, SVTM	1	0.0	2.0	1.0	0.0	25.0	0.5	6.10	4.40	19	0.0	1.0	1.0	0.6	27.7	1.4	5.67	4.41
SOLANO	0811, BOS	3	0.0	0.7	0.3	0.0	0.0	0.2	5.20	4.39	8	0.0	1.8	0.5	0.1	0.0	0.3	5.39	4.44
SOLANO	2349, BOS	8	0.0	1.1	0.2	0.3	0.0	0.4	5.46	4.31	8	0.0	1.1	0.2	0.3	0.0	0.4	5.46	4.31
SOLANO	6436, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.1	1.8	1.1	0.5	23.4	2.9	5.54	4.46
SOLANO	2, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	2.0	1.6	0.3	0.0	1.8	6.25	4.39
SOLANO	1776, HZ	1	0.0	0.5	3.0	1.0	26.0	0.5	6.10	4.29	4	0.0	0.3	3.0	1.0	26.5	0.4	5.23	4.37
SOLANO	1310, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	3.0	2.0	0.5	0.0	2.0	5.50	4.52
SOLANO	3887, HMX	1	0.0	0.5	0.0	0.0	0.0	0.0	5.00	4.50	1	0.0	0.5	0.0	0.0	0.0	0.0	5.00	4.50
SOLANO	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	2.0	0.0	0.0	0.0	4.80	4.34
SOLANO	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	2.5	0.5	0.0	0.0	5.10	4.35
SOLANO	58881, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.5	0.0	0.0	0.5	5.60	4.57
<b>SOLANO</b>		<b>2,464</b>	<b>0.0</b>	<b>1.4</b>	<b>1.2</b>	<b>0.8</b>	<b>21.2</b>	<b>1.6</b>	<b>5.47</b>	<b>4.44</b>	<b>9,421</b>	<b>0.0</b>	<b>1.5</b>	<b>1.7</b>	<b>0.7</b>	<b>24.7</b>	<b>1.3</b>	<b>5.58</b>	<b>4.41</b>
STANISLAUS	0319, DRI	520	0.0	3.2	1.1	0.2	25.2	2.6	5.49	4.46	2,042	0.0	2.1	1.0	0.2	24.7	3.1	5.50	4.47
STANISLAUS	0311, AB	37	0.0	5.6	1.9	0.4	23.1	1.8	5.57	4.47	1,162	0.0	2.7	0.8	0.1	23.3	1.3	5.73	4.40
STANISLAUS	4909, HMX	84	0.0	4.0	0.8	0.1	26.7	0.3	5.46	4.33	671	0.0	2.2	0.8	0.1	25.7	0.5	5.78	4.33
STANISLAUS	8011, SV	140	0.0	4.0	0.6	0.2	24.5	0.7	5.28	4.46	199	0.0	3.2	0.6	0.2	24.3	1.3	5.29	4.46
STANISLAUS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	165	0.0	1.3	0.8	0.2	24.7	1.1	5.49	4.36
STANISLAUS	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	163	0.0	0.9	2.8	0.3	24.7	0.6	4.96	4.46
STANISLAUS	1293, HZ	28	0.0	0.7	4.0	1.4	24.5	0.9	5.61	4.46	157	0.0	0.5	1.9	0.5	24.0	1.6	5.33	4.53
STANISLAUS	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	156	0.0	0.6	0.4	0.1	25.1	1.1	5.62	4.35
STANISLAUS	1892, HMX	131	0.0	1.1	0.3	2.0	22.8	2.1	6.18	4.57	131	0.0	1.1	0.3	2.0	22.8	2.1	6.18	4.57
STANISLAUS	2493, SV	6	0.0	2.9	3.3	0.0	26.3	2.0	5.10	4.44	101	0.0	5.7	1.8	0.0	22.7	5.5	5.30	4.40
STANISLAUS	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	81	0.0	2.0	1.3	0.3	22.3	2.6	5.83	4.51
STANISLAUS	3888, HMX	12	0.0	0.8	0.3	0.0	27.2	0.9	5.63	4.59	71	0.0	0.6	0.7	0.0	26.7	1.3	5.58	4.60
STANISLAUS	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	0.7	0.3	0.2	25.0	1.2	5.38	4.35
STANISLAUS	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	56	0.0	0.4	1.5	0.2	23.6	1.2	5.34	4.52
STANISLAUS	3887, HMX	36	0.0	3.9	0.4	0.2	25.7	3.8	5.58	4.66	53	0.0	2.8	0.3	0.2	25.8	3.4	5.51	4.58
STANISLAUS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	49	0.0	0.8	1.1	0.6	24.6	3.9	4.91	4.46
STANISLAUS	6428, N	10	0.0	8.0	5.1	1.3	24.1	1.0	6.14	4.49	49	0.0	3.9	1.5	0.3	24.7	2.9	5.01	4.46
STANISLAUS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	0.3	0.6	0.0	23.5	0.5	6.06	4.41
STANISLAUS	19406, UG	23	0.0	0.9	0.3	0.4	27.4	1.3	5.13	4.41	23	0.0	0.9	0.3	0.4	27.4	1.3	5.13	4.41
STANISLAUS	6415, N	17	0.0	1.0	0.4	3.3	23.8	0.9	5.48	4.45	17	0.0	1.0	0.4	3.3	23.8	0.9	5.48	4.45
STANISLAUS	5235, HM	12	0.0	2.2	1.0	0.1	24.9	1.6	5.33	4.48	12	0.0	2.2	1.0	0.1	24.9	1.6	5.33	4.48
STANISLAUS	2756, SV	6	0.0	0.6	0.1	1.8	23.0	2.1	5.53	4.53	6	0.0	0.6	0.1	1.8	23.0	2.1	5.53	4.53
STANISLAUS	HEINZ TRIAL	1	0.0	2.0	0.0	2.0	24.0	6.5	5.60	4.73	1	0.0	2.0	0.0	2.0	24.0	6.5	5.60	4.73

**2017 Processing Tomato Season**  
 PTAB Analysis (9/16/17) - County by Variety



County	Variety Name	Week Ending 9/16/17									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
STANISLAUS	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	2.0	0.0	23.0	0.5	5.40	4.53
STANISLAUS	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	3.0	0.0	23.0	1.0	5.50	4.58
<b>STANISLAUS</b>		<b>1,063</b>	<b>0.0</b>	<b>3.0</b>	<b>1.0</b>	<b>0.5</b>	<b>24.9</b>	<b>2.0</b>	<b>5.55</b>	<b>4.47</b>	<b>5,470</b>	<b>0.0</b>	<b>2.1</b>	<b>1.0</b>	<b>0.2</b>	<b>24.4</b>	<b>2.0</b>	<b>5.57</b>	<b>4.43</b>
SUTTER	3887, HMX	107	0.0	2.6	0.9	0.5	29.0	2.8	5.77	4.54	848	0.0	1.6	2.7	1.2	24.9	1.2	5.57	4.48
SUTTER	1310, HZ	173	0.0	3.0	6.7	1.2	26.5	0.6	5.70	4.48	603	0.0	2.8	8.2	1.0	26.2	0.9	5.28	4.53
SUTTER	0319, DRI	145	0.0	1.2	1.0	0.4	28.0	2.2	5.71	4.42	547	0.0	2.0	2.3	0.8	26.1	2.3	5.82	4.40
SUTTER	3888, HMX	119	0.0	1.8	1.1	0.6	28.5	2.0	5.72	4.55	503	0.0	1.7	1.4	0.6	26.9	1.7	5.76	4.53
SUTTER	16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	395	0.0	2.5	4.7	1.6	27.2	1.3	5.27	4.53
SUTTER	5702, HZ	334	0.0	1.9	5.0	1.0	25.2	0.7	5.03	4.44	337	0.0	1.9	5.1	1.0	25.2	0.7	5.03	4.44
SUTTER	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	286	0.0	3.1	14.7	1.3	23.8	3.8	4.50	4.60
SUTTER	25, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	263	0.0	2.0	7.2	1.7	24.4	0.7	4.87	4.53
SUTTER	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	254	0.0	1.7	3.8	1.7	25.3	2.2	5.45	4.53
SUTTER	1428, HZ	243	0.0	2.8	7.0	2.1	23.9	0.8	5.30	4.45	243	0.0	2.8	7.0	2.1	23.9	0.8	5.30	4.45
SUTTER	4909, HMX	8	0.0	3.3	2.1	0.1	0.0	2.1	5.99	4.37	237	0.0	3.0	1.7	0.5	26.1	1.1	5.77	4.36
SUTTER	1422, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	211	0.0	1.7	7.0	0.9	26.7	1.1	5.09	4.51
SUTTER	1892, HMX	102	0.0	0.9	0.3	1.1	28.1	1.0	5.05	4.43	200	0.0	1.5	0.8	0.7	26.0	1.1	5.33	4.44
SUTTER	5706, HZ	50	0.0	2.1	9.1	1.2	28.0	0.6	5.27	4.36	161	0.0	1.5	7.2	1.8	28.2	0.9	4.98	4.40
SUTTER	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	156	0.0	1.3	2.7	0.8	24.4	0.8	5.08	4.44
SUTTER	32, BP	24	0.0	4.0	0.8	0.5	0.0	2.0	6.09	4.49	149	0.0	2.3	5.8	1.4	26.3	1.8	5.27	4.51
SUTTER	6402, N	1	0.0	0.5	1.0	0.5	0.0	1.0	5.30	4.44	143	0.0	2.1	7.0	1.1	27.5	0.9	5.14	4.45
SUTTER	2401, HEINZ	98	0.0	0.9	11.8	1.5	28.6	1.1	5.48	4.31	138	0.0	0.9	9.9	1.4	27.6	1.0	5.36	4.32
SUTTER	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	115	0.0	0.8	0.7	0.5	24.5	2.9	6.07	4.30
SUTTER	6428, N	46	0.0	2.3	1.1	1.1	0.0	1.2	5.47	4.48	112	0.0	2.2	1.1	0.7	25.4	1.0	5.28	4.46
SUTTER	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	80	0.0	1.1	0.4	0.2	25.7	1.1	5.36	4.42
SUTTER	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	77	0.0	1.6	1.7	0.3	25.1	1.5	5.41	4.46
SUTTER	4707, HEINZ	64	0.0	2.0	2.6	4.0	24.5	1.2	5.35	4.44	64	0.0	2.0	2.6	4.0	24.5	1.2	5.35	4.44
SUTTER	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	62	0.0	0.4	0.1	0.4	25.8	1.1	5.41	4.38
SUTTER	282, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	58	0.0	2.1	1.2	0.2	24.5	0.5	5.27	4.34
SUTTER	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	55	0.0	0.6	0.3	0.4	26.0	3.8	5.23	4.30
SUTTER	6429, N	43	0.0	2.8	1.1	1.1	24.0	1.4	5.46	4.55	55	0.0	2.6	1.1	1.1	24.0	1.4	5.45	4.53
SUTTER	58801, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	55	0.0	2.5	0.9	0.3	26.2	1.3	5.62	4.44
SUTTER	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	48	0.0	3.0	1.7	0.4	25.5	1.0	5.40	4.38
SUTTER	58841, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	1.7	1.1	0.5	27.8	0.7	5.94	4.44
SUTTER	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	3.2	1.3	1.0	26.0	1.7	5.63	4.50
SUTTER	6434, N	22	0.0	3.6	0.5	0.4	0.0	2.0	5.60	4.49	22	0.0	3.6	0.5	0.4	0.0	2.0	5.60	4.49
SUTTER	29, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	2.8	0.9	0.1	0.0	1.1	4.43	4.61
SUTTER	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	3.8	1.3	0.2	0.0	2.5	4.70	4.58

**2017 Processing Tomato Season**  
 PTAB Analysis (9/16/17) - County by Variety



County	Variety Name	Week Ending 9/16/17									Year to Date									
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
SUTTER	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	2.2	1.7	0.3	0.0	1.5	4.57	4.57
SUTTER	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.5	5.3	1.3	25.7	0.8	4.97	4.42
SUTTER	1082, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	4.5	1.3	0.0	0.0	1.8	4.90	4.54
SUTTER	1662, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	3.8	1.3	0.7	0.0	0.5	4.83	4.59
SUTTER	2828, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.8	0.8	0.0	22.5	1.3	5.30	4.37
SUTTER	9905, HARRIS MORAN	1	0.0	4.0	0.0	0.0	0.0	2.0	5.50	4.64	2	0.0	2.0	1.5	0.0	0.0	1.3	5.40	4.53	
SUTTER	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	3.0	1.5	0.0	0.0	1.0	4.70	4.68	
SUTTER	5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.5	0.0	26.0	0.5	5.30	4.36	
SUTTER	5655, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	2.0	2.0	0.0	0.0	5.70	4.41	
SUTTER	6436, N	1	0.0	4.0	0.5	0.0	0.0	2.5	5.40	4.42	1	0.0	4.0	0.5	0.0	0.0	2.5	5.40	4.42	
<b>SUTTER</b>		<b>1,581</b>	<b>0.0</b>	<b>2.1</b>	<b>4.3</b>	<b>1.2</b>	<b>24.7</b>	<b>1.2</b>	<b>5.41</b>	<b>4.45</b>	<b>6,552</b>	<b>0.0</b>	<b>2.0</b>	<b>4.5</b>	<b>1.1</b>	<b>25.6</b>	<b>1.4</b>	<b>5.37</b>	<b>4.47</b>	
YOLO	3887, HMX	82	0.0	2.0	0.6	0.5	0.0	0.5	4.96	4.38	5,520	0.0	1.5	1.6	0.6	25.8	0.9	5.26	4.43	
YOLO	0311, AB	168	0.0	3.0	0.5	0.4	23.4	1.9	5.34	4.40	4,659	0.0	2.1	1.4	0.6	23.3	1.1	5.62	4.37	
YOLO	0319, DRI	498	0.0	2.3	0.7	0.6	25.6	2.9	5.38	4.41	1,942	0.0	1.8	2.0	0.6	24.8	1.8	5.58	4.40	
YOLO	5608, HZ	172	0.0	1.8	0.7	0.8	0.0	1.3	4.37	4.51	1,612	0.0	1.5	1.3	0.6	22.9	0.6	4.87	4.44	
YOLO	4909, HMX	1	0.0	0.5	0.0	0.0	0.0	0.0	5.30	4.49	1,604	0.0	1.9	0.8	0.3	25.5	0.6	5.58	4.29	
YOLO	19406, UG	270	0.0	1.7	1.4	0.3	26.3	0.6	5.10	4.37	1,447	0.0	1.4	1.2	0.4	24.1	0.6	5.10	4.35	
YOLO	273, BQ	16	0.1	1.9	2.5	0.3	30.1	1.1	5.01	4.32	1,419	0.0	0.5	0.7	0.3	25.4	0.9	5.25	4.36	
YOLO	5702, HZ	1,038	0.0	1.1	3.8	1.2	24.1	0.5	4.87	4.46	1,090	0.0	1.1	3.9	1.2	24.2	0.6	4.88	4.46	
YOLO	141, BQ	153	0.0	2.5	7.2	2.1	25.8	3.2	5.68	4.42	1,020	0.0	1.4	5.4	1.5	24.5	2.4	5.16	4.45	
YOLO	4885, HMX	439	0.0	1.5	0.9	0.4	25.6	0.4	4.94	4.36	1,006	0.0	1.6	0.9	0.4	24.8	0.6	5.22	4.37	
YOLO	5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	884	0.0	0.4	1.4	1.2	25.4	1.5	5.31	4.36	
YOLO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	864	0.0	0.5	0.8	0.3	26.9	2.5	5.33	4.29	
YOLO	6428, N	245	0.0	1.2	0.7	0.4	25.8	1.1	4.92	4.46	840	0.0	1.3	0.8	0.4	25.6	0.9	4.85	4.47	
YOLO	16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	722	0.0	1.5	5.3	2.1	25.9	0.7	5.64	4.47	
YOLO	6366, SUN	24	0.1	3.1	4.8	0.4	30.9	1.7	5.25	4.29	651	0.0	1.0	2.2	2.0	24.4	1.5	5.56	4.44	
YOLO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	637	0.0	0.8	1.2	0.8	24.3	1.6	5.51	4.48	
YOLO	4707, HEINZ	556	0.0	0.8	2.4	1.0	24.0	1.0	5.05	4.48	631	0.0	0.8	2.8	1.0	24.1	1.0	5.07	4.48	
YOLO	6429, N	94	0.0	2.0	0.2	0.2	26.0	1.8	5.22	4.60	627	0.0	1.2	0.6	0.2	26.2	0.9	4.98	4.50	
YOLO	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	554	0.0	0.4	0.7	0.3	24.1	0.4	5.20	4.43	
YOLO	2, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	535	0.0	1.8	1.1	0.4	24.9	0.4	4.93	4.55	
YOLO	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	518	0.0	0.5	2.0	1.6	24.7	0.9	5.39	4.42	
YOLO	58801, HMX	177	0.0	2.3	1.0	0.3	26.6	1.5	5.53	4.53	420	0.0	2.1	0.9	0.3	25.9	1.5	5.50	4.50	
YOLO	5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	410	0.0	0.8	0.6	0.3	23.2	0.9	5.42	4.27	
YOLO	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	357	0.0	1.2	0.6	0.2	24.2	0.7	5.66	4.39	
YOLO	6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	355	0.0	1.9	4.5	0.8	25.3	1.0	4.90	4.48	
YOLO	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	346	0.0	0.5	3.0	1.7	25.8	1.2	5.02	4.38	

**2017 Processing Tomato Season**  
 PTAB Analysis (9/16/17) - County by Variety



County	Variety Name	Week Ending 9/16/17										Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	
YOLO	255, CXD	54	0.0	1.4	1.1	0.5	0.0	0.8	5.43	4.36	332	0.0	1.7	1.1	0.5	25.2	0.9	5.25	4.36	
YOLO	2493, SV	61	0.0	2.0	1.3	0.9	23.6	1.7	4.98	4.44	320	0.0	2.1	1.7	0.6	23.5	1.2	5.45	4.46	
YOLO	4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	269	0.0	0.1	1.7	1.0	25.8	3.5	5.43	4.43	
YOLO	58841, HMX	126	0.0	1.7	0.9	0.5	26.5	0.3	5.03	4.45	265	0.0	1.7	1.3	0.4	26.0	0.7	5.41	4.46	
YOLO	6416, N	3	0.0	2.3	1.0	1.3	0.0	2.3	4.80	4.55	250	0.0	0.3	2.6	0.9	25.7	1.0	4.95	4.35	
YOLO	1428, HZ	156	0.0	0.3	1.9	1.3	23.0	0.2	4.75	4.39	245	0.0	0.5	5.7	1.2	22.9	0.3	4.67	4.39	
YOLO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	238	0.0	0.3	0.4	0.2	28.0	1.2	5.36	4.38	
YOLO	6410, N	100	0.0	5.5	1.2	1.1	0.0	1.5	4.80	4.54	200	0.0	3.8	1.9	1.0	25.0	1.8	5.15	4.52	
YOLO	205, BQ	75	0.0	3.1	0.4	0.9	24.3	3.3	5.56	4.41	180	0.0	2.3	0.5	1.3	25.3	2.3	5.76	4.38	
YOLO	1422, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	171	0.0	0.7	9.3	2.1	28.1	1.4	5.42	4.42	
YOLO	58871, HMX	73	0.0	4.2	1.3	1.6	26.0	1.0	4.80	4.34	170	0.0	2.6	1.7	1.0	25.7	0.8	5.38	4.37	
YOLO	9905, HARRIS MORAN	164	0.0	0.7	1.3	0.3	0.0	0.4	5.23	4.47	164	0.0	0.7	1.3	0.3	0.0	0.4	5.23	4.47	
YOLO	3888, HMX	20	0.0	1.8	0.9	0.4	0.0	1.6	5.22	4.60	161	0.0	1.4	1.2	0.3	27.2	0.8	5.66	4.57	
YOLO	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	160	0.0	0.2	3.7	0.6	27.8	2.3	4.44	4.36	
YOLO	1292, HZ	32	0.0	2.8	1.1	0.1	0.0	1.4	5.71	4.51	147	0.0	1.3	1.0	0.6	21.8	0.6	5.39	4.51	
YOLO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	134	0.0	1.7	3.1	2.2	23.4	1.1	5.75	4.60	
YOLO	1310, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	122	0.0	1.3	11.3	1.5	27.2	0.8	4.67	4.48	
YOLO	5235, HM	24	0.0	2.9	0.1	0.1	0.0	3.0	5.47	4.58	114	0.0	1.6	0.3	0.1	23.0	1.9	5.71	4.46	
YOLO	25, BP	25	0.0	2.5	9.1	0.7	29.2	0.9	5.26	4.39	112	0.0	2.5	6.5	0.6	26.9	1.7	5.03	4.46	
YOLO	5706, HZ	112	0.0	0.3	0.5	0.8	24.9	0.7	4.68	4.44	112	0.0	0.3	0.5	0.8	24.9	0.7	4.68	4.44	
YOLO	32, BP	45	0.0	2.8	1.0	1.2	28.8	1.5	4.81	4.47	111	0.0	2.8	0.9	0.7	25.6	1.2	4.75	4.46	
YOLO	5508, HZ	71	0.0	0.4	2.4	0.4	31.4	1.3	4.63	4.43	107	0.0	0.5	2.2	0.4	31.3	1.3	4.65	4.42	
YOLO	5655, SV	12	0.0	2.0	0.3	0.7	0.0	1.2	5.17	4.46	107	0.0	1.6	0.6	0.4	0.0	1.6	5.59	4.46	
YOLO	6415, N	32	0.0	4.2	0.3	0.1	26.9	0.5	4.31	4.47	106	0.0	2.4	6.8	0.8	26.7	0.5	4.53	4.41	
YOLO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	104	0.0	0.5	0.6	0.4	24.1	1.3	5.35	4.35	
YOLO	UNCODED	10	0.0	4.9	14.6	1.2	26.5	2.5	6.03	4.47	96	0.0	1.3	7.0	2.9	25.2	0.9	5.22	4.40	
YOLO	6420, N	16	0.0	2.4	1.3	1.5	23.9	2.0	5.40	4.58	94	0.0	1.7	2.3	1.5	23.3	1.5	5.56	4.54	
YOLO	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	0.6	4.1	1.5	23.7	0.4	4.93	4.32	
YOLO	849, HYPEEL	74	0.0	1.9	1.4	1.2	27.0	0.4	5.38	4.32	74	0.0	1.9	1.4	1.2	27.0	0.4	5.38	4.32	
YOLO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	65	0.0	2.7	0.7	0.1	23.6	0.9	5.61	4.43	
YOLO	1082, SVTM	30	0.0	1.3	1.0	1.0	26.7	1.0	5.16	4.36	61	0.0	1.0	0.6	0.6	25.0	0.8	5.40	4.35	
YOLO	6426, N	60	0.0	4.1	1.3	0.3	25.2	0.4	4.44	4.46	60	0.0	4.1	1.3	0.3	25.2	0.4	4.44	4.46	
YOLO	206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	0.4	0.2	0.1	25.8	2.6	5.39	4.28	
YOLO	1892, HMX	52	0.0	0.4	0.4	0.5	24.2	1.1	5.22	4.50	52	0.0	0.4	0.4	0.5	24.2	1.1	5.22	4.50	
YOLO	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	48	0.0	1.4	2.1	0.2	21.4	0.5	6.06	4.51	
YOLO	6133, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	45	0.1	1.1	3.3	0.1	24.9	0.3	5.25	4.39	
YOLO	6436, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	44	0.0	3.5	2.1	0.6	24.9	0.4	5.63	4.37	

**2017 Processing Tomato Season**  
 PTAB Analysis (9/16/17) - County by Variety



County	Variety Name	Week Ending 9/16/17									Year to Date								
		Loads	Worm	Mold	Green	MOT	Color	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
YOLO	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	1.9	6.6	0.8	26.7	0.7	5.28	4.31
YOLO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	37	0.0	3.1	9.8	1.2	0.0	2.6	5.95	4.49
YOLO	282, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	1.4	0.2	0.1	23.6	0.7	5.19	4.44
YOLO	58811, HMX	6	0.0	0.0	0.8	0.1	0.0	1.3	4.15	4.58	31	0.0	0.2	0.9	0.3	0.0	1.0	4.16	4.56
YOLO	0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	0.4	0.1	0.1	23.3	1.0	5.30	4.34
YOLO	HEINZ TRIAL	14	0.0	1.8	1.5	2.1	0.0	1.4	4.99	4.40	15	0.0	1.6	1.4	2.0	25.0	1.5	5.00	4.40
YOLO	6434, N	7	0.0	3.8	3.0	0.2	0.0	1.9	6.27	4.46	7	0.0	3.8	3.0	0.2	0.0	1.9	6.27	4.46
YOLO	2828, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.2	0.1	0.2	26.2	0.1	5.42	4.45
YOLO	58881, HMX	3	0.0	2.8	0.5	0.2	0.0	1.0	5.37	4.58	6	0.0	1.8	0.3	0.1	23.7	0.8	4.95	4.53
YOLO	61P4326	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	3.1	3.3	0.5	28.0	1.2	5.38	4.38
YOLO	401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.8	0.2	0.3	27.0	0.7	4.77	4.50
YOLO	3885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.8	0.0	0.3	27.0	2.0	5.30	4.41
YOLO	000, MISC	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	3.0	0.5	0.0	0.0	1.0	4.70	4.52
YOLO	2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	4.0	2.5	0.5	25.0	2.0	6.10	4.29
YOLO	20, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	0.0	28.0	1.0	5.10	4.49
YOLO	29, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	0.0	23.0	0.5	4.80	4.41
YOLO	35, P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	1.0	1.0	0.0	0.5	5.70	4.48
YOLO	313, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	0.0	24.0	0.5	5.90	4.36
YOLO	1662, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	25.0	0.5	5.00	4.36
YOLO	4887, HMX	1	0.0	0.5	0.5	0.5	0.0	1.0	5.10	4.26	1	0.0	0.5	0.5	0.5	0.0	1.0	5.10	4.26
<b>YOLO</b>		<b>5,391</b>	<b>0.0</b>	<b>1.7</b>	<b>1.9</b>	<b>0.8</b>	<b>21.9</b>	<b>1.1</b>	<b>5.05</b>	<b>4.44</b>	<b>36,070</b>	<b>0.0</b>	<b>1.4</b>	<b>1.8</b>	<b>0.7</b>	<b>24.6</b>	<b>1.1</b>	<b>5.30</b>	<b>4.41</b>