

2017 Processing Tomato Season
 PTAB Analysis (10/7/17) - Statewide by Variety



Variety Name	Week Ending 10/7/17									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
3887, HMX	284	0.0	2.4	5.0	1.1	27.6	0.6	5.07	4.41	30,564	0.0	2.4	2.2	0.7	25.8	1.4	5.47	4.49
0319, DRI	2,175	0.0	1.7	0.6	0.5	23.8	1.2	5.75	4.35	30,557	0.0	2.3	1.3	0.5	24.6	2.5	5.71	4.44
273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	28,996	0.0	0.5	1.4	0.6	25.1	1.4	5.25	4.39
0311, AB	271	0.0	2.1	0.8	1.0	22.7	1.1	5.86	4.32	27,313	0.0	2.4	1.3	0.6	23.7	1.8	5.77	4.41
6415, N	1,804	0.0	4.9	2.4	1.2	25.6	0.8	5.04	4.43	22,915	0.0	3.1	1.8	0.8	25.0	1.2	5.07	4.47
2401, HEINZ	1,900	0.0	5.0	3.7	0.9	24.5	0.6	4.92	4.39	21,445	0.0	2.9	2.9	0.9	25.2	1.2	5.00	4.42
5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18,254	0.0	1.4	1.7	0.6	24.1	1.1	4.98	4.48
4707, HEINZ	651	0.0	4.2	3.8	2.2	25.7	0.4	4.82	4.45	18,211	0.0	1.9	3.0	1.1	25.3	0.8	4.99	4.47
4885, HMX	1,695	0.0	2.6	2.2	1.3	24.9	0.4	4.87	4.37	17,946	0.0	2.6	1.1	0.7	24.6	0.9	5.19	4.43
6366, SUN	77	0.0	0.4	0.9	1.4	24.7	1.2	5.69	4.36	17,750	0.0	1.0	1.1	0.7	24.9	2.3	5.40	4.48
2756, SV	443	0.0	1.0	2.6	1.4	26.6	0.5	4.80	4.40	11,273	0.0	2.1	1.6	0.8	26.0	1.1	5.09	4.52
1892, HMX	596	0.0	1.1	0.8	1.5	24.3	0.8	5.10	4.44	11,111	0.0	1.6	1.3	1.0	24.9	1.6	5.33	4.52
1428, HZ	531	0.0	2.8	2.6	1.7	24.3	0.3	4.61	4.43	10,677	0.0	2.5	3.1	1.0	23.9	0.8	4.92	4.50
4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10,198	0.0	2.3	1.2	0.7	25.6	1.1	5.57	4.35
5702, HZ	270	0.0	1.8	3.8	1.9	23.5	0.3	4.69	4.46	9,368	0.0	1.8	3.5	1.8	23.8	0.6	4.98	4.47
6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9,320	0.0	0.5	1.1	0.4	25.3	1.5	4.94	4.37
19406, UG	671	0.0	2.4	1.3	0.6	25.1	0.8	5.39	4.31	8,090	0.0	2.2	1.3	0.4	25.2	0.8	5.41	4.36
8504, HEINZ	1,071	0.0	1.1	2.6	1.8	26.7	0.5	4.90	4.33	5,498	0.0	2.3	2.0	0.8	25.9	0.8	4.90	4.38
1293, HZ	53	0.0	2.3	1.1	0.3	21.5	0.8	5.84	4.52	5,251	0.0	1.7	1.4	0.6	23.7	1.4	5.53	4.55
8011, SV	331	0.0	5.0	4.7	2.4	27.0	0.4	4.30	4.57	4,844	0.0	2.6	2.2	0.9	24.6	0.9	5.26	4.47
6402, N	1	0.0	0.5	1.0	0.0	23.0	0.0	5.50	4.42	4,774	0.0	1.7	1.3	0.7	24.8	1.6	5.65	4.49
6428, N	538	0.0	2.3	2.5	1.1	24.2	0.8	5.14	4.50	4,508	0.0	2.5	1.7	0.6	25.6	1.1	4.95	4.48
9663, HEINZ	58	0.0	10.2	6.6	2.4	24.2	0.9	4.98	4.45	4,367	0.0	4.3	2.7	0.8	23.8	3.1	4.88	4.49
5900, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,880	0.0	0.9	1.7	1.0	24.9	2.0	5.54	4.39
400, BQ	1	0.0	0.5	0.5	0.5	24.0	0.5	5.80	4.60	3,818	0.0	0.4	0.9	0.6	23.5	0.9	5.19	4.43
7885, HMX	40	0.0	2.4	1.4	0.3	25.2	0.8	4.46	4.55	3,615	0.0	1.8	0.8	0.3	25.8	1.0	4.91	4.61
9905, HARRIS MORAN	377	0.0	0.8	0.6	0.5	24.8	0.5	4.93	4.44	3,608	0.0	1.0	0.8	0.6	24.7	0.7	5.11	4.48
1015, HEINZ	18	0.0	0.6	0.8	0.7	0.0	0.6	6.06	4.44	3,374	0.0	0.5	2.9	1.2	24.0	0.7	5.22	4.48
5508, HZ	742	0.0	6.5	1.5	0.6	24.5	0.3	4.55	4.50	3,073	0.0	3.3	1.3	0.4	24.8	0.5	4.65	4.45
6420, N	67	0.0	0.5	0.4	0.5	23.6	0.6	5.15	4.42	2,936	0.0	2.1	1.2	0.5	25.2	1.5	5.06	4.51
3888, HMX	789	0.0	1.0	1.1	1.1	25.8	0.6	5.14	4.47	2,888	0.0	1.1	1.0	0.8	26.0	1.0	5.34	4.49
16, BP	147	0.0	1.5	2.2	2.0	27.8	0.7	5.72	4.37	2,623	0.0	2.2	4.3	1.6	26.5	1.0	5.43	4.49
16609, UG	2	0.0	0.3	1.5	0.5	23.5	0.5	5.90	4.31	2,199	0.0	0.8	1.0	0.3	24.4	2.0	5.48	4.39
13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,032	0.0	0.6	3.9	1.2	25.3	0.9	5.07	4.43
2493, SV	97	0.0	1.5	1.2	0.5	0.0	1.2	4.95	4.48	1,931	0.0	4.3	1.9	0.5	23.9	2.4	4.97	4.49

2017 Processing Tomato Season
 PTAB Analysis (10/7/17) - Statewide by Variety



Variety Name	Week Ending 10/7/17									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
1310, HZ	578	0.0	2.1	4.2	1.6	23.8	0.5	5.00	4.51	1,854	0.0	2.6	6.7	1.2	25.3	0.7	5.14	4.52
1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,844	0.0	0.8	1.0	0.5	24.1	1.9	5.38	4.53
109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,829	0.0	0.4	0.8	0.3	27.3	2.4	5.27	4.31
6397, N	35	0.0	0.4	0.2	0.1	24.3	0.5	5.10	4.46	1,792	0.0	0.7	1.3	0.5	24.6	1.6	5.31	4.49
141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,768	0.0	2.0	6.5	1.2	24.5	2.6	4.88	4.50
5706, HZ	170	0.0	1.0	2.6	1.3	24.2	0.3	4.89	4.39	1,701	0.0	0.9	2.8	2.0	24.5	0.6	4.98	4.44
6429, N	90	0.0	4.6	2.7	1.0	22.5	1.0	5.40	4.38	1,342	0.0	2.1	1.2	1.1	25.9	1.4	5.00	4.51
187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,176	0.0	0.8	1.1	0.5	25.5	1.5	4.85	4.41
58841, HMX	146	0.0	1.1	0.9	1.0	28.5	0.3	5.02	4.43	1,109	0.0	2.4	1.2	0.9	24.8	0.8	5.45	4.46
5701, HZ	86	0.0	1.1	3.4	1.0	23.8	0.3	4.66	4.34	1,045	0.0	2.5	5.1	1.7	24.7	0.5	4.76	4.41
849, HYPEEL	138	0.0	1.5	4.0	0.5	28.8	0.4	4.51	4.42	1,000	0.0	1.3	1.4	0.8	25.8	0.5	5.13	4.35
410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	932	0.0	0.4	2.0	0.6	26.2	2.0	5.04	4.37
6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	922	0.0	5.2	0.8	0.5	25.4	1.7	4.99	4.55
255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	902	0.0	1.8	1.4	0.4	25.8	1.4	5.07	4.39
58871, HMX	117	0.0	1.6	0.6	0.6	31.5	0.4	5.26	4.33	876	0.0	3.5	1.2	0.8	25.0	0.6	5.55	4.40
15212, UG	16	0.0	1.2	1.2	0.5	23.7	1.4	5.69	4.39	864	0.0	1.9	1.0	0.1	25.0	0.9	4.89	4.45
32, BP	126	0.0	2.1	1.7	0.8	26.7	1.1	5.11	4.46	856	0.0	2.9	2.5	1.1	26.2	1.5	5.10	4.48
403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	852	0.0	0.4	2.1	0.8	24.9	1.4	5.40	4.32
5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	803	0.0	1.1	0.9	0.5	23.2	1.3	5.65	4.33
9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	785	0.0	1.2	1.5	0.3	25.0	4.6	4.63	4.49
6426, N	223	0.0	1.6	1.0	1.4	23.5	0.7	5.05	4.37	769	0.0	2.9	1.4	0.9	23.1	1.1	5.07	4.46
58801, HMX	137	0.0	2.8	3.9	2.5	24.8	1.2	5.72	4.52	725	0.0	2.3	1.4	0.8	25.4	1.4	5.51	4.49
16112, UG	9	0.0	1.1	1.2	0.1	26.7	0.7	4.94	4.39	713	0.0	1.7	1.2	0.5	25.5	0.6	5.02	4.42
1422, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	668	0.0	1.4	6.8	1.2	26.0	1.1	5.36	4.47
1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	647	0.0	1.3	0.4	0.4	23.8	1.2	5.20	4.46
1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	638	0.0	1.5	0.3	0.1	23.6	1.3	4.90	4.66
UNCODED	32	0.0	0.9	1.5	1.0	24.5	0.7	5.67	4.37	610	0.0	2.6	2.7	1.1	25.0	1.3	5.27	4.47
6394, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	606	0.0	3.6	3.0	0.7	23.9	2.5	5.16	4.55
0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	583	0.0	0.4	0.7	0.3	27.3	0.9	5.39	4.39
58811, HMX	102	0.0	0.9	1.0	1.0	27.4	0.2	4.80	4.38	575	0.0	1.5	1.1	0.6	25.7	0.6	5.17	4.48
2, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	540	0.0	1.8	1.1	0.4	24.9	0.4	4.94	4.55
9780, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	530	0.0	1.2	1.2	0.4	23.4	1.2	5.59	4.40
4886, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	493	0.0	3.0	1.0	0.6	24.4	1.7	5.79	4.48
8232, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	431	0.0	3.4	1.4	0.3	23.6	5.1	5.29	4.56
25, BP	11	0.0	0.7	2.0	0.4	0.0	0.6	5.21	4.37	422	0.0	2.1	6.6	1.4	25.0	0.9	4.98	4.49

2017 Processing Tomato Season
 PTAB Analysis (10/7/17) - Statewide by Variety



Variety Name	Week Ending 10/7/17									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
9436, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	376	0.0	1.1	1.5	0.4	24.3	2.0	5.23	4.47
1161, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	369	0.0	0.6	1.3	0.5	26.0	2.3	5.46	4.38
6410, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	341	0.0	4.8	1.7	0.9	26.4	1.6	5.11	4.53
6434, N	123	0.0	2.6	2.2	1.3	24.3	1.4	5.57	4.44	338	0.0	3.7	2.2	0.9	25.7	1.2	5.18	4.47
MIX	32	0.0	0.8	0.2	0.1	22.9	0.8	5.96	4.36	321	0.0	3.3	0.9	0.2	23.8	1.0	5.46	4.41
4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	304	0.0	0.2	1.9	1.1	25.6	3.2	5.42	4.44
5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	294	0.0	2.5	1.1	0.3	24.1	1.4	5.50	4.44
205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	266	0.0	2.2	3.5	1.7	25.1	1.9	5.81	4.39
2303, SV	153	0.0	1.0	0.2	0.2	22.6	0.7	5.34	4.38	265	0.0	1.9	1.0	0.2	22.7	1.0	5.37	4.41
5655, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	258	0.0	1.7	0.5	0.3	26.0	1.1	5.37	4.45
5003, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	237	0.0	0.3	1.7	1.3	24.2	4.1	5.00	4.46
373, U	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	236	0.0	0.9	0.5	0.3	23.7	4.4	5.20	4.51
6436, N	2	0.0	2.3	2.0	0.5	0.0	0.0	5.35	4.42	232	0.0	1.9	0.9	0.3	24.5	1.7	5.32	4.50
1082, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	215	0.0	1.3	1.3	0.7	25.6	1.1	5.40	4.37
8516, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	213	0.0	3.3	0.4	0.5	24.5	2.4	4.79	4.45
MISC TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	176	0.0	2.9	1.1	0.3	24.4	1.9	5.83	4.49
6407, N	29	0.0	0.7	1.2	1.0	24.3	1.1	5.61	4.40	161	0.0	1.0	1.5	2.1	24.2	1.0	5.87	4.34
0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	149	0.0	1.5	0.7	0.4	22.9	0.9	5.53	4.45
1421, HZ	9	0.0	2.8	0.6	0.1	22.7	2.6	5.41	4.43	149	0.0	2.7	0.8	0.3	23.8	3.3	5.10	4.45
2828, SVTM	2	0.0	3.8	0.5	0.5	24.0	1.3	5.05	4.40	143	0.0	0.9	0.7	0.2	25.5	1.6	5.39	4.47
206, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	142	0.0	1.5	0.4	0.1	26.3	2.1	5.77	4.38
6133, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	125	0.0	0.6	2.0	0.0	26.2	0.2	5.41	4.38
HEINZ TRIAL	12	0.0	9.3	1.0	0.3	24.3	0.7	5.53	4.49	115	0.0	6.4	2.0	1.1	25.1	1.4	5.17	4.52
282, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	91	0.0	1.8	0.8	0.1	24.3	0.6	5.24	4.38
19306, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	80	0.0	1.9	1.1	0.3	23.5	1.4	5.19	4.44
7791, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	69	0.0	4.7	0.9	0.3	24.4	1.6	5.73	4.56
LIKOBOL UG	5	0.0	1.5	1.5	1.3	20.8	1.2	4.74	4.36	68	0.0	0.7	8.9	2.1	28.7	1.0	4.92	4.35
1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	57	0.0	1.7	0.7	0.5	23.9	1.8	5.69	4.47
1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	55	0.0	0.6	0.3	0.4	26.0	3.8	5.23	4.30
1659, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	54	0.0	2.7	1.9	1.1	26.0	3.4	5.03	4.52
108, HYPEEL	3	0.0	3.0	3.0	0.8	22.7	0.5	5.27	4.52	51	0.0	1.0	1.4	0.5	24.5	2.1	5.44	4.52
163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	45	0.0	1.2	3.9	1.6	26.0	1.8	4.83	4.42
22693, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	3.6	1.0	1.1	23.4	1.0	5.14	4.60
LYCOMECH UG	18	0.0	1.3	1.2	2.3	23.1	0.7	4.36	4.41	33	0.0	0.8	3.0	2.3	27.0	0.5	4.52	4.38
66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.2	0.8	0.2	26.4	0.8	5.52	4.35

2017 Processing Tomato Season
 PTAB Analysis (10/7/17) - Statewide by Variety



Variety Name	Week Ending 10/7/17									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Color	LU	Solids	pH
1662, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	3.0	1.7	0.5	25.4	1.5	4.99	4.50
4326, HMX 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	1.5	1.4	0.4	26.4	1.3	5.75	4.33
401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	1.8	0.8	0.5	27.0	2.2	5.03	4.49
1775, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	1.7	2.2	0.3	29.7	0.7	4.83	4.46
2349, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	3.3	1.2	0.4	24.3	1.9	5.27	4.43
402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	1.6	0.6	0.2	24.5	1.2	5.58	4.50
2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.5	1.4	0.6	24.6	1.8	5.55	4.57
3885, HMX	9	0.0	0.9	0.7	1.4	26.1	0.4	5.43	4.51	11	0.0	0.9	0.5	1.2	26.3	0.7	5.41	4.49
1776, HZ	3	0.0	1.3	1.0	0.2	23.3	0.2	5.03	4.23	9	0.0	1.1	2.0	0.6	25.0	0.7	5.11	4.35
29, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	3.0	0.7	0.3	23.7	1.4	4.85	4.52
650, PS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	2.5	0.4	0.1	25.3	1.9	5.61	4.51
58881, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	1.7	0.3	0.1	23.7	0.7	5.04	4.54
5293, HMX 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	2.2	0.2	0.3	24.4	3.4	5.78	4.39
8163, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.7	0.9	0.4	0.0	0.4	5.72	4.61
8892, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.2	0.9	0.1	24.8	1.0	5.78	4.54
26, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	4.3	1.5	0.5	23.8	1.0	4.68	4.57
3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	7.3	0.0	0.0	24.7	0.5	5.03	4.58
24, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.5	0.0	0.3	24.5	0.8	5.60	4.46
329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	3.5	1.8	0.5	24.0	6.8	6.15	4.50
1765, HZ	2	0.0	1.3	0.8	0.5	23.0	1.5	4.85	4.39	2	0.0	1.3	0.8	0.5	23.0	1.5	4.85	4.39
5522, HMX 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	4.0	0.3	0.0	23.0	2.5	5.95	4.47
2, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	4.0	2.5	0.5	25.0	2.0	6.10	4.29
20, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.0	0.0	23.0	9.0	5.90	4.48
1770, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	6.5	2.5	1.0	28.0	5.5	5.00	4.54
1772, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	6.5	5.0	1.0	30.0	1.0	5.10	4.40
2693, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	22.0	3.5	5.50	4.52
4521, HMX 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	0.5	24.0	0.0	5.10	4.27
4887, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.5	0.0	1.0	5.10	4.26
9015, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	26.0	1.0	6.30	4.27
STATEWIDE	18,118	0.0	2.8	2.2	1.1	24.8	0.7	5.08	4.41	408,719	0.0	2.0	1.8	0.7	24.9	1.4	5.26	4.45