

2018 Processing Tomato Season
 PTAB Analysis (8/18/18) - County by Variety



County	Variety Name	Week Ending 8/18/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
BUTTE	5708, HZ	80	0.0	1.5	2.4	0.9	20.7	1.0	4.59	4.40	80	0.0	1.5	2.4	0.9	20.7	1.0	4.59	4.40
BUTTE		80	0.0	1.5	2.4	0.9	20.7	1.0	4.59	4.40	80	0.0	1.5	2.4	0.9	20.7	1.0	4.59	4.40
COLUSA	273, BQ	129	0.0	1.4	0.8	0.5	20.0	1.5	5.34	4.36	3,107	0.0	0.8	1.7	0.7	21.7	1.2	5.12	4.37
COLUSA	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,180	0.0	0.2	1.0	0.7	21.6	1.1	4.91	4.48
COLUSA	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,957	0.0	0.2	1.9	0.8	22.4	1.7	4.62	4.44
COLUSA	6428, N	384	0.0	0.9	4.5	0.8	21.6	0.8	4.90	4.42	1,264	0.0	0.9	3.8	1.0	23.0	1.2	4.55	4.49
COLUSA	5608, HZ	79	0.0	1.6	1.6	2.0	20.8	0.8	4.18	4.38	674	0.0	0.7	1.2	1.3	22.7	1.7	4.45	4.46
COLUSA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	655	0.0	0.6	1.6	1.1	21.8	1.6	4.77	4.38
COLUSA	4885, HMX	227	0.0	1.2	1.8	0.7	21.4	0.7	4.47	4.31	490	0.0	1.4	2.3	0.7	22.4	0.7	4.32	4.34
COLUSA	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	456	0.0	0.3	0.7	0.5	20.6	1.4	4.97	4.52
COLUSA	8504, HEINZ	333	0.0	0.4	3.2	0.5	22.6	0.6	4.86	4.25	356	0.0	0.4	3.2	0.5	22.7	0.6	4.86	4.25
COLUSA	141, BQ	148	0.0	2.0	7.0	0.9	22.0	4.0	4.15	4.45	343	0.0	2.2	6.4	1.0	22.2	3.3	4.24	4.49
COLUSA	8011, SV	309	0.0	1.5	4.1	0.7	20.9	0.7	4.55	4.44	309	0.0	1.5	4.1	0.7	20.9	0.7	4.55	4.44
COLUSA	1310, HZ	197	0.0	0.8	4.4	0.7	21.5	0.6	4.67	4.38	289	0.0	0.7	3.4	1.0	21.9	0.9	4.61	4.42
COLUSA	2401, HEINZ	285	0.0	0.6	2.6	1.6	22.2	0.6	4.14	4.25	285	0.0	0.6	2.6	1.6	22.2	0.6	4.14	4.25
COLUSA	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	269	0.0	2.2	1.4	0.5	23.6	2.8	4.45	4.55
COLUSA	5708, HZ	252	0.0	0.3	2.7	1.3	21.1	0.4	4.52	4.33	269	0.0	0.4	2.7	1.3	21.1	0.4	4.53	4.33
COLUSA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	257	0.0	0.6	0.6	0.2	23.4	1.7	4.60	4.51
COLUSA	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	230	0.0	0.2	1.0	2.3	23.1	3.6	4.77	4.43
COLUSA	4707, HEINZ	83	0.0	1.3	2.5	1.8	24.4	1.8	5.19	4.40	169	0.0	1.1	2.0	2.1	25.7	2.9	5.18	4.42
COLUSA	1428, HZ	133	0.0	18.2	2.3	3.7	24.9	0.4	4.57	4.59	133	0.0	18.2	2.3	3.7	24.9	0.4	4.57	4.59
COLUSA	0319, DRI	112	0.0	1.1	0.3	0.4	20.7	1.6	5.60	4.35	112	0.0	1.1	0.3	0.4	20.7	1.6	5.60	4.35
COLUSA	0311, AB	44	0.0	2.2	0.4	0.3	19.8	1.0	5.38	4.34	110	0.0	1.6	0.3	0.3	19.9	0.7	5.36	4.33
COLUSA	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	103	0.0	0.6	0.5	0.2	20.5	0.3	5.01	4.44
COLUSA	6426, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	100	0.0	0.3	0.7	1.7	21.8	1.2	4.46	4.42
COLUSA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	1.0	0.2	0.3	19.7	0.5	5.95	4.38
COLUSA	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	37	0.0	1.5	3.2	1.5	21.5	1.1	4.80	4.52
COLUSA	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	1.2	3.0	1.0	21.1	0.6	5.18	4.44
COLUSA	5702, HZ	8	0.0	12.9	4.1	3.9	22.6	0.1	4.36	4.60	8	0.0	12.9	4.1	3.9	22.6	0.1	4.36	4.60
COLUSA	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.1	0.1	0.3	19.9	0.9	5.23	4.47
COLUSA	6440, N	3	0.0	1.3	0.8	0.3	20.0	0.5	4.97	4.45	3	0.0	1.3	0.8	0.3	20.0	0.5	4.97	4.45
COLUSA	6441, N	3	0.0	1.7	0.5	0.2	19.3	0.8	5.03	4.49	3	0.0	1.7	0.5	0.2	19.3	0.8	5.03	4.49
COLUSA	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.3	0.0	21.0	1.0	5.30	4.45
COLUSA	2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	0.0	20.0	0.0	5.00	4.45
COLUSA		2,729	0.0	1.9	3.2	1.1	21.7	0.9	4.67	4.37	14,261	0.0	0.9	2.0	0.9	22.1	1.4	4.78	4.42
CONTRA COSTA	6366, SUN	800	0.0	0.7	0.4	0.2	20.7	0.7	5.04	4.43	1,894	0.0	0.4	0.4	0.1	20.9	1.1	5.18	4.40
CONTRA COSTA	6402, N	62	0.0	0.7	1.0	0.2	20.6	0.6	5.08	4.43	621	0.0	0.3	0.6	0.2	20.8	0.9	5.51	4.40
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	307	0.0	0.2	0.9	0.2	22.3	3.2	5.18	4.24
CONTRA COSTA	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	238	0.0	0.1	0.6	0.1	21.5	1.9	4.78	4.35
CONTRA COSTA	403, BQ	35	0.0	0.2	1.0	0.3	20.6	1.2	4.82	4.34	167	0.0	0.1	0.7	0.3	20.5	1.6	5.33	4.31

2018 Processing Tomato Season
 PTAB Analysis (8/18/18) - County by Variety



County	Variety Name	Week Ending 8/18/18										Year to Date							
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
CONTRA COSTA	0311, AB	114	0.0	0.4	0.4	0.1	19.9	0.6	5.44	4.29	114	0.0	0.4	0.4	0.1	19.9	0.6	5.44	4.29
CONTRA COSTA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	42	0.0	0.1	0.2	0.0	22.2	3.3	4.92	4.32
CONTRA COSTA	1293, HZ	18	0.0	0.1	0.5	0.3	20.7	0.5	5.12	4.46	29	0.0	0.1	0.4	0.2	20.7	0.6	5.16	4.48
CONTRA COSTA	108, HYPEEL	9	0.0	0.1	0.4	0.2	20.7	0.1	5.21	4.46	9	0.0	0.1	0.4	0.2	20.7	0.1	5.21	4.46
CONTRA COSTA	HEINZ TRIAL	4	0.0	0.0	0.6	0.0	19.5	0.1	5.00	4.45	4	0.0	0.0	0.6	0.0	19.5	0.1	5.00	4.45
CONTRA COSTA	1765, HZ	4	0.0	0.1	0.5	0.1	19.9	1.0	5.33	4.37	4	0.0	0.1	0.5	0.1	19.9	1.0	5.33	4.37
CONTRA COSTA	273, BQ	3	0.0	0.2	0.5	0.0	20.2	0.2	5.30	4.34	3	0.0	0.2	0.5	0.0	20.2	0.2	5.30	4.34
CONTRA COSTA	9000, SVTM	3	0.0	0.2	0.5	0.0	20.2	0.0	4.87	4.42	3	0.0	0.2	0.5	0.0	20.2	0.0	4.87	4.42
CONTRA COSTA	413, BQ	2	0.0	1.0	0.3	0.3	20.0	0.8	4.75	4.52	2	0.0	1.0	0.3	0.3	20.0	0.8	4.75	4.52
CONTRA COSTA		1,054	0.0	0.6	0.4	0.2	20.6	0.7	5.08	4.41	3,437	0.0	0.3	0.5	0.1	21.0	1.3	5.22	4.37
FRESNO	273, BQ	1,134	0.0	0.5	1.5	0.9	21.1	2.2	5.10	4.44	19,979	0.0	0.3	1.2	0.6	21.1	1.4	5.27	4.38
FRESNO	0311, AB	2,880	0.0	2.8	0.7	0.4	20.9	2.5	5.69	4.47	15,179	0.0	1.6	0.7	0.6	20.7	2.1	5.72	4.44
FRESNO	8011, SV	1,928	0.0	1.7	0.8	0.7	20.5	1.1	5.15	4.45	7,214	0.0	1.1	0.7	0.7	20.6	1.0	5.33	4.44
FRESNO	6366, SUN	5	0.0	1.1	1.0	0.4	20.7	2.9	4.94	4.44	6,002	0.0	0.3	0.7	0.4	20.9	2.8	5.30	4.44
FRESNO	6416, N	2	0.0	2.0	0.3	0.5	23.0	2.0	4.60	4.55	4,822	0.0	0.2	0.8	0.4	21.4	1.8	4.75	4.36
FRESNO	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,255	0.0	0.3	1.1	0.9	20.6	1.3	5.07	4.50
FRESNO	6415, N	1,481	0.0	1.7	0.9	0.4	21.6	1.4	4.54	4.43	3,559	0.0	1.2	1.1	0.4	21.7	1.3	4.73	4.45
FRESNO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,227	0.0	0.1	0.9	0.5	21.3	1.8	5.26	4.34
FRESNO	0319, DRI	1,235	0.0	1.1	0.3	0.4	21.2	1.8	6.14	4.42	2,728	0.0	0.9	0.4	0.4	21.5	2.4	6.03	4.43
FRESNO	5608, HZ	618	0.0	1.7	0.5	0.5	20.4	1.6	4.90	4.49	2,455	0.0	1.0	0.8	0.4	20.7	1.2	4.98	4.45
FRESNO	1428, HZ	1,130	0.0	1.9	1.7	1.2	21.2	0.8	5.17	4.50	2,428	0.0	1.2	1.7	1.1	21.3	0.7	4.97	4.50
FRESNO	1293, HZ	186	0.0	1.5	1.0	0.5	20.1	1.2	5.59	4.54	2,279	0.0	0.8	0.8	0.5	20.6	1.2	5.49	4.54
FRESNO	2756, SV	409	0.0	0.7	0.9	0.4	21.1	0.7	4.99	4.49	2,253	0.0	0.5	1.5	0.6	21.8	0.7	4.85	4.48
FRESNO	3887, HM	353	0.0	1.7	0.5	0.3	21.4	2.1	5.65	4.50	2,141	0.0	0.8	1.1	0.3	21.1	1.7	5.52	4.46
FRESNO	6402, N	206	0.0	0.9	0.3	0.5	20.2	1.3	5.69	4.49	1,892	0.0	0.5	0.4	0.3	20.4	1.8	5.39	4.46
FRESNO	1892, HMX	135	0.0	0.7	0.4	2.8	20.7	1.6	5.09	4.51	1,790	0.0	0.3	0.8	1.3	20.5	1.5	5.48	4.49
FRESNO	2401, HEINZ	1,197	0.0	2.5	1.4	0.9	21.5	0.9	4.87	4.39	1,763	0.0	2.3	1.4	0.9	21.6	0.9	4.94	4.39
FRESNO	4909, HMX	380	0.0	1.4	0.4	0.4	21.3	1.0	5.43	4.32	1,352	0.0	1.3	0.3	0.3	21.2	0.7	5.39	4.28
FRESNO	9663, HEINZ	494	0.0	4.9	3.2	0.7	19.2	1.1	4.65	4.47	1,227	0.0	3.9	2.3	0.6	19.8	1.3	4.73	4.45
FRESNO	4707, HEINZ	1,029	0.0	1.2	1.5	0.6	22.5	0.5	4.96	4.43	1,194	0.0	1.1	1.5	0.5	22.8	0.6	4.94	4.43
FRESNO	16609, UG	200	0.0	1.9	0.6	0.4	21.4	2.7	5.09	4.45	1,186	0.0	0.7	0.5	0.3	20.9	1.8	5.38	4.38
FRESNO	1292, HZ	73	0.0	0.8	0.5	0.8	20.8	3.3	5.22	4.47	1,112	0.0	0.4	0.7	0.6	20.6	2.3	5.50	4.52
FRESNO	6426, N	801	0.0	1.0	0.6	0.3	20.4	1.9	4.75	4.49	1,077	0.0	1.0	0.6	0.3	20.4	1.9	4.87	4.50
FRESNO	6420, N	175	0.0	1.3	0.8	0.2	20.4	0.6	5.30	4.50	1,021	0.0	0.6	0.4	0.3	21.2	1.4	5.18	4.53
FRESNO	7885, HMX	638	0.0	0.7	0.1	0.1	21.2	0.6	4.88	4.55	936	0.0	0.6	0.3	0.1	21.3	0.5	4.80	4.55
FRESNO	6428, N	225	0.0	0.3	0.8	0.0	22.1	1.3	4.72	4.44	788	0.0	0.3	1.0	0.4	22.4	1.4	4.89	4.46
FRESNO	4885, HMX	504	0.0	0.7	0.7	0.4	21.0	1.1	5.11	4.42	767	0.0	0.6	0.6	0.4	20.9	0.9	5.09	4.41
FRESNO	1082, SVTM	240	0.0	0.6	0.9	0.8	20.8	1.9	5.64	4.38	753	0.0	0.7	1.1	0.7	21.2	2.0	5.43	4.36
FRESNO	0811, BOS	597	0.0	0.4	1.1	0.3	19.8	0.6	5.13	4.36	681	0.0	0.4	1.0	0.3	19.8	0.6	5.13	4.36
FRESNO	5702, HZ	569	0.0	0.7	2.0	0.4	20.4	0.2	4.78	4.51	645	0.0	1.0	2.0	0.4	20.6	0.3	4.74	4.51

2018 Processing Tomato Season
 PTAB Analysis (8/18/18) - County by Variety



County	Variety Name	Week Ending 8/18/18										Year to Date							
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
FRESNO	6434, N	276	0.0	0.7	0.4	0.2	21.4	1.3	5.27	4.44	448	0.0	0.7	0.7	0.2	22.0	1.6	5.18	4.45
FRESNO	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	444	0.0	0.2	0.3	0.2	20.7	0.9	5.77	4.38
FRESNO	108, HYPEEL	36	0.0	1.7	1.2	0.5	20.3	1.4	5.34	4.54	404	0.0	0.9	0.7	0.8	21.9	3.6	4.98	4.60
FRESNO	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	269	0.0	0.2	1.8	0.4	21.4	2.3	5.02	4.37
FRESNO	6133, SV	76	0.0	4.5	0.4	0.2	20.9	1.0	4.85	4.55	265	0.0	2.2	0.3	0.2	20.9	1.1	5.34	4.54
FRESNO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	264	0.0	0.3	1.1	0.2	20.8	3.1	5.31	4.50
FRESNO	401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	253	0.0	0.2	0.6	0.3	21.3	0.8	5.15	4.43
FRESNO	9436, UG	124	0.0	1.0	0.6	0.3	20.5	2.3	4.73	4.47	164	0.0	0.9	1.0	0.3	20.9	2.3	4.77	4.48
FRESNO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	127	0.0	0.1	0.4	0.5	20.3	0.9	5.73	4.37
FRESNO	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	119	0.0	0.2	0.3	0.3	21.1	1.1	4.99	4.46
FRESNO	16112, UG	72	0.0	0.6	0.1	0.1	20.6	1.0	4.99	4.44	100	0.0	0.6	0.1	0.1	20.6	0.9	5.01	4.42
FRESNO	58881, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	100	0.0	0.1	0.3	0.2	20.2	1.1	4.89	4.40
FRESNO	58841, HM	44	0.0	1.5	0.3	0.2	20.3	0.5	5.44	4.45	83	0.0	1.8	0.4	0.3	20.6	0.5	5.24	4.44
FRESNO	58801, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	74	0.0	0.2	1.2	0.3	24.1	3.7	5.71	4.54
FRESNO	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	69	0.0	0.6	0.8	0.8	24.1	3.2	5.04	4.54
FRESNO	HEINZ TRIAL	53	0.0	1.8	2.1	0.5	20.2	0.5	4.48	4.42	63	0.0	1.5	1.8	0.5	20.3	0.6	4.55	4.44
FRESNO	58811, HM	61	0.0	0.3	0.1	0.0	20.4	0.1	5.25	4.39	61	0.0	0.3	0.1	0.0	20.4	0.1	5.25	4.39
FRESNO	15212, UG	12	0.0	1.7	0.3	0.4	23.4	2.7	4.20	4.54	41	0.0	1.0	0.5	0.5	22.7	1.7	4.30	4.42
FRESNO	1662, HZ	38	0.0	1.0	2.0	1.7	21.4	0.4	5.30	4.45	38	0.0	1.0	2.0	1.7	21.4	0.4	5.30	4.45
FRESNO	UNCODED	3	0.0	0.0	0.5	0.3	21.2	2.7	6.47	4.40	37	0.0	1.1	0.5	0.3	20.8	1.0	4.74	4.39
FRESNO	27713, UG	35	0.0	3.5	0.4	0.2	20.2	3.9	5.60	4.62	35	0.0	3.5	0.4	0.2	20.2	3.9	5.60	4.62
FRESNO	5235, HM	34	0.0	0.9	0.4	0.3	20.4	5.6	4.98	4.46	34	0.0	0.9	0.4	0.3	20.4	5.6	4.98	4.46
FRESNO	1765, HZ	21	0.0	0.1	0.3	0.3	21.5	3.7	5.97	4.49	30	0.0	0.1	0.5	0.3	21.4	3.6	5.71	4.47
FRESNO	398, BQ	21	0.0	0.9	1.0	0.3	20.1	0.5	5.00	4.39	25	0.0	0.9	1.2	0.3	20.2	0.6	5.02	4.39
FRESNO	8504, HEINZ	8	0.0	2.1	0.1	0.2	22.4	0.9	5.06	4.44	25	0.0	1.1	0.2	0.2	22.4	0.5	5.06	4.41
FRESNO	6440, N	24	0.0	0.1	0.4	0.0	22.7	1.8	4.63	4.44	24	0.0	0.1	0.4	0.0	22.7	1.8	4.63	4.44
FRESNO	MIX	2	0.0	0.8	0.0	0.0	21.0	0.8	5.85	4.43	21	0.0	0.8	0.2	0.3	21.0	1.5	5.51	4.46
FRESNO	13, BP	13	0.0	1.3	1.5	0.2	20.9	2.8	4.67	4.40	21	0.0	1.2	1.5	0.4	20.7	3.4	4.58	4.39
FRESNO	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	0.4	0.2	0.1	20.8	2.1	5.08	4.35
FRESNO	2930, K	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.2	0.5	0.3	20.8	1.3	5.59	4.50
FRESNO	6441, N	11	0.0	0.2	0.4	0.0	21.5	1.4	4.80	4.49	14	0.0	0.3	0.6	0.0	21.3	1.2	4.80	4.47
FRESNO	MISC TRIAL	10	0.0	2.9	0.7	0.1	21.2	1.8	5.43	4.49	12	0.0	2.4	1.5	0.1	21.2	1.5	5.40	4.48
FRESNO	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.6	0.5	0.7	22.0	2.0	4.83	4.54
FRESNO	9003, SVTM	5	0.0	0.2	0.3	0.5	21.9	0.6	6.50	4.32	9	0.0	0.1	1.2	0.4	21.7	0.4	6.03	4.29
FRESNO	1776, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	0.5	0.3	0.3	20.9	0.6	4.90	4.33
FRESNO	1311, HZ	1	0.0	1.5	0.5	0.5	19.5	0.0	5.50	4.36	6	0.0	0.9	0.4	0.4	20.2	0.5	5.70	4.36
FRESNO	5522, HMX 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.3	0.8	0.5	19.6	0.3	5.33	4.29
FRESNO	43, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	3.3	2.8	1.2	20.8	1.2	5.27	4.45
FRESNO	16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.0	0.3	19.5	0.8	5.85	4.29
FRESNO	42, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	2.3	1.5	0.3	20.5	1.5	5.00	4.47

2018 Processing Tomato Season
PTAB Analysis (8/18/18) - County by Variety



County	Variety Name	Week Ending 8/18/18										Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	
FRESNO	6429, N	2	0.0	1.5	0.5	0.5	20.0	1.5	4.90	4.54	2	0.0	1.5	0.5	0.5	20.0	1.5	4.90	4.54	
FRESNO	17, P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	1.0	1.0	20.0	0.5	5.30	4.53	
FRESNO	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	1.5	19.5	3.0	5.70	4.40	
FRESNO	270, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	20.0	0.5	5.50	4.29	
FRESNO	329, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.0	0.0	19.5	0.5	5.20	4.54	
FRESNO	1886, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	21.0	0.5	6.30	4.31	
FRESNO	2303, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.5	20.5	1.5	6.50	4.41	
FRESNO	4886, HMX	1	0.0	0.5	0.0	0.0	21.0	0.0	5.10	4.58	1	0.0	0.5	0.0	0.0	21.0	0.0	5.10	4.58	
FRESNO	5655, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	20.5	2.0	5.60	4.52	
FRESNO	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	20.5	0.5	5.90	4.30	
FRESNO	8892, HEINZ	1	0.0	0.0	1.0	0.5	21.5	2.5	5.40	4.50	1	0.0	0.0	1.0	0.5	21.5	2.5	5.40	4.50	
FRESNO		19,808	0.0	1.6	1.0	0.5	21.0	1.4	5.18	4.45	100,458	0.0	0.8	0.9	0.5	21.0	1.6	5.27	4.43	
GLENN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	121	0.0	2.0	3.8	1.5	21.8	1.0	5.19	4.38	
GLENN	5702, HZ	34	0.0	1.2	5.2	3.9	21.1	0.6	4.46	4.37	34	0.0	1.2	5.2	3.9	21.1	0.6	4.46	4.37	
GLENN		34	0.0	1.2	5.2	3.9	21.1	0.6	4.46	4.37	155	0.0	1.8	4.1	2.0	21.7	0.9	5.03	4.38	
KERN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,628	0.0	0.7	1.1	0.4	21.4	1.7	5.05	4.37	
KERN	5608, HZ	34	0.0	1.3	0.0	0.0	21.3	3.7	4.76	4.60	3,339	0.0	0.5	0.7	0.3	21.0	1.3	4.90	4.47	
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,329	0.0	0.4	0.8	0.5	20.9	1.5	5.08	4.44	
KERN	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	992	0.0	0.5	1.2	1.1	20.7	1.1	5.17	4.50	
KERN	4909, HMX	178	0.0	1.6	0.1	0.1	22.1	1.6	5.29	4.39	852	0.0	1.7	0.2	0.3	22.1	1.7	5.06	4.34	
KERN	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	703	0.0	2.4	0.3	0.5	20.8	1.7	4.99	4.44	
KERN	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	509	0.0	0.9	2.6	0.8	21.2	1.3	4.65	4.36	
KERN	3887, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	497	0.0	0.8	0.8	0.4	21.8	1.0	5.17	4.45	
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	352	0.0	0.6	2.7	0.5	20.7	2.5	4.63	4.40	
KERN	1170, HEINZ	15	0.1	0.9	0.6	0.0	21.6	1.2	4.90	4.48	250	0.0	0.7	1.0	0.1	21.6	0.9	4.86	4.40	
KERN	1428, HZ	70	0.0	2.1	0.1	0.2	22.1	0.8	4.67	4.55	228	0.0	0.9	0.2	0.3	22.3	0.9	4.51	4.52	
KERN	6428, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	198	0.0	0.5	2.4	0.1	21.6	0.8	5.10	4.43	
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	186	0.0	0.4	1.5	0.4	21.3	1.9	4.93	4.36	
KERN	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	154	0.0	1.5	0.8	0.6	23.0	0.5	4.12	4.31	
KERN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	134	0.0	0.4	1.5	0.1	22.5	2.5	4.83	4.46	
KERN	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	119	0.0	0.1	1.1	0.3	24.0	1.0	4.46	4.41	
KERN	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	48	0.0	3.0	0.3	0.3	24.0	1.0	4.79	4.42	
KERN	6436, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	0.6	0.7	0.3	21.2	1.8	4.61	4.54	
KERN	6426, N	22	0.0	1.2	0.0	0.0	21.7	4.0	4.62	4.57	40	0.0	1.1	0.5	0.1	21.9	3.6	4.64	4.53	
KERN	9007, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	0.6	0.9	0.1	21.2	0.8	5.14	4.44	
KERN	58811, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	1.3	1.5	0.3	21.0	0.8	5.62	4.43	
KERN	4707, HEINZ	5	0.0	1.6	0.2	0.5	24.1	0.9	4.66	4.45	5	0.0	1.6	0.2	0.5	24.1	0.9	4.66	4.45	
KERN	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.0	0.0	22.5	0.0	4.00	4.35	
KERN		324	0.0	1.6	0.1	0.1	22.0	1.8	5.02	4.46	13,663	0.0	0.8	1.0	0.5	21.3	1.5	4.97	4.42	
KINGS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9,221	0.0	0.2	1.7	0.5	21.8	1.4	5.14	4.37	

2018 Processing Tomato Season
PTAB Analysis (8/18/18) - County by Variety



County	Variety Name	Week Ending 8/18/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
KINGS	3887, HM	1,781	0.0	1.3	0.6	0.4	21.1	1.9	5.75	4.53	5,270	0.0	0.8	0.7	0.3	21.4	1.8	5.60	4.52
KINGS	5608, HZ	13	0.0	5.0	0.7	0.3	20.9	0.5	5.02	4.49	3,917	0.0	0.5	1.8	0.4	20.5	0.7	5.01	4.40
KINGS	4885, HMX	453	0.0	1.3	1.2	0.4	21.1	1.4	5.16	4.38	2,347	0.0	0.8	0.8	0.3	21.2	1.1	5.18	4.35
KINGS	2756, SV	1,302	0.0	0.5	0.7	0.4	21.5	1.1	5.19	4.50	1,579	0.0	0.4	0.8	0.4	21.5	1.1	5.24	4.49
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,576	0.0	0.2	2.4	0.3	21.6	2.0	4.45	4.35
KINGS	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,549	0.0	0.2	1.8	0.7	21.1	1.8	4.83	4.52
KINGS	6415, N	159	0.0	0.7	1.6	0.4	21.4	1.2	4.62	4.41	1,126	0.0	0.7	0.8	0.3	22.0	1.4	4.58	4.44
KINGS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	995	0.0	0.7	1.3	0.5	21.5	2.2	4.91	4.42
KINGS	6402, N	15	0.0	2.5	0.5	0.0	21.3	0.5	4.61	4.33	993	0.0	1.7	0.6	0.3	21.4	2.1	5.39	4.53
KINGS	6428, N	165	0.0	2.2	1.2	0.4	22.4	1.0	4.57	4.55	749	0.0	1.3	0.9	0.3	23.8	1.5	4.58	4.53
KINGS	8011, SV	326	0.0	2.5	0.5	0.4	20.9	1.1	5.07	4.42	727	0.0	1.6	0.4	0.3	20.9	1.5	5.36	4.42
KINGS	0311, AB	36	0.0	3.0	0.4	0.4	21.0	2.4	5.88	4.51	488	0.0	1.5	0.5	0.3	21.4	2.9	5.55	4.50
KINGS	4707, HEINZ	274	0.0	0.3	1.2	0.4	23.0	0.6	4.61	4.45	475	0.0	0.2	1.5	0.4	23.1	0.4	4.53	4.45
KINGS	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	442	0.0	0.1	1.0	0.4	22.0	2.6	4.80	4.33
KINGS	8504, HEINZ	185	0.0	0.7	0.5	0.3	22.5	1.9	5.25	4.42	390	0.0	0.5	0.5	0.3	22.7	2.0	5.23	4.44
KINGS	1428, HZ	38	0.0	0.3	0.9	0.4	21.3	0.9	4.84	4.60	354	0.0	0.3	1.1	0.3	21.7	1.3	5.00	4.51
KINGS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	344	0.0	0.5	1.3	0.5	20.6	0.8	4.91	4.43
KINGS	5655, SV	248	0.0	3.7	0.4	0.2	20.7	0.5	5.11	4.45	310	0.0	3.5	0.4	0.2	20.7	0.5	5.15	4.44
KINGS	4909, HMX	110	0.0	0.8	0.5	0.2	20.5	0.9	5.91	4.24	302	0.0	0.6	0.7	0.2	21.0	0.9	5.90	4.24
KINGS	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	294	0.0	1.8	1.1	0.4	19.7	2.9	5.21	4.50
KINGS	58801, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	292	0.0	0.7	0.7	0.2	22.2	1.9	5.21	4.51
KINGS	5235, HM	51	0.0	11.2	3.0	1.6	22.3	3.6	5.72	4.72	234	0.0	3.0	1.2	0.7	21.4	2.3	5.03	4.55
KINGS	UNCODED	36	0.0	1.8	2.0	0.5	21.9	2.7	5.04	4.47	156	0.0	0.6	1.6	0.3	21.8	1.5	5.22	4.43
KINGS	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	132	0.0	0.2	0.3	0.2	22.4	2.4	5.13	4.53
KINGS	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	116	0.0	0.1	0.2	0.3	21.4	5.3	4.83	4.51
KINGS	1662, HZ	55	0.0	1.2	0.9	0.2	22.5	2.0	4.49	4.53	116	0.0	0.8	0.5	0.3	22.6	2.1	4.80	4.54
KINGS	5508, HZ	110	0.0	0.2	2.1	0.4	22.0	0.5	4.20	4.33	110	0.0	0.2	2.1	0.4	22.0	0.5	4.20	4.33
KINGS	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	108	0.0	2.9	2.7	0.7	23.6	2.9	3.77	4.39
KINGS	0811, BOS	99	0.0	3.0	2.0	0.7	21.1	0.7	5.37	4.44	99	0.0	3.0	2.0	0.7	21.1	0.7	5.37	4.44
KINGS	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	91	0.0	0.9	0.9	0.3	22.0	4.0	4.84	4.64
KINGS	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	58	0.0	0.9	1.0	0.3	23.4	2.2	4.30	4.55
KINGS	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	56	0.0	0.0	1.0	0.1	21.7	2.0	4.76	4.50
KINGS	4521, HMX 61P	43	0.0	0.1	0.1	0.6	22.2	0.5	5.73	4.49	52	0.0	0.1	0.1	0.5	22.2	0.5	5.70	4.48
KINGS	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	37	0.0	0.6	0.9	0.6	22.0	9.9	4.99	4.67
KINGS	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.5	0.4	0.1	22.6	4.5	4.87	4.62
KINGS	58841, HM	18	0.0	4.1	2.0	0.8	21.8	1.6	5.78	4.52	18	0.0	4.1	2.0	0.8	21.8	1.6	5.78	4.52
KINGS	323, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	20.0	0.5	6.10	4.28
KINGS	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.5	21.5	0.5	4.50	4.45
KINGS		5,517	0.0	1.3	0.8	0.4	21.4	1.4	5.30	4.48	35,156	0.0	0.6	1.3	0.4	21.5	1.5	5.12	4.43
MADERA	1428, HZ	187	0.0	0.7	1.9	0.4	20.6	0.3	4.88	4.40	187	0.0	0.7	1.9	0.4	20.6	0.3	4.88	4.40

2018 Processing Tomato Season
 PTAB Analysis (8/18/18) - County by Variety



County	Variety Name	Week Ending 8/18/18										Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	
MADERA	0319, DRI	163	0.0	0.4	0.6	0.3	20.7	1.0	5.74	4.35	163	0.0	0.4	0.6	0.3	20.7	1.0	5.74	4.35	
MADERA	0311, AB	12	0.0	1.2	0.2	0.1	20.7	2.3	5.76	4.34	149	0.0	0.9	0.7	0.3	22.0	3.5	5.47	4.43	
MADERA	4909, HMX	26	0.0	0.9	0.3	0.3	22.3	1.7	5.81	4.28	143	0.0	0.9	0.3	0.2	22.6	1.5	5.83	4.26	
MADERA	1892, HMX	126	0.0	2.6	2.6	0.9	21.3	2.2	5.15	4.57	126	0.0	2.6	2.6	0.9	21.3	2.2	5.15	4.57	
MADERA	2401, HEINZ	76	0.0	1.0	2.6	0.6	21.1	0.4	5.33	4.30	76	0.0	1.0	2.6	0.6	21.1	0.4	5.33	4.30	
MADERA	273, BQ	58	0.0	1.4	0.6	0.5	21.9	2.1	4.69	4.48	58	0.0	1.4	0.6	0.5	21.9	2.1	4.69	4.48	
MADERA	58811, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	0.2	0.1	0.2	22.0	0.6	5.10	4.35	
MADERA	4707, HEINZ	28	0.0	1.6	1.7	1.8	22.6	1.0	5.55	4.44	28	0.0	1.6	1.7	1.8	22.6	1.0	5.55	4.44	
MADERA	58841, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	0.6	0.5	0.3	22.1	1.1	5.81	4.38	
MADERA	8011, SV	5	0.0	1.1	1.2	0.6	20.2	0.1	4.78	4.36	10	0.0	0.7	1.2	0.4	21.2	1.8	5.12	4.40	
MADERA	3887, HM	3	0.0	0.5	0.0	0.0	19.7	0.7	4.93	4.30	3	0.0	0.5	0.0	0.0	19.7	0.7	4.93	4.30	
MADERA		684	0.0	1.1	1.6	0.5	21.0	1.1	5.24	4.41	995	0.0	1.0	1.2	0.4	21.4	1.5	5.35	4.39	
MERCED	0311, AB	324	0.0	2.5	1.7	3.3	21.5	3.2	5.66	4.52	495	0.0	2.0	1.5	2.3	21.8	3.2	5.62	4.50	
MERCED	1892, HMX	289	0.0	1.0	0.4	0.5	22.0	3.0	4.99	4.58	495	0.0	0.7	1.2	1.2	21.4	2.4	5.17	4.54	
MERCED	0319, DRI	368	0.0	1.9	1.5	0.3	21.6	1.7	5.50	4.40	417	0.0	2.0	1.6	0.3	21.7	1.8	5.45	4.40	
MERCED	6428, N	385	0.0	0.4	2.9	1.6	22.2	2.3	5.37	4.53	411	0.0	0.4	2.9	1.6	22.2	2.3	5.37	4.53	
MERCED	4707, HEINZ	283	0.0	0.3	1.9	2.3	23.1	0.8	5.16	4.42	283	0.0	0.3	1.9	2.3	23.1	0.8	5.16	4.42	
MERCED	273, BQ	102	0.0	0.3	0.2	0.2	22.6	1.6	5.19	4.37	207	0.0	0.4	1.2	0.4	23.6	3.0	5.03	4.46	
MERCED	1428, HZ	153	0.0	0.6	3.7	3.6	21.0	0.3	4.60	4.41	160	0.0	0.6	3.6	3.6	21.0	0.3	4.59	4.41	
MERCED	1293, HZ	62	0.0	0.1	0.8	0.4	20.0	0.7	6.21	4.48	102	0.0	0.1	0.8	0.3	20.0	0.7	6.17	4.46	
MERCED	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	0.3	2.0	2.3	20.1	1.7	5.44	4.42	
MERCED	1662, HZ	88	0.0	0.6	1.2	0.8	21.9	0.6	5.28	4.43	88	0.0	0.6	1.2	0.8	21.9	0.6	5.28	4.43	
MERCED	400, BQ	5	0.0	0.6	0.0	0.3	21.1	0.8	4.42	4.55	79	0.0	0.5	1.3	0.2	21.2	1.6	4.65	4.52	
MERCED	3887, HM	74	0.0	0.5	0.3	0.2	20.1	1.0	4.87	4.39	74	0.0	0.5	0.3	0.2	20.1	1.0	4.87	4.39	
MERCED	4885, HMX	70	0.0	0.5	0.1	0.2	21.9	2.3	4.49	4.46	70	0.0	0.5	0.1	0.2	21.9	2.3	4.49	4.46	
MERCED	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	0.6	2.5	0.3	23.3	3.0	4.70	4.50	
MERCED	6402, N	60	0.0	1.0	0.1	0.2	21.2	1.1	4.78	4.55	60	0.0	1.0	0.1	0.2	21.2	1.1	4.78	4.55	
MERCED	398, BQ	48	0.0	1.0	0.5	0.9	21.2	1.0	4.87	4.49	48	0.0	1.0	0.5	0.9	21.2	1.0	4.87	4.49	
MERCED	8011, SV	42	0.0	0.5	0.2	0.2	20.5	1.1	5.01	4.46	42	0.0	0.5	0.2	0.2	20.5	1.1	5.01	4.46	
MERCED	413, BQ	16	0.0	1.5	0.3	0.9	21.2	1.3	4.60	4.61	25	0.0	1.3	0.4	0.6	21.4	1.5	4.57	4.61	
MERCED	108, HYPEEL	18	0.0	0.3	0.2	0.3	21.3	1.6	5.32	4.50	18	0.0	0.3	0.2	0.3	21.3	1.6	5.32	4.50	
MERCED	5702, HZ	12	0.0	0.3	0.8	2.1	20.5	0.3	5.20	4.45	12	0.0	0.3	0.8	2.1	20.5	0.3	5.20	4.45	
MERCED	6404, N	3	0.0	0.5	0.2	0.0	21.2	1.7	4.83	4.53	3	0.0	0.5	0.2	0.0	21.2	1.7	4.83	4.53	
MERCED	2930, K	1	0.0	0.5	0.0	0.5	23.5	1.5	5.20	4.41	1	0.0	0.5	0.0	0.5	23.5	1.5	5.20	4.41	
MERCED	6415, N	1	0.0	3.0	0.0	0.0	20.5	0.5	5.00	4.53	1	0.0	3.0	0.0	0.0	20.5	0.5	5.00	4.53	
MERCED		2,404	0.0	1.0	1.5	1.4	21.8	1.8	5.24	4.47	3,247	0.0	0.9	1.6	1.3	21.8	2.0	5.24	4.47	
SACRAMENTO	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	0.6	1.5	0.8	21.8	1.3	6.87	4.29	
SACRAMENTO		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	0.6	1.5	0.8	21.8	1.3	6.87	4.29	
SAN BENITO	5608, HZ	165	0.0	2.1	0.7	0.5	20.7	2.1	4.52	4.55	319	0.0	1.5	0.7	0.5	20.4	2.1	4.86	4.52	
SAN BENITO	273, BQ	31	0.0	0.3	0.9	0.5	23.1	4.2	5.66	4.59	65	0.0	0.4	1.4	0.5	22.6	4.0	5.68	4.55	

2018 Processing Tomato Season
 PTAB Analysis (8/18/18) - County by Variety



County	Variety Name	Week Ending 8/18/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
SAN BENITO		196	0.0	1.8	0.7	0.5	21.1	2.4	4.70	4.56	384	0.0	1.3	0.8	0.5	20.8	2.4	5.00	4.53
SAN JOAQUIN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	192	0.0	0.3	0.9	0.6	21.5	1.6	5.06	4.40
SAN JOAQUIN	0311, AB	45	0.0	0.7	1.9	0.5	20.9	0.9	5.32	4.26	45	0.0	0.7	1.9	0.5	20.9	0.9	5.32	4.26
SAN JOAQUIN	273, BQ	36	0.0	0.6	0.5	0.2	22.4	1.9	5.76	4.37	36	0.0	0.6	0.5	0.2	22.4	1.9	5.76	4.37
SAN JOAQUIN	3887, HM	28	0.0	0.5	3.0	0.5	20.7	1.9	5.83	4.36	30	0.0	0.5	3.0	0.5	20.7	1.9	5.81	4.35
SAN JOAQUIN	108, HYPEEL	17	0.0	0.1	0.3	0.1	20.7	2.5	5.99	4.42	23	0.0	0.3	0.6	0.3	20.9	2.9	6.28	4.45
SAN JOAQUIN	5900, HM	3	0.0	0.3	0.8	1.0	22.8	0.8	5.17	4.29	3	0.0	0.3	0.8	1.0	22.8	0.8	5.17	4.29
SAN JOAQUIN	373, U	1	0.0	0.5	0.0	0.5	22.5	2.0	5.50	4.38	1	0.0	0.5	0.0	0.5	22.5	2.0	5.50	4.38
SAN JOAQUIN		130	0.0	0.5	1.5	0.4	21.3	1.6	5.64	4.34	330	0.0	0.4	1.2	0.5	21.4	1.6	5.33	4.37
SOLANO	273, BQ	82	0.0	2.0	1.1	0.5	21.8	1.1	5.47	4.30	508	0.0	0.9	0.5	0.4	22.4	0.6	5.28	4.29
SOLANO	4909, HMX	20	0.0	1.3	0.9	0.8	22.1	0.5	6.04	4.26	267	0.0	1.4	1.1	0.8	22.7	0.6	5.47	4.22
SOLANO	6397, N	69	0.0	1.2	0.4	0.1	21.3	0.8	5.49	4.43	242	0.0	0.6	0.2	0.1	22.1	1.4	5.11	4.44
SOLANO	5608, HZ	53	0.0	0.4	2.6	1.6	22.0	0.6	4.60	4.38	232	0.0	0.5	1.8	1.5	22.3	0.7	4.53	4.40
SOLANO	5234, IVF	165	0.0	0.8	0.7	0.5	22.2	2.8	5.25	4.30	207	0.0	0.8	1.0	0.6	22.1	2.5	5.31	4.30
SOLANO	58881, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	180	0.0	0.3	0.4	0.5	21.0	1.1	4.95	4.41
SOLANO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	175	0.0	0.5	1.1	0.8	22.6	1.8	5.27	4.28
SOLANO	3887, HM	111	0.0	0.5	0.2	0.3	21.8	0.6	5.32	4.34	111	0.0	0.5	0.2	0.3	21.8	0.6	5.32	4.34
SOLANO	19406, UG	84	0.0	1.0	0.4	0.5	22.1	0.3	5.83	4.23	89	0.0	1.0	0.4	0.5	22.1	0.3	5.82	4.23
SOLANO	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	0.3	0.1	0.1	21.7	0.5	4.77	4.44
SOLANO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	73	0.0	0.2	0.7	0.2	23.4	0.7	5.27	4.34
SOLANO	8011, SV	71	0.0	1.3	0.3	0.2	21.3	0.2	5.57	4.32	73	0.0	1.3	0.3	0.3	21.3	0.3	5.56	4.31
SOLANO	0811, BOS	23	0.0	1.2	0.5	0.2	21.2	0.5	5.50	4.28	63	0.0	0.8	0.9	0.7	21.1	0.6	5.20	4.24
SOLANO	1082, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	0.6	0.3	0.1	22.2	0.5	5.02	4.27
SOLANO	5900, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	61	0.0	0.8	0.9	0.3	22.2	0.7	5.60	4.26
SOLANO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	58	0.0	0.3	0.7	0.1	21.8	0.4	5.08	4.44
SOLANO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	55	0.0	0.5	3.3	3.2	23.9	3.1	4.75	4.48
SOLANO	0311, AB	48	0.0	0.3	0.1	0.1	21.6	0.5	5.67	4.26	48	0.0	0.3	0.1	0.1	21.6	0.5	5.67	4.26
SOLANO	58811, HM	1	0.0	0.5	0.5	0.0	21.5	1.0	5.20	4.33	26	0.0	0.3	0.7	0.6	20.9	1.8	5.15	4.43
SOLANO	0319, DRI	25	0.0	0.2	0.6	0.3	21.8	1.5	5.85	4.30	25	0.0	0.2	0.6	0.3	21.8	1.5	5.85	4.30
SOLANO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.3	0.6	0.5	22.9	0.8	5.11	4.37
SOLANO	6436, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	1.8	0.8	0.5	22.1	0.6	5.13	4.36
SOLANO	255, CXD	16	0.0	0.6	0.6	0.3	22.5	0.5	4.43	4.30	16	0.0	0.6	0.6	0.3	22.5	0.5	4.43	4.30
SOLANO	312, BQ	1	0.0	0.0	0.0	0.0	21.0	1.0	5.50	4.34	1	0.0	0.0	0.0	0.0	21.0	1.0	5.50	4.34
SOLANO	5235, HM	1	0.0	1.5	0.5	0.0	23.0	3.5	5.30	4.25	1	0.0	1.5	0.5	0.0	23.0	3.5	5.30	4.25
SOLANO		770	0.0	0.9	0.7	0.5	21.8	1.1	5.41	4.31	2,691	0.0	0.7	0.8	0.6	22.2	1.0	5.20	4.33
STANISLAUS	273, BQ	51	0.0	0.1	0.2	0.1	20.9	0.5	5.39	4.24	210	0.0	0.6	0.5	0.2	21.1	0.8	5.66	4.30
STANISLAUS	0311, AB	150	0.0	1.0	0.3	0.0	21.3	1.6	5.66	4.39	156	0.0	1.1	0.3	0.0	21.3	1.6	5.66	4.39
STANISLAUS	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	99	0.0	0.6	0.6	0.2	20.7	2.3	5.21	4.40
STANISLAUS	1082, SVTM	75	0.0	0.9	0.9	0.1	20.7	0.9	5.11	4.33	93	0.0	0.9	0.8	0.1	20.6	1.0	5.07	4.35
STANISLAUS	13, BP	40	0.0	0.8	1.9	0.1	20.4	2.1	4.55	4.50	82	0.0	0.8	1.5	0.1	20.5	2.0	4.60	4.46

2018 Processing Tomato Season
 PTAB Analysis (8/18/18) - County by Variety



County	Variety Name	Week Ending 8/18/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
STANISLAUS	3887, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	72	0.0	2.8	0.8	0.1	21.5	2.0	5.13	4.37
STANISLAUS	1293, HZ	65	0.0	0.2	0.7	0.0	21.2	2.4	5.06	4.59	70	0.0	0.2	0.6	0.1	21.2	2.6	5.10	4.59
STANISLAUS	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	69	0.0	0.2	0.9	0.2	20.3	1.2	5.19	4.44
STANISLAUS	5900, HM	55	0.0	0.5	0.9	0.2	20.8	1.9	6.35	4.36	63	0.0	0.5	0.9	0.2	20.7	1.8	6.40	4.35
STANISLAUS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	0.2	1.0	0.1	20.4	1.7	5.04	4.50
STANISLAUS	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	52	0.0	0.2	0.3	0.1	20.2	1.3	4.94	4.43
STANISLAUS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	0.2	0.2	0.1	20.0	0.9	5.19	4.42
STANISLAUS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.4	0.5	0.3	21.1	2.7	4.83	4.26
STANISLAUS	8011, SV	4	0.1	3.0	0.0	0.0	19.9	0.0	4.93	4.32	21	0.0	1.3	0.0	0.0	20.2	0.1	4.99	4.24
STANISLAUS	9000, SVTM	18	0.0	1.1	0.1	0.0	19.8	2.1	4.86	4.41	18	0.0	1.1	0.1	0.0	19.8	2.1	4.86	4.41
STANISLAUS	108, HYPEEL	7	0.0	0.5	0.5	1.6	22.3	5.4	5.47	4.68	16	0.0	0.3	0.3	1.0	21.9	4.0	5.59	4.65
STANISLAUS	413, BQ	11	0.0	1.9	1.3	0.0	19.9	1.3	4.66	4.52	11	0.0	1.9	1.3	0.0	19.9	1.3	4.66	4.52
STANISLAUS	2493, SV	4	0.0	0.9	0.4	0.0	21.8	4.1	5.23	4.48	8	0.0	0.9	0.2	0.0	21.8	4.2	5.30	4.44
STANISLAUS	2756, SV	8	0.0	0.6	0.2	0.0	20.6	5.1	4.94	4.41	8	0.0	0.6	0.2	0.0	20.6	5.1	4.94	4.41
STANISLAUS	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.0	0.0	21.0	1.5	5.70	4.30
STANISLAUS	205, BQ	1	0.0	0.5	0.0	0.5	21.5	3.0	5.80	4.41	1	0.0	0.5	0.0	0.5	21.5	3.0	5.80	4.41
STANISLAUS		489	0.0	0.7	0.6	0.1	20.9	1.7	5.38	4.41	1,162	0.0	0.8	0.6	0.1	20.8	1.6	5.31	4.40
SUTTER	5608, HZ	122	0.0	1.0	0.6	0.6	21.1	1.1	4.83	4.45	509	0.0	0.9	1.5	0.7	21.6	1.3	4.93	4.45
SUTTER	6428, N	409	0.0	1.0	2.2	0.5	21.8	1.4	4.98	4.46	508	0.0	0.9	2.5	0.5	22.1	1.2	4.92	4.45
SUTTER	273, BQ	14	0.0	1.2	0.3	0.2	19.8	0.6	4.94	4.41	457	0.0	0.7	0.9	0.3	21.8	1.1	5.32	4.39
SUTTER	1422, HZ	89	0.0	0.7	2.1	0.8	22.5	1.4	4.74	4.42	434	0.0	0.5	2.0	1.0	22.8	1.7	4.75	4.43
SUTTER	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	367	0.0	0.4	2.7	1.0	22.2	1.1	4.71	4.49
SUTTER	400, BQ	132	0.0	0.9	0.2	0.2	18.5	0.3	5.10	4.45	330	0.0	0.9	1.0	0.4	20.1	0.8	5.24	4.49
SUTTER	4885, HMX	172	0.0	1.2	1.9	3.4	22.0	0.7	4.81	4.35	237	0.0	1.2	2.0	3.3	22.1	0.7	4.82	4.36
SUTTER	1310, HZ	224	0.0	1.0	2.6	1.2	22.3	1.4	4.74	4.46	224	0.0	1.0	2.6	1.2	22.3	1.4	4.74	4.46
SUTTER	5235, HM	51	0.0	0.5	0.2	0.1	19.6	1.6	5.96	4.40	174	0.0	1.1	1.1	0.6	20.9	2.2	5.27	4.46
SUTTER	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	144	0.0	0.4	3.6	1.0	24.4	1.1	4.81	4.44
SUTTER	5708, HZ	109	0.0	0.7	0.9	3.7	21.3	0.8	4.38	4.41	109	0.0	0.7	0.9	3.7	21.3	0.8	4.38	4.41
SUTTER	6416, N	96	0.0	2.5	1.8	1.9	22.2	2.4	4.60	4.44	108	0.0	2.4	1.9	1.9	22.2	2.5	4.60	4.43
SUTTER	5900, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	98	0.0	0.7	0.2	0.2	21.7	1.5	5.69	4.26
SUTTER	8011, SV	72	0.0	1.0	2.8	8.4	20.5	1.2	5.36	4.46	78	0.0	1.0	2.9	8.4	20.5	1.2	5.38	4.46
SUTTER	1662, HZ	72	0.0	0.7	2.4	0.8	24.4	0.7	4.69	4.39	72	0.0	0.7	2.4	0.8	24.4	0.7	4.69	4.39
SUTTER	3887, HM	32	0.0	1.3	0.1	0.3	21.5	1.6	5.26	4.31	32	0.0	1.3	0.1	0.3	21.5	1.6	5.26	4.31
SUTTER	0319, DRI	26	0.0	1.3	1.3	0.2	20.7	0.4	5.38	4.24	26	0.0	1.3	1.3	0.2	20.7	0.4	5.38	4.24
SUTTER	UNCODED	1	0.0	0.5	0.0	0.0	22.0	0.5	5.40	4.50	1	0.0	0.5	0.0	0.0	22.0	0.5	5.40	4.50
SUTTER	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.0	19.5	1.0	5.20	4.39
SUTTER		1,621	0.0	1.0	1.7	1.5	21.5	1.2	4.90	4.43	3,909	0.0	0.8	1.8	1.1	21.9	1.3	4.96	4.43
TULARE	5608, HZ	134	0.0	6.7	0.8	0.1	20.3	0.3	4.66	4.48	134	0.0	6.7	0.8	0.1	20.3	0.3	4.66	4.48
TULARE		134	0.0	6.7	0.8	0.1	20.3	0.3	4.66	4.48	134	0.0	6.7	0.8	0.1	20.3	0.3	4.66	4.48
YOLO	5608, HZ	533	0.0	0.5	1.4	1.0	21.2	0.6	4.46	4.38	2,457	0.0	0.3	1.0	1.1	21.7	0.5	4.36	4.37

2018 Processing Tomato Season
 PTAB Analysis (8/18/18) - County by Variety



County	Variety Name	Week Ending 8/18/18										Year to Date							
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
YOLO	0311, AB	1,168	0.0	1.1	0.2	0.2	20.4	0.9	5.55	4.32	2,414	0.0	1.0	0.3	0.2	20.4	0.8	5.43	4.30
YOLO	273, BQ	489	0.0	1.7	2.9	0.7	21.3	1.0	5.14	4.36	2,187	0.0	0.7	1.2	0.5	22.3	0.9	5.03	4.34
YOLO	6428, N	1,496	0.0	0.9	2.6	2.6	22.1	0.9	4.61	4.43	1,822	0.0	1.0	2.4	2.2	21.9	0.9	4.72	4.43
YOLO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,004	0.0	0.3	0.7	0.3	22.8	2.7	5.02	4.31
YOLO	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	969	0.0	0.2	1.9	0.9	22.7	1.6	4.40	4.43
YOLO	8011, SV	576	0.0	0.6	1.3	0.3	20.5	0.4	4.92	4.32	801	0.0	0.6	1.0	0.3	20.7	0.4	4.95	4.32
YOLO	4909, HMX	324	0.0	1.1	0.3	0.3	21.8	0.8	4.98	4.26	701	0.0	0.8	0.4	0.2	22.3	0.8	5.10	4.25
YOLO	3887, HM	414	0.0	1.3	0.3	0.2	21.6	0.9	4.98	4.41	659	0.0	0.9	0.2	0.2	21.4	0.6	4.99	4.38
YOLO	4885, HMX	471	0.0	0.6	2.0	1.0	21.6	0.8	4.55	4.28	471	0.0	0.6	2.0	1.0	21.6	0.8	4.55	4.28
YOLO	141, BQ	3	0.0	0.8	0.2	0.0	20.7	1.3	4.27	4.38	455	0.0	0.3	3.1	0.5	21.4	2.0	4.62	4.41
YOLO	5708, HZ	357	0.0	0.3	1.8	1.4	21.6	0.5	4.19	4.32	409	0.0	0.3	1.9	1.4	21.7	0.5	4.20	4.32
YOLO	0319, DRI	212	0.0	0.2	0.2	0.3	20.4	0.7	5.52	4.31	386	0.0	0.6	0.3	0.3	20.5	0.5	4.96	4.35
YOLO	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	326	0.0	0.2	0.4	0.4	22.0	1.1	4.64	4.54
YOLO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	326	0.0	0.2	1.6	0.6	24.1	2.1	4.18	4.41
YOLO	255, CXD	49	0.0	0.6	0.7	0.3	21.6	0.9	4.86	4.31	293	0.0	0.4	0.6	0.2	24.3	1.4	4.56	4.36
YOLO	16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	259	0.0	0.6	0.5	0.4	21.4	0.4	5.04	4.43
YOLO	1428, HZ	233	0.0	0.3	1.7	0.7	21.0	0.5	4.38	4.33	252	0.0	0.3	1.9	0.6	21.1	0.5	4.37	4.33
YOLO	6397, N	28	0.0	1.3	0.3	0.4	21.2	0.6	5.15	4.39	229	0.0	0.4	0.3	0.2	21.2	0.5	4.85	4.36
YOLO	19406, UG	226	0.0	0.7	0.5	0.1	21.7	0.6	5.18	4.25	226	0.0	0.7	0.5	0.1	21.7	0.6	5.18	4.25
YOLO	1310, HZ	92	0.0	0.4	2.7	1.2	22.0	0.7	4.11	4.36	224	0.0	0.3	3.7	0.8	22.6	0.6	4.34	4.39
YOLO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	200	0.0	0.2	0.8	0.4	22.0	1.3	4.80	4.33
YOLO	2493, SV	179	0.0	0.6	0.2	0.2	20.7	1.1	4.43	4.40	179	0.0	0.6	0.2	0.2	20.7	1.1	4.43	4.40
YOLO	5234, IVF	148	0.0	0.9	0.4	0.2	21.5	1.3	4.96	4.27	176	0.0	0.8	0.4	0.2	21.5	1.4	4.98	4.27
YOLO	0599, SV	71	0.0	1.1	0.6	0.3	22.3	0.5	4.71	4.28	164	0.0	0.7	0.6	0.2	22.8	0.7	4.97	4.34
YOLO	1082, SVTM	159	0.0	0.5	0.6	0.3	21.2	0.3	5.22	4.29	161	0.0	0.5	0.6	0.3	21.2	0.3	5.21	4.29
YOLO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	158	0.0	0.1	2.6	0.3	23.7	1.5	4.58	4.42
YOLO	0811, BOS	135	0.0	0.2	0.4	0.1	21.3	0.5	4.74	4.26	136	0.0	0.2	0.4	0.1	21.3	0.5	4.74	4.26
YOLO	58881, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	132	0.0	0.3	0.4	0.2	20.9	1.1	4.38	4.40
YOLO	58801, HM	37	0.0	0.3	1.6	0.1	21.0	0.6	5.98	4.35	119	0.0	0.2	0.7	0.1	20.7	0.5	5.59	4.40
YOLO	4521, HMX 61P	83	0.0	0.2	0.1	0.3	21.7	0.1	4.88	4.28	106	0.0	0.2	0.1	0.3	21.7	0.1	4.91	4.28
YOLO	1422, HZ	69	0.0	0.3	2.4	0.3	22.2	1.4	4.85	4.39	80	0.0	0.3	2.5	0.4	22.3	1.2	4.84	4.39
YOLO	1293, HZ	46	0.0	0.1	0.5	0.2	19.3	0.4	5.80	4.48	78	0.0	0.1	0.4	0.2	19.3	0.4	5.81	4.48
YOLO	58841, HM	72	0.0	1.6	0.8	0.3	21.3	0.2	5.29	4.35	72	0.0	1.6	0.8	0.3	21.3	0.2	5.29	4.35
YOLO	5235, HM	26	0.0	0.4	0.8	1.4	19.4	0.7	5.35	4.34	61	0.0	0.7	0.9	1.1	19.7	0.6	5.36	4.35
YOLO	9000, SVTM	5	0.0	1.2	0.1	0.3	21.3	0.3	5.48	4.43	48	0.0	0.5	0.3	0.2	21.5	0.3	4.69	4.43
YOLO	1311, HZ	5	0.0	0.6	0.1	0.0	20.4	0.6	5.76	4.31	47	0.0	0.4	0.1	0.1	20.6	0.9	5.69	4.36
YOLO	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	46	0.0	0.6	0.6	0.1	22.0	0.5	5.11	4.38
YOLO	1538, HZ	40	0.0	2.5	2.9	2.2	25.5	2.8	5.34	4.49	40	0.0	2.5	2.9	2.2	25.5	2.8	5.34	4.49
YOLO	398, BQ	38	0.0	0.3	2.5	0.1	20.5	0.3	5.57	4.26	38	0.0	0.3	2.5	0.1	20.5	0.3	5.57	4.26
YOLO	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	38	0.0	0.6	0.2	0.1	20.9	0.6	4.85	4.50

2018 Processing Tomato Season
 PTAB Analysis (8/18/18) - County by Variety



County	Variety Name	Week Ending 8/18/18										Year to Date									
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH		
YOLO	16609, UG	10	0.0	0.7	0.2	0.2	21.5	1.4	5.36	4.32	32	0.0	0.5	0.2	0.2	21.6	1.3	5.35	4.29		
YOLO	6436, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	1.0	0.9	0.5	23.5	1.4	4.42	4.48		
YOLO	6440, N	24	0.0	2.5	0.5	0.5	21.7	0.2	5.40	4.41	24	0.0	2.5	0.5	0.5	21.7	0.2	5.40	4.41		
YOLO	UNCODED	1	0.0	2.5	0.0	0.5	20.5	1.0	4.60	4.38	12	0.0	0.3	7.2	0.3	22.0	0.5	4.74	4.42		
YOLO	58811, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	0.4	0.2	0.3	20.5	0.7	4.51	4.48		
YOLO	6429, N	9	0.0	0.2	0.3	0.1	22.5	0.8	4.40	4.38	9	0.0	0.2	0.3	0.1	22.5	0.8	4.40	4.38		
YOLO	7885, HMX	9	0.0	2.2	0.7	0.1	21.4	2.2	5.52	4.48	9	0.0	2.2	0.7	0.1	21.4	2.2	5.52	4.48		
YOLO	6441, N	5	0.0	0.5	0.2	0.1	20.9	0.3	4.82	4.40	5	0.0	0.5	0.2	0.1	20.9	0.3	4.82	4.40		
YOLO	4707, HEINZ	4	0.0	0.3	2.1	0.3	23.3	0.3	4.30	4.26	4	0.0	0.3	2.1	0.3	23.3	0.3	4.30	4.26		
YOLO	42, BP	3	0.0	0.8	0.2	0.2	22.2	0.2	4.80	4.35	3	0.0	0.8	0.2	0.2	22.2	0.2	4.80	4.35		
YOLO	1765, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.2	0.0	22.2	0.5	5.10	4.30		
YOLO	43, BP	2	0.0	0.0	0.0	0.0	21.8	0.0	5.20	4.26	2	0.0	0.0	0.0	0.0	21.8	0.0	5.20	4.26		
YOLO	411, BQ	2	0.0	0.5	0.8	0.3	20.8	0.0	4.80	4.31	2	0.0	0.5	0.8	0.3	20.8	0.0	4.80	4.31		
YOLO	422, BQ	2	0.0	0.0	0.3	0.0	22.0	0.0	4.85	4.27	2	0.0	0.0	0.3	0.0	22.0	0.0	4.85	4.27		
YOLO	1776, HZ	2	0.0	0.3	0.0	0.0	21.8	0.0	5.40	4.32	2	0.0	0.3	0.0	0.0	21.8	0.0	5.40	4.32		
YOLO	4326, HMX 61P	2	0.0	1.5	0.8	0.3	22.8	1.8	5.75	4.38	2	0.0	1.5	0.8	0.3	22.8	1.8	5.75	4.38		
YOLO	6415, N	2	0.0	0.0	0.0	0.0	22.0	0.3	4.75	4.22	2	0.0	0.0	0.0	0.0	22.0	0.3	4.75	4.22		
YOLO	9003, SVTM	2	0.0	0.0	0.3	0.0	22.3	0.3	5.40	4.16	2	0.0	0.0	0.3	0.0	22.3	0.3	5.40	4.16		
YOLO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	21.0	0.5	5.00	4.24		
YOLO	20, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.0	20.5	0.0	4.70	4.46		
YOLO		7,863	0.0	0.8	1.4	0.9	21.3	0.8	4.90	4.35	19,107	0.0	0.6	1.1	0.7	21.7	0.9	4.84	4.36		