

2018 Processing Tomato Season
 PTAB Analysis (9/29/18) - County by Variety



County	Variety Name	Week Ending 9/29/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
BUTTE	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	646	0.0	2.2	1.4	1.6	21.7	0.9	4.79	4.38
BUTTE	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	312	0.0	1.8	0.9	1.8	20.7	0.6	4.66	4.40
BUTTE	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	185	0.0	3.2	1.5	2.0	21.3	0.8	4.81	4.51
BUTTE	5708, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	113	0.0	1.5	2.4	1.0	20.7	0.9	4.57	4.41
BUTTE	6428, N	15	0.0	1.3	0.1	0.0	21.2	1.4	5.80	4.55	15	0.0	1.3	0.1	0.0	21.2	1.4	5.80	4.55
BUTTE		15	0.0	1.3	0.1	0.0	21.2	1.4	5.80	4.55	1,271	0.0	2.2	1.4	1.6	21.3	0.8	4.76	4.41
COLUSA	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,256	0.0	1.2	2.4	1.0	22.4	0.9	4.88	4.40
COLUSA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,109	0.0	0.8	1.7	0.7	21.7	1.2	5.12	4.37
COLUSA	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,180	0.0	0.2	1.0	0.7	21.6	1.1	4.91	4.48
COLUSA	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,069	0.0	1.7	3.1	1.3	20.9	0.7	4.73	4.48
COLUSA	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,055	0.0	0.4	2.0	1.0	22.3	1.8	4.59	4.44
COLUSA	6428, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,741	0.0	1.0	3.5	0.8	22.7	1.1	4.62	4.48
COLUSA	1428, HZ	1	0.0	5.5	5.5	0.5	23.0	1.0	5.30	4.55	1,502	0.0	4.2	4.4	2.1	21.7	0.5	4.62	4.46
COLUSA	1662, HZ	2	0.0	0.8	3.0	1.8	21.5	1.5	4.30	4.50	1,197	0.0	1.4	2.3	0.9	21.7	1.3	5.06	4.47
COLUSA	1310, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,066	0.0	1.4	2.1	1.3	21.8	0.9	4.65	4.49
COLUSA	5708, HZ	74	0.0	1.8	3.3	1.8	21.6	0.8	3.98	4.37	1,026	0.0	1.2	2.9	1.1	20.9	0.5	4.71	4.39
COLUSA	2401, HEINZ	79	0.0	1.9	2.3	1.5	21.8	1.0	4.65	4.42	885	0.0	0.9	1.7	2.0	22.0	0.9	4.43	4.31
COLUSA	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	789	0.0	0.8	1.2	1.3	22.4	1.6	4.45	4.46
COLUSA	4885, HMX	10	0.0	4.5	3.6	0.5	21.9	1.3	5.02	4.49	753	0.0	2.3	1.9	0.5	22.0	0.8	4.49	4.36
COLUSA	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	655	0.0	0.6	1.6	1.1	21.8	1.6	4.77	4.38
COLUSA	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	456	0.0	0.3	0.7	0.5	20.6	1.4	4.97	4.52
COLUSA	1422, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	451	0.0	1.7	2.8	2.6	21.2	1.3	4.51	4.48
COLUSA	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	356	0.0	0.4	3.2	0.5	22.7	0.6	4.86	4.25
COLUSA	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	343	0.0	2.2	6.4	1.0	22.2	3.3	4.24	4.49
COLUSA	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	339	0.0	1.5	3.9	0.8	20.9	0.7	4.55	4.44
COLUSA	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	269	0.0	2.2	1.4	0.5	23.6	2.8	4.45	4.55
COLUSA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	257	0.0	0.6	0.6	0.2	23.4	1.7	4.60	4.51
COLUSA	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	230	0.0	0.2	1.0	2.3	23.1	3.6	4.77	4.43
COLUSA	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	190	0.0	1.1	0.3	0.5	20.9	1.9	5.63	4.37
COLUSA	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	111	0.0	1.6	0.3	0.3	19.9	0.7	5.36	4.33
COLUSA	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	103	0.0	0.6	0.5	0.2	20.5	0.3	5.01	4.44
COLUSA	6426, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	100	0.0	0.3	0.7	1.7	21.8	1.2	4.46	4.42
COLUSA	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	94	0.0	2.0	1.0	0.5	21.5	1.1	4.56	4.59
COLUSA	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	68	0.0	2.1	3.1	0.9	21.8	0.7	5.08	4.50
COLUSA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	1.0	0.2	0.3	19.7	0.5	5.95	4.38
COLUSA	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	37	0.0	1.5	3.2	1.5	21.5	1.1	4.80	4.52
COLUSA	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	0.9	2.5	1.8	21.6	1.2	4.77	4.46
COLUSA	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.1	0.1	0.3	19.9	0.9	5.23	4.47
COLUSA	6440, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.3	0.8	0.3	20.0	0.5	4.97	4.45
COLUSA	6441, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.7	0.5	0.2	19.3	0.8	5.03	4.49
COLUSA		166	0.0	2.0	2.9	1.6	21.7	0.9	4.38	4.40	25,782	0.0	1.2	2.3	1.1	21.9	1.1	4.77	4.43

2018 Processing Tomato Season
 PTAB Analysis (9/29/18) - County by Variety



County	Variety Name	Week Ending 9/29/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
CONTRA COSTA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,594	0.0	0.8	0.4	0.2	20.8	1.0	5.09	4.42
CONTRA COSTA	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,894	0.0	2.3	0.9	0.2	20.1	1.0	5.46	4.37
CONTRA COSTA	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	677	0.0	0.3	0.6	0.2	20.7	0.8	5.48	4.40
CONTRA COSTA	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	307	0.0	0.2	0.9	0.2	22.3	3.2	5.18	4.24
CONTRA COSTA	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	244	0.0	0.8	0.5	0.2	20.4	0.3	5.11	4.49
CONTRA COSTA	66509, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	238	0.0	0.1	0.6	0.1	21.5	1.9	4.78	4.35
CONTRA COSTA	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	167	0.0	0.1	0.7	0.3	20.5	1.6	5.33	4.31
CONTRA COSTA	5900, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	137	0.0	0.3	0.9	0.1	20.6	1.2	5.62	4.37
CONTRA COSTA	410, APT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	42	0.0	0.1	0.2	0.0	22.2	3.3	4.92	4.32
CONTRA COSTA	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.0	0.6	0.0	19.5	0.1	5.00	4.45
CONTRA COSTA	1765, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.1	0.5	0.1	19.9	1.0	5.33	4.37
CONTRA COSTA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	0.5	0.0	20.2	0.2	5.30	4.34
CONTRA COSTA	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	0.5	0.0	20.2	0.0	4.87	4.42
CONTRA COSTA	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.0	0.3	0.3	20.0	0.8	4.75	4.52
CONTRA COSTA	11336, USAT	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	1.0	0.0	19.8	0.5	5.25	4.33
CONTRA COSTA		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,318	0.0	1.1	0.6	0.2	20.7	1.1	5.25	4.39
FRESNO	273, BQ	22	0.0	1.8	3.3	0.6	21.8	2.1	5.27	4.47	20,772	0.0	0.4	1.2	0.6	21.1	1.4	5.26	4.38
FRESNO	0311, AB	145	0.0	4.3	2.9	0.4	20.7	1.4	6.20	4.42	19,033	0.0	2.2	1.0	0.6	20.7	2.1	5.72	4.44
FRESNO	8011, SV	1	0.0	5.0	5.0	0.5	21.0	0.5	6.00	4.37	8,898	0.0	1.7	0.9	0.7	20.6	1.0	5.28	4.45
FRESNO	2401, HEINZ	691	0.0	4.1	2.3	0.9	21.6	1.2	5.02	4.45	8,647	0.0	1.8	1.6	0.6	21.7	1.2	4.75	4.42
FRESNO	0319, DRI	528	0.0	1.5	1.8	0.4	21.1	2.0	6.40	4.36	8,270	0.0	2.4	0.9	0.4	21.6	2.5	5.84	4.47
FRESNO	4707, HEINZ	493	0.0	1.4	1.5	0.5	21.9	0.5	4.89	4.49	8,269	0.0	2.4	1.8	0.9	22.7	0.6	4.81	4.47
FRESNO	1428, HZ	620	0.0	4.9	2.3	0.7	21.9	0.5	4.68	4.57	7,338	0.0	2.1	1.9	0.9	21.1	0.6	4.83	4.52
FRESNO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,164	0.0	0.3	0.7	0.4	20.9	2.7	5.29	4.44
FRESNO	6415, N	288	0.0	5.8	1.1	0.2	21.3	1.4	5.16	4.52	5,381	0.0	1.8	1.1	0.3	21.5	1.3	4.77	4.46
FRESNO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,823	0.0	0.2	0.8	0.4	21.4	1.8	4.75	4.36
FRESNO	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,813	0.0	1.9	0.8	0.5	20.7	1.7	4.89	4.48
FRESNO	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,255	0.0	0.3	1.1	0.9	20.6	1.3	5.07	4.50
FRESNO	6428, N	368	0.0	2.2	2.1	1.3	21.6	1.7	5.04	4.56	4,102	0.0	1.5	1.3	0.5	21.7	1.5	4.90	4.49
FRESNO	4885, HMX	91	0.0	4.4	2.2	1.0	20.6	0.6	5.31	4.47	3,660	0.0	2.4	0.7	0.4	20.7	0.9	5.04	4.42
FRESNO	2756, SV	107	0.0	12.5	2.0	0.7	24.1	0.4	4.66	4.61	3,587	0.0	1.1	1.3	0.5	21.8	0.8	4.86	4.49
FRESNO	1293, HZ	47	0.0	1.6	1.4	0.8	20.4	1.2	5.83	4.44	3,554	0.0	1.3	0.9	0.6	20.6	1.4	5.49	4.55
FRESNO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,227	0.0	0.1	0.9	0.5	21.3	1.8	5.26	4.34
FRESNO	7885, HMX	351	0.0	1.4	1.9	0.5	21.4	1.1	4.88	4.55	3,028	0.0	1.0	0.6	0.2	21.3	1.0	4.91	4.58
FRESNO	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,357	0.0	0.8	0.7	1.2	20.7	1.5	5.36	4.51
FRESNO	3887, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,283	0.0	1.3	1.1	0.3	21.1	1.8	5.53	4.47
FRESNO	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,137	0.0	1.8	0.3	0.3	21.3	1.1	5.41	4.32
FRESNO	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,014	0.0	1.7	0.6	0.3	21.2	1.4	5.10	4.55
FRESNO	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,983	0.0	0.5	0.4	0.3	20.4	1.7	5.42	4.46
FRESNO	5702, HZ	102	0.0	3.5	1.9	1.2	21.5	0.8	4.64	4.57	1,624	0.0	2.9	2.0	0.8	21.0	0.5	4.63	4.54

2018 Processing Tomato Season
 PTAB Analysis (9/29/18) - County by Variety



County	Variety Name	Week Ending 9/29/18										Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	
FRESNO	6426, N	122	0.0	6.6	0.9	0.4	21.5	1.2	5.22	4.48	1,609	0.0	1.7	0.6	0.3	20.5	1.8	4.90	4.51	
FRESNO	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,480	0.0	5.6	2.3	0.7	19.9	1.4	4.65	4.46	
FRESNO	6434, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,389	0.0	1.6	0.6	0.3	21.9	1.5	5.17	4.48	
FRESNO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,377	0.0	0.8	0.5	0.3	20.8	1.9	5.38	4.39	
FRESNO	15212, UG	31	0.0	2.2	0.4	0.2	21.2	1.1	5.17	4.45	1,333	0.0	1.7	0.8	0.4	21.5	1.0	4.53	4.43	
FRESNO	0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,178	0.0	1.4	1.2	0.5	20.2	0.7	4.99	4.40	
FRESNO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,166	0.0	0.5	0.7	0.6	20.8	2.5	5.49	4.53	
FRESNO	16112, UG	100	0.0	0.8	2.4	1.0	21.0	0.5	5.12	4.33	839	0.0	1.0	1.0	0.3	21.4	0.6	4.84	4.40	
FRESNO	19406, UG	112	0.0	1.6	3.1	1.0	21.5	1.6	5.53	4.35	819	0.0	1.0	1.3	0.4	21.0	1.1	5.54	4.39	
FRESNO	5728, HZ	183	0.0	3.3	1.9	0.7	21.2	0.3	4.52	4.54	790	0.0	8.1	2.2	0.7	21.9	0.6	4.49	4.58	
FRESNO	1082, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	772	0.0	0.7	1.1	0.7	21.2	2.0	5.42	4.36	
FRESNO	5508, HZ	288	0.0	6.2	1.3	0.3	21.8	0.7	4.68	4.57	767	0.0	4.6	1.1	0.3	22.1	0.7	4.54	4.53	
FRESNO	8504, HEINZ	27	0.0	1.0	1.8	0.7	21.6	2.5	5.64	4.58	760	0.0	1.5	0.5	0.4	21.6	1.4	5.25	4.48	
FRESNO	9436, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	473	0.0	0.8	1.5	0.4	20.3	1.5	4.76	4.44	
FRESNO	5715, HZ	212	0.0	5.5	1.3	0.5	22.0	0.4	4.95	4.52	382	0.0	4.6	1.2	0.4	22.2	0.4	4.97	4.51	
FRESNO	1662, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	304	0.0	1.5	1.7	0.8	21.5	0.6	5.08	4.53	
FRESNO	5655, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	297	0.0	8.3	1.5	0.6	21.8	0.9	4.96	4.60	
FRESNO	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	269	0.0	0.2	1.8	0.4	21.4	2.3	5.02	4.37	
FRESNO	6133, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	265	0.0	2.2	0.3	0.2	20.9	1.1	5.34	4.54	
FRESNO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	261	0.0	0.3	1.1	0.2	20.8	3.1	5.31	4.50	
FRESNO	401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	253	0.0	0.2	0.6	0.3	21.3	0.8	5.15	4.43	
FRESNO	58871, HM	135	0.0	5.4	1.4	0.2	23.1	0.8	5.01	4.44	230	0.0	4.9	1.6	0.3	22.7	1.1	5.46	4.49	
FRESNO	4521, HMX 61P	54	0.0	3.1	2.3	0.2	22.4	2.8	4.92	4.44	212	0.0	2.8	2.3	0.3	22.4	1.8	4.98	4.42	
FRESNO	5710, HZ	81	0.0	7.3	0.8	0.5	21.4	0.4	4.89	4.55	201	0.0	7.3	0.6	0.7	21.8	0.8	4.86	4.58	
FRESNO	9007, SVTM	50	0.0	5.6	0.4	0.2	22.0	2.4	5.75	4.61	182	0.0	3.6	0.9	0.6	21.7	1.6	5.31	4.58	
FRESNO	58811, HM	61	0.0	2.9	1.0	0.9	22.9	1.7	5.30	4.42	169	0.0	1.6	0.5	0.5	21.6	0.9	5.09	4.41	
FRESNO	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	140	0.0	0.6	0.6	1.0	22.4	3.2	5.02	4.51	
FRESNO	27713, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	132	0.0	4.4	1.1	0.4	19.9	3.9	5.86	4.58	
FRESNO	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	127	0.0	1.0	1.3	0.4	20.9	2.2	4.82	4.49	
FRESNO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	127	0.0	0.1	0.4	0.5	20.3	0.9	5.73	4.37	
FRESNO	58841, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	124	0.0	1.4	0.4	0.5	20.8	0.7	5.38	4.45	
FRESNO	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	119	0.0	0.2	0.3	0.3	21.1	1.1	4.99	4.46	
FRESNO	58881, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	100	0.0	0.1	0.3	0.2	20.2	1.1	4.89	4.40	
FRESNO	1765, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	91	0.0	0.1	0.4	0.3	21.4	3.8	5.90	4.51	
FRESNO	5900, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	88	0.0	4.3	0.4	0.2	22.8	4.1	5.18	4.57	
FRESNO	58801, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	87	0.0	0.7	1.1	0.3	23.8	3.5	5.64	4.53	
FRESNO	1776, HZ	4	0.0	7.5	1.3	0.0	21.8	0.5	5.20	4.61	82	0.0	2.6	1.2	0.2	20.7	0.5	4.76	4.45	
FRESNO	1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	78	0.0	1.5	0.8	0.4	19.5	2.2	5.00	4.46	
FRESNO	UNCODED	9	0.0	7.7	1.3	0.1	21.6	0.4	4.74	4.58	75	0.0	1.8	0.8	1.1	20.9	0.9	4.91	4.44	
FRESNO	6410, N	75	0.0	5.7	1.0	0.7	22.7	2.2	5.13	4.55	75	0.0	5.7	1.0	0.7	22.7	2.2	5.13	4.55	

2018 Processing Tomato Season
 PTAB Analysis (9/29/18) - County by Variety



County	Variety Name	Week Ending 9/29/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
FRESNO	6441, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	55	0.0	0.6	1.0	0.1	21.0	0.7	4.97	4.40
FRESNO	398, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	45	0.0	2.7	1.8	0.2	20.9	1.0	4.87	4.41
FRESNO	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	0.9	0.4	0.3	20.4	5.6	4.98	4.46
FRESNO	5708, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	1.5	5.2	1.6	20.7	1.0	5.23	4.50
FRESNO	MISC TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	2.3	2.7	0.2	21.3	1.9	5.03	4.45
FRESNO	6440, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.1	0.4	0.0	22.7	1.8	4.63	4.44
FRESNO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	1.4	0.8	0.3	21.2	1.4	5.43	4.47
FRESNO	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	1.2	1.5	0.4	20.7	3.4	4.58	4.39
FRESNO	422, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	1.9	0.1	0.1	21.2	4.8	4.86	4.52
FRESNO	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	0.4	0.2	0.1	20.8	2.1	5.08	4.35
FRESNO	411, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	3.0	0.2	0.4	20.8	4.7	5.09	4.47
FRESNO	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.6	0.5	0.7	22.0	2.0	4.83	4.54
FRESNO	9003, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.1	1.2	0.4	21.7	0.4	6.03	4.29
FRESNO	1813, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.7	1.5	0.3	21.5	1.4	5.04	4.40
FRESNO	5522, HMX 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.3	0.8	0.5	19.6	0.3	5.33	4.29
FRESNO	43, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	3.3	2.8	1.2	20.8	1.2	5.27	4.45
FRESNO	1885, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.7	0.5	0.0	20.5	0.5	5.03	4.41
FRESNO	6429, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	3.7	0.5	0.3	20.0	1.3	4.77	4.53
FRESNO	16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.0	0.3	19.5	0.8	5.85	4.29
FRESNO	42, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	2.3	1.5	0.3	20.5	1.5	5.00	4.47
FRESNO	108, HYPEEL	2	0.0	2.3	1.5	0.0	21.3	5.5	4.80	4.79	2	0.0	2.3	1.5	0.0	21.3	5.5	4.80	4.79
FRESNO	163, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	1.5	19.5	3.0	5.70	4.40
FRESNO	270, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	20.0	0.5	5.50	4.29
FRESNO	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	1.0	21.0	0.5	5.80	4.25
FRESNO	2303, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.5	20.5	1.5	6.50	4.41
FRESNO	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	20.5	0.5	5.90	4.30
FRESNO		5,400	0.0	3.8	1.8	0.6	21.7	1.1	5.12	4.49	159,804	0.0	1.5	1.1	0.6	21.2	1.5	5.18	4.45
GLENN	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	566	0.0	2.7	3.1	2.4	21.2	0.5	4.45	4.49
GLENN	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	535	0.0	4.5	4.9	1.4	21.9	0.4	4.27	4.50
GLENN	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	238	0.0	3.6	1.1	1.9	23.1	1.6	4.39	4.41
GLENN	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	140	0.0	4.2	1.3	1.5	22.4	1.4	4.98	4.61
GLENN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	121	0.0	2.0	3.8	1.5	21.8	1.0	5.19	4.38
GLENN	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	105	0.0	3.6	2.6	1.8	21.4	0.5	4.94	4.33
GLENN	5708, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	88	0.0	1.4	1.5	0.9	20.4	0.5	4.92	4.41
GLENN	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	66	0.0	3.2	3.6	1.8	20.4	1.0	4.74	4.46
GLENN	9007, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	2.5	1.3	3.5	21.5	0.8	4.85	4.54
GLENN		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,872	0.0	3.4	3.2	1.8	21.7	0.7	4.54	4.47
KERN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,628	0.0	0.7	1.1	0.4	21.4	1.7	5.05	4.37
KERN	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,339	0.0	0.5	0.7	0.3	21.0	1.3	4.90	4.47
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,329	0.0	0.4	0.8	0.5	20.9	1.5	5.08	4.44

2018 Processing Tomato Season
 PTAB Analysis (9/29/18) - County by Variety



County	Variety Name	Week Ending 9/29/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
KERN	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	992	0.0	0.5	1.2	1.1	20.7	1.1	5.17	4.50
KERN	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	852	0.0	1.7	0.2	0.3	22.1	1.7	5.06	4.34
KERN	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	703	0.0	2.4	0.3	0.5	20.8	1.7	4.99	4.44
KERN	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	591	0.0	2.7	0.5	0.5	22.1	1.0	4.68	4.55
KERN	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	509	0.0	0.9	2.6	0.8	21.2	1.3	4.65	4.36
KERN	3887, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	497	0.0	0.8	0.8	0.4	21.8	1.0	5.17	4.45
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	352	0.0	0.6	2.7	0.5	20.7	2.5	4.63	4.40
KERN	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	282	0.0	2.4	0.5	0.4	22.7	0.7	4.27	4.38
KERN	1170, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	250	0.0	0.7	1.0	0.1	21.6	0.9	4.86	4.40
KERN	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	238	0.0	2.1	0.9	0.7	22.6	0.7	5.26	4.38
KERN	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	238	0.0	4.5	0.2	0.2	22.9	1.4	4.77	4.49
KERN	6428, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	198	0.0	0.5	2.4	0.1	21.6	0.8	5.10	4.43
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	186	0.0	0.4	1.5	0.4	21.3	1.9	4.93	4.36
KERN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	134	0.0	0.4	1.5	0.1	22.5	2.5	4.83	4.46
KERN	1662, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	124	0.0	2.2	0.3	1.1	21.6	0.3	4.65	4.47
KERN	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	119	0.0	0.1	1.1	0.3	24.0	1.0	4.46	4.41
KERN	6436, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	0.6	0.7	0.3	21.2	1.8	4.61	4.54
KERN	6426, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	1.1	0.5	0.1	21.9	3.6	4.64	4.53
KERN	9007, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	0.6	0.9	0.1	21.2	0.8	5.14	4.44
KERN	58811, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	1.3	1.5	0.3	21.0	0.8	5.62	4.43
KERN	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	2.5	0.0	0.0	22.3	0.3	4.15	4.37
KERN		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14,702	0.0	1.0	0.9	0.5	21.3	1.4	4.96	4.43
KINGS	2756, SV	2,948	0.0	2.0	2.5	0.5	22.1	0.8	5.25	4.47	15,885	0.0	1.4	1.8	0.6	21.8	1.0	5.25	4.50
KINGS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9,221	0.0	0.2	1.7	0.5	21.8	1.4	5.14	4.37
KINGS	3887, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7,808	0.0	1.5	1.0	0.4	21.5	1.9	5.73	4.53
KINGS	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,961	0.0	1.9	1.7	0.5	20.5	0.8	5.00	4.42
KINGS	4885, HMX	30	0.0	6.8	1.5	1.0	20.9	0.6	5.31	4.58	3,959	0.0	2.0	0.9	0.5	21.1	1.0	5.24	4.38
KINGS	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,725	0.0	3.9	0.6	0.5	21.7	1.1	4.99	4.46
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,576	0.0	0.2	2.4	0.3	21.6	2.0	4.45	4.35
KINGS	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,549	0.0	0.2	1.8	0.7	21.1	1.8	4.83	4.52
KINGS	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,387	0.0	1.0	1.1	0.3	21.8	1.3	4.72	4.44
KINGS	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,256	0.0	4.0	1.4	0.4	21.3	0.8	4.80	4.56
KINGS	4707, HEINZ	57	0.0	5.3	2.5	0.7	22.8	0.6	4.61	4.55	1,098	0.0	1.6	2.1	0.5	22.7	0.5	4.57	4.47
KINGS	6428, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,086	0.0	1.2	1.0	0.3	23.4	1.5	4.81	4.52
KINGS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	995	0.0	0.7	1.3	0.5	21.5	2.2	4.91	4.42
KINGS	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	993	0.0	1.7	0.6	0.3	21.4	2.1	5.39	4.53
KINGS	5508, HZ	317	0.0	1.5	1.9	0.4	21.2	0.5	4.77	4.49	913	0.0	1.5	2.0	0.5	21.6	0.5	4.62	4.45
KINGS	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	792	0.0	1.9	0.4	0.3	20.9	1.4	5.35	4.42
KINGS	5655, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	610	0.0	3.6	0.6	0.3	20.9	1.0	5.36	4.50
KINGS	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	488	0.0	1.5	0.5	0.3	21.4	2.9	5.55	4.50

2018 Processing Tomato Season
 PTAB Analysis (9/29/18) - County by Variety



County	Variety Name	Week Ending 9/29/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
KINGS	UNCODED	49	0.0	1.9	2.0	0.3	21.7	0.7	5.27	4.45	483	0.0	1.9	1.8	0.4	21.4	0.9	5.35	4.44
KINGS	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	442	0.0	0.1	1.0	0.4	22.0	2.6	4.80	4.33
KINGS	16112, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	349	0.0	0.5	1.7	0.4	21.2	0.4	5.29	4.40
KINGS	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	344	0.0	2.6	0.9	0.6	21.2	2.3	5.33	4.54
KINGS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	344	0.0	0.5	1.3	0.5	20.6	0.8	4.91	4.43
KINGS	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	313	0.0	6.5	2.7	0.9	22.1	0.9	4.47	4.49
KINGS	58801, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	309	0.0	0.8	0.7	0.3	22.1	1.9	5.26	4.51
KINGS	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	302	0.0	0.6	0.7	0.2	21.0	0.9	5.90	4.24
KINGS	0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	301	0.0	2.8	1.1	0.5	20.8	0.5	5.21	4.46
KINGS	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	294	0.0	1.8	1.1	0.4	19.7	2.9	5.21	4.50
KINGS	58841, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	256	0.0	2.7	1.5	0.7	21.7	1.4	6.03	4.50
KINGS	58811, HM	39	0.0	2.6	2.8	0.2	22.3	1.0	5.77	4.42	237	0.0	2.7	2.8	0.8	21.8	0.9	5.66	4.44
KINGS	4521, HMX 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	230	0.0	1.8	0.7	0.7	21.9	0.5	5.59	4.41
KINGS	5728, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	203	0.0	1.9	5.1	0.7	20.6	0.6	4.39	4.51
KINGS	5702, HZ	55	0.0	7.3	2.3	1.0	21.7	0.8	4.93	4.59	136	0.0	6.3	2.9	0.9	21.5	1.0	4.80	4.58
KINGS	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	132	0.0	0.2	0.3	0.2	22.4	2.4	5.13	4.53
KINGS	1662, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	131	0.0	1.0	0.5	0.3	22.6	2.0	4.84	4.54
KINGS	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	116	0.0	0.1	0.2	0.3	21.4	5.3	4.83	4.51
KINGS	9491, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	108	0.0	2.9	2.7	0.7	23.6	2.9	3.77	4.39
KINGS	9007, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	104	0.0	2.2	2.6	0.9	22.0	1.4	4.99	4.55
KINGS	6426, N	42	0.0	2.4	1.8	0.7	21.0	1.4	5.52	4.46	92	0.0	6.1	1.4	0.5	21.3	1.4	5.39	4.52
KINGS	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	91	0.0	0.9	0.9	0.3	22.0	4.0	4.84	4.64
KINGS	5710, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	90	0.0	10.3	0.5	1.0	22.0	0.7	4.59	4.61
KINGS	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	3.4	1.2	0.4	22.1	1.0	4.58	4.66
KINGS	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	58	0.0	0.9	1.0	0.3	23.4	2.2	4.30	4.55
KINGS	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	56	0.0	0.0	1.0	0.1	21.7	2.0	4.76	4.50
KINGS	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	37	0.0	0.6	0.9	0.6	22.0	9.9	4.99	4.67
KINGS	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.5	0.4	0.1	22.6	4.5	4.87	4.62
KINGS	398, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	3.2	2.0	0.1	21.1	2.1	5.21	4.49
KINGS	000, MISC	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	4.0	1.0	0.0	21.5	0.5	5.30	4.48
KINGS	323, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	20.0	0.5	6.10	4.28
KINGS	1776, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	4.5	0.5	21.0	1.0	4.80	4.35
KINGS		3,537	0.0	2.1	2.4	0.5	22.0	0.8	5.21	4.47	61,978	0.0	1.5	1.5	0.5	21.5	1.3	5.18	4.46
MADERA	1428, HZ	229	0.0	3.5	4.4	0.9	20.9	0.4	4.68	4.54	2,172	0.0	3.2	4.0	0.9	21.0	0.5	4.55	4.54
MADERA	6415, N	778	0.0	5.6	4.8	0.9	21.7	1.1	4.60	4.50	1,598	0.0	4.3	3.1	0.7	21.3	1.2	4.64	4.48
MADERA	4707, HEINZ	109	0.0	5.0	4.5	0.5	22.9	0.9	4.21	4.46	1,106	0.0	2.1	5.0	1.0	22.6	0.6	4.72	4.48
MADERA	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	863	0.0	6.1	5.2	1.4	21.1	2.2	5.34	4.50
MADERA	1662, HZ	219	0.0	6.6	3.1	1.6	22.0	1.4	4.61	4.59	707	0.0	4.5	5.5	1.1	22.0	1.2	4.64	4.57
MADERA	8011, SV	109	0.0	15.9	8.1	1.9	22.0	1.5	4.88	4.59	614	0.0	5.3	2.6	0.7	20.9	0.7	4.86	4.47
MADERA	4885, HMX	27	0.0	4.4	1.7	0.2	20.9	1.7	5.64	4.44	505	0.0	5.4	1.4	0.3	21.1	1.3	4.92	4.47

2018 Processing Tomato Season
 PTAB Analysis (9/29/18) - County by Variety



County	Variety Name	Week Ending 9/29/18										Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	
MADERA	6428, N	51	0.0	5.6	6.4	2.8	22.2	2.2	4.78	4.59	486	0.0	4.9	3.0	0.5	21.9	0.9	4.65	4.55	
MADERA	5702, HZ	198	0.0	3.2	3.4	1.5	21.4	1.0	4.74	4.57	459	0.0	2.5	2.2	1.1	21.2	0.9	4.74	4.55	
MADERA	5508, HZ	141	0.0	1.1	1.1	0.0	20.9	0.2	4.49	4.40	413	0.0	1.6	1.4	0.1	20.8	0.3	4.44	4.40	
MADERA	8504, HEINZ	8	0.0	3.6	0.9	1.7	21.3	0.6	5.25	4.51	380	0.0	2.6	0.9	0.9	20.9	0.6	5.12	4.41	
MADERA	19406, UG	257	0.0	3.3	2.6	0.2	20.9	1.3	5.03	4.36	320	0.0	3.3	2.5	0.2	20.9	1.4	5.05	4.36	
MADERA	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	312	0.0	3.1	2.2	1.0	21.3	1.7	5.01	4.58	
MADERA	4326, HMX 61P	221	0.0	9.8	7.1	2.2	21.9	3.7	5.56	4.57	308	0.0	8.4	6.8	2.3	21.9	3.8	5.56	4.55	
MADERA	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	279	0.0	0.8	0.8	0.4	20.8	1.1	5.71	4.37	
MADERA	2401, HEINZ	135	0.0	4.4	3.4	0.4	22.3	1.1	4.36	4.42	253	0.0	3.2	2.7	0.6	21.9	0.8	4.87	4.40	
MADERA	16112, UG	168	0.0	3.3	1.4	0.3	22.3	0.5	4.56	4.61	224	0.0	2.8	1.6	0.5	22.1	0.5	4.55	4.58	
MADERA	3887, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	180	0.0	3.2	1.5	0.4	20.6	0.5	4.88	4.48	
MADERA	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	143	0.0	0.9	0.3	0.2	22.6	1.5	5.83	4.26	
MADERA	58841, HM	41	0.0	11.8	9.9	0.6	22.2	1.7	5.43	4.54	97	0.0	5.9	4.7	0.3	21.7	1.1	5.34	4.46	
MADERA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	86	0.0	1.6	0.9	0.6	21.7	1.7	4.62	4.47	
MADERA	2756, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	68	0.0	0.9	1.6	0.1	22.2	2.3	4.61	4.58	
MADERA	15212, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	62	0.0	1.5	1.8	0.7	21.3	0.9	4.29	4.40	
MADERA	7885, HMX	30	0.0	1.7	0.3	0.1	22.0	0.8	5.09	4.58	30	0.0	1.7	0.3	0.1	22.0	0.8	5.09	4.58	
MADERA	58811, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	0.2	0.1	0.2	22.0	0.6	5.10	4.35	
MADERA	58801, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	1.0	0.8	0.4	20.8	3.1	5.38	4.43	
MADERA	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.0	0.3	21.3	1.0	4.85	4.51	
MADERA	0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	4.0	1.0	1.0	21.5	0.5	5.00	4.41	
MADERA		2,721	0.0	5.4	4.2	1.0	21.7	1.3	4.74	4.51	11,710	0.0	3.7	3.3	0.8	21.4	1.1	4.82	4.50	
MERCED	4707, HEINZ	799	0.0	1.2	2.5	1.1	22.4	0.6	4.78	4.47	5,565	0.0	0.7	2.0	1.0	22.6	0.8	4.82	4.46	
MERCED	6428, N	608	0.0	4.6	1.5	0.5	22.2	2.4	4.88	4.53	4,961	0.0	2.4	2.2	1.0	21.9	1.9	4.78	4.54	
MERCED	2401, HEINZ	1,112	0.0	2.2	2.5	0.8	21.7	1.4	4.92	4.38	4,467	0.0	1.4	1.8	0.6	21.6	1.2	4.64	4.36	
MERCED	1428, HZ	446	0.0	1.3	2.7	1.2	21.0	0.7	5.18	4.40	2,904	0.0	1.2	1.5	1.2	21.1	0.7	4.78	4.51	
MERCED	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,652	0.0	3.7	1.3	1.0	20.6	1.2	5.01	4.52	
MERCED	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,523	0.0	2.6	2.1	1.0	21.0	2.5	5.65	4.48	
MERCED	6415, N	471	0.0	2.3	3.9	1.4	21.3	1.4	4.73	4.48	1,784	0.0	1.3	2.4	0.9	20.9	1.4	4.93	4.46	
MERCED	5702, HZ	5	0.0	1.3	2.5	1.1	19.5	0.8	4.76	4.51	1,596	0.0	0.9	1.2	1.4	21.0	0.8	4.80	4.56	
MERCED	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,346	0.0	2.9	1.3	0.6	20.6	1.9	4.70	4.46	
MERCED	0319, DRI	49	0.0	1.9	1.0	0.2	21.5	2.5	6.16	4.41	1,320	0.0	1.6	0.9	0.2	21.1	1.6	5.76	4.40	
MERCED	1662, HZ	82	0.0	2.4	1.8	1.0	22.2	1.6	5.08	4.54	1,139	0.0	1.2	0.9	0.8	22.2	1.9	4.86	4.54	
MERCED	1892, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,103	0.0	1.3	1.1	0.9	21.3	2.4	5.22	4.55	
MERCED	19406, UG	212	0.0	1.4	1.7	1.0	21.8	0.9	5.26	4.31	690	0.0	2.7	1.4	0.8	21.6	1.0	5.02	4.36	
MERCED	8504, HEINZ	117	0.0	2.2	2.2	0.9	21.7	0.9	4.71	4.39	651	0.0	1.3	2.0	1.0	21.1	0.9	4.90	4.39	
MERCED	1293, HZ	96	0.0	4.4	1.3	0.6	20.5	1.8	5.65	4.53	570	0.0	2.8	1.2	0.7	20.5	1.5	5.57	4.55	
MERCED	5715, HZ	360	0.0	1.6	2.1	1.2	20.8	0.5	5.10	4.40	566	0.0	1.8	1.8	0.9	20.8	0.5	4.94	4.41	
MERCED	4885, HMX	3	0.0	4.8	1.8	0.2	20.8	2.0	5.43	4.39	502	0.0	1.6	0.7	0.3	20.8	1.2	4.56	4.42	
MERCED	1175, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	436	0.0	0.8	0.8	0.1	20.2	0.4	4.66	4.58	

2018 Processing Tomato Season
 PTAB Analysis (9/29/18) - County by Variety



County	Variety Name	Week Ending 9/29/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
MERCED	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	405	0.0	1.1	1.3	0.4	22.3	2.2	4.84	4.44
MERCED	9663, HEINZ	86	0.0	26.1	1.7	1.8	21.5	1.9	4.42	4.59	339	0.0	15.2	1.8	1.5	20.9	2.2	4.53	4.56
MERCED	3887, HM	24	0.0	3.0	2.0	1.3	21.1	1.2	5.33	4.42	257	0.0	1.1	1.2	0.5	20.4	1.5	5.16	4.40
MERCED	6434, N	23	0.0	2.1	0.8	0.2	22.3	2.3	5.52	4.58	256	0.0	3.2	1.4	0.6	22.3	1.7	4.87	4.54
MERCED	6420, N	65	0.0	3.9	0.6	0.2	20.9	2.0	5.26	4.56	235	0.0	2.4	0.4	0.2	21.1	1.5	5.00	4.55
MERCED	16112, UG	123	0.0	4.3	2.0	0.7	21.4	2.4	5.08	4.41	211	0.0	2.6	1.3	0.4	21.2	1.4	4.98	4.40
MERCED	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	186	0.0	0.8	0.6	0.1	21.3	1.3	4.59	4.57
MERCED	2756, SV	1	0.0	0.5	2.5	1.5	23.0	2.5	4.80	4.45	176	0.0	2.6	1.3	1.0	22.2	1.5	4.69	4.49
MERCED	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	136	0.0	2.7	4.0	1.4	20.8	1.5	4.92	4.60
MERCED	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	127	0.0	5.5	1.8	1.2	20.7	3.7	4.83	4.52
MERCED	58801, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	127	0.0	2.1	1.7	0.3	21.0	3.0	5.09	4.48
MERCED	6426, N	3	0.0	6.7	1.7	0.5	24.0	1.7	4.43	4.48	125	0.0	1.8	0.6	0.3	20.6	1.1	4.85	4.44
MERCED	398, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	124	0.0	1.8	0.7	0.6	20.7	0.9	4.83	4.51
MERCED	1082, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	117	0.0	0.5	1.6	1.4	21.1	1.5	5.79	4.38
MERCED	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	92	0.0	0.3	2.0	2.3	20.1	1.7	5.44	4.42
MERCED	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	76	0.0	1.6	3.6	2.1	23.6	14.9	4.30	4.53
MERCED	7885, HMX	15	0.0	0.6	0.6	0.1	20.8	0.9	5.03	4.53	75	0.0	0.9	0.6	0.2	20.9	0.8	5.11	4.57
MERCED	6407, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	65	0.0	0.8	0.8	0.3	20.6	1.1	5.97	4.40
MERCED	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	0.6	2.5	0.3	23.3	3.0	4.70	4.50
MERCED	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	1.0	0.1	0.2	21.2	1.1	4.78	4.55
MERCED	HEINZ TRIAL	46	0.0	3.1	1.9	0.4	21.2	1.8	4.79	4.46	48	0.0	3.2	1.9	0.4	21.2	1.8	4.79	4.47
MERCED	5508, HZ	32	0.0	1.5	1.2	0.1	20.8	0.4	4.33	4.52	32	0.0	1.5	1.2	0.1	20.8	0.4	4.33	4.52
MERCED	0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	3.2	0.0	0.0	22.2	0.7	4.24	4.53
MERCED	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	1.3	0.4	0.6	21.4	1.5	4.57	4.61
MERCED	9007, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.9	1.1	0.3	21.0	1.6	4.60	4.56
MERCED	6440, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	2.4	1.9	0.2	21.6	1.1	4.66	4.55
MERCED	6441, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	3.5	2.1	0.2	21.5	1.6	4.73	4.55
MERCED	1310, HZ	9	0.0	1.3	1.3	0.3	21.1	1.4	5.27	4.61	9	0.0	1.3	1.3	0.3	21.1	1.4	5.27	4.61
MERCED	1115, FM	5	0.0	0.6	2.9	0.6	20.1	1.0	4.94	4.39	5	0.0	0.6	2.9	0.6	20.1	1.0	4.94	4.39
MERCED	MISC TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	4.9	1.0	0.4	21.6	1.8	4.50	4.56
MERCED	5710, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.2	2.0	0.3	20.3	0.3	4.43	4.44
MERCED	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.5	0.2	0.0	21.2	1.7	4.83	4.53
MERCED		4,792	0.0	2.7	2.3	0.9	21.6	1.3	4.95	4.44	38,224	0.0	1.9	1.7	0.9	21.5	1.4	4.92	4.48
SACRAMENTO	0319, DRI	22	0.0	1.7	0.8	1.0	22.5	1.4	5.57	4.34	423	0.0	1.1	0.5	0.5	21.5	2.0	5.80	4.40
SACRAMENTO	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	239	0.0	0.5	3.7	5.8	21.7	0.4	5.17	4.35
SACRAMENTO	5900, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	181	0.0	1.2	0.8	0.8	21.8	1.3	5.27	4.32
SACRAMENTO	2401, HEINZ	19	0.0	0.5	4.4	8.8	22.6	1.1	4.45	4.28	146	0.0	0.5	7.4	8.6	22.8	1.0	4.50	4.25
SACRAMENTO	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	125	0.0	1.0	2.1	0.5	21.3	1.4	5.83	4.29
SACRAMENTO	0311, AB	16	0.0	1.1	0.6	0.6	22.8	1.0	5.79	4.40	108	0.0	1.6	1.2	0.4	21.0	0.8	5.54	4.29
SACRAMENTO	2756, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	105	0.0	0.5	0.5	0.2	21.3	1.1	4.42	4.55

2018 Processing Tomato Season
 PTAB Analysis (9/29/18) - County by Variety



County	Variety Name	Week Ending 9/29/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
SACRAMENTO	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	102	0.0	0.3	0.2	0.4	20.6	0.2	4.91	4.52
SACRAMENTO	4885, HMX	65	0.0	1.9	2.9	0.6	20.8	0.9	5.14	4.35	98	0.0	2.2	3.3	0.5	21.0	0.9	5.35	4.34
SACRAMENTO	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	42	0.0	0.7	0.8	0.8	20.4	0.4	6.02	4.51
SACRAMENTO	3888, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	36	0.0	0.7	1.9	0.4	21.1	0.3	5.46	4.47
SACRAMENTO	1015, HEINZ	21	0.0	0.1	0.7	0.7	21.6	0.4	5.31	4.28	21	0.0	0.1	0.7	0.7	21.6	0.4	5.31	4.28
SACRAMENTO	6407, N	14	0.0	1.9	0.3	0.5	23.2	0.3	5.15	4.38	14	0.0	1.9	0.3	0.5	23.2	0.3	5.15	4.38
SACRAMENTO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.5	0.3	0.2	21.2	2.0	5.73	4.41
SACRAMENTO		157	0.0	1.4	2.0	1.6	21.8	0.9	5.21	4.34	1,643	0.0	0.9	2.0	2.0	21.5	1.1	5.34	4.37
SAN BENITO	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	476	0.0	2.5	0.8	0.5	20.5	2.1	4.73	4.53
SAN BENITO	6366, SUN	124	0.0	1.0	0.5	0.2	20.2	1.9	6.26	4.35	159	0.0	0.9	0.6	0.2	20.1	1.9	6.39	4.35
SAN BENITO	15212, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	147	0.0	2.5	1.1	0.2	21.0	0.4	4.64	4.39
SAN BENITO	2756, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	130	0.0	0.2	3.8	1.4	21.8	0.5	4.94	4.38
SAN BENITO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	65	0.0	0.4	1.4	0.5	22.6	4.0	5.68	4.55
SAN BENITO	6415, N	50	0.0	0.6	5.8	1.1	21.5	0.8	7.07	4.38	50	0.0	0.6	5.8	1.1	21.5	0.8	7.07	4.38
SAN BENITO		174	0.0	0.9	2.1	0.5	20.6	1.5	6.49	4.36	1,027	0.0	1.7	1.5	0.6	20.9	1.7	5.17	4.46
SAN JOAQUIN	0319, DRI	1,098	0.0	1.6	0.6	0.4	21.8	3.7	5.40	4.43	3,999	0.0	1.3	0.6	0.2	21.4	2.8	5.53	4.42
SAN JOAQUIN	0311, AB	692	0.0	3.2	1.0	0.3	20.7	1.3	5.66	4.37	3,741	0.0	2.2	1.0	0.3	20.6	1.2	5.60	4.35
SAN JOAQUIN	4707, HEINZ	478	0.0	0.6	0.9	1.0	23.3	0.7	4.55	4.38	1,671	0.0	0.6	2.1	1.0	22.8	0.6	4.69	4.39
SAN JOAQUIN	6428, N	1,124	0.0	1.7	1.6	0.6	22.2	1.7	4.70	4.50	1,543	0.0	2.0	1.5	0.6	22.2	1.7	4.69	4.49
SAN JOAQUIN	6415, N	497	0.0	0.9	3.6	1.3	21.3	0.9	5.13	4.39	1,246	0.0	0.9	2.4	1.3	21.5	1.1	4.99	4.40
SAN JOAQUIN	8011, SV	435	0.0	2.6	0.2	0.1	20.3	1.2	4.86	4.41	1,183	0.0	2.1	0.5	0.3	20.3	1.0	5.13	4.40
SAN JOAQUIN	9780, HEINZ	320	0.0	2.1	0.3	0.2	20.8	2.4	5.31	4.39	1,158	0.0	1.2	0.3	0.3	20.9	2.1	5.57	4.39
SAN JOAQUIN	1293, HZ	519	0.0	1.4	1.0	0.3	20.7	1.0	5.55	4.50	1,145	0.0	1.2	1.0	0.3	20.7	1.0	5.55	4.51
SAN JOAQUIN	1428, HZ	110	0.0	0.8	2.6	2.3	21.0	0.9	4.65	4.55	1,135	0.0	0.6	2.5	1.3	20.8	0.5	4.89	4.41
SAN JOAQUIN	8504, HEINZ	140	0.0	1.4	3.6	2.0	21.8	1.1	4.88	4.38	809	0.0	1.0	3.3	1.5	22.1	1.2	4.78	4.40
SAN JOAQUIN	9905, HARRIS MORAN	217	0.0	1.0	2.7	0.2	21.8	1.2	5.25	4.46	698	0.0	0.8	2.5	0.5	21.7	0.9	5.16	4.48
SAN JOAQUIN	4885, HMX	569	0.0	1.3	1.4	0.4	20.9	0.8	4.74	4.35	677	0.0	1.3	1.4	0.4	21.1	0.8	4.74	4.35
SAN JOAQUIN	273, BQ	25	0.0	1.5	2.5	0.4	21.4	1.5	5.12	4.44	642	0.0	0.6	1.4	0.2	21.2	1.0	5.32	4.37
SAN JOAQUIN	1892, HMX	175	0.0	1.6	2.3	0.6	21.5	2.0	5.03	4.50	609	0.0	0.9	2.2	0.7	21.3	1.2	4.97	4.46
SAN JOAQUIN	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	608	0.0	0.8	2.6	1.4	20.6	0.6	4.59	4.47
SAN JOAQUIN	5608, HZ	190	0.0	2.1	2.1	0.7	21.0	1.6	4.66	4.51	567	0.0	2.6	1.8	0.8	20.8	2.1	4.51	4.51
SAN JOAQUIN	1082, SVTM	62	0.0	0.5	0.5	0.0	22.0	2.4	5.18	4.32	399	0.0	1.7	0.4	0.2	21.6	2.2	5.40	4.35
SAN JOAQUIN	5900, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	313	0.0	1.0	0.9	0.3	21.4	1.3	5.35	4.36
SAN JOAQUIN	6420, N	74	0.0	1.0	0.3	0.1	21.3	1.6	4.79	4.56	279	0.0	0.8	0.6	0.1	21.2	1.2	4.95	4.47
SAN JOAQUIN	19406, UG	8	0.0	1.8	1.1	0.2	21.8	1.1	4.91	4.42	274	0.0	0.7	1.3	0.1	21.5	0.4	5.42	4.31
SAN JOAQUIN	1662, HZ	38	0.0	3.6	0.8	1.4	22.6	2.7	4.62	4.55	251	0.0	1.7	1.5	1.3	21.9	1.5	4.90	4.48
SAN JOAQUIN	3888, HM	194	0.0	0.6	1.2	0.8	21.9	0.7	5.51	4.41	207	0.0	0.6	1.3	0.8	21.9	0.7	5.50	4.41
SAN JOAQUIN	3887, HM	73	0.0	3.0	0.5	0.1	20.5	0.4	5.44	4.41	204	0.0	1.9	1.0	0.2	20.3	1.1	5.64	4.41
SAN JOAQUIN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	192	0.0	0.3	0.9	0.6	21.5	1.6	5.06	4.40
SAN JOAQUIN	1161, HEINZ	85	0.0	2.0	0.5	0.2	21.4	1.7	5.42	4.37	188	0.0	1.6	0.8	0.4	21.7	1.3	5.41	4.33

2018 Processing Tomato Season
PTAB Analysis (9/29/18) - County by Variety



County	Variety Name	Week Ending 9/29/18										Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	
SAN JOAQUIN	4909, HMX	73	0.0	3.1	1.4	0.1	20.8	0.4	6.15	4.28	188	0.0	2.6	1.0	0.2	20.6	0.6	6.20	4.29	
SAN JOAQUIN	6434, N	27	0.0	0.5	0.6	0.4	21.9	0.7	4.96	4.31	167	0.0	1.5	0.3	0.2	22.1	1.4	4.76	4.45	
SAN JOAQUIN	9436, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	165	0.0	2.0	1.5	0.6	20.1	2.1	4.88	4.50	
SAN JOAQUIN	2756, SV	122	0.0	0.6	2.8	5.1	22.4	0.8	4.79	4.39	122	0.0	0.6	2.8	5.1	22.4	0.8	4.79	4.39	
SAN JOAQUIN	2401, HEINZ	39	0.0	0.6	4.0	0.9	21.6	0.4	4.61	4.33	91	0.0	0.5	3.5	0.8	21.9	0.7	4.47	4.29	
SAN JOAQUIN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	50	0.0	1.1	1.7	0.2	21.3	2.2	5.17	4.48	
SAN JOAQUIN	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	50	0.0	6.2	0.3	0.1	20.5	2.8	5.15	4.54	
SAN JOAQUIN	4521, HMX 61P	13	0.0	0.6	3.4	0.3	21.4	1.0	5.26	4.50	49	0.0	0.4	1.5	0.1	21.2	0.6	5.32	4.42	
SAN JOAQUIN	1292, HZ	1	0.0	1.5	1.0	0.0	20.0	0.5	5.20	4.56	48	0.0	0.3	0.9	0.1	21.0	3.0	5.79	4.44	
SAN JOAQUIN	1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	1.8	0.9	0.1	20.0	3.0	5.22	4.42	
SAN JOAQUIN	9003, SVTM	31	0.0	0.5	0.6	0.3	22.4	1.1	5.45	4.30	33	0.0	0.5	0.6	0.3	22.5	1.1	5.44	4.29	
SAN JOAQUIN	4326, HMX 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.6	0.5	0.3	20.7	0.6	5.50	4.36	
SAN JOAQUIN	MIX	5	0.0	1.4	0.9	0.0	21.7	2.0	5.38	4.41	28	0.0	0.8	1.4	0.1	21.1	1.6	5.61	4.42	
SAN JOAQUIN	1538, HZ	21	0.0	0.5	0.3	0.3	21.7	1.9	5.28	4.48	21	0.0	0.5	0.3	0.3	21.7	1.9	5.28	4.48	
SAN JOAQUIN	58811, HM	21	0.0	1.6	0.5	0.5	21.1	1.2	4.98	4.42	21	0.0	1.6	0.5	0.5	21.1	1.2	4.98	4.42	
SAN JOAQUIN	43, BP	7	0.0	0.8	0.9	0.6	21.7	0.7	6.41	4.29	7	0.0	0.8	0.9	0.6	21.7	0.7	6.41	4.29	
SAN JOAQUIN	0811, BOS	6	0.0	3.7	0.1	0.1	20.3	2.8	4.63	4.47	7	0.0	3.4	0.2	0.1	20.3	2.6	4.71	4.47	
SAN JOAQUIN	MISC TRIAL	6	0.0	4.4	0.9	0.2	21.8	2.0	4.67	4.54	6	0.0	4.4	0.9	0.2	21.8	2.0	4.67	4.54	
SAN JOAQUIN	42, BP	5	0.0	0.2	0.5	0.3	20.6	3.5	5.70	4.33	5	0.0	0.2	0.5	0.3	20.6	3.5	5.70	4.33	
SAN JOAQUIN	6440, N	3	0.0	0.0	1.8	0.2	22.3	0.3	4.90	4.35	3	0.0	0.0	1.8	0.2	22.3	0.3	4.90	4.35	
SAN JOAQUIN	108, HYPEEL	2	0.0	1.0	0.5	0.0	21.5	1.3	5.10	4.49	2	0.0	1.0	0.5	0.0	21.5	1.3	5.10	4.49	
SAN JOAQUIN	1893, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	1.5	0.0	21.8	2.3	5.05	4.49	
SAN JOAQUIN	HEINZ TRIAL	1	0.0	0.5	1.0	3.0	23.0	1.5	5.80	4.55	1	0.0	0.5	1.0	3.0	23.0	1.5	5.80	4.55	
SAN JOAQUIN	5508, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	0.0	20.0	6.0	4.10	4.50	
SAN JOAQUIN	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	22.0	1.0	5.00	4.37	
SAN JOAQUIN	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.0	0.0	21.5	1.0	5.90	4.34	
SAN JOAQUIN	58801, HM	1	0.0	2.0	0.5	0.0	20.5	3.0	4.30	4.42	1	0.0	2.0	0.5	0.0	20.5	3.0	4.30	4.42	
SAN JOAQUIN		7,507	0.0	1.6	1.4	0.6	21.5	1.6	5.10	4.43	24,873	0.0	1.4	1.4	0.6	21.3	1.4	5.20	4.41	
SANTA CLARA	273, BQ	254	0.0	1.7	4.4	1.8	21.3	1.0	4.51	4.41	303	0.0	1.5	4.1	2.0	21.3	1.1	4.62	4.41	
SANTA CLARA	1892, HMX	53	0.0	0.5	3.0	3.8	21.1	1.2	4.72	4.43	114	0.0	0.4	2.7	2.7	20.9	1.1	4.87	4.43	
SANTA CLARA	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	90	0.0	1.9	3.9	2.8	20.8	0.8	4.76	4.42	
SANTA CLARA		307	0.0	1.5	4.1	2.2	21.3	1.0	4.55	4.41	507	0.0	1.3	3.8	2.3	21.1	1.0	4.70	4.41	
SOLANO	0319, DRI	474	0.0	0.9	0.6	0.6	22.2	2.7	6.04	4.38	2,066	0.0	1.1	0.8	0.6	21.8	2.0	5.74	4.39	
SOLANO	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,445	0.0	0.8	2.4	1.3	21.1	0.7	4.90	4.41	
SOLANO	19406, UG	225	0.0	2.5	0.7	1.0	22.2	1.0	5.58	4.33	1,286	0.0	1.3	0.5	0.5	21.6	0.9	5.64	4.30	
SOLANO	4885, HMX	370	0.0	1.8	0.5	0.4	20.9	0.6	5.13	4.33	1,040	0.0	1.7	0.3	0.4	20.8	0.6	5.20	4.33	
SOLANO	0311, AB	31	0.0	2.0	0.9	0.6	21.8	3.5	6.92	4.43	876	0.0	1.4	0.5	0.4	20.8	1.1	5.64	4.36	
SOLANO	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	608	0.0	1.7	0.6	0.4	22.3	0.7	5.34	4.25	
SOLANO	5708, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	590	0.0	0.7	1.4	1.6	20.6	0.7	4.87	4.36	
SOLANO	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	579	0.0	0.8	1.0	1.3	20.4	0.6	4.87	4.40	

2018 Processing Tomato Season
 PTAB Analysis (9/29/18) - County by Variety



County	Variety Name	Week Ending 9/29/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
SOLANO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	508	0.0	0.9	0.5	0.4	22.4	0.6	5.28	4.29
SOLANO	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	490	0.0	1.4	0.3	0.4	21.6	1.5	5.00	4.38
SOLANO	849, HYPEEL	433	0.0	1.2	1.7	0.4	21.7	0.7	4.70	4.35	453	0.0	1.2	1.7	0.4	21.7	0.7	4.72	4.35
SOLANO	3887, HM	10	0.0	1.2	3.8	1.2	21.2	0.8	6.37	4.29	420	0.0	0.9	0.7	0.4	21.3	0.7	5.31	4.36
SOLANO	5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	389	0.0	0.9	0.7	0.5	22.3	2.7	5.10	4.34
SOLANO	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	358	0.0	0.5	1.2	1.1	21.9	0.6	4.56	4.38
SOLANO	0811, BOS	44	0.0	0.9	0.6	0.4	21.0	0.8	5.71	4.35	272	0.0	1.0	0.5	0.5	20.6	0.5	5.34	4.33
SOLANO	6420, N	76	0.0	2.2	1.5	0.5	21.2	2.2	5.64	4.52	262	0.0	1.8	1.9	0.9	20.9	1.7	5.28	4.48
SOLANO	58811, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	259	0.0	0.7	0.3	0.3	21.0	0.9	5.29	4.39
SOLANO	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	255	0.0	1.1	0.3	0.3	21.8	1.5	4.68	4.36
SOLANO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	242	0.0	0.6	0.2	0.1	22.1	1.4	5.11	4.44
SOLANO	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	221	0.0	0.3	0.9	0.7	22.3	0.4	4.69	4.36
SOLANO	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	186	0.0	0.9	1.2	0.5	20.8	1.1	5.69	4.51
SOLANO	58881, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	180	0.0	0.3	0.4	0.5	21.0	1.1	4.95	4.41
SOLANO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	175	0.0	0.5	1.1	0.8	22.6	1.8	5.27	4.28
SOLANO	5508, HZ	88	0.0	1.1	0.2	0.0	20.5	0.6	4.59	4.40	124	0.0	1.0	0.2	0.1	20.5	0.5	4.63	4.37
SOLANO	58841, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	120	0.0	1.5	0.4	0.3	21.6	0.6	5.39	4.36
SOLANO	6434, N	1	0.0	3.5	1.0	0.0	23.0	0.0	4.70	4.46	96	0.0	1.3	0.1	0.1	21.8	0.7	5.00	4.42
SOLANO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	88	0.0	0.4	0.8	0.3	23.2	1.0	5.39	4.36
SOLANO	5900, HM	8	0.0	0.8	1.7	0.4	21.0	0.8	5.75	4.23	88	0.0	0.8	1.3	0.4	21.9	0.8	5.67	4.25
SOLANO	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	0.3	0.1	0.1	21.7	0.5	4.77	4.44
SOLANO	9905, HARRIS MORAN	73	0.0	3.2	0.5	0.2	21.7	1.2	5.00	4.55	79	0.0	3.1	0.5	0.2	21.7	1.2	4.99	4.55
SOLANO	1082, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	63	0.0	0.6	0.3	0.1	22.2	0.5	5.02	4.27
SOLANO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	58	0.0	0.3	0.7	0.1	21.8	0.4	5.08	4.44
SOLANO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	56	0.0	1.4	0.1	0.1	22.3	1.2	5.50	4.55
SOLANO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	55	0.0	0.5	3.3	3.2	23.9	3.1	4.75	4.48
SOLANO	4521, HMX 61P	37	0.0	2.2	1.4	0.4	21.3	0.8	5.36	4.36	37	0.0	2.2	1.4	0.4	21.3	0.8	5.36	4.36
SOLANO	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	0.2	0.3	0.7	20.1	0.6	4.97	4.51
SOLANO	MISC EXP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	28	0.0	1.1	0.2	0.6	21.2	0.7	5.64	4.37
SOLANO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.3	0.6	0.5	22.9	0.8	5.11	4.37
SOLANO	6436, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	1.8	0.8	0.5	22.1	0.6	5.13	4.36
SOLANO	1310, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	0.8	0.8	0.3	22.8	6.6	5.23	4.38
SOLANO	401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	1.3	0.5	0.0	22.5	1.1	5.37	4.55
SOLANO	3888, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.7	3.0	1.2	20.7	1.2	5.83	4.39
SOLANO	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.8	0.3	0.3	22.8	3.3	4.80	4.47
SOLANO	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.3	1.0	21.3	2.0	5.55	4.31
SOLANO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	3.0	2.0	4.5	21.5	0.5	5.70	4.37
SOLANO	108, HYPEEL	1	0.0	2.5	0.5	1.0	22.0	5.0	5.40	4.53	1	0.0	2.5	0.5	1.0	22.0	5.0	5.40	4.53
SOLANO	312, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	21.0	1.0	5.50	4.34
SOLANO	4884, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	1.5	22.5	0.0	4.20	4.36

2018 Processing Tomato Season
 PTAB Analysis (9/29/18) - County by Variety



County	Variety Name	Week Ending 9/29/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
SOLANO		1,871	0.0	1.5	0.9	0.5	21.6	1.3	5.36	4.37	14,224	0.0	1.1	0.9	0.6	21.5	1.1	5.24	4.36
STANISLAUS	0319, DRI	675	0.0	2.3	0.8	0.3	21.7	3.4	5.32	4.42	2,403	0.0	1.6	0.5	0.2	21.4	2.4	5.43	4.40
STANISLAUS	0311, AB	41	0.0	5.5	2.4	0.1	22.1	3.1	5.53	4.50	1,738	0.0	2.8	0.4	0.1	20.9	1.7	5.56	4.39
STANISLAUS	9905, HARRIS MORAN	188	0.0	1.8	1.9	1.0	21.3	0.6	4.51	4.50	547	0.0	1.2	1.2	0.4	20.6	0.3	4.92	4.49
STANISLAUS	6415, N	209	0.0	0.9	2.5	2.3	21.1	0.8	4.71	4.37	488	0.0	1.0	1.4	1.3	21.0	1.0	4.75	4.39
STANISLAUS	4707, HEINZ	130	0.0	0.6	1.7	0.2	21.7	0.6	4.93	4.32	417	0.0	1.4	1.2	0.2	22.0	0.8	4.57	4.38
STANISLAUS	3887, HM	30	0.0	2.7	0.4	0.1	20.4	0.4	5.49	4.37	355	0.0	1.8	0.5	0.1	20.9	1.3	5.44	4.42
STANISLAUS	19406, UG	186	0.0	2.1	0.8	0.1	21.5	0.7	5.37	4.29	268	0.0	2.5	0.8	0.1	21.5	0.9	5.29	4.32
STANISLAUS	273, BQ	41	0.0	2.1	0.8	0.5	21.6	1.0	4.94	4.43	265	0.0	0.8	0.5	0.2	21.1	0.8	5.53	4.31
STANISLAUS	7885, HMX	125	0.0	2.8	0.9	0.2	21.2	0.8	4.72	4.53	234	0.0	1.7	0.8	0.2	21.2	0.7	4.91	4.53
STANISLAUS	1293, HZ	72	0.0	4.0	2.2	0.0	21.5	1.0	5.56	4.56	213	0.0	1.8	1.3	0.2	21.4	1.8	5.44	4.57
STANISLAUS	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	213	0.0	0.8	0.4	0.2	20.7	0.8	4.56	4.43
STANISLAUS	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	205	0.0	2.3	0.7	0.2	20.2	0.5	5.08	4.36
STANISLAUS	5900, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	200	0.0	0.5	0.4	0.2	20.9	2.0	6.09	4.37
STANISLAUS	2493, SV	23	0.0	1.4	2.7	1.8	21.6	2.8	6.03	4.44	191	0.0	7.4	1.6	0.5	20.7	3.5	5.55	4.48
STANISLAUS	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	181	0.0	1.2	0.7	0.2	21.7	1.3	4.36	4.34
STANISLAUS	6428, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	173	0.0	1.4	2.0	0.9	21.2	1.6	4.59	4.48
STANISLAUS	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	140	0.0	0.5	0.0	0.0	21.6	0.9	5.94	4.28
STANISLAUS	3888, HM	9	0.0	1.2	1.9	0.3	21.4	0.5	4.69	4.44	137	0.0	0.3	0.4	0.2	20.4	0.8	5.26	4.47
STANISLAUS	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	123	0.0	2.7	0.4	0.2	20.9	2.3	4.26	4.50
STANISLAUS	1292, HZ	1	0.0	4.0	1.0	0.0	21.5	0.5	5.60	4.59	111	0.0	1.1	0.1	0.1	20.5	1.1	5.47	4.53
STANISLAUS	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	99	0.0	0.6	0.6	0.2	20.7	2.3	5.21	4.40
STANISLAUS	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	95	0.0	4.1	0.2	0.1	21.0	0.3	4.62	4.40
STANISLAUS	1082, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	93	0.0	0.9	0.8	0.1	20.6	1.0	5.07	4.35
STANISLAUS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	83	0.0	0.6	0.1	0.2	20.5	1.9	5.00	4.42
STANISLAUS	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	0.8	1.5	0.1	20.5	2.0	4.60	4.46
STANISLAUS	6420, N	1	0.0	3.0	0.5	0.5	21.0	5.5	5.40	4.44	72	0.0	0.8	0.8	0.1	22.1	1.5	5.05	4.57
STANISLAUS	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	69	0.0	0.2	0.9	0.2	20.3	1.2	5.19	4.44
STANISLAUS	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	0.2	1.0	0.1	20.4	1.7	5.04	4.50
STANISLAUS	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	52	0.0	0.2	0.3	0.1	20.2	1.3	4.94	4.43
STANISLAUS	4521, HMX 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	42	0.0	0.2	0.4	0.1	21.4	0.4	4.46	4.36
STANISLAUS	2756, SV	14	0.0	2.3	0.8	0.4	20.6	1.1	4.74	4.50	40	0.0	1.7	1.0	0.3	20.7	2.0	4.75	4.46
STANISLAUS	1538, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	37	0.0	0.3	0.3	0.1	21.3	1.4	5.78	4.48
STANISLAUS	8504, HEINZ	37	0.0	0.8	2.0	0.6	21.0	0.6	4.65	4.29	37	0.0	0.8	2.0	0.6	21.0	0.6	4.65	4.29
STANISLAUS	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	3.0	1.3	0.3	20.3	0.6	5.06	4.42
STANISLAUS	6440, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.7	0.3	0.0	22.1	0.8	4.23	4.48
STANISLAUS	6441, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	28	0.0	0.9	0.8	0.1	21.0	0.6	4.43	4.54
STANISLAUS	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	1.0	0.2	0.0	20.0	2.9	4.88	4.41
STANISLAUS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.4	0.5	0.3	21.1	2.7	4.83	4.26
STANISLAUS	9007, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	0.2	1.0	0.1	21.4	0.6	4.28	4.45

2018 Processing Tomato Season
PTAB Analysis (9/29/18) - County by Variety



County	Variety Name	Week Ending 9/29/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
STANISLAUS	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	4.8	0.2	0.0	20.3	1.6	5.04	4.42
STANISLAUS	398, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	0.9	0.6	0.0	20.3	0.3	4.47	4.31
STANISLAUS	0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	0.4	0.2	0.1	20.8	0.5	4.30	4.26
STANISLAUS	6434, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	1.1	0.4	0.2	22.6	0.9	4.75	4.40
STANISLAUS	1892, HMX	16	0.0	1.3	2.4	0.0	20.0	1.7	6.03	4.44	16	0.0	1.3	2.4	0.0	20.0	1.7	6.03	4.44
STANISLAUS	16112, UG	13	0.0	0.7	1.0	0.1	21.3	0.2	5.12	4.33	13	0.0	0.7	1.0	0.1	21.3	0.2	5.12	4.33
STANISLAUS	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	1.9	1.3	0.0	19.9	1.3	4.66	4.52
STANISLAUS	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	2.5	0.1	0.1	21.0	2.9	4.99	4.38
STANISLAUS	58811, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.1	0.1	0.0	20.5	0.4	4.36	4.24
STANISLAUS	108, HYPEEL	4	0.0	3.4	2.6	0.0	21.5	0.1	5.55	4.61	4	0.0	3.4	2.6	0.0	21.5	0.1	5.55	4.61
STANISLAUS	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.0	0.0	21.0	1.5	5.70	4.30
STANISLAUS	42, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	1.0	0.5	18.8	0.0	5.90	4.43
STANISLAUS	43, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.8	0.3	19.5	0.5	6.05	4.40
STANISLAUS	9003, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	1.0	0.5	20.3	0.3	5.65	4.31
STANISLAUS	UNCODED	1	0.0	1.0	1.0	0.0	22.5	2.5	5.60	4.36	1	0.0	1.0	1.0	0.0	22.5	2.5	5.60	4.36
STANISLAUS		1,816	0.0	2.1	1.3	0.6	21.5	1.8	5.10	4.42	9,766	0.0	1.8	0.7	0.3	21.1	1.5	5.23	4.41
SUTTER	1662, HZ	556	0.0	2.0	4.8	1.2	22.0	0.8	5.13	4.38	2,875	0.0	2.3	4.0	1.2	22.3	1.1	5.08	4.41
SUTTER	6428, N	139	0.0	1.6	6.3	0.4	22.4	0.8	4.72	4.42	2,655	0.0	1.9	2.8	0.6	22.0	1.1	4.84	4.47
SUTTER	1310, HZ	467	0.0	3.5	4.6	1.1	21.7	1.1	5.14	4.54	1,325	0.0	2.8	3.6	1.1	21.8	1.1	5.03	4.51
SUTTER	5608, HZ	21	0.0	4.1	0.5	0.1	21.4	1.5	5.20	4.48	1,167	0.0	1.9	1.5	0.6	21.2	1.0	4.86	4.43
SUTTER	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,136	0.0	1.4	3.3	1.5	22.1	0.8	4.64	4.44
SUTTER	1422, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	803	0.0	1.5	2.2	1.0	22.3	1.5	4.95	4.43
SUTTER	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	757	0.0	0.8	3.6	0.8	21.1	0.5	4.71	4.37
SUTTER	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	633	0.0	1.4	1.9	2.0	22.2	0.9	4.66	4.36
SUTTER	6434, N	166	0.0	3.1	0.8	0.3	21.9	1.1	5.19	4.45	543	0.0	3.5	0.5	0.3	21.8	1.4	5.29	4.48
SUTTER	5708, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	489	0.0	2.6	1.5	1.7	21.5	0.9	4.48	4.47
SUTTER	3888, HM	114	0.0	1.4	0.3	0.1	21.7	1.3	5.67	4.48	486	0.0	1.7	0.5	0.1	21.8	1.4	5.38	4.50
SUTTER	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	457	0.0	0.7	0.9	0.3	21.8	1.1	5.32	4.39
SUTTER	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	398	0.0	1.7	0.7	0.4	20.7	2.3	5.34	4.46
SUTTER	0319, DRI	97	0.0	1.0	0.2	0.0	21.9	0.9	7.13	4.32	386	0.0	1.9	1.2	0.2	21.4	1.1	6.29	4.33
SUTTER	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	367	0.0	0.4	2.7	1.0	22.2	1.1	4.71	4.49
SUTTER	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	330	0.0	0.9	1.0	0.4	20.1	0.8	5.24	4.49
SUTTER	3887, HM	1	0.0	1.0	0.5	0.0	20.0	7.0	6.30	4.53	208	0.0	0.9	0.2	0.2	21.2	1.4	5.63	4.40
SUTTER	0311, AB	64	0.0	15.8	7.0	1.2	24.4	2.5	5.39	4.61	160	0.0	8.6	3.0	0.5	22.3	2.5	6.01	4.53
SUTTER	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	145	0.0	1.7	1.0	0.5	21.5	1.0	4.95	4.54
SUTTER	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	131	0.0	0.9	0.1	0.3	21.2	2.0	5.02	4.45
SUTTER	1082, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	131	0.0	3.6	0.9	0.3	22.4	1.6	5.57	4.41
SUTTER	58811, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	112	0.0	0.8	1.7	2.2	22.1	0.5	4.63	4.37
SUTTER	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	108	0.0	2.4	1.9	1.9	22.2	2.5	4.60	4.43
SUTTER	5900, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	98	0.0	0.7	0.2	0.2	21.7	1.5	5.69	4.26

2018 Processing Tomato Season
 PTAB Analysis (9/29/18) - County by Variety



County	Variety Name	Week Ending 9/29/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
SUTTER	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	94	0.0	4.9	2.6	2.7	23.6	1.0	5.73	4.48
SUTTER	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	86	0.0	4.4	7.6	1.1	22.2	0.7	6.18	4.34
SUTTER	58801, HM	53	0.0	1.4	13.8	0.8	21.4	1.6	5.43	4.53	86	0.0	1.9	8.7	0.6	21.6	2.1	5.56	4.52
SUTTER	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	78	0.0	1.0	2.9	8.4	20.5	1.2	5.38	4.46
SUTTER	398, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	75	0.0	6.8	7.8	1.6	21.8	1.2	5.63	4.43
SUTTER	32, BP	61	0.0	2.4	0.7	0.0	21.2	1.5	5.77	4.43	61	0.0	2.4	0.7	0.0	21.2	1.5	5.77	4.43
SUTTER	6440, N	28	0.0	3.5	0.5	0.1	22.4	1.3	4.44	4.41	30	0.0	3.3	0.5	0.2	22.3	1.2	4.45	4.42
SUTTER	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	1.7	0.7	0.6	21.3	1.1	4.98	4.51
SUTTER	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	2.3	2.8	1.3	21.5	2.3	5.08	4.45
SUTTER	1776, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	0.9	1.1	1.8	23.6	2.1	4.93	4.50
SUTTER	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.1	1.6	1.6	0.3	21.7	1.0	5.83	4.23
SUTTER	6441, N	2	0.0	2.3	0.3	0.3	21.5	0.0	4.75	4.41	6	0.1	2.5	0.3	0.3	22.3	1.6	4.77	4.51
SUTTER	6436, N	1	0.0	3.0	0.5	0.5	21.0	0.5	4.90	4.42	5	0.0	2.8	0.3	0.4	21.3	2.2	5.04	4.50
SUTTER	34, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.8	0.2	0.2	20.2	2.8	4.90	4.50
SUTTER	411, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	4.3	0.3	0.2	21.7	4.2	5.03	4.57
SUTTER	42, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	2.5	0.0	0.3	21.5	5.5	5.20	4.53
SUTTER	422, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	3.5	0.3	0.3	22.5	4.3	4.65	4.59
SUTTER	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	2.0	21.0	2.0	5.40	4.44
SUTTER	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	0.0	0.5	22.0	3.5	4.90	4.43
SUTTER	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.0	19.5	1.0	5.20	4.39
SUTTER		1,770	0.0	2.9	4.0	0.8	22.0	1.1	5.28	4.45	16,501	0.0	2.0	2.6	0.9	21.8	1.1	5.02	4.44
TULARE	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	379	0.0	7.1	0.7	0.1	20.4	0.5	4.64	4.51
TULARE		0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	379	0.0	7.1	0.7	0.1	20.4	0.5	4.64	4.51
YOLO	6428, N	542	0.0	2.3	2.0	1.0	21.8	1.6	4.61	4.49	8,667	0.0	1.2	1.3	1.0	21.6	1.0	4.73	4.43
YOLO	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4,572	0.0	1.3	0.3	0.2	20.5	1.0	5.42	4.33
YOLO	3887, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,672	0.0	1.4	0.4	0.3	20.9	0.7	4.83	4.36
YOLO	8011, SV	143	0.0	5.8	1.4	0.4	21.5	0.8	4.81	4.45	3,353	0.0	1.8	0.6	0.3	20.7	0.8	4.87	4.39
YOLO	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,071	0.0	0.5	0.9	0.9	21.5	0.5	4.43	4.37
YOLO	1662, HZ	249	0.0	2.1	7.0	1.9	22.1	0.7	5.01	4.47	2,903	0.0	1.5	2.6	1.3	22.4	1.5	4.77	4.45
YOLO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,551	0.0	0.6	1.1	0.5	22.1	0.9	5.00	4.35
YOLO	0319, DRI	146	0.0	2.3	1.1	0.1	21.0	1.7	5.05	4.45	2,409	0.0	1.5	0.6	0.4	20.9	1.6	5.31	4.39
YOLO	4885, HMX	240	0.0	1.2	0.4	0.3	20.9	0.7	4.70	4.34	1,709	0.0	1.2	1.4	0.6	21.3	0.7	4.59	4.31
YOLO	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,647	0.0	1.6	0.3	0.3	22.0	0.7	5.10	4.26
YOLO	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,585	0.0	2.3	2.4	2.7	23.1	0.9	4.56	4.41
YOLO	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,456	0.0	0.6	3.2	1.5	20.9	0.5	4.63	4.40
YOLO	19406, UG	176	0.0	9.3	1.1	0.8	23.1	2.1	4.84	4.51	1,423	0.0	3.3	0.6	0.3	21.8	1.0	4.90	4.33
YOLO	6434, N	209	0.0	2.2	4.1	0.5	22.5	0.7	4.60	4.38	1,144	0.0	1.8	0.9	0.3	21.9	0.9	4.81	4.42
YOLO	9905, HARRIS MORAN	621	0.0	1.6	0.4	0.2	20.9	0.9	4.88	4.53	1,059	0.0	1.3	0.4	0.2	20.9	0.8	4.93	4.50
YOLO	109, CXD (SHASTA)	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,004	0.0	0.3	0.7	0.3	22.8	2.7	5.02	4.31
YOLO	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	970	0.0	0.2	1.9	0.9	22.7	1.6	4.40	4.43

2018 Processing Tomato Season
 PTAB Analysis (9/29/18) - County by Variety



County	Variety Name	Week Ending 9/29/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
YOLO	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	758	0.0	1.8	0.3	0.4	19.7	0.9	5.26	4.45
YOLO	1422, HZ	248	0.0	2.7	3.2	3.4	21.2	0.8	5.13	4.44	732	0.0	2.7	3.1	2.5	21.3	0.9	5.03	4.43
YOLO	1310, HZ	44	0.0	1.4	9.0	2.0	21.1	0.5	5.27	4.40	726	0.0	1.3	2.8	0.8	21.8	0.8	4.54	4.44
YOLO	58841, HM	300	0.0	1.3	2.5	0.4	21.5	0.4	4.95	4.35	664	0.0	1.2	1.5	0.3	21.4	0.5	5.20	4.37
YOLO	5708, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	644	0.0	1.3	3.0	1.5	21.6	0.5	4.31	4.37
YOLO	6415, N	257	0.0	1.8	1.5	0.4	22.3	1.2	4.50	4.46	628	0.0	0.9	0.9	0.2	21.7	0.8	4.57	4.42
YOLO	255, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	561	0.0	0.8	0.4	0.4	23.2	1.3	4.82	4.36
YOLO	1082, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	526	0.0	1.2	0.6	0.3	21.2	0.6	5.18	4.34
YOLO	3888, HM	144	0.0	1.1	3.1	1.0	21.5	1.6	5.54	4.48	501	0.0	2.0	1.2	0.5	21.7	1.2	5.25	4.55
YOLO	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	480	0.0	1.8	1.4	0.6	20.3	0.7	5.43	4.50
YOLO	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	458	0.0	0.6	2.1	0.5	21.1	0.7	4.58	4.36
YOLO	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	457	0.0	0.3	3.1	0.5	21.4	2.0	4.62	4.41
YOLO	7885, HMX	15	0.0	0.3	0.5	0.3	20.7	0.2	4.64	4.52	410	0.0	0.9	0.6	0.5	21.3	0.8	5.00	4.51
YOLO	58801, HM	4	0.0	0.5	0.8	0.1	22.1	0.3	4.90	4.33	400	0.0	2.1	0.6	0.2	20.7	1.1	5.38	4.48
YOLO	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	398	0.0	0.3	0.4	0.3	21.7	1.0	4.68	4.51
YOLO	2493, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	373	0.0	0.8	0.2	0.3	20.8	1.3	4.55	4.44
YOLO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	326	0.0	0.2	1.6	0.6	24.1	2.1	4.18	4.41
YOLO	58871, HM	46	0.0	1.6	1.3	0.2	21.9	0.5	5.30	4.32	310	0.0	1.2	0.6	0.4	21.4	0.8	5.57	4.37
YOLO	5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	268	0.0	1.0	0.4	0.2	21.5	1.9	4.96	4.28
YOLO	16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	259	0.0	0.6	0.5	0.4	21.4	0.4	5.04	4.43
YOLO	1538, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	232	0.0	0.8	1.0	0.8	20.6	0.7	5.30	4.41
YOLO	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	230	0.0	1.3	0.7	0.5	21.0	1.1	4.71	4.49
YOLO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	229	0.0	0.4	0.3	0.2	21.2	0.5	4.85	4.36
YOLO	4521, HMX 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	227	0.0	1.2	0.2	0.2	21.9	0.4	5.01	4.33
YOLO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	200	0.0	0.2	0.8	0.4	22.0	1.3	4.80	4.33
YOLO	6440, N	4	0.0	1.4	0.9	0.0	22.1	1.4	4.30	4.51	188	0.0	1.6	0.6	0.3	21.6	0.7	4.65	4.44
YOLO	2, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	179	0.0	0.9	0.1	0.1	20.6	0.7	5.10	4.49
YOLO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	164	0.0	0.7	0.6	0.2	22.8	0.7	4.97	4.34
YOLO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	158	0.0	0.1	2.6	0.3	23.7	1.5	4.58	4.42
YOLO	2756, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	153	0.0	0.2	0.4	0.2	21.4	0.9	4.66	4.48
YOLO	0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	137	0.0	0.2	0.4	0.1	21.3	0.5	4.74	4.26
YOLO	5508, HZ	57	0.0	0.4	0.5	0.2	20.9	0.3	4.70	4.30	136	0.0	0.4	0.6	0.2	21.0	0.2	4.69	4.29
YOLO	58881, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	132	0.0	0.3	0.4	0.2	20.9	1.1	4.38	4.40
YOLO	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	105	0.0	0.7	3.2	0.6	22.5	0.8	4.70	4.29
YOLO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	101	0.0	4.3	0.9	0.4	20.8	2.1	5.10	4.56
YOLO	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	97	0.0	1.1	3.3	2.9	22.8	1.1	4.87	4.33
YOLO	9003, SVTM	73	0.0	1.0	1.1	0.6	21.3	1.3	5.33	4.34	75	0.0	0.9	1.1	0.6	21.3	1.3	5.34	4.33
YOLO	1892, HMX	63	0.0	0.7	0.8	0.2	21.7	3.3	4.89	4.41	63	0.0	0.7	0.8	0.2	21.7	3.3	4.89	4.41
YOLO	6429, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	0.3	0.1	0.2	21.9	0.6	4.36	4.48
YOLO	58811, HM	42	0.0	1.9	6.4	1.0	22.1	0.4	4.41	4.33	54	0.0	1.5	5.0	0.8	21.7	0.4	4.43	4.36

2018 Processing Tomato Season
 PTAB Analysis (9/29/18) - County by Variety



County	Variety Name	Week Ending 9/29/18									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
YOLO	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	48	0.0	0.4	0.1	0.1	20.7	1.0	5.71	4.36
YOLO	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	48	0.0	0.5	0.3	0.2	21.5	0.3	4.69	4.43
YOLO	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	46	0.0	0.6	0.6	0.1	22.0	0.5	5.11	4.38
YOLO	5655, SV	19	0.0	9.6	2.5	0.3	22.1	0.7	4.69	4.51	45	0.0	5.9	1.3	0.2	22.0	1.0	4.70	4.46
YOLO	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	2.3	3.0	1.7	21.5	1.3	4.71	4.50
YOLO	4326, HMX 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	42	0.0	2.5	1.0	0.3	22.1	0.6	5.66	4.35
YOLO	398, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	41	0.0	0.4	2.3	0.1	20.5	0.3	5.52	4.27
YOLO	1776, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	39	0.0	0.5	2.9	1.8	21.5	0.9	5.28	4.36
YOLO	UNCODED	5	0.0	4.1	7.1	1.5	20.7	1.0	6.74	4.44	38	0.0	1.6	6.3	0.7	21.4	0.8	5.49	4.40
YOLO	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	38	0.0	0.6	0.2	0.1	20.9	0.6	4.85	4.50
YOLO	6441, N	3	0.0	1.2	0.5	0.2	22.8	2.3	4.43	4.61	37	0.0	0.9	0.1	0.2	21.0	0.9	4.66	4.45
YOLO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	0.6	0.2	0.2	21.6	1.3	5.32	4.30
YOLO	411, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	2.7	0.2	0.2	20.8	2.6	4.68	4.42
YOLO	1421, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	2.2	0.1	0.0	20.3	2.2	5.32	4.46
YOLO	6436, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	1.0	0.9	0.5	23.4	1.4	4.43	4.48
YOLO	422, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	2.4	0.1	0.1	20.7	2.2	4.64	4.40
YOLO	9905, HEINZ	6	0.0	0.8	0.4	0.3	20.6	1.3	4.92	4.57	24	0.0	0.8	0.3	0.3	20.6	0.8	5.03	4.54
YOLO	9007, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	8	0.0	2.6	0.4	0.3	21.7	0.8	4.41	4.45
YOLO	42, BP	3	0.0	2.7	1.2	0.3	21.3	2.8	5.20	4.48	6	0.0	1.8	0.7	0.3	21.8	1.5	5.00	4.41
YOLO	34, BP	2	0.0	1.8	0.3	0.0	22.0	3.8	4.70	4.60	4	0.0	1.5	0.3	0.0	20.9	2.1	4.68	4.54
YOLO	9008, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.6	0.0	0.0	22.3	0.4	4.15	4.36
YOLO	43, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.5	0.0	0.0	21.5	0.0	5.17	4.32
YOLO	1765, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.2	0.0	22.2	0.5	5.10	4.30
YOLO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	21.0	0.5	5.00	4.24
YOLO	20, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.0	20.5	0.0	4.70	4.46
YOLO	32, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	19.5	0.5	4.40	4.45
YOLO	5701, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.5	20.5	0.0	5.10	4.36
YOLO		3,661	0.0	2.4	2.2	0.8	21.6	1.1	4.86	4.45	56,663	0.0	1.3	1.1	0.7	21.5	1.0	4.87	4.39