

# 2018 PTAB Analysis by Region / County

## Central Region

Based on Final PTAB Reports

County	Variety	Supplier	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Solids % of Mean	Hue	LU	Mold	pH
CONTRA COSTA	N6366	Nunhems	Thin				2,594	41.1%	5.09	96.8%	20.82	1.0	0.8	4.42
CONTRA COSTA	AB0311	Seminis	Thin	X			1,894	30.0%	5.46	104.0%	20.11	1.0	2.3	4.37
CONTRA COSTA	N6402	Nunhems	Thin	X			677	10.7%	5.48	104.4%	20.74	0.8	0.3	4.40
CONTRA COSTA	Shasta	Harris Moran	Early				307	4.9%	5.18	98.7%	22.28	3.2	0.2	4.24
CONTRA COSTA	H1293	Heinz	Pear	X			244	3.9%	5.11	97.3%	20.38	0.3	0.8	4.49
CONTRA COSTA	BOS66509	Orsetti	Early				238	3.8%	4.78	91.1%	21.46	1.9	0.1	4.35
CONTRA COSTA	BQ403	Woodbridge	Early	X			167	2.6%	5.33	101.5%	20.49	1.6	0.1	4.31
CONTRA COSTA	HM5900	Harris Moran	Intermediate	X			137	2.2%	5.62	106.9%	20.65	1.2	0.3	4.37
CONTRA COSTA	APT410	Seminis	Early				42	0.7%	4.92	93.7%	22.23	3.3	0.1	4.32
CONTRA COSTA	Misc	Heinz	Thick				4	0.1%	5.00	95.2%	19.50	0.1	0.0	4.45
CONTRA COSTA	H1765	Heinz	Early	X			4	0.1%	5.33	101.4%	19.88	1.0	0.1	4.37
CONTRA COSTA	BQ273	Woodbridge	Early	X			3	0.0%	5.30	100.9%	20.17	0.2	0.2	4.34
CONTRA COSTA	SVTM9000	Seminis	Early	X			3	0.0%	4.87	92.7%	20.17	0.0	0.2	4.42
CONTRA COSTA	BQ413	Woodbridge	Early	X	X		2	0.0%	4.75	90.4%	20.00	0.8	1.0	4.52
CONTRA COSTA	US11336	US Agriseeds	Intermediate	X			2	0.0%	5.25	99.9%	19.75	0.5	0.5	4.33
<b>CONTRA COSTA</b>							<b>6,318</b>	<b>100.0%</b>	<b>5.25</b>	<b>100.0%</b>	<b>20.67</b>	<b>1.1</b>	<b>1.1</b>	<b>4.39</b>
MERCED	H4707	Heinz	Thick			X	6,040	14.5%	4.82	98.0%	22.57	0.8	0.8	4.46
MERCED	N6428	Nunhems	Intermediate	X	X	X	5,097	12.3%	4.79	97.4%	21.91	1.9	2.4	4.54
MERCED	H2401	Heinz	Thick			X	4,743	11.4%	4.67	95.0%	21.59	1.2	1.5	4.36
MERCED	H1428	Heinz	Thick	X		X	2,935	7.1%	4.79	97.4%	21.13	0.7	1.2	4.51
MERCED	SV8011TM	Seminis	Intermediate	X			2,652	6.4%	5.01	102.1%	20.59	1.2	3.7	4.52
MERCED	N6415	Nunhems	Thick	X		X	2,594	6.2%	4.87	99.2%	20.91	1.2	2.1	4.46
MERCED	AB0311	Seminis	Thin	X			2,523	6.1%	5.65	115.1%	20.99	2.5	2.6	4.48
MERCED	H5702	Heinz	Thick			X	1,691	4.1%	4.80	97.7%	20.90	0.8	1.0	4.56
MERCED	DRI319	Seminis	Thin	X			1,365	3.3%	5.75	117.1%	21.09	1.6	1.6	4.40
MERCED	H5608	Heinz	Thick	X			1,346	3.2%	4.70	95.7%	20.60	1.9	2.9	4.46
MERCED	H1662	Heinz	Thick	X	X		1,203	2.9%	4.89	99.6%	22.20	1.8	1.2	4.54
MERCED	HM1892	Harris Moran	Intermediate			X	1,103	2.7%	5.22	106.4%	21.33	2.4	1.3	4.55
MERCED	H8504	Heinz	Thick			X	1,033	2.5%	4.94	100.6%	21.07	0.7	1.1	4.37
MERCED	UG19406	United Genetics	Intermediate			X	690	1.7%	5.02	102.2%	21.63	1.0	2.7	4.36
MERCED	H5508	Heinz	Thick	X		X	622	1.5%	4.37	89.0%	20.77	0.4	1.8	4.47
MERCED	H1293	Heinz	Pear	X			570	1.4%	5.57	113.5%	20.49	1.5	2.8	4.55
MERCED	H5715	Heinz	Thick			X	566	1.4%	4.94	100.5%	20.76	0.5	1.8	4.41
MERCED	HM4885	Harris Moran	Thick	X		X	502	1.2%	4.56	92.9%	20.79	1.2	1.6	4.42
MERCED	H1175	Heinz	Thick			X	436	1.0%	4.66	94.8%	20.23	0.4	0.8	4.58

# 2018 PTAB Analysis by Region / County

## Central Region

Based on Final PTAB Reports

County	Variety	Supplier	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids %	of Mean	Hue	LU	Mold	pH
MERCED	BQ273	Woodbridge	Early	X			405	1.0%	4.84	98.6%	22.32	2.2	1.1	4.44
MERCED	SV2756TM	Seminis	Thick	X		X	345	0.8%	4.56	92.8%	22.41	1.2	2.3	4.46
MERCED	H9663	Heinz	Thick				339	0.8%	4.53	92.3%	20.88	2.2	15.2	4.56
MERCED	HM3887	Harris Moran	Intermediate	X			307	0.7%	5.17	105.2%	20.62	1.5	1.4	4.41
MERCED	UG16112	United Genetics	Thick	X		X	260	0.6%	4.88	99.3%	21.51	1.2	2.2	4.39
MERCED	N6434	Nunhems	Intermediate	X	X	x	256	0.6%	4.87	99.2%	22.31	1.7	3.2	4.54
MERCED	N6420	Nunhems	Pear	X			235	0.6%	5.00	101.8%	21.06	1.5	2.4	4.55
MERCED	BQ400	Woodbridge	Early	X			186	0.4%	4.59	93.4%	21.29	1.3	0.8	4.57
MERCED	FM1115	Harris Moran	Thin				157	0.4%	4.79	97.6%	21.31	0.5	3.2	4.45
MERCED	H1292	Heinz	Pear	X			136	0.3%	4.92	100.1%	20.83	1.5	2.7	4.60
MERCED	HM5235	Harris Moran	Intermediate	X	X		127	0.3%	4.83	98.3%	20.69	3.7	5.5	4.52
MERCED	HM58801	Harris Moran	Intermediate	X	X		127	0.3%	5.09	103.6%	20.98	3.0	2.1	4.48
MERCED	N6426	Nunhems	Thick	X		X	125	0.3%	4.85	98.7%	20.61	1.1	1.8	4.44
MERCED	BQ398	Woodbridge	Intermediate	X			124	0.3%	4.83	98.4%	20.68	0.9	1.8	4.51
MERCED	SVTM1082	Seminis	Thin	X	X		117	0.3%	5.79	117.9%	21.07	1.5	0.5	4.38
MERCED	N6366	Nunhems	Thin				92	0.2%	5.44	110.7%	20.11	1.7	0.3	4.42
MERCED	HM7885	Harris Moran	Pear			X	87	0.2%	5.10	103.9%	20.99	0.9	1.1	4.58
MERCED	Misc	Misc	Misc				76	0.2%	4.30	87.6%	23.56	14.9	1.6	4.53
MERCED	N6407	Nunhems	Thin	X		X	65	0.2%	5.97	121.6%	20.60	1.1	0.8	4.40
MERCED	N6397	Nunhems	Early				64	0.2%	4.70	95.7%	23.28	3.0	0.6	4.50
MERCED	N6402	Nunhems	Thin	X			60	0.1%	4.78	97.3%	21.22	1.1	1.0	4.55
MERCED	Misc	Heinz	Thick				50	0.1%	4.81	97.9%	21.14	1.8	3.1	4.47
MERCED	BOS811	Orsetti	Intermediate	X			29	0.1%	4.24	86.3%	22.24	0.7	3.2	4.53
MERCED	H1310	Heinz	Thick	X	X		28	0.1%	5.30	108.0%	21.20	1.5	1.7	4.59
MERCED	BQ413	Woodbridge	Early	X	X		25	0.1%	4.57	93.1%	21.40	1.5	1.3	4.61
MERCED	SVTM9007	Seminis	Thick	X			16	0.0%	4.60	93.7%	20.97	1.6	0.9	4.56
MERCED	N6440	Nunhems	Intermediate	X	X	X	11	0.0%	4.66	94.9%	21.59	1.1	2.4	4.55
MERCED	N6441	Nunhems	Thick	X	X	X	11	0.0%	4.73	96.2%	21.55	1.6	3.5	4.55
MERCED	Misc Trial	Misc	Misc				4	0.0%	4.50	91.6%	21.63	1.8	4.9	4.56
MERCED	H5710	Heinz	Thick				3	0.0%	4.43	90.3%	20.33	0.3	1.2	4.44
MERCED	N6404	Nunhems	Intermediate	X			3	0.0%	4.83	98.4%	21.17	1.7	0.5	4.53
<b>MERCED</b>							<b>41,581</b>	<b>100.0%</b>	<b>4.91</b>	<b>100.0%</b>	<b>21.44</b>	<b>1.4</b>	<b>1.9</b>	<b>4.47</b>
SAN JOAQUIN	DRI319	Seminis	Thin	X			5,935	17.5%	5.48	106.2%	21.51	2.6	1.4	4.41
SAN JOAQUIN	AB0311	Seminis	Thin	X			4,739	14.0%	5.60	108.5%	20.60	1.2	2.3	4.34
SAN JOAQUIN	N6428	Nunhems	Intermediate	X	X	X	1,991	5.9%	4.68	90.7%	22.07	1.8	2.1	4.49

# 2018 PTAB Analysis by Region / County

## Central Region

Based on Final PTAB Reports

County	Variety	Supplier	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Solids % of Mean	Hue	LU	Mold	pH
SAN JOAQUIN	H4707	Heinz	Thick			X	1,740	5.1%	4.71	91.3%	22.78	0.6	0.6	4.39
SAN JOAQUIN	N6415	Nunhems	Thick	X		X	1,692	5.0%	4.83	93.5%	21.37	1.1	1.0	4.40
SAN JOAQUIN	SV8011TM	Seminis	Intermediate	X			1,668	4.9%	5.03	97.5%	20.36	1.0	2.1	4.39
SAN JOAQUIN	HM9905	Harris Moran	Intermediate			X	1,520	4.5%	4.95	95.9%	21.57	1.1	1.1	4.48
SAN JOAQUIN	HM3888	Harris Moran	Intermediate	X		X	1,384	4.1%	5.32	103.0%	21.48	0.7	1.8	4.43
SAN JOAQUIN	H1428	Heinz	Thick	X		X	1,241	3.7%	4.85	94.0%	20.80	0.5	0.6	4.42
SAN JOAQUIN	H1293	Heinz	Pear	X			1,223	3.6%	5.53	107.1%	20.73	1.0	1.2	4.51
SAN JOAQUIN	H9780	Heinz	Intermediate			X	1,216	3.6%	5.55	107.5%	20.89	2.1	1.3	4.39
SAN JOAQUIN	HM1892	Harris Moran	Intermediate			X	1,100	3.2%	5.01	97.1%	21.19	1.2	1.0	4.45
SAN JOAQUIN	H8504	Heinz	Thick			X	880	2.6%	4.79	92.7%	22.09	1.2	1.0	4.40
SAN JOAQUIN	HM4885	Harris Moran	Thick	X		X	799	2.4%	4.77	92.3%	21.03	0.8	1.4	4.35
SAN JOAQUIN	H5702	Heinz	Thick			X	698	2.1%	4.57	88.6%	20.56	0.6	0.9	4.48
SAN JOAQUIN	BQ273	Woodbridge	Early	X			642	1.9%	5.32	103.2%	21.18	1.0	0.6	4.37
SAN JOAQUIN	H5608	Heinz	Thick	X			582	1.7%	4.51	87.5%	20.80	2.1	2.6	4.51
SAN JOAQUIN	UG19406	United Genetics	Intermediate			X	547	1.6%	5.29	102.6%	21.43	0.5	1.5	4.31
SAN JOAQUIN	H2401	Heinz	Thick			X	431	1.3%	4.68	90.7%	21.95	0.7	0.6	4.25
SAN JOAQUIN	SVTM1082	Seminis	Thin	X	X		400	1.2%	5.40	104.7%	21.64	2.2	1.7	4.35
SAN JOAQUIN	HM5900	Harris Moran	Intermediate	X			357	1.1%	5.28	102.3%	21.56	1.7	1.9	4.37
SAN JOAQUIN	N6407	Nunhems	Thin	X		X	334	1.0%	4.68	90.7%	21.94	0.4	2.5	4.40
SAN JOAQUIN	N6420	Nunhems	Pear	X			280	0.8%	4.95	95.9%	21.20	1.2	0.8	4.47
SAN JOAQUIN	HM3887	Harris Moran	Intermediate	X			264	0.8%	5.56	107.7%	21.02	1.0	2.3	4.39
SAN JOAQUIN	H5508	Heinz	Thick	X		X	258	0.8%	4.23	82.0%	20.41	0.2	1.6	4.40
SAN JOAQUIN	H1662	Heinz	Thick	X	X		251	0.7%	4.90	95.0%	21.93	1.5	1.7	4.48
SAN JOAQUIN	H1161	Heinz	Thin				229	0.7%	5.35	103.7%	21.78	1.4	1.8	4.34
SAN JOAQUIN	SV2756TM	Seminis	Thick	X		X	202	0.6%	4.69	90.8%	21.90	0.9	0.9	4.45
SAN JOAQUIN	N6366	Nunhems	Thin				192	0.6%	5.06	98.1%	21.54	1.6	0.3	4.40
SAN JOAQUIN	HM4909	Harris Moran	Intermediate	X			188	0.6%	6.20	120.1%	20.56	0.6	2.6	4.29
SAN JOAQUIN	N6434	Nunhems	Intermediate	X	X	x	167	0.5%	4.76	92.2%	22.12	1.4	1.5	4.45
SAN JOAQUIN	UG9436	United Genetics	Intermediate				165	0.5%	4.88	94.6%	20.13	2.1	2.0	4.50
SAN JOAQUIN	Misc	Misc	Misc				67	0.2%	4.95	95.9%	20.69	1.3	1.8	4.45
SAN JOAQUIN	Misc	Misc	Misc				59	0.2%	5.17	100.1%	21.33	2.2	1.5	4.48
SAN JOAQUIN	SVTM2303	Seminis	Thick	X			56	0.2%	4.35	84.3%	20.15	2.1	4.9	4.54
SAN JOAQUIN	HM5235	Harris Moran	Intermediate	X	X		50	0.1%	5.15	99.9%	20.47	2.8	6.2	4.54
SAN JOAQUIN	HM4521	Harris Moran	Intermediate	X		X	49	0.1%	5.32	103.1%	21.22	0.6	0.4	4.42
SAN JOAQUIN	H1292	Heinz	Pear	X			48	0.1%	5.79	112.1%	20.98	3.0	0.3	4.44

# 2018 PTAB Analysis by Region / County

## Central Region

Based on Final PTAB Reports

County	Variety	Supplier	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Solids % of Mean	Hue	LU	Mold	pH
SAN JOAQUIN	SVTM9003	Seminis	Intermediate	X		X	47	0.1%	5.43	105.2%	22.45	1.3	0.5	4.28
SAN JOAQUIN	HM58811	Harris Moran	Thick	X		X	35	0.1%	5.03	97.4%	21.19	0.8	1.0	4.37
SAN JOAQUIN	H1421	Heinz	Pear	X	X		33	0.1%	5.22	101.0%	19.95	3.0	1.8	4.42
SAN JOAQUIN	HM4326	Harris Moran	Thin	X			32	0.1%	5.50	106.6%	20.67	0.6	0.6	4.36
SAN JOAQUIN	H1015	Heinz	Early			X	21	0.1%	5.16	100.0%	21.55	0.7	1.8	4.34
SAN JOAQUIN	H1538	Heinz	Pear	X			21	0.1%	5.28	102.3%	21.67	1.9	0.5	4.48
SAN JOAQUIN	BP43	BHN Seed	Thin	X	X		7	0.0%	6.41	124.3%	21.71	0.7	0.8	4.29
SAN JOAQUIN	BOS811	Orsetti	Intermediate	X			7	0.0%	4.71	91.3%	20.29	2.6	3.4	4.47
SAN JOAQUIN	Misc Trial	Misc	Misc				6	0.0%	4.67	90.4%	21.83	2.0	4.4	4.54
SAN JOAQUIN	BP42	BHN Seed	Intermediate	X	X		5	0.0%	5.70	110.4%	20.60	3.5	0.2	4.33
SAN JOAQUIN	N6440	Nunhems	Intermediate	X	X	X	3	0.0%	4.90	94.9%	22.33	0.3	0.0	4.35
SAN JOAQUIN	HM1893	Harris Moran	Early	X			2	0.0%	5.05	97.8%	21.75	2.3	0.3	4.49
SAN JOAQUIN	Misc	Heinz	Thick				1	0.0%	5.80	112.4%	23.00	1.5	0.5	4.55
SAN JOAQUIN	N6404	Nunhems	Intermediate	X			1	0.0%	5.00	96.9%	22.00	1.0	0.5	4.37
SAN JOAQUIN	HM7885	Harris Moran	Pear			X	1	0.0%	5.90	114.3%	21.50	1.0	0.5	4.34
SAN JOAQUIN	HM58801	Harris Moran	Intermediate	X	X		1	0.0%	4.30	83.3%	20.50	3.0	2.0	4.42
<b>SAN JOAQUIN</b>							<b>33,867</b>	<b>100.0%</b>	<b>5.16</b>	<b>100.0%</b>	<b>21.28</b>	<b>1.4</b>	<b>1.5</b>	<b>4.41</b>
STANISLAUS	DRI319	Seminis	Thin	X			2,906	26.3%	5.36	103.2%	21.51	2.7	1.9	4.40
STANISLAUS	AB0311	Seminis	Thin	X			1,742	15.8%	5.56	107.0%	20.90	1.7	2.8	4.39
STANISLAUS	HM9905	Harris Moran	Intermediate			X	634	5.7%	4.87	93.6%	20.72	0.5	1.2	4.50
STANISLAUS	N6415	Nunhems	Thick	X		X	550	5.0%	4.76	91.6%	21.00	1.0	1.0	4.39
STANISLAUS	H4707	Heinz	Thick			X	417	3.8%	4.57	87.9%	21.96	0.8	1.4	4.38
STANISLAUS	HM3888	Harris Moran	Intermediate	X		X	367	3.3%	5.23	100.5%	21.34	0.8	3.5	4.48
STANISLAUS	HM3887	Harris Moran	Intermediate	X			355	3.2%	5.44	104.6%	20.86	1.3	1.8	4.42
STANISLAUS	HM7885	Harris Moran	Pear			X	269	2.4%	4.84	93.1%	21.23	0.8	2.0	4.54
STANISLAUS	UG19406	United Genetics	Intermediate			X	268	2.4%	5.29	101.7%	21.51	0.9	2.5	4.32
STANISLAUS	BQ273	Woodbridge	Early	X			265	2.4%	5.53	106.4%	21.13	0.8	0.8	4.31
STANISLAUS	H1293	Heinz	Pear	X			250	2.3%	5.46	105.1%	21.41	1.7	2.3	4.58
STANISLAUS	H1428	Heinz	Thick	X		X	213	1.9%	4.56	87.6%	20.69	0.8	0.8	4.43
STANISLAUS	SV8011TM	Seminis	Intermediate	X			205	1.9%	5.08	97.7%	20.15	0.5	2.3	4.36
STANISLAUS	SV2493TM	Seminis	Intermediate	X	X		200	1.8%	5.58	107.2%	20.73	3.5	7.3	4.47
STANISLAUS	HM5900	Harris Moran	Intermediate	X			200	1.8%	6.09	117.2%	20.91	2.0	0.5	4.37
STANISLAUS	H2401	Heinz	Thick			X	181	1.6%	4.36	83.9%	21.72	1.3	1.2	4.34
STANISLAUS	N6428	Nunhems	Intermediate	X	X	X	173	1.6%	4.59	88.4%	21.18	1.6	1.4	4.48
STANISLAUS	H5608	Heinz	Thick	X			159	1.4%	4.35	83.7%	21.07	2.1	3.2	4.50

# 2018 PTAB Analysis by Region / County

## Central Region

Based on Final PTAB Reports

County	Variety	Supplier	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Solids % of Mean	Hue	LU	Mold	pH
STANISLAUS	H8504	Heinz	Thick			X	142	1.3%	4.61	88.6%	21.10	0.9	0.9	4.34
STANISLAUS	HM4909	Harris Moran	Intermediate	X			140	1.3%	5.94	114.2%	21.57	0.9	0.5	4.28
STANISLAUS	H1292	Heinz	Pear	X			111	1.0%	5.47	105.2%	20.51	1.1	1.1	4.53
STANISLAUS	N6407	Nunhems	Thin	X		X	110	1.0%	4.95	95.2%	20.77	0.4	2.5	4.41
STANISLAUS	BQ403	Woodbridge	Early	X			99	0.9%	5.21	100.2%	20.75	2.3	0.6	4.40
STANISLAUS	Misc	Misc	Misc				95	0.9%	4.62	88.8%	21.02	0.3	4.1	4.40
STANISLAUS	SVTM1082	Seminis	Thin	X	X		93	0.8%	5.07	97.6%	20.63	1.0	0.9	4.35
STANISLAUS	N6366	Nunhems	Thin				83	0.8%	5.00	96.3%	20.47	1.9	0.6	4.42
STANISLAUS	BP13	BHN Seed	Early	X	X		82	0.7%	4.60	88.4%	20.54	2.0	0.8	4.46
STANISLAUS	N6420	Nunhems	Pear	X			72	0.7%	5.05	97.1%	22.15	1.5	0.8	4.57
STANISLAUS	BQ400	Woodbridge	Early	X			69	0.6%	5.19	99.9%	20.30	1.2	0.2	4.44
STANISLAUS	N6397	Nunhems	Early				60	0.5%	5.04	97.0%	20.43	1.7	0.2	4.50
STANISLAUS	BOS3842	Orsetti	Intermediate	X			52	0.5%	4.94	95.0%	20.22	1.3	0.2	4.43
STANISLAUS	UG16112	United Genetics	Thick	X		X	46	0.4%	4.96	95.4%	21.63	0.3	0.7	4.32
STANISLAUS	HM4521	Harris Moran	Intermediate	X		X	42	0.4%	4.46	85.8%	21.36	0.4	0.2	4.36
STANISLAUS	SV2756TM	Seminis	Thick	X		X	40	0.4%	4.75	91.3%	20.65	2.0	1.7	4.46
STANISLAUS	H1538	Heinz	Pear	X			37	0.3%	5.78	111.2%	21.28	1.4	0.3	4.48
STANISLAUS	HM58841	Harris Moran	Intermediate	X		X	37	0.3%	5.76	110.9%	21.50	0.8	3.0	4.46
STANISLAUS	HM4885	Harris Moran	Thick	X		X	34	0.3%	5.06	97.4%	20.28	0.6	3.0	4.42
STANISLAUS	N6440	Nunhems	Intermediate	X	X	X	31	0.3%	4.23	81.3%	22.13	0.8	0.7	4.48
STANISLAUS	N6441	Nunhems	Thick	X	X	X	28	0.3%	4.43	85.3%	21.00	0.6	0.9	4.54
STANISLAUS	SVTM9000	Seminis	Early	X			26	0.2%	4.88	93.9%	20.00	2.9	1.0	4.41
STANISLAUS	N6416	Nunhems	Early	X			24	0.2%	4.83	92.8%	21.15	2.7	0.4	4.26
STANISLAUS	SVTM9007	Seminis	Thick	X			21	0.2%	4.28	82.3%	21.38	0.6	0.2	4.45
STANISLAUS	HM5235	Harris Moran	Intermediate	X	X		20	0.2%	5.04	97.0%	20.25	1.6	4.8	4.42
STANISLAUS	BQ398	Woodbridge	Intermediate	X			17	0.2%	4.47	86.0%	20.26	0.3	0.9	4.31
STANISLAUS	BOS811	Orsetti	Intermediate	X			17	0.2%	4.30	82.7%	20.82	0.5	0.4	4.26
STANISLAUS	N6434	Nunhems	Intermediate	X	X	x	17	0.2%	4.75	91.3%	22.62	0.9	1.1	4.40
STANISLAUS	HM1892	Harris Moran	Intermediate			X	16	0.1%	6.03	115.9%	20.00	1.7	1.3	4.44
STANISLAUS	BQ413	Woodbridge	Early	X	X		11	0.1%	4.66	89.7%	19.91	1.3	1.9	4.52
STANISLAUS	BQ205	Woodbridge	Thin				9	0.1%	4.99	96.0%	21.00	2.9	2.5	4.38
STANISLAUS	HM58811	Harris Moran	Thick	X		X	5	0.0%	4.36	83.9%	20.50	0.4	0.1	4.24
STANISLAUS	SV0599TM	Seminis	Early				3	0.0%	5.70	109.6%	21.00	1.5	0.3	4.30
STANISLAUS	BP42	BHN Seed	Intermediate	X	X		2	0.0%	5.90	113.5%	18.75	0.0	0.5	4.43
STANISLAUS	BP43	BHN Seed	Thin	X	X		2	0.0%	6.05	116.4%	19.50	0.5	0.3	4.40

# 2018 PTAB Analysis by Region / County

## Central Region

Based on Final PTAB Reports

County	Variety	Supplier	Use Category	TSW	F3	EFS	Total Loads	% of Loads	Solids	Solids % of Mean	Hue	LU	Mold	pH
STANISLAUS	SVTM9003	Seminis	Intermediate	X		X	2	0.0%	5.65	108.7%	20.25	0.3	0.3	4.31
STANISLAUS	Misc	Misc	Misc				1	0.0%	5.60	107.7%	22.50	2.5	1.0	4.36
<b>STANISLAUS</b>							<b>11,050</b>	<b>100.0%</b>	<b>5.20</b>	<b>100.0%</b>	<b>21.15</b>	<b>1.6</b>	<b>1.9</b>	<b>4.42</b>
<b>CENTRAL REGION</b>							<b>92,816</b>		<b>5.06</b>		<b>21.30</b>	<b>1.4</b>	<b>1.7</b>	<b>4.44</b>