

# 2018 California Processing Tomato

## Supplier Detail

Based on Final PTAB

Supplier	Variety	Use Category	Disease Resistance				Total Loads	% of Loads						
			TSW	F3	EFS	Solids		Hue	LU	Mold	pH			
BHN Seed	BP13	Early	VFFFNptsw	X	X		3,128	84.29%	4.53	22.39	1.7	0.3	4.44	
BHN Seed	BP16	Intermediate	VFFFNptsw	X	X		261	7.03%	5.05	21.40	0.4	0.6	4.43	
BHN Seed	BP2	Intermediate	VFFFNptsw	X	X		179	4.82%	5.10	20.56	0.7	0.9	4.49	
BHN Seed	BP32	Intermediate	VFFFNptswXv	X	X	X	100	2.69%	5.49	21.33	1.0	1.7	4.41	
BHN Seed	BP42	Intermediate	VFFFNptsw	X	X		17	0.46%	5.34	20.88	2.4	1.3	4.41	
BHN Seed	BP43	Thin	VFFFNptsw	X	X		16	0.43%	5.82	21.23	0.7	1.5	4.35	
BHN Seed	BP34	Thick	VFFFNptsw*	X	X	X	9	0.24%	4.69	20.56	1.9	2.1	4.49	
BHN Seed	BP26	Intermediate	VFFFNptsw	X	X		1	0.03%	4.70	20.50	0.0	1.0	4.46	
<b>BHN Seed Total</b>							<b>3,711</b>	<b>100.00%</b>	<b>4.63</b>	<b>22.19</b>	<b>1.6</b>	<b>0.4</b>	<b>4.44</b>	
Harris Moran	HM3887	Intermediate	VFFNtsw	X			16,141	24.67%	5.44	21.26	1.5	1.4	4.46	
Harris Moran	HM4885	Thick	VFFNptsw*	X		X	15,041	22.98%	4.94	21.10	0.9	2.1	4.38	
Harris Moran	HM4909	Intermediate	VFFNtswFr	X			6,016	9.19%	5.34	21.71	1.0	1.6	4.29	
Harris Moran	HM1892	Intermediate	VFFNP*			X	5,130	7.84%	5.21	20.99	1.6	1.1	4.51	
Harris Moran	HM7885	Pear	VFNP*			X	4,579	7.00%	4.88	21.29	1.0	1.2	4.58	
Harris Moran	HM9905	Intermediate	VFFN*			X	3,593	5.49%	4.92	21.17	0.9	1.2	4.49	
Harris Moran	HM3888	Intermediate	VFFNtsw*	X		X	3,014	4.61%	5.30	21.58	1.0	2.1	4.48	
Harris Moran	HM5235	Intermediate	VFFFNtsw	X	X		1,731	2.65%	5.25	20.34	1.9	2.4	4.48	
Harris Moran	HM58841	Intermediate	VFFNtsw*	X		X	1,609	2.46%	5.35	21.56	0.8	2.3	4.42	
Harris Moran	Shasta	Early	VF				1,486	2.27%	5.08	22.69	2.7	0.3	4.29	
Harris Moran	HM5900	Intermediate	VFFNtsw	X			1,151	1.76%	5.52	21.51	1.7	1.4	4.36	
Harris Moran	HM58801	Intermediate	VFFFNtsw	X	X		1,085	1.66%	5.31	21.53	1.8	1.7	4.49	
Harris Moran	CXD255	Intermediate	VFFNP				948	1.45%	4.81	22.56	1.5	0.9	4.37	
Harris Moran	HM58811	Thick	VFFNtsw*	X		X	927	1.42%	5.21	21.54	0.8	1.5	4.40	
Harris Moran	HM4521	Intermediate	VFFNtsw*	X		X	900	1.38%	5.17	21.92	0.8	1.6	4.37	
Harris Moran	HM58871	Intermediate	VFFNtsw	X			696	1.06%	5.34	22.07	0.9	2.5	4.41	
Harris Moran	HM4326	Thin	VFFNtsw	X			464	0.71%	5.55	21.75	2.8	6.1	4.48	
Harris Moran	HM58881	Early	VFFNtsw	X			413	0.63%	4.75	20.76	1.1	0.3	4.40	
Harris Moran	CXD187	Early	VFFNP				352	0.54%	4.63	20.74	2.5	0.6	4.40	
Harris Moran	FM1115	Thin	VFFN				157	0.24%	4.79	21.31	0.5	3.2	4.45	
Harris Moran	HM5522	Intermediate	VFFNtswFr	X			4	0.01%	5.33	19.63	0.3	0.3	4.29	
Harris Moran	HM1893	Early	VFFNtsw	X			2	0.00%	5.05	21.75	2.3	0.3	4.49	
<b>Harris Moran Total</b>							<b>65,439</b>	<b>100.00%</b>	<b>5.18</b>	<b>21.32</b>	<b>1.2</b>	<b>1.6</b>	<b>4.43</b>	
Heinz	H4707	Thick	VFFNP*			X	24,595	17.14%	4.79	22.63	0.7	1.6	4.45	
Heinz	H5608	Thick	VFFNptsw	X			21,506	14.99%	4.79	20.89	1.2	1.6	4.45	
Heinz	H1428	Thick	VFFNptsw*	X		X	20,017	13.95%	4.74	21.17	0.6	2.3	4.50	
Heinz	H2401	Thick	VFFNP*			X	17,941	12.50%	4.70	21.72	1.2	1.9	4.39	
Heinz	H5702	Thick	VFFNP*			X	11,584	8.07%	4.71	21.07	0.7	1.6	4.48	
Heinz	H1662	Thick	VFFFNptswLv	X	X		9,795	6.83%	4.91	22.19	1.3	1.9	4.47	
Heinz	H1293	Pear	VFFNptsw	X			6,743	4.70%	5.47	20.62	1.2	1.4	4.54	
Heinz	H8504	Thick	VFFNP*			X	5,632	3.92%	4.96	21.69	1.0	2.2	4.42	
Heinz	H5508	Thick	VFFNtsw*	X		X	4,687	3.27%	4.53	21.33	0.5	2.2	4.48	
Heinz	H1310	Thick	VFFFNptsw	X	X		3,213	2.24%	4.80	21.75	1.0	2.0	4.49	
Heinz	H1015	Early	VFFNP*			X	3,079	2.15%	4.91	21.82	1.1	0.4	4.47	
Heinz	H5708	Thick	VFFNP*			X	3,003	2.09%	4.62	21.06	0.6	1.4	4.40	
Heinz	H9663	Thick	VFFNP				2,113	1.47%	4.71	20.03	1.8	6.6	4.48	
Heinz	H1422	Thick	VFFFNptsw*		X	X	1,982	1.38%	4.88	21.68	1.2	2.0	4.44	
Heinz	H1292	Pear	VFFNptsw	X			1,599	1.11%	5.41	20.79	2.5	0.9	4.54	
Heinz	H9780	Intermediate	VFFNP*			X	1,216	0.85%	5.55	20.89	2.1	1.3	4.39	
Heinz	H5728	Thick	VFFNP*			X	1,187	0.83%	4.51	21.80	0.6	6.3	4.56	
Heinz	H5715	Thick	VFFNP*			X	990	0.69%	4.94	21.41	0.47	2.936	4.447	

# 2018 California Processing Tomato

## Supplier Detail

Based on Final PTAB

Supplier	Variety	Use Category	Disease Resistance				Total Loads	% of					
			Resistance	TSW	F3	EFS		Loads	Solids	Hue	LU	Mold	pH
Heinz	H1175	Thick	VFFN*			X	436	0.30%	4.66	20.23	0.4	0.8	4.58
Heinz	H9491	Intermediate	VFFNP				377	0.26%	4.66	22.00	2.4	1.0	4.37
Heinz	H5710	Thick	VFFNP				313	0.22%	4.79	21.83	0.8	8.2	4.59
Heinz	H1538	Pear	VFFNtsw	X			290	0.20%	5.36	20.78	0.9	0.7	4.42
Heinz	Misc	Thick					258	0.18%	4.84	20.96	1.7	1.8	4.49
Heinz	H1170	Intermediate	VFFN*			X	250	0.17%	4.86	21.58	0.9	0.7	4.40
Heinz	H1161	Thin	VFFNP				229	0.16%	5.35	21.78	1.4	1.8	4.34
Heinz	H1421	Pear	VFFFNtsw	X	X		141	0.10%	5.12	19.77	2.4	1.7	4.45
Heinz	H1776	Thick	VFFNPtsw*	X			138	0.10%	4.93	21.24	0.8	1.8	4.43
Heinz	H1765	Early	VFFNPtsw	X			98	0.07%	5.85	21.32	3.6	0.1	4.50
Heinz	H1311VHL™	Thick	VFFN*			X	53	0.04%	5.69	20.74	1.0	0.4	4.36
Heinz	H5701	Thick	VFFNP*			X	23	0.02%	4.79	21.57	1.2	0.9	4.45
Heinz	H1885	Thick	VFFFNPtsw	X	X		3	0.00%	5.03	20.50	0.5	1.7	4.41
<b>Heinz Total</b>							<b>143,491</b>	<b>100.00%</b>	<b>4.82</b>	<b>21.53</b>	<b>1.0</b>	<b>1.9</b>	<b>4.46</b>
<b>Misc Total</b>							<b>1,329</b>	<b>100.00%</b>	<b>5.07</b>	<b>21.57</b>	<b>2.3</b>	<b>1.7</b>	<b>4.46</b>
Nunhems	N6428	Intermediate	VFFFNPtsw*	X	X	X	27,317	35.64%	4.77	21.89	1.4	1.8	4.48
Nunhems	N6415	Thick	VFFNPtsw*	X		X	14,459	18.87%	4.77	21.43	1.2	2.0	4.45
Nunhems	N6366	Thin	VFFNP				11,664	15.22%	5.20	20.92	2.1	0.5	4.43
Nunhems	N6416	Early	VFNtsw	X			7,874	10.27%	4.68	21.64	1.8	0.3	4.36
Nunhems	N6434	Intermediate	VFFFNtsw*	X	X	x	3,877	5.06%	5.01	21.95	1.3	2.1	4.46
Nunhems	N6402	Thin	VFFNPtsw	X			3,715	4.85%	5.41	20.73	1.7	0.8	4.47
Nunhems	N6420	Pear	VFFNtsw	X			3,181	4.15%	5.05	21.23	1.4	1.6	4.53
Nunhems	N6426	Thick	VFFNtswLv*	X		X	1,966	2.57%	4.90	20.64	1.7	1.8	4.50
Nunhems	N6397	Early	VFFN				1,263	1.65%	5.07	21.13	1.5	0.5	4.44
Nunhems	N6407	Thin	VFFNPtsw*	X		X	649	0.85%	4.98	21.67	0.5	2.1	4.39
Nunhems	N6440	Intermediate	VFFFNtsw*	X	X	X	301	0.39%	4.58	21.85	0.8	1.6	4.44
Nunhems	N6441	Thick	VFFFNtsw*	X	X	X	140	0.18%	4.76	21.08	0.8	1.1	4.46
Nunhems	N6436	Early	VFFNPtsw	X			89	0.12%	4.65	22.10	1.5	1.0	4.49
Nunhems	N6410	Intermediate	VFFN*			X	77	0.10%	5.12	22.73	2.2	5.8	4.56
Nunhems	N6429	Intermediate	VFFFNtswLv*	X	X	X	63	0.08%	4.38	21.79	0.7	0.5	4.48
Nunhems	N6404	Intermediate	VFFNPtsw	X			5	0.01%	5.08	21.20	1.3	0.4	4.45
<b>Nunhems Total</b>							<b>76,640</b>	<b>100.00%</b>	<b>4.89</b>	<b>21.50</b>	<b>1.5</b>	<b>1.4</b>	<b>4.45</b>
Orsetti	BOS811	Intermediate	VFFNtsw	X			1,996	84.97%	5.03	20.47	0.6	1.5	4.39
Orsetti	BOS66509	Early	VFFNP				238	10.13%	4.78	21.46	1.9	0.1	4.35
Orsetti	BOS3842	Intermediate	VFFNPtsw	X			115	4.90%	5.03	21.04	1.1	0.4	4.40
<b>Orsetti Total</b>							<b>2,349</b>	<b>100.00%</b>	<b>5.00</b>	<b>20.59</b>	<b>0.8</b>	<b>1.3</b>	<b>4.39</b>
Seeds of Solution	IVF5234	Intermediate	VFFNP				660	100.00%	5.04	21.99	2.4	0.9	4.31
<b>Seeds of Solution Total</b>							<b>660</b>	<b>100.00%</b>	<b>5.04</b>	<b>21.99</b>	<b>2.4</b>	<b>0.9</b>	<b>4.31</b>
Seminis	AB0311	Thin	VFFNPtsw	X			37,453	34.19%	5.63	20.69	1.8	2.2	4.41
Seminis	DRI319	Thin	VFFNPtsw	X			25,060	22.88%	5.64	21.49	2.3	1.8	4.42
Seminis	SV2756TM	Thick	VFFNtsw	X		X	20,645	18.85%	5.15	21.79	1.0	1.4	4.50
Seminis	SV8011TM	Intermediate	VFFNtsw	X			19,878	18.15%	5.11	20.65	1.0	2.1	4.44
Seminis	SVTM1082	Thin	VFFFNPtsw	X	X		2,102	1.92%	5.36	21.36	1.5	1.2	4.36
Seminis	SV2493TM	Intermediate	VFFFNPtsw	X	X		982	0.90%	4.80	21.76	2.4	2.5	4.49
Seminis	SVTM5655	Intermediate	VFFNtsw	X			952	0.87%	5.20	21.20	1.0	5.2	4.53
Seminis	HP849	Intermediate	VFFNP*			X	710	0.65%	4.79	21.68	0.7	1.7	4.38
Seminis	SVTM9007	Thick	VFFNPtsw	X			412	0.38%	5.06	21.71	1.3	2.7	4.56
Seminis	SV0599TM	Early	VFF				310	0.28%	5.29	21.75	0.8	0.4	4.35
Seminis	APT410	Early	VFFNP				299	0.27%	4.64	23.25	1.9	0.5	4.48

# 2018 California Processing Tomato

## Supplier Detail

Based on Final PTAB

Supplier	Variety	Use Category	Disease Resistance				Total Loads	% of Loads	Solids	Hue	LU	Mold	pH
			VFFNtsw	TSW	F3	EFS							
Seminis	SV6133TM	Thick	VFFNtsw	X			265	0.24%	5.34	20.89	1.1	2.2	4.54
Seminis	SVTM9000	Early	VFFNPtswLv	X			253	0.23%	4.87	21.17	1.3	0.3	4.46
Seminis	SVTM9003	Intermediate	VFFNPtsw*	X		X	161	0.15%	5.66	21.75	1.1	0.7	4.30
Seminis	SVTM2303	Thick	VFFNtsw	X			57	0.05%	4.39	20.16	2.1	4.8	4.53
Seminis	SVTM9008	Thick	VFFNPtsw*	X		X	4	0.00%	4.15	22.25	0.4	1.6	4.36
<b>Seminis Total</b>							<b>109,543</b>	<b>100.00%</b>	<b>5.41</b>	<b>21.12</b>	<b>1.6</b>	<b>1.9</b>	<b>4.44</b>
United Genetics	UG19406	Intermediate	VFFNP*			X	6,788	53.81%	5.24	21.55	1.0	2.3	4.34
United Genetics	UG16112	Thick	VFFNtsw*	X		X	2,051	16.26%	4.80	21.76	0.6	1.6	4.42
United Genetics	UG15212	Thick	VFFNtsw*	X		X	1,587	12.58%	4.52	21.43	1.0	1.8	4.42
United Genetics	UG16609	Thin	VFFNPtsw	X			1,410	11.18%	5.38	20.84	1.9	0.8	4.39
United Genetics	UG9436	Intermediate	VFFNP				638	5.06%	4.79	20.23	1.6	1.1	4.45
United Genetics	UG27713	Thin	VFFNPtsw	X			132	1.05%	5.86	19.91	3.9	4.4	4.58
United Genetics	UG1813	Intermediate	VFFNtsw	X			8	0.06%	5.04	21.50	1.4	0.7	4.40
<b>United Genetics Total</b>							<b>12,614</b>	<b>100.00%</b>	<b>5.08</b>	<b>21.41</b>	<b>1.1</b>	<b>1.9</b>	<b>4.37</b>
US Agriseeds	US11336	Intermediate	VFFNtsw	X			2	100.00%	5.25	19.75	0.5	0.5	4.33
<b>US Agriseeds Total</b>							<b>2</b>	<b>100.00%</b>	<b>5.25</b>	<b>19.75</b>	<b>0.5</b>	<b>0.5</b>	<b>4.33</b>
Woodbridge	BQ273	Early	VFFNPtsw	X			42,112	73.65%	5.18	21.41	1.4	0.4	4.38
Woodbridge	BQ400	Early	VFFNPtsw	X			8,317	14.55%	5.01	20.78	1.3	0.3	4.51
Woodbridge	BQ403	Early	VFFNPtsw	X			4,962	8.68%	5.12	21.43	1.9	0.2	4.35
Woodbridge	BQ141	Intermediate	VFFNPtsw	X	X		933	1.63%	4.55	21.86	2.5	1.0	4.45
Woodbridge	BQ398	Intermediate	VFFNtsw	X			325	0.57%	5.11	20.96	1.0	3.0	4.43
Woodbridge	BQ401	Early	VFFNPtsw	X			259	0.45%	5.16	21.32	0.8	0.2	4.43
Woodbridge	BQ413	Early	VFFNPtsw	X	X		155	0.27%	4.78	21.45	1.8	1.0	4.55
Woodbridge	BQ411	Intermediate	VFFNPtsw	X	X		52	0.09%	4.91	20.82	3.5	3.3	4.45
Woodbridge	BQ422	Intermediate	VFFNPtsw	X	X		50	0.09%	4.73	21.03	3.2	2.2	4.45
Woodbridge	BQ205	Thin	VFFNP				9	0.02%	4.99	21.00	2.9	2.5	4.38
Woodbridge	BQ270	Early	VFFNtsw	X			1	0.00%	5.50	20.00	0.5	0.5	4.29
Woodbridge	BQ312	Early	VFFNtsw	X			1	0.00%	5.50	21.00	1.0	0.0	4.34
Woodbridge	BQ163	Thin	VFFNP				1	0.00%	5.70	19.50	3.0	0.0	4.40
Woodbridge	BQ323	Intermediate	VFFNtsw	X			1	0.00%	6.10	20.00	0.5	0.5	4.28
<b>Woodbridge Total</b>							<b>57,178</b>	<b>100.00%</b>	<b>5.14</b>	<b>21.32</b>	<b>1.4</b>	<b>0.4</b>	<b>4.40</b>
<b>STATEWIDE</b>							<b>472,956</b>	<b>100.00%</b>	<b>5.06</b>	<b>21.37</b>	<b>1.3</b>	<b>1.6</b>	<b>4.44</b>

Note: Thin Viscosity - Predicted Paste Bostwick ≥ 5.40, Intermediate Viscosity - Predicted Paste Bostwick 3.76 - 5.39, Thick Viscosity - Predicted Paste Bostwick ≤ 3.75