

2018 California Processing Tomato

Variety Use Category Detail

Based on Final PTAB

Use Category	Variety	Supplier	Disease Resistance	TSW	F3	EFS	Total Loads	% of Loads	Solids	Hue	LU	Mold	pH
Early	BQ273	Woodbridge	VFFNPtsw	X			42,112	56.38%	5.18	21.41	1.4	0.4	4.38
Early	BQ400	Woodbridge	VFFNPtsw	X			8,317	11.14%	5.01	20.78	1.3	0.3	4.51
Early	N6416	Nunhems	VFNPtsw	X			7,874	10.54%	4.68	21.64	1.8	0.3	4.36
Early	BQ403	Woodbridge	VFFNPtsw	X			4,962	6.64%	5.12	21.43	1.9	0.2	4.35
Early	BP13	BHN Seed	VFFNPtsw	X	X		3,128	4.19%	4.53	22.39	1.7	0.3	4.44
Early	H1015	Heinz	VFFNP*			X	3,079	4.12%	4.91	21.82	1.1	0.4	4.47
Early	Shasta	Harris Moran	VF				1,486	1.99%	5.08	22.69	2.7	0.3	4.29
Early	N6397	Nunhems	VFFN				1,263	1.69%	5.07	21.13	1.5	0.5	4.44
Early	HM58881	Harris Moran	VFFNtsw	X			413	0.55%	4.75	20.76	1.1	0.3	4.40
Early	CXD187	Harris Moran	VFFNP				352	0.47%	4.63	20.74	2.5	0.6	4.40
Early	SV0599TM	Seminis	VFF				310	0.42%	5.29	21.75	0.8	0.4	4.35
Early	APT410	Seminis	VFFNP				299	0.40%	4.64	23.25	1.9	0.5	4.48
Early	BQ401	Woodbridge	VFFNPtsw	X			259	0.35%	5.16	21.32	0.8	0.2	4.43
Early	SVTM9000	Seminis	VFFNPtswLv	X			253	0.34%	4.87	21.17	1.3	0.3	4.46
Early	BOS66509	Orsetti	VFFNP				238	0.32%	4.78	21.46	1.9	0.1	4.35
Early	BQ413	Woodbridge	VFFFNtsw	X	X		155	0.21%	4.78	21.45	1.8	1.0	4.55
Early	H1765	Heinz	VFFNPtsw	X			98	0.13%	5.85	21.32	3.6	0.1	4.50
Early	N6436	Nunhems	VFFNPtsw	X			89	0.12%	4.65	22.10	1.5	1.0	4.49
Early	HM1893	Harris Moran	VFFNtsw	X			2	0.00%	5.05	21.75	2.3	0.3	4.49
Early	BQ270	Woodbridge	VFFNtsw	X			1	0.00%	5.50	20.00	0.5	0.5	4.29
Early	BQ312	Woodbridge	VFFNtsw	X			1	0.00%	5.50	21.00	1.0	0.0	4.34
Early Total							74,691	100.00%	5.05	21.45	1.5	0.4	4.40
Thin	AB0311	Seminis	VFFNPtsw	X			37,453	45.09%	5.63	20.69	1.8	2.2	4.41
Thin	DRI319	Seminis	VFFNPtsw	X			25,060	30.17%	5.64	21.49	2.3	1.8	4.42
Thin	N6366	Nunhems	VFFNP				11,664	14.04%	5.20	20.92	2.1	0.5	4.43
Thin	N6402	Nunhems	VFFNPtsw	X			3,715	4.47%	5.41	20.73	1.7	0.8	4.47
Thin	SVTM1082	Seminis	VFFFNPtsw	X	X		2,102	2.53%	5.36	21.36	1.5	1.2	4.36
Thin	UG16609	United Genetics	VFFNPtsw	X			1,410	1.70%	5.38	20.84	1.9	0.8	4.39
Thin	N6407	Nunhems	VFFNPtsw*	X		X	649	0.78%	4.98	21.67	0.5	2.1	4.39
Thin	HM4326	Harris Moran	VFFNtsw	X			464	0.56%	5.55	21.75	2.8	6.1	4.48
Thin	H1161	Heinz	VFFNP				229	0.28%	5.35	21.78	1.4	1.8	4.34
Thin	FM1115	Harris Moran	VFFN				157	0.19%	4.79	21.31	0.5	3.2	4.45
Thin	UG27713	United Genetics	VFFNPtsw	X			132	0.16%	5.86	19.91	3.9	4.4	4.58
Thin	BP43	BHN Seed	VFFFNPtsw	X	X		16	0.02%	5.82	21.23	0.7	1.5	4.35
Thin	BQ205	Woodbridge	VFFNP				9	0.01%	4.99	21.00	2.9	2.5	4.38
Thin	BQ163	Woodbridge	VFFNP				1	0.00%	5.70	19.50	3.0	0.0	4.40
Thin Total							83,061	100.00%	5.54	21.00	2.0	1.8	4.42
Intermediate	N6428	Nunhems	VFFFNPtsw*	X	X	X	27,317	24.76%	4.77	21.89	1.4	1.8	4.48
Intermediate	SV8011TM	Seminis	VFFNtsw	X			19,878	18.02%	5.11	20.65	1.0	2.1	4.44
Intermediate	HM3887	Harris Moran	VFFNtsw	X			16,141	14.63%	5.44	21.26	1.5	1.4	4.46
Intermediate	UG19406	United Genetics	VFFNP*			X	6,788	6.15%	5.24	21.55	1.0	2.3	4.34
Intermediate	HM4909	Harris Moran	VFFNtswFr	X			6,016	5.45%	5.34	21.71	1.0	1.6	4.29
Intermediate	HM1892	Harris Moran	VFFNP*			X	5,130	4.65%	5.21	20.99	1.6	1.1	4.51
Intermediate	N6434	Nunhems	VFFFNtsw*	X	X	x	3,877	3.51%	5.01	21.95	1.3	2.1	4.46
Intermediate	HM9905	Harris Moran	VFFNP*			X	3,593	3.26%	4.92	21.17	0.9	1.2	4.49
Intermediate	HM3888	Harris Moran	VFFNtsw*	X		X	3,014	2.73%	5.30	21.58	1.0	2.1	4.48
Intermediate	BOS811	Orsetti	VFFNtsw	X			1,996	1.81%	5.03	20.47	0.6	1.5	4.39
Intermediate	HM5235	Harris Moran	VFFFNtsw	X	X		1,731	1.57%	5.25	20.34	1.9	2.4	4.48
Intermediate	HM58841	Harris Moran	VFFNtsw*	X		X	1,609	1.46%	5.35	21.56	0.8	2.3	4.42
Intermediate	H9780	Heinz	VFFNP*			X	1,216	1.10%	5.55	20.89	2.1	1.3	4.39

2018 California Processing Tomato

Variety Use Category Detail

Based on Final PTAB

Use Category	Variety	Supplier	Disease Resistance	TSW	F3	EFS	Total Loads	% of Loads	Solids	Hue	LU	Mold	pH
Intermediate	HM5900	Harris Moran	VFFNtsw	X			1,151	1.04%	5.52	21.51	1.7	1.4	4.36
Intermediate	HM58801	Harris Moran	VFFFNtsw	X	X		1,085	0.98%	5.31	21.53	1.8	1.7	4.49
Intermediate	SV2493TM	Seminis	VFFFNPtsw	X	X		982	0.89%	4.80	21.76	2.4	2.5	4.49
Intermediate	SVTM5655	Seminis	VFFNtsw	X			952	0.86%	5.20	21.20	1.0	5.2	4.53
Intermediate	CXD255	Harris Moran	VFFNP				948	0.86%	4.81	22.56	1.5	0.9	4.37
Intermediate	BQ141	Woodbridge	VFFFNPtsw	X	X		933	0.85%	4.55	21.86	2.5	1.0	4.45
Intermediate	HM4521	Harris Moran	VFFNtsw*	X		X	900	0.82%	5.17	21.92	0.8	1.6	4.37
Intermediate	HP849	Seminis	VFFNP*			X	710	0.64%	4.79	21.68	0.7	1.7	4.38
Intermediate	HM58871	Harris Moran	VFFNtsw	X			696	0.63%	5.34	22.07	0.9	2.5	4.41
Intermediate	IVF5234	Seeds of Solution	VFFNP				660	0.60%	5.04	21.99	2.4	0.9	4.31
Intermediate	UG9436	United Genetics	VFFNP				638	0.58%	4.79	20.23	1.6	1.1	4.45
Intermediate	H9491	Heinz	VFFNP				377	0.34%	4.66	22.00	2.4	1.0	4.37
Intermediate	BQ398	Woodbridge	VFFNtsw	X			325	0.29%	5.11	20.96	1.0	3.0	4.43
Intermediate	N6440	Nunhems	VFFFNtsw*	X	X	X	301	0.27%	4.58	21.85	0.8	1.6	4.44
Intermediate	BP16	BHN Seed	VFFFNPtsw	X	X		261	0.24%	5.05	21.40	0.4	0.6	4.43
Intermediate	H1170	Heinz	VFFN*			X	250	0.23%	4.86	21.58	0.9	0.7	4.40
Intermediate	BP2	BHN Seed	VFFFNPtsw	X	X		179	0.16%	5.10	20.56	0.7	0.9	4.49
Intermediate	SVTM9003	Seminis	VFFNPtsw*	X		X	161	0.15%	5.66	21.75	1.1	0.7	4.30
Intermediate	BOS3842	Orsetti	VFFNPtsw	X			115	0.10%	5.03	21.04	1.1	0.4	4.40
Intermediate	BP32	BHN Seed	VFFFNPtswXv	X	X	X	100	0.09%	5.49	21.33	1.0	1.7	4.41
Intermediate	N6410	Nunhems	VFFN*			X	77	0.07%	5.12	22.73	2.2	5.8	4.56
Intermediate	N6429	Nunhems	VFFFNtswLv*	X	X	X	63	0.06%	4.38	21.79	0.7	0.5	4.48
Intermediate	BQ411	Woodbridge	VFFFNtsw	X	X		52	0.05%	4.91	20.82	3.5	3.3	4.45
Intermediate	BQ422	Woodbridge	VFFFNtsw	X	X		50	0.05%	4.73	21.03	3.2	2.2	4.45
Intermediate	BP42	BHN Seed	VFFFNPtsw	X	X		17	0.02%	5.34	20.88	2.4	1.3	4.41
Intermediate	UG1813	United Genetics	VFFNtsw	X			8	0.01%	5.04	21.50	1.4	0.7	4.40
Intermediate	N6404	Nunhems	VFFNPtsw	X			5	0.00%	5.08	21.20	1.3	0.4	4.45
Intermediate	HM5522	Harris Moran	VFFNtswFr	X			4	0.00%	5.33	19.63	0.3	0.3	4.29
Intermediate	US11336	US Agriseeds	VFFNtsw	X			2	0.00%	5.25	19.75	0.5	0.5	4.33
Intermediate	BP26	BHN Seed	VFFFNPtsw	X	X		1	0.00%	4.70	20.50	0.0	1.0	4.46
Intermediate	BQ323	Woodbridge	VFFNtsw	X			1	0.00%	6.10	20.00	0.5	0.5	4.28
Intermediate Total							110,310	100.00%	5.09	21.38	1.3	1.8	4.44
Thick	H4707	Heinz	VFFNP*			X	24,595	13.15%	4.79	22.63	0.7	1.6	4.45
Thick	H5608	Heinz	VFFNPtsw	X			21,506	11.50%	4.79	20.89	1.2	1.6	4.45
Thick	SV2756TM	Seminis	VFFNtsw	X		X	20,645	11.04%	5.15	21.79	1.0	1.4	4.50
Thick	H1428	Heinz	VFFNPtsw*	X		X	20,017	10.70%	4.74	21.17	0.6	2.3	4.50
Thick	H2401	Heinz	VFFNP*			X	17,941	9.59%	4.70	21.72	1.2	1.9	4.39
Thick	HM4885	Harris Moran	VFFNPtsw*	X		X	15,041	8.04%	4.94	21.10	0.9	2.1	4.38
Thick	N6415	Nunhems	VFFNPtsw*	X		X	14,459	7.73%	4.77	21.43	1.2	2.0	4.45
Thick	H5702	Heinz	VFFNP*			X	11,584	6.19%	4.71	21.07	0.7	1.6	4.48
Thick	H1662	Heinz	VFFFNPtswLv	X	X		9,795	5.24%	4.91	22.19	1.3	1.9	4.47
Thick	H8504	Heinz	VFFNP*			X	5,632	3.01%	4.96	21.69	1.0	2.2	4.42
Thick	H5508	Heinz	VFFNtsw*	X		X	4,687	2.51%	4.53	21.33	0.5	2.2	4.48
Thick	H1310	Heinz	VFFFNPtsw	X	X		3,213	1.72%	4.80	21.75	1.0	2.0	4.49
Thick	H5708	Heinz	VFFNP*			X	3,003	1.61%	4.62	21.06	0.6	1.4	4.40
Thick	H9663	Heinz	VFFNP				2,113	1.13%	4.71	20.03	1.8	6.6	4.48
Thick	UG16112	United Genetics	VFFNtsw*	X		X	2,051	1.10%	4.80	21.76	0.6	1.6	4.42
Thick	H1422	Heinz	VFFFNP*		X	X	1,982	1.06%	4.88	21.68	1.2	2.0	4.44
Thick	N6426	Nunhems	VFFNtswLv*	X		X	1,966	1.05%	4.90	20.64	1.7	1.8	4.50

2018 California Processing Tomato

Variety Use Category Detail

Based on Final PTAB

Use Category	Variety	Supplier	Disease Resistance	TSW	F3	EFS	Total Loads	% of Loads	Solids	Hue	LU	Mold	pH
Thick	UG15212	United Genetics	VFFNtsw*	X		X	1,587	0.85%	4.52	21.43	1.0	1.8	4.42
Thick	H5728	Heinz	VFFNP*			X	1,187	0.63%	4.51	21.80	0.6	6.3	4.56
Thick	H5715	Heinz	VFFNP*			X	990	0.53%	4.94	21.41	0.47	2.936	4.447
Thick	HM58811	Harris Moran	VFFNtsw*	X		X	927	0.50%	5.21	21.54	0.8	1.5	4.40
Thick	H1175	Heinz	VFFN*			X	436	0.23%	4.66	20.23	0.4	0.8	4.58
Thick	SVTM9007	Seminis	VFFNPtsw	X			412	0.22%	5.06	21.71	1.3	2.7	4.56
Thick	H5710	Heinz	VFFNP				313	0.17%	4.79	21.83	0.8	8.2	4.59
Thick	SV6133TM	Seminis	VFFNtsw	X			265	0.14%	5.34	20.89	1.1	2.2	4.54
Thick	Misc	Heinz					258	0.14%	4.84	20.96	1.7	1.8	4.49
Thick	N6441	Nunhems	VFFFNtsw*	X	X	X	140	0.07%	4.76	21.08	0.8	1.1	4.46
Thick	H1776	Heinz	VFFNPtsw*	X			138	0.07%	4.93	21.24	0.8	1.8	4.43
Thick	SVTM2303	Seminis	VFFNtsw	X			57	0.03%	4.39	20.16	2.1	4.8	4.53
Thick	H1311VHL™	Heinz	VFFN*			X	53	0.03%	5.69	20.74	1.0	0.4	4.36
Thick	H5701	Heinz	VFFNP*			X	23	0.01%	4.79	21.57	1.2	0.9	4.45
Thick	BP34	BHN Seed	VFFFNPtsw*	X	X	X	9	0.00%	4.69	20.56	1.9	2.1	4.49
Thick	SVTM9008	Seminis	VFFNPtsw*	X		X	4	0.00%	4.15	22.25	0.4	1.6	4.36
Thick	H1885	Heinz	VFFFNPtsw	X	X		3	0.00%	5.03	20.50	0.5	1.7	4.41
Thick Total							187,032	100.00%	4.83	21.54	1.0	1.9	4.45
Pear	H1293	Heinz	VFFNPtsw	X			6,743	40.79%	5.47	20.62	1.2	1.4	4.54
Pear	HM7885	Harris Moran	VFNP*			X	4,579	27.70%	4.88	21.29	1.0	1.2	4.58
Pear	N6420	Nunhems	VFFNtsw	X			3,181	19.24%	5.05	21.23	1.4	1.6	4.53
Pear	H1292	Heinz	VFFNPtsw	X			1,599	9.67%	5.41	20.79	2.5	0.9	4.54
Pear	H1538	Heinz	VFFNtsw	X			290	1.75%	5.36	20.78	0.9	0.7	4.42
Pear	H1421	Heinz	VFFFNtsw	X	X		141	0.85%	5.12	19.77	2.4	1.7	4.45
Pear Total							16,533	100.00%	5.22	20.94	1.3	1.3	4.54
Misc Total							1,329	100.00%	5.07	21.57	2.3	1.7	4.46
STATEWIDE							472,956	100.00%	5.06	21.37	1.3	1.6	4.44

Note: Thin Viscosity - Predicted Paste Bostwick \geq 5.40, Intermediate Viscosity - Predicted Paste Bostwick 3.76 - 5.39, Thick Viscosity - Predicted Paste Bostwick \leq 3.75