

2019 Processing Tomato Season
PTAB Analysis (7/20/19) - County by Variety



County	Variety Name	Week Ending 7/20/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
FRESNO	403, BQ	2,670	0.0	0.2	1.5	0.5	21.2	1.1	5.39	4.31	4,451	0.0	0.2	1.3	0.5	21.3	1.0	5.38	4.29
FRESNO	273, BQ	2,564	0.0	0.3	1.8	0.7	21.4	0.7	5.53	4.31	3,208	0.0	0.3	1.7	0.6	21.6	0.7	5.53	4.31
FRESNO	400, BQ	1,527	0.0	0.2	2.1	1.2	20.0	0.8	5.19	4.44	1,667	0.0	0.2	2.1	1.2	20.0	0.8	5.21	4.44
FRESNO	6416, N	467	0.0	0.2	1.1	0.5	20.8	1.2	4.88	4.38	922	0.0	0.2	1.4	0.5	21.0	0.8	4.81	4.33
FRESNO	6366, SUN	575	0.0	0.4	1.4	0.6	20.8	1.8	5.39	4.42	884	0.0	0.3	1.2	0.5	20.5	2.1	5.51	4.40
FRESNO	0311, AB	645	0.0	0.5	0.9	0.4	21.0	1.5	5.88	4.39	680	0.0	0.5	0.9	0.3	21.1	1.6	5.91	4.38
FRESNO	3887, HM	552	0.0	0.2	1.0	0.4	21.6	3.0	5.55	4.44	584	0.0	0.2	1.0	0.4	21.6	2.9	5.56	4.44
FRESNO	9000, SVTM	430	0.0	0.4	0.6	0.2	20.4	0.5	5.38	4.44	481	0.0	0.4	0.6	0.1	20.3	0.5	5.38	4.43
FRESNO	1293, HZ	362	0.0	0.2	1.4	1.1	20.4	1.2	5.40	4.54	476	0.0	0.2	1.2	0.9	20.4	1.1	5.44	4.52
FRESNO	6402, N	337	0.0	0.8	1.0	0.3	20.2	1.2	5.50	4.44	339	0.0	0.8	1.0	0.3	20.2	1.2	5.50	4.44
FRESNO	16609, UG	246	0.0	0.1	0.9	0.4	20.4	1.4	5.57	4.33	246	0.0	0.1	0.9	0.4	20.4	1.4	5.57	4.33
FRESNO	6415, N	131	0.0	0.1	2.1	0.1	20.7	1.0	5.16	4.36	172	0.0	0.1	2.1	0.1	20.8	1.0	5.16	4.35
FRESNO	5608, HZ	166	0.0	1.0	1.2	0.7	20.7	0.8	5.04	4.34	166	0.0	1.0	1.2	0.7	20.7	0.8	5.04	4.34
FRESNO	1428, HZ	140	0.0	0.2	3.7	0.6	21.0	0.3	5.34	4.36	140	0.0	0.2	3.7	0.6	21.0	0.3	5.34	4.36
FRESNO	187, CXD	1	0.0	0.0	0.5	0.5	21.5	0.0	5.40	4.29	108	0.0	0.4	4.3	0.5	20.1	0.5	4.90	4.32
FRESNO	58881, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	105	0.0	0.0	1.3	0.5	20.2	0.7	4.98	4.33
FRESNO	1292, HZ	57	0.0	0.6	0.2	0.4	22.7	7.3	5.16	4.61	57	0.0	0.6	0.2	0.4	22.7	7.3	5.16	4.61
FRESNO	6426, N	57	0.0	0.3	1.2	0.4	20.2	0.6	5.14	4.38	57	0.0	0.3	1.2	0.4	20.2	0.6	5.14	4.38
FRESNO	58841, HM	47	0.0	0.3	1.9	1.2	21.9	1.1	5.99	4.41	47	0.0	0.3	1.9	1.2	21.9	1.1	5.99	4.41
FRESNO	UNCODED	41	0.2	0.4	0.7	0.0	19.4	2.5	4.60	4.40	41	0.2	0.4	0.7	0.0	19.4	2.5	4.60	4.40
FRESNO	0599, SV	33	0.0	0.4	0.9	0.5	21.7	0.8	5.52	4.38	34	0.0	0.4	0.9	0.5	21.7	0.8	5.51	4.37
FRESNO	8163, HM	27	0.0	1.2	1.4	2.4	20.5	1.5	5.22	4.44	31	0.0	1.1	1.3	2.1	20.7	1.4	5.22	4.41
FRESNO	6459, N	12	0.0	0.3	1.0	0.6	21.5	0.4	4.69	4.47	12	0.0	0.3	1.0	0.6	21.5	0.4	4.69	4.47
FRESNO	401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	0.4	0.5	0.4	20.6	1.4	5.26	4.23
FRESNO	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	0.2	0.0	20.0	2.3	5.97	4.27
FRESNO	6404, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	1.8	0.5	21.3	0.7	5.07	4.23
FRESNO	9663, HEINZ	3	0.0	0.5	1.2	0.3	20.5	0.8	5.67	4.38	3	0.0	0.5	1.2	0.3	20.5	0.8	5.67	4.38
FRESNO	0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	1.5	0.5	20.0	0.8	5.00	4.38
FRESNO	5235, HM	1	0.0	1.5	3.5	1.0	21.5	2.0	5.10	4.24	2	0.0	0.8	2.0	1.0	22.0	1.3	4.95	4.22
FRESNO	8504, HEINZ	2	0.0	0.0	0.3	0.5	21.3	0.3	5.40	4.26	2	0.0	0.0	0.3	0.5	21.3	0.3	5.40	4.26
FRESNO	43, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	22.0	0.5	5.50	4.25
FRESNO	205, BQ	1	0.0	0.5	0.5	0.0	20.5	1.5	5.30	4.26	1	0.0	0.5	0.5	0.0	20.5	1.5	5.30	4.26
FRESNO	270, BQ	1	0.0	0.0	0.5	0.0	22.0	0.5	5.70	4.34	1	0.0	0.0	0.5	0.0	22.0	0.5	5.70	4.34
FRESNO	402, BQ	1	0.0	0.5	0.0	1.0	21.0	2.5	5.80	4.50	1	0.0	0.5	0.0	1.0	21.0	2.5	5.80	4.50
FRESNO	6133, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	23.0	0.5	4.50	4.17
FRESNO	6440, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.5	21.0	1.0	4.60	4.31
FRESNO	6461, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.0	0.0	22.0	0.5	4.50	4.25
FRESNO	9007, SVTM	1	0.0	0.0	0.0	0.5	21.5	0.0	5.40	4.28	1	0.0	0.0	0.0	0.5	21.5	0.0	5.40	4.28
FRESNO	58811, HM	1	0.0	1.5	0.5	0.5	20.5	0.5	5.40	4.49	1	0.0	1.5	0.5	0.5	20.5	0.5	5.40	4.49
FRESNO	58871, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.0	0.0	22.0	0.0	5.10	4.18
FRESNO		11,098	0.0	0.3	1.5	0.6	20.9	1.1	5.40	4.37	14,940	0.0	0.3	1.5	0.6	21.0	1.1	5.39	4.35
KERN	273, BQ	1,090	0.0	0.4	1.0	0.5	22.0	1.5	5.08	4.35	2,007	0.0	0.4	1.0	0.7	22.1	1.2	5.12	4.33
KERN	5608, HZ	874	0.0	0.6	1.1	0.9	21.0	1.0	4.97	4.41	1,773	0.0	0.4	1.0	0.7	20.9	0.7	4.79	4.39
KERN	400, BQ	497	0.0	1.2	2.1	2.0	20.0	1.7	5.16	4.51	654	0.1	1.0	1.7	1.6	20.3	1.4	5.10	4.49
KERN	6366, SUN	14	0.0	0.4	3.5	0.8	19.3	0.7	5.54	4.45	644	0.0	0.4	2.0	1.0	20.4	2.2	5.06	4.37
KERN	4885, HMX	583	0.0	0.9	1.1	0.6	22.0	0.9	5.05	4.36	641	0.0	0.9	1.1	0.6	22.1	0.9	5.07	4.36

2019 Processing Tomato Season
PTAB Analysis (7/20/19) - County by Variety



County	Variety Name	Week Ending 7/20/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
KERN	403, BQ	76	0.0	0.2	0.9	0.3	21.5	1.5	5.48	4.39	477	0.0	0.7	1.1	0.5	21.4	1.2	5.21	4.33
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	315	0.0	1.5	4.3	0.6	20.3	1.0	4.66	4.39
KERN	9663, HEINZ	49	0.0	0.6	5.3	1.2	21.4	3.2	4.51	4.40	155	0.0	1.1	2.3	0.7	21.0	1.7	4.24	4.39
KERN	9000, SVTM	132	0.0	0.5	0.3	0.3	21.0	0.6	5.20	4.44	132	0.0	0.5	0.3	0.3	21.0	0.6	5.20	4.44
KERN	3887, HM	59	0.0	0.3	4.0	1.1	20.9	2.3	5.15	4.39	110	0.0	0.4	4.4	1.0	20.6	1.8	5.13	4.37
KERN	0311, AB	105	0.0	1.0	1.6	0.7	21.6	2.0	5.76	4.47	105	0.0	1.0	1.6	0.7	21.6	2.0	5.76	4.47
KERN	6428, N	78	0.0	0.5	2.2	0.2	21.9	0.4	5.04	4.44	78	0.0	0.5	2.2	0.2	21.9	0.4	5.04	4.44
KERN	9007, SVTM	69	0.0	0.2	1.4	1.2	22.9	2.0	5.01	4.53	69	0.0	0.2	1.4	1.2	22.9	2.0	5.01	4.53
KERN	8011, SV	46	0.0	0.6	0.9	0.4	22.2	5.2	5.72	4.55	46	0.0	0.6	0.9	0.4	22.2	5.2	5.72	4.55
KERN	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	44	0.0	0.1	1.1	0.6	20.8	0.8	4.68	4.28
KERN	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	0.1	2.5	1.3	22.1	0.1	4.66	4.28
KERN	1765, HZ	39	0.0	0.1	1.4	0.7	21.7	2.7	4.81	4.39	39	0.0	0.1	1.4	0.7	21.7	2.7	4.81	4.39
KERN	5702, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	36	0.0	0.1	1.5	0.7	20.4	0.3	4.58	4.35
KERN	1170, HEINZ	35	0.0	0.4	1.2	0.2	20.9	0.7	5.97	4.32	35	0.0	0.4	1.2	0.2	20.9	0.7	5.97	4.32
KERN	UNCODED	34	0.0	0.3	0.3	1.0	21.5	2.1	5.04	4.41	34	0.0	0.3	0.3	1.0	21.5	2.1	5.04	4.41
KERN	401, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	0.2	0.4	0.7	21.3	1.2	5.29	4.28
KERN	6459, N	19	0.0	0.2	1.2	0.5	21.9	1.2	4.73	4.52	19	0.0	0.2	1.2	0.5	21.9	1.2	4.73	4.52
KERN	402, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	0.3	0.3	20.8	0.3	5.27	4.27
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	1.5	0.5	20.8	0.3	4.70	4.30
KERN	8163, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.8	1.3	1.0	23.0	0.8	6.40	4.34
KERN	58801, HM	2	0.0	0.0	1.0	0.8	21.5	5.8	5.85	4.51	2	0.0	0.0	1.0	0.8	21.5	5.8	5.85	4.51
KERN	58811, HM	2	0.0	1.0	1.0	0.5	21.5	4.8	5.80	4.54	2	0.0	1.0	1.0	0.5	21.5	4.8	5.80	4.54
KERN	270, BQ	1	0.0	1.0	0.0	0.0	21.5	1.5	4.80	4.36	1	0.0	1.0	0.0	0.0	21.5	1.5	4.80	4.36
KERN	6429, N	1	0.0	1.0	0.5	0.0	22.0	0.0	5.50	4.32	1	0.0	1.0	0.5	0.0	22.0	0.0	5.50	4.32
KERN		3,805	0.0	0.7	1.3	0.8	21.4	1.4	5.10	4.40	7,487	0.0	0.6	1.4	0.8	21.3	1.2	5.01	4.38
KINGS	400, BQ	1,375	0.0	0.1	3.9	0.6	20.3	0.8	5.00	4.47	1,785	0.0	0.1	3.6	0.7	20.4	0.8	5.02	4.46
KINGS	273, BQ	1,508	0.0	0.2	1.5	0.5	21.9	0.9	5.62	4.38	1,746	0.0	0.2	1.7	0.5	21.8	0.9	5.65	4.37
KINGS	6366, SUN	597	0.0	0.5	3.6	0.4	20.9	3.0	5.07	4.39	834	0.0	0.5	3.4	0.4	20.7	3.1	5.15	4.40
KINGS	6416, N	169	0.0	0.2	0.5	0.1	20.5	2.7	4.56	4.42	760	0.0	0.2	1.2	0.2	21.3	1.2	4.86	4.37
KINGS	5608, HZ	473	0.0	0.2	2.2	0.4	20.0	0.4	5.03	4.41	473	0.0	0.2	2.2	0.4	20.0	0.4	5.03	4.41
KINGS	3887, HM	362	0.0	0.5	2.1	0.5	20.9	2.1	5.23	4.42	362	0.0	0.5	2.1	0.5	20.9	2.1	5.23	4.42
KINGS	403, BQ	62	0.0	0.4	3.6	0.3	21.7	1.2	4.84	4.32	357	0.0	0.3	2.1	0.3	22.1	1.2	5.06	4.34
KINGS	9000, SVTM	216	0.0	0.0	0.5	0.2	20.6	1.6	5.18	4.49	216	0.0	0.0	0.5	0.2	20.6	1.6	5.18	4.49
KINGS	5235, HM	112	0.0	0.3	3.4	0.5	20.6	1.5	5.46	4.44	120	0.0	0.3	3.6	0.5	20.5	1.5	5.45	4.43
KINGS	0811, BOS	100	0.0	0.1	1.8	0.9	20.8	0.3	5.03	4.39	100	0.0	0.1	1.8	0.9	20.8	0.3	5.03	4.39
KINGS	6415, N	88	0.0	0.1	6.5	0.2	20.1	0.2	5.01	4.31	88	0.0	0.1	6.5	0.2	20.1	0.2	5.01	4.31
KINGS	4521, HMX 61P	6	0.0	0.2	4.2	0.1	22.3	0.5	5.02	4.38	57	0.0	0.1	3.9	0.2	22.5	0.4	4.86	4.33
KINGS	2756, SV	53	0.0	0.2	3.4	0.2	21.9	0.6	4.61	4.42	53	0.0	0.2	3.4	0.2	21.9	0.6	4.61	4.42
KINGS	6428, N	45	0.0	0.5	2.6	0.3	23.0	0.3	4.44	4.47	45	0.0	0.5	2.6	0.3	23.0	0.3	4.44	4.47
KINGS	UNCODED	19	0.0	0.1	1.8	1.5	21.4	1.8	5.47	4.48	19	0.0	0.1	1.8	1.5	21.4	1.8	5.47	4.48
KINGS	5710, HZ	13	0.0	0.8	2.8	0.2	24.1	0.9	4.15	4.33	13	0.0	0.8	2.8	0.2	24.1	0.9	4.15	4.33
KINGS	1662, HZ	3	0.0	0.3	2.2	0.3	22.7	0.0	4.67	4.37	3	0.0	0.3	2.2	0.3	22.7	0.0	4.67	4.37
KINGS	32, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	4.0	0.0	22.0	2.5	4.20	4.33
KINGS	43, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	2.0	0.5	23.0	1.0	4.90	4.34
KINGS	1311, HZ	1	0.0	2.0	3.0	0.0	24.5	0.0	4.10	4.32	1	0.0	2.0	3.0	0.0	24.5	0.0	4.10	4.32
KINGS		5,202	0.0	0.2	2.6	0.5	20.9	1.2	5.20	4.42	7,034	0.0	0.2	2.5	0.5	21.0	1.2	5.19	4.41

2019 Processing Tomato Season
PTAB Analysis (7/20/19) - County by Variety



County	Variety Name	Week Ending 7/20/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
TULARE	400, BQ	83	0.0	0.5	5.4	1.1	20.2	0.8	4.74	4.47	83	0.0	0.5	5.4	1.1	20.2	0.8	4.74	4.47
TULARE		83	0.0	0.5	5.4	1.1	20.2	0.8	4.74	4.47	83	0.0	0.5	5.4	1.1	20.2	0.8	4.74	4.47
YOLO	6397, N	33	0.0	0.0	0.8	0.9	21.1	0.1	5.34	4.34	33	0.0	0.0	0.8	0.9	21.1	0.1	5.34	4.34
YOLO	403, BQ	8	0.0	0.0	2.1	2.3	21.7	0.2	5.63	4.23	8	0.0	0.0	2.1	2.3	21.7	0.2	5.63	4.23
YOLO		41	0.0	0.0	1.0	1.2	21.2	0.1	5.39	4.32	41	0.0	0.0	1.0	1.2	21.2	0.1	5.39	4.32