

**2019 Processing Tomato Season**  
 PTAB Analysis (8/10/19) - Statewide by Variety



Variety Name	Week Ending 8/10/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
273, BQ	2,321	0	0.7	1.4	0.5	21.75	1.4	5.35	4.38	18,209	0	0.4	1.9	0.7	21.57	1.2	5.39	4.36
5608, HZ	2,508	0	1.4	1.6	0.4	20.55	1.1	4.78	4.46	11,543	0	0.7	1.7	0.4	20.60	1.0	4.88	4.43
403, BQ	777	0	0.4	1.3	0.9	21.21	1.4	5.22	4.34	9,126	0	0.2	1.5	0.6	21.33	1.3	5.29	4.32
0311, AB	3,668	0	1.7	2.1	0.6	20.63	2.0	5.74	4.42	9,055	0	1.5	1.9	0.5	20.77	2.3	5.79	4.43
400, BQ	365	0	0.9	1.2	0.3	19.90	1.2	5.18	4.50	8,439	0	0.4	2.6	0.9	20.10	1.1	5.14	4.47
3887, HM	1,792	0	0.4	1.3	0.3	20.53	1.3	5.79	4.50	5,838	0	0.4	1.6	0.3	20.99	1.8	5.63	4.47
8011, SV	3,135	0	1.8	1.7	0.5	20.59	0.9	5.29	4.45	5,567	0	1.6	1.4	0.4	20.74	1.2	5.32	4.45
6366, SUN	242	0	0.2	0.6	0.4	20.49	0.9	5.37	4.43	3,931	0	0.4	1.7	0.5	20.56	2.1	5.41	4.39
6402, N	1,167	0	1.1	0.7	0.5	20.62	1.3	5.31	4.44	3,106	0	1.0	0.9	0.4	20.61	1.6	5.58	4.46
1293, HZ	1,097	0	1.2	1.5	0.7	20.77	1.7	5.26	4.57	3,076	0	0.8	1.5	0.8	20.65	1.5	5.37	4.56
1082, SVTM	1,392	0	0.7	2.7	0.9	21.66	1.9	5.59	4.38	2,373	0	0.6	2.2	0.8	21.89	1.8	5.80	4.39
6415, N	636	0	0.8	3.6	0.9	22.13	0.8	4.78	4.44	2,347	0	0.5	3.0	0.5	21.67	1.3	5.04	4.42
13, BP	1658	0	0.5	3.6	1.1	21.42	1.2	4.84	4.39	1,783	0	0.5	3.4	1.1	21.48	1.1	4.82	4.39
9000, SVTM	199	0	1.0	1.8	0.5	21.39	0.7	5.04	4.38	1,764	0	0.4	1.1	0.3	20.64	1.0	5.19	4.46
6416, N	48	0	0.7	0.4	0.1	20.68	0.4	5.04	4.36	1758	0	0.2	1.2	0.4	21.14	1.0	4.84	4.35
0319, DRI	881	0	1.5	1.1	0.3	21.49	3.1	5.78	4.45	1665	0	1.0	1.2	0.3	21.57	2.9	5.90	4.45
0811, BOS	843	0	0.5	1.8	0.8	20.03	0.8	5.16	4.36	1567	0	0.4	1.6	0.7	20.03	0.7	5.21	4.37
1428, HZ	875	0	0.7	1.5	0.7	20.99	0.7	4.97	4.45	1496	0	0.6	2.0	0.7	21.07	0.6	5.01	4.44
6428, N	559	0	0.7	3.4	1.4	22.16	1.6	5.31	4.49	1376	0	0.5	2.8	1.0	22.45	1.4	5.08	4.47
1892, HMX	874	0	0.5	4.0	1.5	20.51	1.5	5.46	4.49	1339	0	0.5	3.1	1.3	20.56	1.3	5.47	4.49
4885, HMX	100	0	1.4	1.0	0.4	22.63	1.2	5.17	4.42	1318	0	0.9	1.1	0.5	21.87	0.8	5.16	4.38
6426, N	601	0	0.8	0.9	0.5	20.57	3.6	5.04	4.52	1254	0	0.8	0.9	0.4	20.14	2.1	5.01	4.48
2401, HEINZ	917	0	0.8	1.7	0.3	21.89	1.5	4.97	4.41	1011	0	0.8	1.7	0.3	21.76	1.4	4.96	4.40
1776, HZ	269	0	1.1	3.0	0.7	21.76	0.7	5.23	4.42	999	0	0.5	3.1	0.7	21.51	0.5	5.23	4.41
4909, HMX	437	0	1.8	0.7	0.2	21.17	0.5	5.36	4.27	906	0	1.2	0.7	0.2	21.23	0.5	5.32	4.28
16609, UG	330	0	1.6	1.5	0.3	20.44	3.2	5.40	4.40	902	0	0.7	1.1	0.3	20.53	2.3	5.60	4.36
1015, HEINZ	809	0	0.4	3.2	0.9	20.52	0.7	5.09	4.41	810	0	0.4	3.2	0.9	20.52	0.7	5.09	4.41
6397, N	245	0	0.3	0.3	0.3	21.59	0.9	5.12	4.44	806	0	0.3	0.7	0.4	21.61	0.7	5.30	4.41
9663, HEINZ	430	0	1.9	2.3	0.7	19.24	1.8	4.63	4.44	752	0	1.4	2.5	0.7	20.00	2.6	4.70	4.43
9007, SVTM	314	0	1.6	1.7	0.4	21.27	1.0	4.84	4.53	747	0	1.1	1.7	0.5	21.78	1.9	4.87	4.52
398, BQ	101	0	1.2	2.6	0.8	20.02	1.3	5.28	4.47	703	0	0.6	2.1	0.7	19.95	1.5	5.58	4.48
413, BQ	646	0	0.8	2.1	0.7	21.11	0.6	4.57	4.47	684	0	0.7	2.0	0.7	21.14	0.6	4.59	4.46
1662, HZ	274	0	1.2	1.1	0.8	22.66	2.1	5.12	4.50	630	0	0.8	2.0	1.4	24.43	4.3	5.28	4.51
5235, HM	367	0	0.7	1.3	0.5	20.43	1.4	5.53	4.44	616	0	0.6	1.7	0.5	20.60	1.9	5.56	4.46
7885, HMX	178	0	1.4	1.7	0.4	22.47	1.3	4.77	4.62	597	0	1.3	1.1	0.2	22.75	1.2	4.68	4.63
2756, SV	128	0	0.3	2.9	0.4	20.67	1.1	5.12	4.46	555	0	0.4	2.9	0.7	21.47	1.6	5.12	4.48

Variety Name	Week Ending 8/10/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
8504, HEINZ	408	0	1.6	1.2	0.3	22.82	1.0	4.98	4.36	502	0	1.5	1.1	0.4	22.78	0.9	4.97	4.35
5702, HZ	407	0	0.3	2.9	0.7	21.28	0.8	4.91	4.47	494	0	0.3	2.8	0.7	21.20	0.7	4.88	4.46
4707, HEINZ	449	0	0.3	2.2	1.6	22.71	0.7	4.89	4.40	489	0	0.3	2.2	1.5	22.66	0.6	4.88	4.39
4521, HMX 61P	222	0	0.2	1.5	0.4	20.63	0.6	5.34	4.42	464	0	0.2	2.2	0.5	21.25	0.6	5.21	4.38
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	423	0	1.2	4.3	0.6	20.27	0.9	4.72	4.37
58841, HM	248	0	0.9	3.6	0.9	21.61	0.9	5.68	4.44	392	0	0.9	3.0	1.5	21.86	1.9	5.86	4.47
6420, N	93	0	1.6	1.1	0.5	20.99	2.6	4.87	4.58	332	0	1.3	0.9	0.3	21.27	2.0	4.79	4.56
6459, N	56	0	0.6	1.0	0.3	21.65	1.9	4.85	4.52	303	0	0.4	1.3	0.4	20.96	1.6	5.00	4.55
8163, HM	93	0	2.1	1.8	0.4	21.61	4.6	5.93	4.61	274	0	1.1	1.5	0.6	20.86	3.0	5.91	4.54
UNCODED	81	0	0.5	0.6	0.2	20.81	1.5	5.53	4.47	234	0	0.4	0.9	0.4	20.82	1.6	5.21	4.45
9011, SVTM	201	0	1.0	3.3	1.1	20.94	2.0	6.02	4.49	228	0	0.9	3.0	1.0	21.05	2.0	6.05	4.49
27713, UG	106	0	0.5	1.4	0.3	20.38	3.2	6.18	4.48	215	0	0.6	1.3	0.3	20.53	3.6	5.96	4.50
5710, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	214	0	1.4	1.5	0.1	23.35	1.2	4.47	4.43
6434, N	55	0	1.4	0.8	0.3	22.55	2.5	5.19	4.47	197	0	1.6	0.4	0.2	23.22	1.8	4.64	4.49
401, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	157	0	0.2	1.9	0.3	21.36	1.4	4.88	4.40
19406, UG	145	0	4.8	1.0	0.3	22.23	0.9	4.98	4.43	156	0	4.6	1.0	0.3	22.17	1.0	5.00	4.42
1292, HZ	4	0	1.6	1.6	0.8	21.00	2.4	4.85	4.60	141	0	0.7	0.2	0.5	22.78	8.4	5.18	4.61
1170, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	131	0	0.4	1.1	0.4	20.84	0.6	6.00	4.33
5900, HM	111	0	0.2	0.5	0.1	21.35	1.4	5.64	4.32	121	0	0.2	0.5	0.1	21.48	1.4	5.72	4.33
5522, HMX 61P	48	0	0.5	0.9	0.2	22.03	1.9	5.41	4.49	114	0	0.4	0.8	0.2	21.35	1.7	5.92	4.47
58801, HM	95	0	0.3	0.4	0.4	20.96	0.7	5.57	4.40	106	0	0.3	0.4	0.4	21.00	0.9	5.56	4.41
58881, HM	1	0	1.0	1.0	0.5	21.00	0.5	4.80	4.31	106	0	0.1	1.3	0.5	20.19	0.7	4.97	4.33
3842, BOS	95	0	0.3	0.2	0.1	22.13	0.5	4.60	4.30	95	0	0.3	0.2	0.1	22.13	0.5	4.60	4.30
4326, HMX 61P	1	0	3.5	1.0	2.5	20.50	2.5	4.80	4.45	86	0	2.1	1.6	1.2	20.90	2.1	5.40	4.38
5715, HZ	70	0	1.4	1.3	0.3	21.76	1.0	5.41	4.38	85	0	1.4	1.4	0.4	21.76	1.0	5.39	4.38
6394, N	83	0	0.6	0.3	0.1	20.88	3.3	5.28	4.54	83	0	0.6	0.3	0.1	20.88	3.3	5.28	4.54
1765, HZ	40	0	0.2	0.7	0.6	21.10	1.6	5.21	4.42	79	0	0.2	1.0	0.6	21.42	2.2	5.01	4.41
5369, HMX61P	28	0	2.1	2.1	0.3	21.95	1.3	5.58	4.66	58	0	1.5	1.4	0.4	21.87	1.2	5.46	4.62
9013, SVTM	22	0	2.0	2.3	0.1	19.30	0.5	5.17	4.45	56	0	1.9	1.3	0.2	20.15	1.1	5.41	4.50
6461, N	4	0	0.1	2.0	0.1	22.88	0.1	5.10	4.29	36	0	0.1	2.7	0.2	21.74	0.7	5.19	4.45
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	34	0	0.4	0.9	0.5	21.71	0.8	5.51	4.37
18205, ISI	1	0	0.0	0.5	2.0	21.00	0.0	5.10	4.51	34	0	0.1	0.9	0.8	20.51	0.3	5.63	4.41
6460, N	30	0	0.1	0.7	0.0	21.15	0.2	5.15	4.43	33	0	0.1	0.6	0.0	21.09	0.2	5.13	4.44
9014, SVTM	20	0	2.1	1.3	0.0	18.78	0.7	5.27	4.45	24	0	1.8	1.2	0.0	18.88	0.6	5.19	4.46
1311, HZ	3	0	0.3	0.2	0.3	20.00	0.8	5.27	4.39	16	0	0.9	0.7	0.2	20.63	2.1	5.48	4.41
MISC TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	14	0	0.2	0.1	0.0	20.43	1.0	4.83	4.43
108, HYPEEL	7	0	1.6	0.9	1.4	21.36	8.1	5.40	4.64	14	0	1.3	0.8	0.7	21.96	4.8	5.12	4.65
15212, UG	13	0	0.2	2.4	0.2	21.35	0.6	4.71	4.42	14	0	0.2	2.3	0.1	21.39	1.0	4.79	4.43
MIX	7	0	1.6	1.1	0.1	21.07	1.5	5.59	4.49	12	0	1.2	1.1	0.1	20.42	1.5	5.48	4.47

Variety Name	Week Ending 8/10/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6357, HMX61P	1	0	0.0	0.5	0.0	21.00	1.5	5.40	4.57	7	0	0.1	1.6	0.6	20.64	1.6	5.54	4.50
4014, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	0.3	1.3	0.1	18.50	0.1	5.52	4.53
9016, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	0.8	0.2	0.0	21.30	0.4	4.80	4.38
58811, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	1.1	0.6	0.4	21.13	2.9	5.65	4.51
270, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.3	0.8	0.0	21.33	0.7	5.17	4.39
402, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.3	0.3	20.83	0.3	5.27	4.27
6404, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.8	0.5	21.33	0.7	5.07	4.23
9012, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.3	0.0	0.0	19.50	2.3	5.40	4.53
13512, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.2	0.5	23.17	2.0	5.30	4.56
43, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.0	1.5	0.5	22.50	0.8	5.20	4.30
120, BQ	1	0	1.0	0.0	0.0	21.50	0.0	4.70	4.51	2	0	0.5	1.0	0.3	21.75	0.0	4.90	4.45
9008, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.3	1.0	0.0	20.00	0.3	5.30	4.21
32, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	4.0	0.0	22.00	2.5	4.20	4.33
51, BP	1	0	0.0	3.0	0.5	22.00	1.0	4.80	4.45	1	0	0.0	3.0	0.5	22.00	1.0	4.80	4.45
205, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	20.50	1.5	5.30	4.26
6133, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	23.00	0.5	4.50	4.17
6429, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	0.5	0.0	22.00	0.0	5.50	4.32
6440, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	1.0	0.5	21.00	1.0	4.60	4.31
58871, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.0	0.0	22.00	0.0	5.10	4.18
<b>STATEWIDE</b>	<b>34,433</b>	<b>0.0</b>	<b>1.0</b>	<b>1.9</b>	<b>0.6</b>	<b>21.02</b>	<b>1.4</b>	<b>5.26</b>	<b>4.44</b>	<b>115,263</b>	<b>0.0</b>	<b>0.7</b>	<b>1.8</b>	<b>0.6</b>	<b>21.05</b>	<b>1.4</b>	<b>5.29</b>	<b>4.42</b>