

**2019 Processing Tomato Season**  
**PTAB Analysis (8/17/19) - Statewide by Variety**



Variety Name	Week Ending 8/17/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
273, BQ	2,912	0	0.9	1.8	0.7	21.12	1.2	5.24	4.36	21,121	0	0.5	1.9	0.7	21.51	1.2	5.37	4.36
5608, HZ	2,746	0	2.2	1.2	0.4	20.26	1.1	4.96	4.47	14,289	0	0.9	1.6	0.4	20.53	1.0	4.89	4.44
0311, AB	3,777	0	2.1	1.2	0.5	20.55	1.7	5.65	4.39	12,831	0	1.7	1.7	0.5	20.71	2.1	5.75	4.42
8011, SV	4,266	0	2.3	1.3	0.4	20.78	1.1	5.23	4.46	9,833	0	1.9	1.4	0.4	20.76	1.1	5.28	4.45
403, BQ	438	0	0.5	0.7	0.3	21.08	2.1	5.40	4.34	9,564	0	0.3	1.4	0.6	21.32	1.3	5.29	4.32
400, BQ	655	0	0.9	1.2	0.6	20.09	1.1	5.04	4.48	9,094	0	0.4	2.5	0.9	20.10	1.1	5.14	4.47
3887, HM	660	0	0.8	1.8	0.3	20.95	1.7	5.81	4.49	6,498	0	0.4	1.6	0.3	20.98	1.8	5.65	4.47
6366, SUN	333	0	0.3	0.6	0.5	20.79	1.2	5.06	4.44	4,264	0	0.3	1.6	0.5	20.57	2.0	5.39	4.40
1293, HZ	1,108	0	1.1	0.9	0.5	20.07	2.1	5.41	4.57	4,184	0	0.9	1.4	0.7	20.49	1.7	5.38	4.57
1082, SVTM	1,495	0	0.7	1.4	0.5	21.19	1.2	5.47	4.35	3,868	0	0.6	1.9	0.7	21.62	1.6	5.67	4.37
6402, N	135	0	1.0	0.3	0.5	20.32	1.1	5.17	4.46	3,241	0	1.0	0.9	0.4	20.59	1.6	5.56	4.46
6415, N	635	0	1.3	2.2	0.6	21.25	1.4	5.03	4.48	2,982	0	0.7	2.8	0.6	21.58	1.3	5.03	4.44
0319, DRI	1125	0	1.8	1.0	0.3	21.30	2.6	5.96	4.45	2,790	0	1.3	1.1	0.3	21.46	2.8	5.92	4.45
1428, HZ	1259	0	0.5	4.0	0.8	20.88	0.6	5.19	4.46	2755	0	0.5	2.9	0.7	20.99	0.6	5.09	4.44
13, BP	837	0	0.7	3.7	1.5	21.08	0.9	4.60	4.38	2620	0	0.6	3.5	1.2	21.36	1.1	4.75	4.38
6428, N	1148	0	1.6	3.0	0.7	21.99	1.4	4.97	4.50	2524	0	1.0	2.9	0.9	22.24	1.4	5.03	4.48
4707, HEINZ	1994	0	0.4	2.7	1.1	22.44	0.6	4.89	4.42	2483	0	0.3	2.6	1.2	22.48	0.6	4.89	4.41
0811, BOS	872	0	0.6	1.9	0.5	19.68	0.9	5.24	4.38	2439	0	0.5	1.7	0.7	19.90	0.8	5.22	4.38
9000, SVTM	485	0	1.1	2.1	0.7	21.03	0.9	5.09	4.41	2255	0	0.6	1.3	0.4	20.73	1.0	5.16	4.45
1015, HEINZ	1210	0	0.5	2.2	1.0	20.44	1.0	5.05	4.43	2020	0	0.4	2.6	0.9	20.48	0.9	5.07	4.42
6426, N	720	0	1.2	0.7	0.2	20.27	1.4	5.10	4.49	1974	0	1.0	0.9	0.3	20.19	1.9	5.04	4.48
4885, HMX	645	0	1.3	1.1	0.5	21.26	1.3	5.12	4.42	1963	0	1.1	1.1	0.5	21.67	1.0	5.15	4.39
2401, HEINZ	921	0	0.8	1.9	0.5	21.22	0.8	4.94	4.34	1932	0	0.8	1.8	0.4	21.51	1.1	4.95	4.37
413, BQ	1169	0	1.2	3.1	0.9	20.74	1.0	4.65	4.50	1853	0	1.0	2.7	0.8	20.89	0.9	4.63	4.49
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1758	0	0.2	1.2	0.4	21.14	1.0	4.84	4.35
5235, HM	1052	0	1.0	1.9	0.4	19.94	1.0	5.35	4.42	1668	0	0.9	1.8	0.5	20.19	1.3	5.43	4.43
1892, HMX	110	0	0.7	6.6	1.8	20.75	2.4	5.88	4.54	1484	0	0.5	3.3	1.3	20.57	1.4	5.50	4.49
16609, UG	490	0	1.9	0.7	0.3	20.60	2.2	5.28	4.40	1392	0	1.1	1.0	0.3	20.55	2.2	5.49	4.38
4909, HMX	323	0	1.1	0.6	0.4	22.25	0.9	5.19	4.23	1229	0	1.2	0.7	0.2	21.50	0.6	5.29	4.27
2756, SV	645	0	0.8	1.5	0.5	21.57	1.1	4.83	4.49	1200	0	0.6	2.1	0.6	21.52	1.3	4.97	4.49
1776, HZ	189	0	1.9	4.5	1.5	21.65	0.6	5.28	4.42	1188	0	0.7	3.3	0.8	21.53	0.6	5.24	4.41
4521, HMX 61P	692	0	0.1	1.6	0.2	20.68	0.2	5.43	4.38	1156	0	0.2	1.9	0.3	20.91	0.4	5.34	4.38
1662, HZ	520	0	0.8	1.8	1.0	22.22	1.1	5.15	4.46	1150	0	0.8	1.9	1.2	23.43	2.9	5.23	4.48
5702, HZ	541	0	0.7	3.2	1.3	20.63	0.5	4.83	4.49	1035	0	0.5	3.0	1.0	20.90	0.6	4.86	4.48
7885, HMX	426	0	0.6	0.6	0.2	21.17	1.1	4.88	4.59	1023	0	1.0	0.9	0.2	22.09	1.2	4.76	4.61
8504, HEINZ	505	0	1.3	0.9	0.2	22.25	1.1	4.95	4.37	1007	0	1.4	1.0	0.3	22.51	1.0	4.96	4.36
9663, HEINZ	217	0	4.1	1.5	0.6	19.64	2.0	4.71	4.46	969	0	2.0	2.3	0.6	19.92	2.4	4.70	4.43

Variety Name	Week Ending 8/17/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
9007, SVTM	200	0	1.5	2.6	0.9	21.56	0.8	4.66	4.56	947	0	1.2	1.9	0.6	21.73	1.7	4.82	4.53
6397, N	34	0	0.3	0.1	0.2	20.59	0.4	5.29	4.43	840	0	0.3	0.7	0.4	21.57	0.7	5.30	4.42
398, BQ	77	0	2.8	2.4	0.5	19.62	1.0	5.09	4.47	780	0	0.8	2.2	0.7	19.92	1.4	5.53	4.47
58841, HM	177	0	0.4	0.5	0.1	20.87	0.4	5.52	4.30	569	0	0.8	2.2	1.1	21.55	1.4	5.76	4.42
27713, UG	241	0	1.7	1.4	0.3	20.44	3.0	6.06	4.48	456	0	1.2	1.4	0.3	20.48	3.3	6.01	4.49
6420, N	98	0	2.5	0.8	0.1	19.85	1.4	4.75	4.54	430	0	1.6	0.9	0.3	20.95	1.9	4.78	4.55
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	423	0	1.2	4.3	0.6	20.27	0.9	4.72	4.37
6434, N	223	0	1.5	0.6	0.7	22.21	1.4	5.25	4.48	420	0	1.6	0.5	0.5	22.69	1.6	4.96	4.48
6459, N	49	0	1.0	1.9	0.6	20.83	1.0	5.31	4.44	352	0	0.5	1.4	0.4	20.94	1.5	5.04	4.53
UNCODED	108	0	0.7	3.8	0.7	20.23	1.5	5.61	4.38	335	0	0.4	1.9	0.5	20.60	1.6	5.34	4.42
9011, SVTM	106	0	2.4	0.7	0.8	20.56	2.5	5.49	4.44	334	0	1.4	2.3	0.9	20.90	2.2	5.87	4.47
5900, HM	197	0	0.1	0.4	0.1	21.08	1.2	5.35	4.31	318	0	0.1	0.4	0.1	21.23	1.3	5.49	4.32
1292, HZ	133	0	2.0	1.0	0.6	21.48	2.4	5.19	4.59	274	0	1.4	0.6	0.5	22.15	5.4	5.18	4.60
8163, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	274	0	1.1	1.5	0.6	20.86	3.0	5.91	4.54
16112, UG	243	0	0.3	0.8	0.3	22.31	0.9	4.83	4.48	243	0	0.3	0.8	0.3	22.31	0.9	4.83	4.48
5710, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	214	0	1.4	1.5	0.1	23.35	1.2	4.47	4.43
1310, HZ	183	0	1.2	7.6	0.9	20.99	0.5	5.19	4.39	183	0	1.2	7.6	0.9	20.99	0.5	5.19	4.39
19406, UG	27	0	0.8	0.9	0.5	21.59	0.5	5.41	4.22	183	0	4.1	1.0	0.3	22.09	0.9	5.07	4.39
5522, HMX 61P	62	0	1.5	1.2	0.3	21.18	1.1	5.28	4.38	176	0	0.8	1.0	0.3	21.29	1.5	5.70	4.44
58801, HM	51	0	1.8	2.1	0.6	21.57	1.3	5.72	4.43	158	0	0.8	1.0	0.5	21.19	1.0	5.61	4.41
401, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	157	0	0.2	1.9	0.3	21.36	1.4	4.88	4.40
141, BQ	151	0	0.9	6.5	0.8	20.91	2.5	5.12	4.46	151	0	0.9	6.5	0.8	20.91	2.5	5.12	4.46
1170, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	131	0	0.4	1.1	0.4	20.84	0.6	6.00	4.33
5715, HZ	42	0	2.1	0.6	0.5	22.13	0.8	5.37	4.43	127	0	1.6	1.2	0.4	21.89	0.9	5.38	4.39
58811, HM	114	0	0.7	0.4	0.3	20.35	0.4	5.24	4.40	118	0	0.8	0.4	0.3	20.38	0.5	5.25	4.40
58881, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	106	0	0.1	1.3	0.5	20.19	0.7	4.97	4.33
4326, HMX 61P	15	0	1.7	2.9	0.6	23.10	7.4	5.75	4.46	101	0	2.1	1.8	1.1	21.23	2.9	5.45	4.39
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	95	0	0.3	0.2	0.1	22.13	0.5	4.60	4.30
9013, SVTM	28	0	2.3	1.4	0.1	19.63	0.4	5.22	4.41	84	0	2.1	1.4	0.2	19.98	0.9	5.35	4.47
6394, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	83	0	0.6	0.3	0.1	20.88	3.3	5.28	4.54
1765, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	79	0	0.2	1.0	0.6	21.42	2.2	5.01	4.41
15212, UG	61	0	0.5	3.0	0.2	21.57	0.5	4.74	4.42	75	0	0.5	2.8	0.2	21.53	0.6	4.75	4.42
5369, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	58	0	1.5	1.4	0.4	21.87	1.2	5.46	4.62
9014, SVTM	22	0	2.0	0.7	0.0	19.57	0.5	5.34	4.41	46	0	1.9	0.9	0.0	19.21	0.6	5.26	4.44
255, CXD	39	0	0.4	0.5	0.4	21.49	0.9	4.91	4.29	39	0	0.4	0.5	0.4	21.49	0.9	4.91	4.29
6461, N	3	0	0.0	0.3	0.0	22.50	0.3	4.97	4.26	39	0	0.1	2.5	0.1	21.79	0.7	5.17	4.43
6460, N	3	0	0.7	0.5	1.3	22.83	0.8	5.03	4.34	36	0	0.2	0.6	0.1	21.24	0.2	5.12	4.43
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	34	0	0.4	0.9	0.5	21.71	0.8	5.51	4.37
34, BP	28	0	1.9	0.3	0.0	22.80	2.4	4.74	4.42	28	0	1.9	0.3	0.0	22.80	2.4	4.74	4.42
9008, SVTM	24	0	1.4	0.2	0.3	20.83	0.6	5.40	4.34	26	0	1.3	0.3	0.3	20.77	0.6	5.39	4.33

Variety Name	Week Ending 8/17/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
MISC TRIAL	11	0	1.1	2.0	0.5	21.14	2.9	5.33	4.42	25	0	0.6	0.9	0.2	20.74	1.8	5.05	4.43
6440, N	20	0	0.1	4.4	0.6	20.45	0.2	4.85	4.34	21	0	0.1	4.2	0.6	20.48	0.2	4.83	4.34
MIX	5	0	1.1	1.0	0.7	20.50	0.6	5.72	4.42	17	0	1.2	1.1	0.3	20.44	1.2	5.55	4.46
1311, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	16	0	0.9	0.7	0.2	20.63	2.1	5.48	4.41
6357, HMX61P	9	0	2.0	1.1	0.6	22.94	4.6	4.94	4.52	16	0	1.2	1.3	0.6	21.94	3.3	5.21	4.51
43, BP	13	0	1.2	4.1	0.2	19.88	1.2	5.73	4.49	15	0	1.0	3.7	0.2	20.23	1.2	5.66	4.46
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	14	0	1.3	0.8	0.7	21.96	4.8	5.12	4.65
18205, ISI	10	0	0.6	0.1	0.1	19.40	1.3	5.37	4.62	10	0	0.6	0.1	0.1	19.40	1.3	5.37	4.62
25037, ISI	10	0	0.4	0.8	0.0	19.85	0.6	5.44	4.49	10	0	0.4	0.8	0.0	19.85	0.6	5.44	4.49
MISC EXP	8	0	1.6	0.8	0.1	21.75	1.6	4.93	4.35	8	0	1.6	0.8	0.1	21.75	1.6	4.93	4.35
51,BP	7	0	2.7	0.6	0.4	22.29	3.6	5.50	4.48	8	0	2.4	0.9	0.4	22.25	3.3	5.41	4.48
6436, N	8	0	1.8	0.4	1.1	22.06	1.2	5.15	4.48	8	0	1.8	0.4	1.1	22.06	1.2	5.15	4.48
7744, BOS	7	0	1.3	1.6	0.2	19.64	0.5	5.31	4.38	7	0	1.3	1.6	0.2	19.64	0.5	5.31	4.38
3888, HM	6	0	0.4	0.5	0.3	21.50	0.6	5.97	4.40	6	0	0.4	0.5	0.3	21.50	0.6	5.97	4.40
4014, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	0.3	1.3	0.1	18.50	0.1	5.52	4.53
9016, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	0.8	0.2	0.0	21.30	0.4	4.80	4.38
270, BQ	1	0	1.0	0.0	0.0	23.50	3.5	4.60	4.38	4	0	0.5	0.6	0.0	21.88	1.4	5.03	4.39
1996, HZ	4	0	0.0	1.0	0.5	22.25	3.4	4.83	4.59	4	0	0.0	1.0	0.5	22.25	3.4	4.83	4.59
58871, HM	3	0	1.0	1.3	0.2	22.17	0.5	5.93	4.30	4	0	0.8	1.0	0.1	22.13	0.4	5.73	4.27
402, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.3	0.3	20.83	0.3	5.27	4.27
1991, HZ	3	0	1.0	0.7	1.7	23.50	8.0	4.93	4.62	3	0	1.0	0.7	1.7	23.50	8.0	4.93	4.62
1992, HZ	3	0	0.0	0.5	1.3	24.40	7.7	5.00	4.55	3	0	0.0	0.5	1.3	24.40	7.7	5.00	4.55
1995, HZ	3	0	0.5	0.5	1.0	24.00	7.0	5.00	4.62	3	0	0.5	0.5	1.0	24.00	7.0	5.00	4.62
1997, HZ	3	0	0.3	1.2	0.2	22.83	1.5	4.77	4.52	3	0	0.3	1.2	0.2	22.83	1.5	4.77	4.52
6175, HMX 61P	3	0	2.0	0.7	0.5	22.67	4.7	5.47	4.51	3	0	2.0	0.7	0.5	22.67	4.7	5.47	4.51
6404, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.8	0.5	21.33	0.7	5.07	4.23
9012, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.3	0.0	0.0	19.50	2.3	5.40	4.53
13512, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.2	0.5	23.17	2.0	5.30	4.56
HEINZ TRIAL	2	0	0.3	0.3	0.5	23.75	1.3	5.05	4.56	2	0	0.3	0.3	0.5	23.75	1.3	5.05	4.56
120, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.5	1.0	0.3	21.75	0.0	4.90	4.45
1901, HZ	2	0	3.8	1.5	0.8	21.75	5.5	5.05	4.53	2	0	3.8	1.5	0.8	21.75	5.5	5.05	4.53
000, MISC	1	0	1.0	1.0	0.0	22.50	1.0	4.40	4.36	1	0	1.0	1.0	0.0	22.50	1.0	4.40	4.36
32, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	4.0	0.0	22.00	2.5	4.20	4.33
205, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	20.50	1.5	5.30	4.26
6133, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	23.00	0.5	4.50	4.17
6429, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	0.5	0.0	22.00	0.0	5.50	4.32
<b>STATEWIDE</b>	<b>40,136</b>	<b>0.0</b>	<b>1.3</b>	<b>1.8</b>	<b>0.6</b>	<b>20.92</b>	<b>1.2</b>	<b>5.20</b>	<b>4.43</b>	<b>155,399</b>	<b>0.0</b>	<b>0.8</b>	<b>1.8</b>	<b>0.6</b>	<b>21.02</b>	<b>1.4</b>	<b>5.27</b>	<b>4.42</b>