

2019 Processing Tomato Season
 PTAB Analysis (9/14/19) - Statewide by Variety



Variety Name	Week Ending 9/14/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
273, BQ	493	0	2.5	1.4	2.1	21.65	1.9	5.10	4.49	24,562	0	0.6	2.1	0.8	21.48	1.3	5.34	4.37
0311, AB	1,313	0	3.4	0.9	0.5	21.03	1.4	5.52	4.42	21,560	0	2.1	1.4	0.4	20.77	2.0	5.70	4.42
8011, SV	1,612	0	2.5	1.9	0.7	20.68	1.2	5.11	4.43	20,230	0	2.1	1.7	0.6	20.84	1.2	5.21	4.46
5608, HZ	276	0	3.4	1.9	0.4	20.68	1.9	5.04	4.47	17,928	0	1.3	1.6	0.5	20.63	1.2	4.88	4.45
6428, N	2,623	0	2.7	2.3	1.4	22.24	1.6	4.91	4.49	17,639	0	1.5	2.4	1.0	21.98	1.6	4.93	4.49
1428, HZ	3,764	0	1.6	2.3	1.1	20.87	0.6	4.91	4.45	14,401	0	1.0	2.4	1.0	20.98	0.7	4.98	4.47
4707, HEINZ	2,076	0	1.2	1.9	1.0	22.60	1.0	4.95	4.48	12,876	0	0.6	1.9	0.9	22.74	0.9	4.88	4.47
0319, DRI	2,709	0	1.6	0.8	0.4	21.28	2.0	5.71	4.38	11,570	0	1.8	0.9	0.4	21.57	2.5	5.71	4.42
2756, SV	2,866	0	1.7	1.5	0.7	21.07	0.7	4.91	4.50	11,096	0	1.4	1.3	0.6	21.38	0.9	4.89	4.50
1082, SVTM	1,378	0	1.9	0.7	0.3	21.09	1.5	5.38	4.37	10,973	0	1.1	1.4	0.6	21.53	1.6	5.51	4.38
400, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9,635	0	0.5	2.5	0.9	20.08	1.1	5.14	4.47
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9,616	0	0.3	1.4	0.6	21.31	1.3	5.29	4.32
2401, HEINZ	1,399	0	1.3	2.3	0.9	21.38	1.0	4.99	4.37	9,219	0	1.0	2.3	0.7	21.59	1.0	4.85	4.37
1662, HZ	2,780	0	1.4	2.5	1.0	22.11	1.3	5.01	4.47	8,891	0	1.2	2.5	1.0	22.35	1.6	4.98	4.47
3887, HM	100	0	0.8	0.9	0.5	21.19	0.4	5.18	4.38	7,145	0	0.6	1.5	0.3	21.06	1.7	5.61	4.47
4885, HMX	779	0	2.3	1.4	0.4	21.08	0.8	5.09	4.39	6,597	0	1.5	1.0	0.4	21.04	1.0	5.07	4.40
1293, HZ	402	0	1.4	1.4	0.7	20.50	1.1	5.40	4.56	6,428	0	1.0	1.3	0.6	20.55	1.6	5.35	4.57
6415, N	894	0	1.3	1.9	0.9	21.35	1.3	5.18	4.44	5,390	0	0.9	2.3	0.7	21.52	1.4	5.08	4.45
5702, HZ	1587	0	1.4	3.8	1.5	20.51	0.5	4.74	4.47	5,007	0	0.9	2.9	1.3	20.79	0.7	4.75	4.48
5235, HM	510	0	3.1	0.5	0.3	20.92	2.4	5.29	4.47	4856	0	1.9	1.5	0.4	20.41	1.7	5.26	4.45
6426, N	420	0	3.0	1.0	0.6	20.20	1.2	5.03	4.50	4835	0	1.3	0.9	0.4	20.18	1.5	5.08	4.50
6366, SUN	85	0	1.8	0.6	0.5	19.93	2.3	4.75	4.45	4769	0	0.4	1.5	0.5	20.62	2.0	5.32	4.40
0811, BOS	484	0	3.5	2.1	0.8	20.34	1.1	4.91	4.50	4575	0	1.2	1.5	0.6	20.11	0.9	5.14	4.42
58841, HM	1245	0	1.4	0.7	0.5	21.30	0.5	5.10	4.41	4334	0	1.0	0.9	0.6	21.39	0.6	5.25	4.41
6402, N	82	0	1.0	1.1	0.9	21.16	1.3	5.26	4.41	3717	0	1.1	1.0	0.5	20.63	1.6	5.53	4.47
4909, HMX	190	0	1.6	0.4	0.8	22.60	0.7	5.64	4.37	3376	0	1.3	0.6	0.3	22.24	0.7	5.39	4.30
13, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2898	0	0.6	3.7	1.2	21.31	1.1	4.76	4.39
7885, HMX	643	0	2.5	0.6	0.4	21.24	1.0	4.78	4.64	2840	0	1.5	0.7	0.3	21.57	1.0	4.73	4.62
1310, HZ	1248	0	3.2	2.9	1.0	21.99	1.1	4.99	4.52	2775	0	2.7	4.3	1.1	21.73	1.1	5.00	4.51
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2735	0	0.6	2.7	0.9	20.57	0.9	5.05	4.45
16112, UG	931	0	0.7	1.4	0.3	20.93	0.5	5.04	4.44	2653	0	0.8	1.4	0.3	21.15	0.6	4.94	4.46
8504, HEINZ	364	0	2.1	0.6	0.3	21.29	1.1	5.33	4.38	2458	0	1.5	1.0	0.5	22.22	1.2	4.97	4.37
1892, HMX	74	0	1.4	1.1	0.2	21.47	1.4	5.38	4.53	2362	0	0.9	2.9	1.4	20.75	1.6	5.38	4.50
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2292	0	0.6	1.4	0.4	20.74	1.0	5.16	4.45
6434, N	715	0	1.6	0.5	0.5	22.12	1.0	4.97	4.39	2251	0	1.5	0.7	0.5	22.41	1.3	4.99	4.43

Variety Name	Week Ending 9/14/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
413, BQ	20	0	3.4	6.2	1.5	20.13	0.8	4.83	4.48	2165	0	1.2	2.6	0.8	20.96	0.9	4.64	4.50
9007, SVTM	48	0	0.6	2.0	1.4	21.05	1.3	5.54	4.54	1983	0	1.3	2.1	0.5	21.68	1.5	4.90	4.55
19406, UG	706	0	1.4	2.1	0.5	21.58	0.5	5.06	4.32	1859	0	1.7	1.5	0.4	21.65	0.7	5.14	4.35
4521, HMX 61P	346	0	1.2	0.5	0.5	21.72	0.5	4.95	4.41	1804	0	0.4	1.4	0.4	21.17	0.5	5.22	4.40
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1759	0	0.2	1.2	0.4	21.14	1.0	4.84	4.35
6420, N	375	0	2.3	1.1	0.5	21.27	1.1	4.95	4.53	1688	0	2.0	0.9	0.4	21.39	1.6	4.89	4.54
1776, HZ	125	0	5.6	1.4	0.8	20.78	0.7	4.70	4.51	1514	0	1.2	2.8	0.8	21.45	0.6	5.20	4.44
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1500	0	1.1	1.0	0.3	20.55	2.3	5.50	4.38
9011, SVTM	83	0	1.4	0.4	0.2	20.05	0.8	5.43	4.33	1382	0	2.5	1.6	0.6	20.83	1.8	5.65	4.45
398, BQ	69	0	3.9	5.0	1.8	20.48	1.4	4.85	4.43	1277	0	1.5	2.3	0.9	20.08	1.4	5.36	4.48
58811, HM	525	0	2.0	1.4	0.8	21.63	0.7	4.86	4.44	1193	0	2.0	1.3	0.7	21.59	0.8	4.79	4.44
9008, SVTM	353	0	1.4	0.8	0.4	20.49	0.3	5.06	4.33	1080	0	1.3	0.8	0.3	20.76	0.6	5.36	4.36
9663, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	969	0	2.0	2.3	0.6	19.92	2.4	4.70	4.43
6441, N	187	0	4.1	3.5	0.6	20.96	0.6	4.79	4.55	914	0	2.2	2.0	0.5	21.21	0.9	5.17	4.56
UNCODED	142	0	1.8	2.1	0.9	21.54	1.7	5.15	4.49	899	0	1.0	2.0	0.6	20.96	1.6	5.17	4.46
5508, HZ	887	0	2.2	0.9	0.2	21.16	0.5	4.55	4.45	887	0	2.2	0.9	0.2	21.16	0.5	4.55	4.45
58801, HM	235	0	1.6	1.0	0.4	21.87	1.4	5.04	4.47	872	0	1.2	0.9	0.4	21.68	1.3	5.36	4.45
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	840	0	0.3	0.7	0.4	21.57	0.7	5.30	4.42
5900, HM	84	0	0.7	0.6	0.2	21.17	1.1	5.77	4.32	808	0	0.5	0.6	0.1	21.52	1.7	5.55	4.37
5710, HZ	52	0	1.6	0.5	0.6	21.51	1.2	5.14	4.54	736	0	1.9	0.9	0.4	22.23	1.1	4.83	4.46
27713, UG	24	0	3.2	0.6	0.2	19.00	2.0	5.69	4.47	621	0	1.4	1.4	0.4	20.28	3.4	6.01	4.50
6440, N	31	0	6.0	1.2	1.2	24.11	2.4	6.61	4.58	562	0	0.6	3.3	1.1	21.46	0.7	4.72	4.41
141, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	552	0	2.4	3.6	0.9	21.41	6.1	5.08	4.54
5522, HMX 61P	49	0	0.6	0.4	0.6	20.06	0.3	5.75	4.32	524	0	1.0	0.7	0.4	20.38	1.1	5.71	4.42
3888, HM	181	0	1.7	0.4	0.2	22.47	1.4	5.35	4.58	489	0	1.1	0.4	0.3	22.46	1.7	5.61	4.56
6459, N	18	0	1.0	1.4	0.4	20.14	0.3	5.01	4.43	431	0	0.7	1.3	0.4	20.83	1.4	5.05	4.53
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	423	0	1.2	4.3	0.6	20.27	0.9	4.72	4.37
9013, SVTM	98	0	1.5	0.8	0.5	20.71	0.7	5.42	4.46	375	0	2.0	1.2	0.4	20.84	1.0	5.20	4.46
8163, HM	17	0	4.1	0.8	0.1	22.12	0.8	5.85	4.54	358	0	1.3	1.3	0.6	20.95	2.5	5.88	4.52
1292, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	308	0	1.3	0.6	0.6	22.06	5.0	5.20	4.60
6461, N	15	0	0.6	0.7	0.2	22.43	0.2	5.11	4.33	279	0	1.3	1.6	0.7	22.30	1.4	4.95	4.51
15212, UG	154	0	1.3	0.7	0.2	21.27	1.4	5.24	4.52	272	0	0.9	1.6	0.2	21.73	1.0	5.17	4.48
9014, SVTM	64	0	1.4	0.8	0.4	21.22	0.6	5.10	4.40	265	0	1.5	0.9	0.3	20.81	0.7	5.13	4.43
9780, HEINZ	255	0	0.8	0.2	0.0	22.18	2.1	5.13	4.37	255	0	0.8	0.2	0.0	22.18	2.1	5.13	4.37
5715, HZ	66	0	2.6	1.0	0.2	21.48	0.9	5.28	4.44	193	0	2.0	1.1	0.3	21.75	0.9	5.35	4.41
6460, N	59	0	0.9	0.7	0.3	22.72	0.6	5.02	4.44	185	0	0.7	0.8	0.2	21.88	0.6	5.11	4.45
255, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	175	0	1.2	0.8	0.4	22.58	1.2	4.80	4.39
4326, HMX 61P	20	0	0.6	2.7	1.5	21.15	1.0	5.56	4.35	158	0	1.8	1.7	1.0	21.47	2.8	5.57	4.42
401, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	157	0	0.2	1.9	0.3	21.36	1.4	4.88	4.40

Variety Name	Week Ending 9/14/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
1422, HZ	146	0	2.4	5.7	1.1	21.05	0.9	4.90	4.47	150	0	2.3	5.7	1.1	21.04	0.9	4.90	4.46
1170, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	131	0	0.4	1.1	0.4	20.84	0.6	6.00	4.33
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	128	0	0.7	1.0	0.5	21.51	0.8	4.88	4.33
58881, HM	1	0	4.0	0.0	0.0	21.00	0.5	5.40	4.51	118	0	0.2	1.2	0.5	20.27	0.7	4.99	4.35
1765, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	105	0	0.2	1.0	0.6	21.74	3.0	5.05	4.46
43, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	101	0	1.2	1.4	0.7	20.53	0.7	4.93	4.42
58871, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	88	0	0.6	0.7	0.5	22.03	0.7	6.05	4.40
6394, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	83	0	0.6	0.3	0.1	20.88	3.3	5.28	4.54
9905, HARRIS MORAN	83	0	0.5	0.5	0.4	21.05	0.2	5.11	4.45	83	0	0.5	0.5	0.4	21.05	0.2	5.11	4.45
9003, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	71	0	1.4	1.3	0.5	21.41	3.0	5.66	4.36
5369, HMX61P	1	0	0.0	0.5	0.0	22.00	0.0	5.50	4.42	59	0	1.5	1.4	0.4	21.87	1.2	5.46	4.62
422, BQ	44	0	3.4	1.2	0.1	20.82	3.6	5.21	4.48	45	0	3.4	1.2	0.1	20.87	3.6	5.21	4.48
000, MISC	31	0	4.4	0.6	0.1	22.85	1.2	5.16	4.45	43	0	4.1	0.6	0.1	22.70	2.1	5.02	4.44
MIX	6	0	0.8	0.7	0.3	20.42	1.6	5.52	4.40	41	0	1.7	0.8	0.4	20.66	1.8	5.41	4.47
1311, HZ	1	0	15.0	2.0	0.5	22.00	0.0	5.60	4.50	38	0	1.5	0.6	0.2	21.53	2.1	5.31	4.38
9016, SVTM	26	0	1.3	1.0	0.6	22.48	0.3	4.89	4.37	35	0	1.2	0.8	0.6	22.34	0.6	4.89	4.39
MISC TRIAL	4	0	3.0	0.6	0.4	20.63	2.6	4.95	4.48	34	0	1.0	0.9	0.2	20.57	1.7	5.06	4.45
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	34	0	0.4	0.9	0.5	21.71	0.8	5.51	4.37
34, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	31	0	1.9	0.3	0.0	22.66	2.5	4.75	4.43
HEINZ TRIAL	20	0	3.7	0.7	0.2	20.70	1.4	5.46	4.53	28	0	2.9	0.8	0.4	21.32	1.4	5.36	4.53
6357, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	23	0	1.0	1.3	0.5	21.98	3.5	5.06	4.54
6436, N	2	0	1.5	0.3	0.3	22.25	1.8	4.50	4.43	17	0	2.3	0.8	1.0	22.00	1.1	4.98	4.48
7744, BOS	7	0	1.2	0.4	1.5	21.64	0.4	5.76	4.46	17	0	1.2	1.2	0.9	20.47	0.7	5.64	4.43
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	14	0	1.3	0.8	0.7	21.96	4.8	5.12	4.65
51,BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13	0	1.9	0.6	0.5	21.58	3.3	5.44	4.42
47, BP	4	0	0.1	2.3	0.1	24.13	0.4	5.20	4.30	12	0	0.5	1.3	0.5	23.17	1.6	5.13	4.40
49, BP	5	0	1.9	1.6	0.4	21.70	0.5	5.38	4.35	10	0	2.2	1.0	0.5	21.15	1.9	5.15	4.40
6175, HMX 61P	2	0	1.5	1.5	0.3	22.00	0.8	5.00	4.47	10	0	2.6	1.0	0.3	21.35	2.0	5.30	4.55
18205, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.6	0.1	0.1	19.40	1.3	5.37	4.62
25037, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.4	0.8	0.0	19.85	0.6	5.44	4.49
MISC EXP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9	0	1.4	0.8	0.1	21.72	1.5	5.02	4.34
48, BP	4	0	1.4	2.1	0.3	21.38	3.1	5.43	4.41	8	0	1.1	1.2	0.3	21.19	8.4	5.31	4.45
2493, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.8	1.1	0.2	21.57	4.2	5.27	4.49
6140, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	1.6	0.4	0.8	21.81	5.8	5.09	4.49
4014, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6	0	0.7	1.3	0.1	19.00	0.2	5.53	4.50
9012, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6	0	1.6	0.6	0.1	20.33	3.3	5.48	4.50
UNCODED OTHER	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	3.3	0.8	0.7	21.30	2.1	5.32	4.55
1992, HZ	2	0	1.8	0.3	0.0	22.75	1.3	4.35	4.46	5	0	0.7	0.4	0.8	23.74	5.1	4.74	4.51
270, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	0.5	0.6	0.0	21.88	1.4	5.03	4.39

Variety Name	Week Ending 9/14/19									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
1996, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	0.0	1.0	0.5	22.25	3.4	4.83	4.59
29814, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	1.3	0.0	0.0	20.88	2.6	5.43	4.54
402, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.3	0.3	20.83	0.3	5.27	4.27
1991, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.0	0.7	1.7	23.50	8.0	4.93	4.62
1995, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.5	0.5	1.0	24.00	7.0	5.00	4.62
1997, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.3	1.2	0.2	22.83	1.5	4.77	4.52
6404, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.8	0.5	21.33	0.7	5.07	4.23
13512, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	1.2	0.5	23.17	2.0	5.30	4.56
32, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	2.0	2.0	0.0	21.50	2.5	4.90	4.42
120, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.5	1.0	0.3	21.75	0.0	4.90	4.45
1421, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	2.8	0.3	0.8	23.00	1.0	4.85	4.44
1424, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	3.3	0.0	0.3	21.50	2.5	5.65	4.47
1901, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	3.8	1.5	0.8	21.75	5.5	5.05	4.53
2849, SV	1	0	1.0	0.0	0.5	20.00	0.0	5.50	4.42	2	0	1.0	0.3	0.5	21.25	1.0	5.20	4.39
5234, IVF	1	0	1.0	0.5	1.0	23.50	3.0	5.50	4.58	2	0	1.5	0.8	0.8	22.25	2.0	5.25	4.54
19806 LYCO, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.3	0.3	0.0	21.00	0.5	5.55	4.41
16, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	22.00	1.0	5.60	4.44
20, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	22.00	0.0	4.70	4.35
29, BP	1	0	1.0	3.0	0.5	23.00	1.5	4.70	4.48	1	0	1.0	3.0	0.5	23.00	1.5	4.70	4.48
163, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.5	21.00	0.5	5.00	4.29
205, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	20.50	1.5	5.30	4.26
312, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	2.5	0.0	22.00	0.5	5.40	4.24
1175, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	1.0	0.5	21.50	0.0	4.70	4.37
1813, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	0.5	0.0	22.00	4.0	5.90	4.46
1994, HZ	1	0	0.5	0.5	0.0	22.00	1.0	4.80	4.27	1	0	0.5	0.5	0.0	22.00	1.0	4.80	4.27
2303, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.0	0.5	23.00	6.0	5.50	4.22
5701, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	0.0	0.0	20.00	1.0	5.60	4.47
6133, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	23.00	0.5	4.50	4.17
6429, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	0.5	0.0	22.00	0.0	5.50	4.32
8232, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.5	1.0	0.5	24.00	1.0	5.80	4.42
37314, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	8.5	1.0	0.0	22.50	1.0	5.60	4.53
STATEWIDE	39,723	0.0	1.9	1.7	0.8	21.36	1.1	5.07	4.45	318,896	0.0	1.2	1.8	0.6	21.22	1.3	5.18	4.44