

# 2019 California Processing Tomato

## Variety Use Category

Based on Final PTAB

Use Category	Variety	Supplier	Attributes	Loads		Solids		Mold	LU	Color	pH
				2019	2018	2019	2018				
Early	BQ273	WB	-	24,907	42,112	5.34	5.18	0.7	1.3	21.47	4.37
Early	BQ400	WB	-	9,635	8,317	5.14	5.01	0.5	1.1	20.08	4.47
Early	BQ403	WB	-	9,616	4,962	5.29	5.12	0.3	1.3	21.31	4.32
Early	BP13	BHN	F3	2,898	3,128	4.76	4.53	0.6	1.1	21.31	4.39
Early	H1015	HZ	EFS™	2,815	3,079	5.06	4.91	0.6	0.9	20.58	4.45
Early	SVTM9000	SVS	-	2,293	253	5.16	4.87	0.6	1.0	20.74	4.45
Early	BQ413	WB	F3	2,164	155	4.64	4.78	1.2	0.9	20.96	4.50
Early	N6416	NS	-	1,759	7,874	4.84	4.68	0.2	1.0	21.14	4.35
Early	N6397	NS	-	840	1,263	5.30	5.07	0.3	0.7	21.57	4.42
Early	N6459	NS	F3	442	-	5.05	-	0.7	1.3	20.80	4.53
Early	CXD187	HM	-	423	352	4.72	4.63	1.2	0.9	20.27	4.37
Early	HM58881	HM	-	273	413	4.95	4.75	1.6	0.7	21.04	4.39
Early	BQ401	WB	-	157	259	4.88	5.16	0.2	1.4	21.36	4.40
Early	BOS3842	OS	-	128	115	4.88	5.03	0.7	0.8	21.51	4.33
Early	H1765	HZ	-	105	98	5.05	5.85	0.2	3.0	21.74	4.46
Early	SV0599TM	SVS	-	34	310	5.51	5.29	0.4	0.8	21.71	4.37
Early	HM6357	HM	-	23	-	5.06	-	1.0	3.5	21.98	4.54
Early	N6436	NS	-	17	89	4.98	4.65	2.3	1.1	22.00	4.48
Early	BP51	BHN	F3, EFH	14	-	5.39	-	2.0	3.1	21.71	4.43
Early	UG4014	UG	EFH	6	-	5.53	-	0.7	0.2	19.00	4.50
Early	BQ270	WB	-	4	1	5.03	5.50	0.5	1.4	21.88	4.39
Early	BQ312	WB	-	1	1	5.40	5.50	1.5	0.5	22.00	4.24
<b>Early Total</b>				<b>58,554</b>	<b>72,781</b>	<b>5.20</b>	<b>5.05</b>	<b>0.6</b>	<b>1.2</b>	<b>21.10</b>	<b>4.40</b>
Thin	AB0311	SVS	-	23,733	37,453	5.71	5.63	2.1	1.9	20.74	4.41
Thin	DRI319	SVS	-	20,550	25,060	5.65	5.64	1.8	2.0	21.33	4.40
Thin	SVTM1082	SVS	F3	13,660	2,102	5.50	5.36	1.3	1.6	21.41	4.38
Thin	N6366	NS	-	5,327	11,664	5.37	5.20	0.5	2.0	20.57	4.40
Thin	N6402	NS	-	3,768	3,715	5.54	5.41	1.1	1.6	20.62	4.47
Thin	SVTM9011	SVS	F3	1,702	-	5.56	-	2.4	1.6	20.73	4.43
Thin	UG16609	UG	-	1,477	1,410	5.50	5.38	1.1	2.3	20.54	4.38
Thin	UG27713	UG	-	659	132	5.99	5.86	1.5	3.3	20.19	4.50
Thin	HM4326	HM	-	514	464	5.53	5.55	1.4	1.5	21.43	4.35
Thin	N6407	NS	EFH	340	649	5.02	4.98	1.0	0.3	21.44	4.36
Thin	BP43	BHN	F3	101	16	4.93	5.82	1.2	0.7	20.53	4.42
Thin	H1161	HZ	-	85	229	5.82	5.35	1.2	0.5	21.03	4.37
Thin	BP49	BHN	F3	10	-	5.15	-	2.2	1.9	21.15	4.40
Thin	BP48	BHN	F3	8	-	5.31	-	1.1	8.4	21.19	4.45
Thin	SVTM9012	SVS	F3	8	-	5.35	-	1.9	2.9	20.75	4.52
Thin	H1424	HZ	-	2	-	5.65	-	3.3	2.5	21.50	4.47
Thin	BQ163	WB	-	1	1	5.00	5.70	0.0	0.5	21.00	4.29
Thin	BQ205	WB	-	1	9	5.30	4.99	0.5	1.5	20.50	4.26
<b>Thin Total</b>				<b>71,946</b>	<b>82,904</b>	<b>5.61</b>	<b>5.54</b>	<b>1.65</b>	<b>1.9</b>	<b>21.02</b>	<b>4.41</b>
Intermediate	N6428	NS	F3, EFH	26,976	27,317	4.93	4.77	1.9	1.3	21.75	4.49
Intermediate	SV8011TM	SVS	-	23,050	19,878	5.20	5.11	2.1	1.1	20.70	4.45
Intermediate	HM3887	HM	-	7,744	16,141	5.62	5.44	0.6	1.7	21.01	4.46
Intermediate	HM58841	HM	EFH	7,661	1,609	5.17	5.35	1.5	0.5	21.15	4.41
Intermediate	HM5235	HM	F3	5,273	1,731	5.27	5.25	1.9	1.7	20.37	4.45



# 2019 California Processing Tomato

## Variety Use Category

Based on Final PTAB

Use Category	Variety	Supplier	Attributes	Loads		Solids		Mold	LU	Color	pH
				2019	2018	2019	2018				
Intermediate	N6434	NS	F3, EFH	4,877	3,877	4.88	5.01	2.3	1.0	22.16	4.43
Intermediate	UG19406	UG	EFH	4,016	6,788	5.19	5.24	1.5	0.6	21.31	4.32
Intermediate	HM4909	HM	-	3,772	6,016	5.42	5.34	1.8	0.7	22.11	4.30
Intermediate	HM1892	HM	EFH	2,618	5,130	5.31	5.21	0.9	1.5	20.71	4.50
Intermediate	HM4521	HM	EFH	2,458	900	5.16	5.17	0.7	0.5	21.24	4.40
Intermediate	HM9905	HM	EFH	2,398	3,593	5.07	4.92	0.6	0.3	20.34	4.44
Intermediate	N6441	NS	F3, EFH	2,012	140	5.05	4.76	2.1	0.7	21.03	4.52
Intermediate	BQ398	WB	-	1,893	325	5.27	5.11	1.8	1.2	19.67	4.46
Intermediate	HM5900	HM	-	1,462	1,151	5.44	5.52	1.0	1.8	21.29	4.34
Intermediate	HM3888	HM	EFH	1,723	3,014	5.44	5.30	1.4	1.0	21.68	4.51
Intermediate	HM58801	HM	F3, EFH	1,321	1,085	5.34	5.31	1.6	1.1	21.28	4.46
Intermediate	HM5522	HM	-	1,284	4	5.62	5.33	1.3	0.7	20.16	4.37
Intermediate	BQ141	WB	F3	613	933	5.11	4.55	2.4	6.6	21.46	4.55
Intermediate	N6440	NS	F3, EFH	563	301	4.72	4.58	0.6	0.7	21.46	4.41
Intermediate	SVTM9013	SVS	F3	479	-	5.21	-	1.8	0.9	20.59	4.44
Intermediate	N6461	NS	F3, EFH	500	-	4.94	-	1.9	1.0	21.85	4.46
Intermediate	H9780	HZ	EFS™	433	1,216	5.12	5.55	2.1	2.0	21.66	4.37
Intermediate	N6460	NS	F3, EFH	347	-	5.01	-	0.9	0.6	21.70	4.43
Intermediate	SVTM9014	SVS	F3	350	-	5.19	-	1.6	0.7	20.60	4.42
Intermediate	BQ422	WB	F3	261	50	4.78	4.73	2.4	1.6	20.71	4.50
Intermediate	SVTM9003	SVS	EFH	227	161	5.40	5.66	1.2	1.4	21.80	4.34
Intermediate	CXD255	HM	-	175	948	4.80	4.81	1.2	1.2	22.58	4.39
Intermediate	HP849	SVS	EFH	166	710	4.99	4.79	0.4	0.4	21.34	4.27
Intermediate	H1170	HZ	EFS™	131	250	6.00	4.86	0.4	0.6	20.84	4.33
Intermediate	HM58871	HM	-	88	696	6.05	5.34	0.6	0.7	22.03	4.40
Intermediate	N6394	NS	-	83	-	5.28	-	0.6	3.3	20.88	4.54
Intermediate	HM6175	HM	F3, EFH	20	-	5.46	-	4.0	1.9	21.93	4.55
Intermediate	UG32413	UG	F3	20	-	4.88	-	1.3	0.4	21.15	4.35
Intermediate	BP47	BHN	F3	12	-	5.13	-	0.5	1.6	23.17	4.40
Intermediate	SV2493TM	SVS	F3	7	982	5.27	4.80	1.8	4.2	21.57	4.49
Intermediate	UG29814	UG	F3, EFH	6	-	5.52	-	2.1	2.6	20.92	4.50
Intermediate	N6404	NS	-	4	5	5.00	5.08	0.1	0.8	21.38	4.26
Intermediate	BP32	BHN	F3, EFH	3	100	4.97	5.49	2.3	1.8	21.33	4.43
Intermediate	BQ402	WB	-	3	-	5.27	-	0.2	0.3	20.83	4.27
Intermediate	UG13512	UG	-	3	-	5.30	-	0.2	2.0	23.17	4.56
Intermediate	IVF5234	SOS	-	2	660	5.25	5.04	1.5	2.0	22.25	4.54
Intermediate	UG19806	UG	-	2	-	5.55	-	0.3	0.5	21.00	4.41
Intermediate	BP16	BHN	F3	1	261	5.60	5.05	0.5	1.0	22.00	4.44
Intermediate	BP20	BHN	F3	1	1	4.70	4.70	0.5	0.0	22.00	4.35
Intermediate	UG1813	UG	-	1	8	5.90	5.04	2.0	4.0	22.00	4.46
Intermediate	N6429	NS	F3, EFH	1	63	5.50	4.38	1.0	0.0	22.00	4.32
Intermediate	SV8232TM	SVS	F3	1	-	5.80	-	2.5	1.0	24.00	4.42
Intermediate	UG29314	UG	F3, EFH	1	-	5.20	-	1.5	0.5	20.00	4.57
Intermediate	UG37314	UG	EFH	1	-	5.60	-	8.5	1.0	22.50	4.53
<b>Intermediate Total</b>				<b>105,043</b>	<b>106,044</b>	<b>5.16</b>	<b>5.10</b>	<b>1.7</b>	<b>1.1</b>	<b>21.20</b>	<b>4.45</b>

# 2019 California Processing Tomato

## Variety Use Category

Based on Final PTAB

Use Category	Variety	Supplier	Attributes	Loads		Solids		Mold	LU	Color	pH
				2019	2018	2019	2018				
Thick	H1428	HZ	EFS™	25,920	20,017	4.92	4.74	1.4	0.6	20.63	4.45
Thick	H1662	HZ	F3	22,199	9,795	4.97	4.91	1.8	1.1	21.69	4.46
Thick	SV2756TM	SVS	EFH	19,657	20,645	4.87	5.15	1.7	0.7	21.13	4.51
Thick	H4707	HZ	EFS™	18,664	24,595	4.86	4.79	1.0	0.8	22.50	4.46
Thick	H5608	HZ	-	18,063	21,506	4.88	4.79	1.3	1.2	20.63	4.45
Thick	H2401	HZ	EFS™	13,886	17,941	4.83	4.70	1.5	0.9	21.34	4.37
Thick	N6415	NS	EFH	10,385	14,459	4.96	4.77	1.6	1.1	21.10	4.43
Thick	HM4885	HM	EFH	8,836	15,041	5.05	4.94	1.6	0.9	20.97	4.39
Thick	H5702	HZ	EFS™	8,100	11,584	4.75	4.71	1.2	0.6	20.53	4.47
Thick	H1310	HZ	F3, EFS™	8,491	3,213	5.02	4.80	3.0	0.8	21.26	4.50
Thick	N6426	NS	EFH	5,617	1,966	5.08	4.90	1.4	1.4	20.11	4.50
Thick	BOS811	OS	-	5,526	1,996	5.09	5.03	1.2	0.8	20.17	4.40
Thick	H5508	HZ	EFS™	5,263	4,687	4.63	4.53	1.7	0.4	20.15	4.45
Thick	UG16112	UG	EFH	4,922	2,051	4.99	4.80	0.8	0.5	20.64	4.44
Thick	H8504	HZ	EFS™	3,010	5,632	4.94	4.96	1.5	1.1	22.02	4.37
Thick	SVTM9008	SVS	EFH	2,455	4	5.24	4.15	1.5	0.4	20.55	4.35
Thick	SVTM9007	SVS	-	2,124	412	4.91	5.06	1.4	1.4	21.66	4.55
Thick	HM58811	HM	EFH	2,370	927	5.00	5.21	1.5	0.6	21.31	4.41
Thick	H1776	HZ	EFS™	1,755	138	5.16	4.93	1.5	0.6	21.25	4.44
Thick	H9663	HZ	-	969	2,113	4.70	4.71	2.0	2.4	19.92	4.43
Thick	H5710	HZ	-	736	313	4.83	4.79	1.9	1.1	22.23	4.46
Thick	H1422	HZ	F3	708	1,982	4.95	4.88	3.4	0.9	20.79	4.47
Thick	UG15212	UG	EFH	483	1,587	4.95	4.52	1.6	0.7	21.09	4.46
Thick	H5715	HZ	EFS™	210	990	5.34	4.94	2.0	0.9	21.77	4.41
Thick	H1175	HZ	EFS™	162	436	5.31	4.66	1.2	1.0	19.85	4.51
Thick	SVTM9016	SVS	F3, EFH	44	-	4.84	-	1.5	0.5	22.24	4.39
Thick	H1311	HZ	EFS™	38	53	5.31	5.69	1.5	2.1	21.53	4.38
Thick	BP34	BHN	F3, EFH	31	9	4.75	4.69	1.9	2.5	22.66	4.43
Thick	BOS7744	OS	-	17	-	5.64	-	1.2	0.7	20.47	4.43
Thick	HM6140	HM	-	7	-	5.09	-	1.6	5.8	21.81	4.49
Thick	SV2303TM	SVS	-	1	57	5.50	4.39	0.0	6.0	23.00	4.22
Thick	H5701	HZ	EFS™	1	23	5.60	4.79	2.0	1.0	20.00	4.47
Thick	SV6133TM	SVS	-	1	265	4.50	5.34	0.0	0.5	23.00	4.17
<b>Thick Total</b>				<b>190,651</b>	<b>184,437</b>	<b>4.92</b>	<b>4.83</b>	<b>1.5</b>	<b>0.9</b>	<b>21.11</b>	<b>4.45</b>
Pear	H1293	HZ	-	7,628	6,743	5.37	5.47	1.1	1.5	20.54	4.56
Pear	HM7885	HM	EFH	3,452	4,579	4.78	4.88	1.6	1.0	21.39	4.62
Pear	N6420	NS	-	2,637	3,181	4.86	5.05	2.1	1.4	21.43	4.53
Pear	HM8163	HM	-	360	-	5.88	-	1.2	2.5	20.94	4.52
Pear	H1292	HZ	-	308	1,599	5.20	5.41	1.3	5.0	22.06	4.60
Pear	HM5369	HM	-	66	-	5.41	-	1.5	1.1	21.87	4.62
Pear	H1421	HZ	F3	34	141	5.57	5.12	3.3	1.9	21.76	4.44
Pear	HP108	SVS	-	15	-	5.09	-	1.2	4.5	21.97	4.65
Pear	SV2849TM	SVS	-	3	-	5.33	-	1.0	0.7	21.00	4.42
<b>Pear Total</b>				<b>14,503</b>	<b>16,243</b>	<b>5.14</b>	<b>5.22</b>	<b>1.4</b>	<b>1.5</b>	<b>20.96</b>	<b>4.57</b>
<b>Misc Total</b>				<b>1,789</b>	<b>1,320</b>	<b>5.08</b>	<b>5.07</b>	<b>1.7</b>	<b>1.4</b>	<b>20.75</b>	<b>4.47</b>
<b>Statewide Total</b>				<b>442,500</b>	<b>472,956</b>	<b>5.13</b>	<b>5.02</b>	<b>1.5</b>	<b>1.2</b>	<b>21.11</b>	<b>4.44</b>