

**2020 Processing Tomato Season**  
 PTAB Analysis (8/1/20) - County by Variety



County	Variety Name	Week Ending 8/1/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
COLUSA	13, BP	1,176	0.0	0.4	3.0	1.2	21.6	1.9	5.13	4.40	1,779	0.0	0.4	3.4	1.2	21.6	1.7	4.98	4.40
COLUSA	1015, HEINZ	526	0.0	0.4	2.3	1.0	20.6	1.5	5.34	4.41	1,301	0.0	0.3	1.7	1.0	21.1	1.4	5.18	4.46
COLUSA	413, BQ	281	0.0	0.5	4.7	0.8	21.6	1.0	4.70	4.48	302	0.0	0.5	4.6	0.7	21.7	1.0	4.68	4.48
COLUSA	403, BQ	1	0.0	1.0	1.5	1.0	22.5	1.0	4.10	4.53	194	0.0	0.2	2.8	0.9	22.7	1.4	5.04	4.38
COLUSA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	157	0.0	0.3	3.5	0.7	21.7	1.5	5.09	4.27
COLUSA	1293, HZ	41	0.0	0.4	2.0	0.9	20.1	0.3	5.29	4.47	111	0.0	0.3	2.6	1.0	20.2	0.2	5.33	4.46
COLUSA	0311, AB	100	0.0	2.0	0.9	0.4	20.5	0.7	5.30	4.25	100	0.0	2.0	0.9	0.4	20.5	0.7	5.30	4.25
COLUSA	UNCODED	39	0.0	0.5	5.0	0.7	20.6	1.4	5.42	4.33	65	0.0	0.6	7.1	0.9	20.7	1.6	5.38	4.35
COLUSA	51, BP	52	0.0	0.4	3.8	0.8	22.1	3.0	5.38	4.29	60	0.0	0.4	3.8	0.8	22.0	3.0	5.36	4.29
COLUSA	6463, N	53	0.0	0.7	1.5	0.9	21.5	0.8	5.01	4.49	53	0.0	0.7	1.5	0.9	21.5	0.8	5.01	4.49
COLUSA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	49	0.0	0.2	0.9	0.3	21.5	0.5	5.00	4.54
COLUSA	5235, HM	27	0.0	0.8	2.6	1.1	21.5	1.5	5.29	4.37	27	0.0	0.8	2.6	1.1	21.5	1.5	5.29	4.37
COLUSA	9018, SVTM	15	0.0	0.4	2.1	1.3	22.1	0.8	4.62	4.26	21	0.0	0.3	1.9	1.3	22.1	0.7	4.54	4.27
COLUSA	393, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.5	3.6	0.7	24.1	2.2	4.25	4.53
COLUSA	8163, HM	6	0.0	0.5	0.8	0.0	20.6	0.3	5.60	4.34	6	0.0	0.5	0.8	0.0	20.6	0.3	5.60	4.34
COLUSA	9013, SVTM	3	0.0	0.3	3.2	2.2	22.8	0.3	4.77	4.37	3	0.0	0.3	3.2	2.2	22.8	0.3	4.77	4.37
<b>COLUSA</b>		<b>2,320</b>	<b>0.0</b>	<b>0.5</b>	<b>2.9</b>	<b>1.1</b>	<b>21.3</b>	<b>1.6</b>	<b>5.14</b>	<b>4.41</b>	<b>4,248</b>	<b>0.0</b>	<b>0.4</b>	<b>2.9</b>	<b>1.0</b>	<b>21.4</b>	<b>1.4</b>	<b>5.05</b>	<b>4.42</b>
CONTRA COSTA	6366, SUN	622	0.0	0.6	0.7	0.2	20.6	1.6	5.36	4.42	835	0.0	0.5	0.6	0.2	20.6	1.5	5.36	4.41
CONTRA COSTA	403, BQ	145	0.0	0.2	2.4	0.5	21.1	2.7	5.01	4.35	643	0.0	0.1	1.4	0.3	21.1	2.2	5.39	4.31
CONTRA COSTA	0319, DRI	91	0.0	0.8	1.4	0.6	22.4	1.3	5.80	4.36	91	0.0	0.8	1.4	0.6	22.4	1.3	5.80	4.36
CONTRA COSTA	6402, N	39	0.0	0.6	0.2	0.1	20.8	2.7	5.01	4.43	54	0.0	0.6	0.3	0.2	20.7	2.3	5.02	4.41
CONTRA COSTA	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.0	0.2	0.0	20.8	0.5	5.23	4.24
CONTRA COSTA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.5	0.0	20.8	0.5	5.60	4.22
CONTRA COSTA	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.3	0.0	21.0	0.0	5.05	4.27
<b>CONTRA COSTA</b>		<b>897</b>	<b>0.0</b>	<b>0.6</b>	<b>1.0</b>	<b>0.3</b>	<b>20.9</b>	<b>1.8</b>	<b>5.34</b>	<b>4.40</b>	<b>1,630</b>	<b>0.0</b>	<b>0.4</b>	<b>1.0</b>	<b>0.2</b>	<b>20.9</b>	<b>1.8</b>	<b>5.38</b>	<b>4.37</b>
FRESNO	273, BQ	4,803	0.0	0.6	1.8	0.5	21.0	1.7	5.49	4.37	8,267	0.0	0.6	1.9	0.5	21.0	1.6	5.52	4.36
FRESNO	403, BQ	2,277	0.0	0.6	1.4	0.9	21.3	2.5	5.54	4.39	6,371	0.0	0.5	1.6	0.6	21.3	2.0	5.54	4.37
FRESNO	400, BQ	1,745	0.0	0.4	2.2	0.8	19.8	1.2	5.36	4.46	4,961	0.0	0.3	1.5	0.7	20.0	1.1	5.33	4.45
FRESNO	0311, AB	1,176	0.0	1.2	1.6	0.6	20.6	1.8	6.23	4.38	2,225	0.0	1.2	1.4	0.5	20.8	1.7	6.20	4.37
FRESNO	6402, N	720	0.0	1.2	0.7	0.4	20.2	1.5	5.80	4.43	1,829	0.0	1.1	0.8	0.4	20.3	1.3	5.86	4.45
FRESNO	6366, SUN	331	0.0	0.7	0.8	0.4	20.3	3.3	5.97	4.49	1,426	0.0	0.8	1.0	0.3	20.8	2.0	5.80	4.45
FRESNO	9000, SVTM	402	0.0	0.3	0.4	0.3	20.3	0.2	4.89	4.43	1,376	0.0	0.3	0.8	0.4	20.5	0.5	5.07	4.42
FRESNO	1293, HZ	491	0.0	0.5	1.1	0.8	19.8	0.9	5.70	4.51	1,159	0.0	0.5	1.3	0.7	19.9	0.8	5.64	4.51
FRESNO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,045	0.0	0.3	2.1	0.5	21.0	1.5	5.20	4.36
FRESNO	3887, HM	602	0.0	1.0	1.6	0.5	21.2	1.3	5.52	4.40	1,006	0.0	1.0	1.9	0.5	21.2	1.5	5.65	4.41
FRESNO	5608, HZ	592	0.0	0.6	1.2	0.4	20.5	1.5	5.39	4.43	949	0.0	0.7	1.2	0.4	20.9	1.4	5.38	4.44
FRESNO	5522, HM 61P	359	0.0	0.2	0.7	0.4	20.1	0.9	6.11	4.38	565	0.0	0.3	0.8	0.5	20.5	0.9	6.13	4.39
FRESNO	0811, BOS	457	0.0	0.3	1.4	0.5	19.8	0.6	5.50	4.36	539	0.0	0.3	1.3	0.5	19.8	0.6	5.50	4.35
FRESNO	0319, DRI	402	0.0	1.0	1.3	0.2	21.2	1.8	6.15	4.41	417	0.0	1.0	1.3	0.2	21.3	1.8	6.16	4.41
FRESNO	8163, HM	171	0.0	0.7	0.9	0.6	19.5	0.9	6.05	4.42	377	0.0	0.5	1.2	0.8	19.8	1.1	6.09	4.43
FRESNO	9011, SVTM	183	0.0	1.2	1.9	0.6	20.9	1.8	6.46	4.42	339	0.0	1.0	1.7	0.5	20.6	1.7	6.40	4.41
FRESNO	8011, SV	200	0.0	1.1	0.7	0.4	21.1	2.1	5.86	4.49	327	0.0	1.1	1.0	0.5	21.4	1.7	5.92	4.48
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	310	0.0	0.2	0.8	0.2	21.3	1.3	5.37	4.38
FRESNO	16609, UG	92	0.0	0.6	1.0	0.3	21.2	1.4	5.77	4.37	279	0.0	0.4	0.9	0.3	20.6	1.7	5.98	4.37

**2020 Processing Tomato Season**  
 PTAB Analysis (8/1/20) - County by Variety



County	Variety Name	Week Ending 8/1/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
FRESNO	4521, HMX 61P	150	0.0	0.1	1.9	0.1	20.7	0.1	5.76	4.38	190	0.0	0.1	1.9	0.1	20.9	0.2	5.82	4.38
FRESNO	6415, N	119	0.0	0.2	1.9	0.4	21.2	0.7	5.26	4.40	173	0.0	0.1	1.8	0.3	21.3	0.7	5.33	4.42
FRESNO	4909, HMX	134	0.0	0.7	3.9	0.4	22.6	1.0	6.44	4.32	159	0.0	0.7	3.7	0.4	22.9	1.1	6.42	4.32
FRESNO	1292, HZ	88	0.0	0.1	1.3	0.4	19.9	0.6	6.05	4.49	115	0.0	0.2	1.5	0.5	20.0	0.8	6.04	4.48
FRESNO	3842, BOS	76	0.0	1.4	1.8	0.3	22.4	2.0	5.63	4.49	115	0.0	1.4	2.1	0.3	22.5	1.7	5.64	4.47
FRESNO	6426, N	108	0.0	0.4	1.0	0.8	21.0	1.1	5.43	4.40	113	0.0	0.4	1.2	0.8	21.0	1.1	5.41	4.39
FRESNO	6420, N	52	0.0	1.8	2.2	0.7	21.9	0.8	4.79	4.51	104	0.0	1.0	1.4	0.6	21.0	0.9	5.15	4.47
FRESNO	1892, HM	101	0.0	0.7	4.7	0.5	21.4	0.9	5.40	4.50	101	0.0	0.7	4.7	0.5	21.4	0.9	5.40	4.50
FRESNO	6428, N	96	0.0	0.1	3.6	0.3	21.7	0.4	5.57	4.42	96	0.0	0.1	3.6	0.3	21.7	0.4	5.57	4.42
FRESNO	9013, SVTM	45	0.0	0.8	0.4	0.0	20.8	0.6	5.45	4.36	96	0.0	0.8	0.5	0.0	21.0	0.5	5.41	4.35
FRESNO	4014, UG	56	0.0	0.7	1.6	0.3	21.5	1.3	5.33	4.57	79	0.0	0.6	1.7	0.3	21.2	1.0	5.34	4.57
FRESNO	9014, SVTM	46	0.0	1.0	0.3	0.1	21.1	1.7	5.63	4.43	46	0.0	1.0	0.3	0.1	21.1	1.7	5.63	4.43
FRESNO	1765, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	45	0.0	0.1	1.9	0.4	21.7	1.5	5.78	4.38
FRESNO	7885, HMX	42	0.0	1.2	1.9	0.3	23.3	1.1	5.01	4.61	42	0.0	1.2	1.9	0.3	23.3	1.1	5.01	4.61
FRESNO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.1	1.0	0.2	21.8	0.7	6.02	4.33
FRESNO	5369, HMX61P	12	0.0	0.5	1.0	0.3	19.4	0.6	5.67	4.41	25	0.0	0.5	0.9	0.4	19.4	0.8	5.74	4.40
FRESNO	6463, N	22	0.0	0.9	1.0	0.5	19.9	0.8	4.96	4.44	22	0.0	0.9	1.0	0.5	19.9	0.8	4.96	4.44
FRESNO	UNCODED	16	0.0	0.1	0.6	0.1	19.9	0.7	5.74	4.56	17	0.0	0.1	0.6	0.1	19.9	0.6	5.70	4.55
FRESNO	9663, HEINZ	15	0.0	0.3	2.6	0.4	19.2	1.3	5.69	4.46	15	0.0	0.3	2.6	0.4	19.2	1.3	5.69	4.46
FRESNO	MISC TRIAL	13	0.0	0.3	1.7	0.5	20.7	1.2	5.43	4.44	13	0.0	0.3	1.7	0.5	20.7	1.2	5.43	4.44
FRESNO	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	12	0.0	0.6	0.6	0.0	21.1	0.8	5.42	4.40
FRESNO	MIX	9	0.1	0.7	1.3	0.6	20.8	1.6	5.79	4.35	11	0.0	0.6	1.2	0.5	20.6	1.5	5.66	4.38
FRESNO	9012, SVTM	6	0.0	0.3	3.6	0.1	22.0	0.8	6.65	4.49	6	0.0	0.3	3.6	0.1	22.0	0.8	6.65	4.49
FRESNO	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.0	0.1	0.4	20.3	1.5	6.03	4.39
FRESNO	74, BP	3	0.0	0.3	3.2	0.0	20.7	0.5	6.67	4.34	3	0.0	0.3	3.2	0.0	20.7	0.5	6.67	4.34
FRESNO	6465, N	3	0.0	0.2	1.2	0.2	21.5	0.7	5.90	4.35	3	0.0	0.2	1.2	0.2	21.5	0.7	5.90	4.35
FRESNO	9019, SVTM	3	0.0	0.2	1.0	0.0	22.3	0.5	6.17	4.26	3	0.0	0.2	1.0	0.0	22.3	0.5	6.17	4.26
FRESNO	1115,FM	2	0.0	0.0	2.0	0.3	20.5	1.3	6.10	4.51	2	0.0	0.0	2.0	0.3	20.5	1.3	6.10	4.51
FRESNO	2756, SV	2	0.0	0.3	0.5	0.3	21.0	2.5	5.50	4.38	2	0.0	0.3	0.5	0.3	21.0	2.5	5.50	4.38
FRESNO	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	0.5	22.5	4.5	6.00	4.36
FRESNO	393, BQ	1	0.0	0.5	1.5	0.0	21.0	2.5	5.80	4.40	1	0.0	0.5	1.5	0.0	21.0	2.5	5.80	4.40
<b>FRESNO</b>		<b>16,223</b>	<b>0.0</b>	<b>0.7</b>	<b>1.6</b>	<b>0.6</b>	<b>20.7</b>	<b>1.6</b>	<b>5.61</b>	<b>4.41</b>	<b>35,406</b>	<b>0.0</b>	<b>0.6</b>	<b>1.5</b>	<b>0.5</b>	<b>20.8</b>	<b>1.5</b>	<b>5.59</b>	<b>4.40</b>
KERN	273, BQ	24	0.0	0.8	0.9	0.8	20.5	1.3	4.90	4.42	3,431	0.0	0.5	1.2	0.7	20.9	1.2	5.23	4.37
KERN	5608, HZ	582	0.0	0.6	0.9	0.4	20.5	1.2	4.98	4.47	2,476	0.0	0.6	0.8	0.5	20.4	0.9	4.98	4.45
KERN	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,772	0.0	0.5	1.5	0.9	21.1	1.7	5.28	4.34
KERN	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,698	0.0	0.5	0.9	0.7	20.3	1.0	5.26	4.47
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,055	0.0	1.0	1.7	0.4	21.5	2.3	4.76	4.42
KERN	8011, SV	389	0.0	1.4	0.6	0.2	20.7	2.0	5.81	4.51	818	0.0	1.0	0.9	0.2	20.3	1.1	5.48	4.43
KERN	4885, HMX	407	0.0	0.5	1.1	0.2	20.4	0.3	4.56	4.36	751	0.0	0.7	0.8	0.2	20.1	0.3	4.92	4.37
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	623	0.0	0.3	1.6	0.4	21.1	1.8	5.50	4.50
KERN	5522, HM 61P	280	0.0	0.6	0.9	0.3	20.0	1.2	6.09	4.48	496	0.0	0.5	1.0	0.2	19.8	0.9	6.08	4.45
KERN	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	377	0.0	0.1	0.3	0.2	20.8	0.3	5.18	4.42
KERN	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	205	0.0	0.1	2.7	0.6	23.6	0.3	4.52	4.40
KERN	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	190	0.0	1.3	0.7	1.2	20.7	2.3	4.69	4.41

**2020 Processing Tomato Season**  
 PTAB Analysis (8/1/20) - County by Variety



County	Variety Name	Week Ending 8/1/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
KERN	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	181	0.0	0.1	1.6	0.4	22.5	0.7	4.49	4.36
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	134	0.0	0.9	2.2	0.5	20.1	1.5	5.67	4.41
KERN	29814, UG	3	0.0	0.8	1.0	0.2	19.0	0.5	5.23	4.52	129	0.0	0.5	0.9	0.2	20.3	0.5	5.75	4.40
KERN	UNCODED	52	0.0	1.5	1.6	0.5	20.5	1.6	4.97	4.50	74	0.0	1.2	1.4	0.4	20.2	1.3	5.07	4.47
KERN	9014, SVTM	74	0.0	1.3	0.3	0.1	20.8	1.2	5.36	4.45	74	0.0	1.3	0.3	0.1	20.8	1.2	5.36	4.45
KERN	3887, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	66	0.0	0.4	2.4	0.9	20.3	1.3	5.20	4.39
KERN	9011, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	46	0.0	0.6	2.1	0.6	20.5	0.9	5.60	4.42
KERN	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	0.1	3.3	0.2	21.0	0.1	5.01	4.29
KERN	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.5	0.8	1.0	20.8	0.8	5.62	4.40
KERN	58801, HM	15	0.1	1.2	0.2	0.1	21.0	1.3	5.31	4.40	15	0.1	1.2	0.2	0.1	21.0	1.3	5.31	4.40
KERN	51,BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	19.5	0.0	5.20	4.38
KERN	205, BQ	1	0.0	0.5	0.5	0.0	22.0	5.0	4.70	4.55	1	0.0	0.5	0.5	0.0	22.0	5.0	4.70	4.55
KERN	2756, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	20.0	0.5	5.90	4.27
KERN	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.0	0.5	20.5	0.5	5.40	4.32
KERN	37314, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.5	19.0	0.5	5.50	4.48
<b>KERN</b>		<b>1,827</b>	<b>0.0</b>	<b>0.8</b>	<b>0.9</b>	<b>0.3</b>	<b>20.5</b>	<b>1.2</b>	<b>5.25</b>	<b>4.45</b>	<b>14,658</b>	<b>0.0</b>	<b>0.6</b>	<b>1.2</b>	<b>0.6</b>	<b>20.7</b>	<b>1.2</b>	<b>5.18</b>	<b>4.41</b>
KINGS	273, BQ	1,106	0.0	0.7	1.2	0.7	21.4	2.0	5.48	4.40	3,821	0.0	0.4	1.7	0.6	21.3	1.5	5.73	4.35
KINGS	400, BQ	279	0.0	0.7	1.3	1.2	20.0	1.5	5.05	4.51	2,937	0.0	0.4	1.9	0.7	20.1	1.0	5.23	4.44
KINGS	5522, HM 61P	671	0.0	0.1	0.4	0.3	19.8	0.6	6.47	4.40	1,680	0.0	0.1	1.0	0.5	20.0	0.4	6.37	4.35
KINGS	6366, SUN	208	0.0	1.5	2.9	0.3	21.2	2.3	4.83	4.46	1,309	0.0	1.4	2.4	0.4	21.4	1.9	5.10	4.47
KINGS	8011, SV	1,026	0.0	0.5	1.3	0.4	20.6	0.7	6.05	4.36	1,257	0.0	0.5	1.4	0.3	20.7	0.7	6.03	4.36
KINGS	403, BQ	94	0.0	0.4	2.3	0.8	21.9	3.1	5.68	4.41	1,160	0.0	0.3	1.8	0.5	20.9	1.9	5.73	4.35
KINGS	3887, HM	755	0.0	2.0	2.4	0.4	21.4	1.5	5.34	4.45	1,072	0.0	1.8	2.3	0.3	21.5	1.3	5.42	4.45
KINGS	5608, HZ	92	0.0	0.5	1.2	0.5	20.9	1.6	5.00	4.51	933	0.0	0.2	1.3	0.4	20.7	0.7	5.31	4.37
KINGS	4521, HMX 61P	316	0.0	0.1	1.2	0.2	21.3	0.3	5.88	4.35	573	0.0	0.2	1.5	0.3	21.4	0.3	5.80	4.34
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	566	0.0	0.8	1.2	0.2	20.9	2.7	4.70	4.39
KINGS	6415, N	352	0.0	0.3	2.5	0.3	21.9	0.9	5.06	4.44	543	0.0	0.3	2.5	0.2	22.1	0.8	5.08	4.45
KINGS	0319, DRI	257	0.0	2.2	2.9	0.5	22.7	1.8	5.99	4.40	429	0.0	2.2	2.7	0.6	22.7	1.6	5.89	4.40
KINGS	2756, SV	380	0.0	0.1	1.9	0.4	20.2	0.3	5.43	4.39	380	0.0	0.1	1.9	0.4	20.2	0.3	5.43	4.39
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	345	0.0	0.6	2.8	0.4	21.7	0.9	4.85	4.35
KINGS	9014, SVTM	281	0.0	1.8	0.6	0.1	21.0	1.2	5.59	4.45	281	0.0	1.8	0.6	0.1	21.0	1.2	5.59	4.45
KINGS	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	271	0.0	0.8	1.8	0.5	20.1	0.6	6.29	4.45
KINGS	8163, HM	56	0.0	0.1	0.4	0.8	19.6	0.5	6.59	4.41	200	0.0	0.1	0.6	0.8	19.5	0.4	6.57	4.40
KINGS	UNCODED	67	0.0	0.1	1.1	0.3	20.8	0.9	6.04	4.42	190	0.0	0.1	0.9	0.2	20.6	0.6	5.74	4.38
KINGS	13, BP	181	0.0	0.9	2.5	2.3	20.7	1.6	4.99	4.44	181	0.0	0.9	2.5	2.3	20.7	1.6	4.99	4.44
KINGS	9011, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	90	0.0	0.4	2.3	0.4	21.6	1.6	6.43	4.44
KINGS	51,BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	87	0.0	0.1	0.7	0.7	21.2	3.9	6.31	4.41
KINGS	6420, N	73	0.0	0.2	1.3	0.4	19.9	0.7	5.59	4.48	85	0.0	0.2	1.4	0.4	19.9	0.7	5.58	4.47
KINGS	6434, N	83	0.0	0.7	2.6	0.4	21.8	1.1	5.12	4.46	83	0.0	0.7	2.6	0.4	21.8	1.1	5.12	4.46
KINGS	9013, SVTM	23	0.0	0.2	0.5	0.1	20.6	0.9	6.10	4.42	80	0.0	0.1	1.9	0.5	20.6	0.5	6.29	4.32
KINGS	1293, HZ	58	0.0	0.4	1.5	0.5	19.3	0.4	5.61	4.43	64	0.0	0.4	1.4	0.5	19.3	0.4	5.60	4.43
KINGS	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	52	0.0	0.1	2.1	0.3	21.1	0.3	5.44	4.41
KINGS	9016, SVTM	41	0.0	0.9	0.9	0.1	21.8	0.4	5.16	4.37	41	0.0	0.9	0.9	0.1	21.8	0.4	5.16	4.37
KINGS	4014, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	1.0	2.5	0.4	20.3	0.6	5.43	4.58

**2020 Processing Tomato Season**  
 PTAB Analysis (8/1/20) - County by Variety



County	Variety Name	Week Ending 8/1/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
KINGS	18205, ISI	16	0.0	0.3	1.3	1.5	20.5	1.4	5.51	4.58	16	0.0	0.3	1.3	1.5	20.5	1.4	5.51	4.58
KINGS	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.4	0.7	0.1	20.7	2.0	5.59	4.35
KINGS	413, BQ	7	0.0	1.0	2.9	2.2	20.5	2.1	5.03	4.49	7	0.0	1.0	2.9	2.2	20.5	2.1	5.03	4.49
KINGS	23024, ISI	6	0.0	0.0	1.0	0.3	20.5	0.1	5.20	4.39	6	0.0	0.0	1.0	0.3	20.5	0.1	5.20	4.39
KINGS	26623, ISI	6	0.0	0.0	1.6	0.2	20.8	0.3	5.52	4.29	6	0.0	0.0	1.6	0.2	20.8	0.3	5.52	4.29
KINGS	25033, ISI	4	0.0	0.0	9.8	0.4	20.8	1.1	5.48	4.38	4	0.0	0.0	9.8	0.4	20.8	1.1	5.48	4.38
KINGS	1765, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.8	0.0	22.0	1.0	5.30	4.37
KINGS	4885, HMX	2	0.0	0.0	0.5	0.5	20.0	0.5	6.35	4.41	2	0.0	0.0	0.5	0.5	20.0	0.5	6.35	4.41
KINGS	19406, UG	1	0.0	2.5	0.0	0.0	22.0	0.0	6.00	4.47	1	0.0	2.5	0.0	0.0	22.0	0.0	6.00	4.47
<b>KINGS</b>		<b>6,441</b>	<b>0.0</b>	<b>0.8</b>	<b>1.5</b>	<b>0.5</b>	<b>21.0</b>	<b>1.2</b>	<b>5.63</b>	<b>4.41</b>	<b>18,781</b>	<b>0.0</b>	<b>0.6</b>	<b>1.7</b>	<b>0.5</b>	<b>20.9</b>	<b>1.2</b>	<b>5.59</b>	<b>4.39</b>
MERCED	9011, SVTM	225	0.0	1.4	3.1	0.4	21.2	1.5	6.06	4.38	226	0.0	1.4	3.1	0.4	21.2	1.5	6.06	4.38
MERCED	273, BQ	63	0.0	0.3	1.4	0.2	19.9	0.8	5.78	4.29	179	0.0	0.2	1.5	0.3	20.4	0.7	5.80	4.28
MERCED	58811, HM	37	0.0	0.3	4.2	0.5	22.5	0.5	5.56	4.37	38	0.0	0.3	4.2	0.5	22.6	0.5	5.56	4.37
MERCED	6402, N	25	0.0	0.9	3.4	0.9	21.6	0.6	5.73	4.36	25	0.0	0.9	3.4	0.9	21.6	0.6	5.73	4.36
MERCED	58881, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.9	2.6	0.8	19.7	4.2	5.04	4.42
MERCED	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	3.5	1.5	19.5	6.5	5.00	4.51
<b>MERCED</b>		<b>350</b>	<b>0.0</b>	<b>1.1</b>	<b>2.9</b>	<b>0.4</b>	<b>21.1</b>	<b>1.2</b>	<b>5.93</b>	<b>4.36</b>	<b>489</b>	<b>0.0</b>	<b>0.8</b>	<b>2.6</b>	<b>0.4</b>	<b>21.0</b>	<b>1.2</b>	<b>5.86</b>	<b>4.34</b>
SOLANO	403, BQ	126	0.0	0.6	1.6	0.8	22.6	1.0	5.22	4.23	141	0.0	0.6	1.5	0.7	22.5	0.9	5.25	4.23
SOLANO	13, BP	91	0.0	0.3	3.2	2.6	21.4	0.9	4.76	4.32	91	0.0	0.3	3.2	2.6	21.4	0.9	4.76	4.32
SOLANO	273, BQ	85	0.0	0.4	0.9	0.9	21.9	0.5	5.29	4.21	85	0.0	0.4	0.9	0.9	21.9	0.5	5.29	4.21
SOLANO	6397, N	58	0.0	0.2	0.6	0.3	22.0	0.9	5.34	4.43	58	0.0	0.2	0.6	0.3	22.0	0.9	5.34	4.43
SOLANO	9000, SVTM	40	0.0	0.6	1.0	0.0	22.0	0.2	4.97	4.36	40	0.0	0.6	1.0	0.0	22.0	0.2	4.97	4.36
<b>SOLANO</b>		<b>400</b>	<b>0.0</b>	<b>0.4</b>	<b>1.6</b>	<b>1.1</b>	<b>22.0</b>	<b>0.8</b>	<b>5.12</b>	<b>4.29</b>	<b>415</b>	<b>0.0</b>	<b>0.4</b>	<b>1.6</b>	<b>1.0</b>	<b>22.0</b>	<b>0.7</b>	<b>5.13</b>	<b>4.29</b>
STANISLAUS	58881, HM	104	0.0	1.1	4.9	0.7	21.5	2.5	5.32	4.48	195	0.0	0.9	4.6	0.8	21.3	2.7	5.22	4.48
STANISLAUS	9011, SVTM	11	0.0	0.6	4.3	0.2	22.2	0.9	6.26	4.35	11	0.0	0.6	4.3	0.2	22.2	0.9	6.26	4.35
STANISLAUS	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	0.1	1.1	0.1	22.4	0.1	5.06	4.27
<b>STANISLAUS</b>		<b>115</b>	<b>0.0</b>	<b>1.1</b>	<b>4.8</b>	<b>0.7</b>	<b>21.6</b>	<b>2.3</b>	<b>5.41</b>	<b>4.46</b>	<b>213</b>	<b>0.0</b>	<b>0.8</b>	<b>4.5</b>	<b>0.7</b>	<b>21.4</b>	<b>2.5</b>	<b>5.27</b>	<b>4.46</b>
SUTTER	13, BP	183	0.0	0.7	4.9	0.8	21.1	1.6	5.26	4.37	183	0.0	0.7	4.9	0.8	21.1	1.6	5.26	4.37
SUTTER	1015, HEINZ	163	0.0	0.4	2.8	0.4	20.8	1.0	4.89	4.42	163	0.0	0.4	2.8	0.4	20.8	1.0	4.89	4.42
SUTTER	6428, N	89	0.0	1.3	6.4	0.6	22.6	1.1	5.61	4.39	89	0.0	1.3	6.4	0.6	22.6	1.1	5.61	4.39
SUTTER	273, BQ	48	0.0	0.4	1.3	0.4	21.8	0.5	5.16	4.33	48	0.0	0.4	1.3	0.4	21.8	0.5	5.16	4.33
SUTTER	413, BQ	28	0.0	1.4	2.8	0.4	21.1	1.6	4.76	4.51	28	0.0	1.4	2.8	0.4	21.1	1.6	4.76	4.51
SUTTER	51, BP	19	0.0	0.3	0.5	0.0	22.9	1.5	5.82	4.29	19	0.0	0.3	0.5	0.0	22.9	1.5	5.82	4.29
SUTTER	5235, HM	12	0.0	1.0	2.2	0.2	22.0	1.1	6.08	4.36	12	0.0	1.0	2.2	0.2	22.0	1.1	6.08	4.36
SUTTER	141, BQ	4	0.0	0.9	9.6	2.5	23.0	8.6	4.75	4.42	4	0.0	0.9	9.6	2.5	23.0	8.6	4.75	4.42
<b>SUTTER</b>		<b>546</b>	<b>0.0</b>	<b>0.7</b>	<b>3.9</b>	<b>0.6</b>	<b>21.4</b>	<b>1.3</b>	<b>5.21</b>	<b>4.39</b>	<b>546</b>	<b>0.0</b>	<b>0.7</b>	<b>3.9</b>	<b>0.6</b>	<b>21.4</b>	<b>1.3</b>	<b>5.21</b>	<b>4.39</b>
TULARE	400, BQ	373	0.0	0.7	3.5	1.4	20.3	1.8	5.05	4.49	373	0.0	0.7	3.5	1.4	20.3	1.8	5.05	4.49
TULARE	403, BQ	13	0.0	0.9	1.2	0.2	20.4	0.8	4.88	4.36	13	0.0	0.9	1.2	0.2	20.4	0.8	4.88	4.36
<b>TULARE</b>		<b>386</b>	<b>0.0</b>	<b>0.7</b>	<b>3.5</b>	<b>1.4</b>	<b>20.3</b>	<b>1.8</b>	<b>5.04</b>	<b>4.49</b>	<b>386</b>	<b>0.0</b>	<b>0.7</b>	<b>3.5</b>	<b>1.4</b>	<b>20.3</b>	<b>1.8</b>	<b>5.04</b>	<b>4.49</b>
YOLO	13, BP	637	0.0	0.4	2.8	1.4	21.8	1.6	4.81	4.37	1,180	0.0	0.3	3.4	1.4	21.9	1.3	4.72	4.36
YOLO	403, BQ	162	0.0	0.2	0.7	0.5	21.6	1.1	5.17	4.26	762	0.0	0.1	0.8	0.3	21.8	0.6	5.07	4.25
YOLO	273, BQ	514	0.0	0.2	1.2	0.4	21.7	0.6	5.09	4.27	744	0.0	0.2	1.5	0.4	21.7	0.6	5.15	4.27
YOLO	413, BQ	583	0.0	0.3	2.6	0.8	21.7	0.6	4.40	4.45	597	0.0	0.3	2.6	0.7	21.7	0.6	4.40	4.45



**2020 Processing Tomato Season**  
 PTAB Analysis (8/1/20) - County by Variety



County	Variety Name	Week Ending 8/1/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
YOLO	6397, N	190	0.0	0.4	0.8	0.3	21.7	1.2	4.94	4.36	310	0.0	0.3	0.8	0.2	22.1	1.0	5.33	4.39
YOLO	4909, HMX	225	0.0	0.7	1.3	0.4	23.1	0.5	5.03	4.22	244	0.0	0.7	1.3	0.4	23.2	0.5	5.01	4.22
YOLO	5235, HM	129	0.0	0.8	1.1	0.6	20.1	0.6	5.17	4.34	129	0.0	0.8	1.1	0.6	20.1	0.6	5.17	4.34
YOLO	6428, N	121	0.0	2.7	6.5	0.4	23.1	1.6	6.29	4.54	121	0.0	2.7	6.5	0.4	23.1	1.6	6.29	4.54
YOLO	6463, N	112	0.0	0.4	0.8	0.2	20.5	0.5	4.75	4.37	112	0.0	0.4	0.8	0.2	20.5	0.5	4.75	4.37
YOLO	6459, N	69	0.0	0.7	3.4	0.7	21.6	0.6	4.95	4.43	104	0.0	1.1	3.9	1.2	21.9	0.9	5.08	4.44
YOLO	0311, AB	79	0.0	0.6	0.4	0.1	23.3	1.8	6.57	4.33	79	0.0	0.6	0.4	0.1	23.3	1.8	6.57	4.33
YOLO	9011, SVTM	76	0.0	1.7	0.9	0.3	20.0	0.7	5.47	4.28	76	0.0	1.7	0.9	0.3	20.0	0.7	5.47	4.28
YOLO	9000, SVTM	68	0.0	0.4	0.7	0.1	21.8	0.3	4.93	4.37	68	0.0	0.4	0.7	0.1	21.8	0.3	4.93	4.37
YOLO	8011, SV	67	0.0	0.7	0.6	0.1	22.7	0.8	5.26	4.39	67	0.0	0.7	0.6	0.1	22.7	0.8	5.26	4.39
YOLO	141, BQ	57	0.0	0.2	4.8	3.3	21.4	1.9	5.24	4.39	57	0.0	0.2	4.8	3.3	21.4	1.9	5.24	4.39
YOLO	1293, HZ	56	0.0	0.2	1.5	0.5	20.1	0.3	5.37	4.48	56	0.0	0.2	1.5	0.5	20.1	0.3	5.37	4.48
YOLO	0319, DRI	48	0.0	1.5	0.6	0.3	20.8	1.5	5.32	4.28	48	0.0	1.5	0.6	0.3	20.8	1.5	5.32	4.28
YOLO	3887, HM	18	0.0	0.3	0.4	0.1	22.2	1.3	5.21	4.46	18	0.0	0.3	0.4	0.1	22.2	1.3	5.21	4.46
YOLO	9018, SVTM	4	0.0	0.1	1.3	1.6	22.8	1.4	4.68	4.23	4	0.0	0.1	1.3	1.6	22.8	1.4	4.68	4.23
YOLO	MISC TRIAL	3	0.0	0.2	2.3	0.2	21.2	0.7	5.93	4.38	3	0.0	0.2	2.3	0.2	21.2	0.7	5.93	4.38
YOLO	7103, HMX61P	3	0.0	0.3	0.3	0.0	21.3	0.3	5.37	4.40	3	0.0	0.3	0.3	0.0	21.3	0.3	5.37	4.40
<b>YOLO</b>		<b>3,221</b>	<b>0.0</b>	<b>0.5</b>	<b>2.0</b>	<b>0.7</b>	<b>21.7</b>	<b>1.0</b>	<b>4.99</b>	<b>4.36</b>	<b>4,782</b>	<b>0.0</b>	<b>0.4</b>	<b>2.1</b>	<b>0.7</b>	<b>21.8</b>	<b>0.9</b>	<b>4.99</b>	<b>4.34</b>