

2020 Processing Tomato Season
 PTAB Analysis (8/15/20) - County by Variety



County	Variety Name	Week Ending 8/15/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
COLUSA	6428, N	1,587	0.0	1.0	5.0	0.9	22.1	1.7	5.06	4.41	2,371	0.0	1.0	5.3	0.9	22.0	1.5	5.07	4.40
COLUSA	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,239	0.0	0.4	3.6	1.2	21.5	1.7	5.01	4.39
COLUSA	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,125	0.0	0.4	2.2	1.0	20.8	1.3	5.24	4.44
COLUSA	413, BQ	152	0.0	2.0	2.2	0.7	21.2	2.5	5.01	4.54	742	0.0	1.0	3.3	0.8	21.4	1.6	4.86	4.51
COLUSA	5235, HM	50	0.0	1.6	1.5	0.6	21.0	2.2	5.40	4.51	503	0.0	1.4	3.6	1.0	21.1	2.3	5.48	4.45
COLUSA	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	194	0.0	0.2	2.8	0.9	22.7	1.4	5.04	4.38
COLUSA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	157	0.0	0.3	3.5	0.7	21.7	1.5	5.09	4.27
COLUSA	9016, SVTM	155	0.0	1.3	4.7	0.8	22.3	0.6	5.47	4.32	155	0.0	1.3	4.7	0.8	22.3	0.6	5.47	4.32
COLUSA	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	154	0.0	2.0	0.9	0.4	20.6	0.9	5.32	4.26
COLUSA	1293, HZ	26	0.0	1.5	2.5	0.9	20.3	0.9	5.85	4.51	137	0.0	0.6	2.6	0.9	20.2	0.4	5.43	4.47
COLUSA	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	71	0.0	0.5	4.6	1.1	20.7	4.6	5.22	4.43
COLUSA	51,BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	0.4	3.8	0.8	22.0	3.0	5.36	4.29
COLUSA	1082, SVTM	55	0.0	1.2	1.2	0.6	20.8	1.1	5.79	4.27	55	0.0	1.2	1.2	0.6	20.8	1.1	5.79	4.27
COLUSA	8011, SV	54	0.0	2.8	5.4	1.1	21.5	2.6	4.84	4.47	54	0.0	2.8	5.4	1.1	21.5	2.6	4.84	4.47
COLUSA	6463, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	0.7	1.5	0.9	21.5	0.8	5.01	4.49
COLUSA	8163, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	0.8	1.0	0.4	20.6	0.5	5.63	4.40
COLUSA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	49	0.0	0.2	0.9	0.3	21.5	0.5	5.00	4.54
COLUSA	1902, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	47	0.0	0.3	1.2	0.8	22.2	1.9	4.79	4.43
COLUSA	63, NB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	39	0.0	0.8	9.5	1.0	20.6	1.9	5.29	4.38
COLUSA	9013, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	39	0.0	1.4	1.0	1.1	22.6	1.7	4.72	4.47
COLUSA	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	37	0.0	0.3	2.0	1.3	22.1	0.6	4.56	4.29
COLUSA	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	0.4	3.5	0.7	20.8	1.0	5.50	4.30
COLUSA	393, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.5	3.6	0.7	24.1	2.2	4.25	4.53
COLUSA	9011, SVTM	19	0.0	1.9	1.4	0.7	19.3	0.9	5.81	4.34	19	0.0	1.9	1.4	0.7	19.3	0.9	5.81	4.34
COLUSA		2,098	0.0	1.2	4.6	0.9	21.9	1.7	5.12	4.41	9,399	0.0	0.7	3.6	1.0	21.4	1.5	5.12	4.41
CONTRA COSTA	6366, SUN	304	0.0	1.8	0.5	0.3	20.7	2.0	4.91	4.47	1,505	0.0	0.8	0.6	0.2	20.7	1.6	5.25	4.43
CONTRA COSTA	403, BQ	127	0.0	0.4	1.3	0.4	21.5	2.2	4.94	4.37	906	0.0	0.2	1.4	0.3	21.2	2.1	5.29	4.33
CONTRA COSTA	6402, N	384	0.0	1.7	0.3	0.1	20.3	2.2	5.46	4.48	762	0.0	1.2	0.3	0.1	20.6	2.3	5.34	4.47
CONTRA COSTA	5900, HM	190	0.0	1.1	1.2	0.2	21.2	3.0	5.32	4.36	233	0.0	0.9	1.2	0.2	21.0	2.8	5.48	4.36
CONTRA COSTA	0311, AB	153	0.0	3.2	0.5	0.2	20.2	1.3	5.12	4.34	222	0.0	2.3	0.5	0.1	20.1	1.2	5.38	4.33
CONTRA COSTA	0319, DRI	35	0.0	0.6	0.1	0.2	20.7	1.6	5.79	4.37	171	0.0	0.8	1.2	0.5	22.0	1.5	5.91	4.38
CONTRA COSTA	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	49	0.0	0.3	2.0	1.3	19.3	1.0	6.54	4.56
CONTRA COSTA	5522, HM 61P	17	0.0	0.3	0.3	0.2	20.1	0.6	5.38	4.25	17	0.0	0.3	0.3	0.2	20.1	0.6	5.38	4.25
CONTRA COSTA	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.1	0.3	0.1	20.8	1.2	5.38	4.34
CONTRA COSTA	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.1	0.2	0.2	20.8	0.3	4.80	4.31
CONTRA COSTA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.2	0.8	0.1	20.9	0.9	5.44	4.28
CONTRA COSTA	4014, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	0.2	0.3	20.0	0.7	5.10	4.50
CONTRA COSTA		1,210	0.0	1.6	0.6	0.2	20.7	2.1	5.21	4.42	3,885	0.0	0.8	0.8	0.2	20.8	1.9	5.34	4.40
FRESNO	273, BQ	1,381	0.0	1.2	2.3	0.8	21.3	2.4	5.13	4.44	12,490	0.0	0.7	2.2	0.6	21.1	1.8	5.43	4.38
FRESNO	403, BQ	244	0.0	1.0	1.2	1.0	21.2	1.9	5.49	4.43	7,962	0.0	0.5	1.6	0.7	21.3	2.1	5.50	4.37
FRESNO	400, BQ	584	0.0	1.4	1.5	0.6	20.2	1.3	5.25	4.53	5,869	0.0	0.4	1.6	0.7	20.0	1.1	5.32	4.46
FRESNO	0311, AB	1,348	0.0	2.3	2.3	0.6	21.2	2.3	5.85	4.41	4,902	0.0	1.6	1.6	0.5	20.8	1.8	6.07	4.38
FRESNO	8011, SV	2,750	0.0	1.5	2.1	0.7	20.6	1.3	5.43	4.43	4,461	0.0	1.4	1.8	0.5	20.5	1.2	5.51	4.43

2020 Processing Tomato Season
PTAB Analysis (8/15/20) - County by Variety



County	Variety Name	Week Ending 8/15/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
FRESNO	0811, BOS	2,091	0.0	0.5	1.8	0.9	20.1	0.6	5.34	4.37	4,059	0.0	0.5	1.9	0.8	20.1	0.7	5.36	4.37
FRESNO	6402, N	759	0.0	1.3	1.7	0.7	20.9	1.9	5.81	4.48	3,288	0.0	1.2	1.2	0.5	20.5	1.7	5.85	4.46
FRESNO	5608, HZ	392	0.0	0.8	1.0	0.9	20.2	1.7	5.30	4.46	2,724	0.0	0.7	1.7	0.6	20.4	1.2	5.25	4.43
FRESNO	3887, HM	361	0.0	1.5	3.0	0.2	20.6	1.3	5.93	4.45	2,093	0.0	1.1	2.4	0.4	21.1	1.4	5.66	4.42
FRESNO	5522, HM 61P	494	0.0	0.5	1.0	0.2	19.5	0.4	5.95	4.36	1,989	0.0	0.5	0.8	0.3	20.0	0.6	5.95	4.37
FRESNO	9011, SVTM	897	0.0	1.7	2.1	0.6	21.3	2.1	5.87	4.44	1,962	0.0	1.4	2.1	0.5	21.2	2.0	6.06	4.44
FRESNO	9000, SVTM	104	0.0	0.3	0.4	0.2	20.8	0.7	5.38	4.44	1,848	0.0	0.4	0.9	0.3	20.7	0.5	5.03	4.42
FRESNO	0319, DRI	710	0.0	1.7	1.5	0.6	22.0	3.3	5.89	4.44	1,823	0.0	1.5	1.3	0.4	21.7	2.5	6.06	4.44
FRESNO	1293, HZ	272	0.0	1.8	1.8	0.7	20.5	1.8	5.63	4.59	1,679	0.0	0.9	1.4	0.7	20.2	1.1	5.64	4.53
FRESNO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,425	0.0	0.8	1.0	0.3	20.8	2.0	5.80	4.45
FRESNO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,045	0.0	0.3	2.1	0.5	21.0	1.5	5.20	4.36
FRESNO	7885, HMX	674	0.0	1.1	1.1	0.2	21.2	1.3	5.18	4.62	864	0.0	1.2	1.2	0.2	21.4	1.3	5.15	4.62
FRESNO	8163, HM	242	0.0	1.0	0.5	0.7	19.5	0.7	5.82	4.42	859	0.0	0.7	0.9	0.9	19.8	1.0	6.00	4.42
FRESNO	9008, SVTM	359	0.0	0.5	1.3	0.2	20.6	0.6	5.65	4.33	514	0.0	0.4	1.1	0.2	20.4	0.5	5.63	4.35
FRESNO	5235, HM	499	0.0	1.7	2.3	1.2	20.9	3.4	5.63	4.52	499	0.0	1.7	2.3	1.2	20.9	3.4	5.63	4.52
FRESNO	1892, HM	100	0.0	0.7	1.6	0.7	20.5	1.2	5.42	4.46	495	0.0	0.8	3.0	0.6	21.1	1.1	5.40	4.49
FRESNO	4885, HMX	463	0.0	1.3	2.6	0.4	21.8	1.6	5.18	4.42	487	0.0	1.2	2.6	0.4	21.8	1.5	5.19	4.42
FRESNO	6415, N	141	0.0	0.9	0.8	0.2	21.5	0.6	4.82	4.39	456	0.0	0.4	1.5	0.3	21.3	0.7	5.17	4.41
FRESNO	6420, N	81	0.0	2.1	0.8	0.7	21.1	2.4	5.21	4.56	442	0.0	1.3	1.1	0.5	21.1	1.3	5.13	4.53
FRESNO	16609, UG	155	0.0	1.1	1.0	0.8	21.2	2.7	6.14	4.47	434	0.0	0.6	0.9	0.5	20.8	2.1	6.03	4.41
FRESNO	6434, N	288	0.0	1.9	3.0	1.6	22.6	2.3	5.33	4.53	407	0.0	1.8	2.7	1.9	22.3	2.1	5.24	4.51
FRESNO	9013, SVTM	245	0.0	1.9	1.0	0.6	20.4	1.2	5.55	4.40	342	0.0	1.6	0.9	0.4	20.5	1.0	5.51	4.38
FRESNO	58811, HM	230	0.0	1.6	0.5	0.2	22.8	1.1	5.21	4.46	325	0.0	1.3	0.8	0.2	22.6	1.0	5.15	4.46
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	310	0.0	0.2	0.8	0.2	21.3	1.3	5.37	4.38
FRESNO	6428, N	104	0.0	0.4	2.7	0.3	22.2	0.5	5.26	4.42	288	0.0	0.3	3.4	0.3	22.1	0.3	5.24	4.42
FRESNO	1428, HZ	139	0.0	0.1	2.5	0.4	20.9	0.2	5.25	4.40	239	0.0	0.1	3.1	0.4	20.9	0.2	5.24	4.36
FRESNO	4014, UG	133	0.0	1.2	1.0	0.5	20.7	1.5	5.08	4.58	215	0.0	1.0	1.3	0.4	20.9	1.3	5.17	4.57
FRESNO	4521, HMX 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	212	0.0	0.1	2.0	0.1	20.8	0.1	5.78	4.38
FRESNO	2401, HEINZ	103	0.0	0.3	2.8	0.2	21.7	0.3	4.81	4.25	203	0.0	0.2	3.1	0.3	21.7	0.4	5.40	4.31
FRESNO	1765, HZ	22	0.0	0.1	1.4	0.2	20.5	0.7	5.28	4.44	189	0.0	0.1	1.3	0.3	20.8	0.8	5.47	4.39
FRESNO	6426, N	54	0.0	0.5	1.4	0.3	20.2	0.7	4.99	4.47	167	0.0	0.4	1.3	0.6	20.7	0.9	5.27	4.42
FRESNO	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	159	0.0	0.7	3.7	0.4	22.9	1.1	6.42	4.32
FRESNO	1997, HZ	122	0.0	0.2	1.6	0.3	21.7	0.7	5.32	4.43	146	0.0	0.2	1.8	0.4	21.9	0.7	5.34	4.43
FRESNO	4326, HMX 61P	135	0.0	1.3	0.9	0.1	21.1	0.9	5.69	4.36	137	0.0	1.3	0.9	0.1	21.1	0.9	5.68	4.36
FRESNO	16112, UG	132	0.0	0.2	0.7	0.3	20.8	0.2	5.02	4.30	132	0.0	0.2	0.7	0.3	20.8	0.2	5.02	4.30
FRESNO	1996, HZ	117	0.0	0.1	1.6	0.6	20.7	0.2	5.21	4.40	117	0.0	0.1	1.6	0.6	20.7	0.2	5.21	4.40
FRESNO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	115	0.0	0.2	1.5	0.5	20.0	0.8	6.04	4.48
FRESNO	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	115	0.0	1.4	2.1	0.3	22.5	1.7	5.64	4.47
FRESNO	4707, HEINZ	106	0.0	0.2	2.8	0.3	23.3	0.5	4.80	4.38	106	0.0	0.2	2.8	0.3	23.3	0.5	4.80	4.38
FRESNO	9016, SVTM	47	0.0	0.5	2.6	0.1	21.1	0.2	5.27	4.41	89	0.0	0.4	4.1	0.3	21.3	0.2	5.19	4.39
FRESNO	6463, N	34	0.0	2.9	1.4	0.7	20.6	1.7	5.15	4.54	77	0.0	1.7	1.2	0.5	20.1	1.2	5.15	4.50
FRESNO	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	77	0.0	0.4	2.8	0.3	19.4	1.1	5.81	4.43
FRESNO	9014, SVTM	26	0.0	3.0	0.3	0.0	20.1	1.7	5.43	4.50	72	0.0	1.7	0.3	0.0	20.8	1.7	5.56	4.46
FRESNO	27713, UG	67	0.0	0.7	1.5	0.4	19.5	1.8	6.28	4.44	67	0.0	0.7	1.5	0.4	19.5	1.8	6.28	4.44

2020 Processing Tomato Season
PTAB Analysis (8/15/20) - County by Variety



County	Variety Name	Week Ending 8/15/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
FRESNO	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	36	0.0	0.7	8.1	0.7	19.9	0.4	4.81	4.52
FRESNO	5702, HZ	31	0.0	0.9	1.5	0.5	20.9	0.4	4.46	4.46	31	0.0	0.9	1.5	0.5	20.9	0.4	4.46	4.46
FRESNO	9012, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	31	0.0	0.6	5.6	0.2	21.1	1.0	6.11	4.43
FRESNO	HEINZ TRIAL	29	0.0	0.1	1.3	0.3	22.2	1.1	5.48	4.47	29	0.0	0.1	1.3	0.3	22.2	1.1	5.48	4.47
FRESNO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	0.8	0.9	0.7	20.4	2.4	5.95	4.49
FRESNO	5369, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.5	0.9	0.4	19.4	0.8	5.74	4.40
FRESNO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.1	0.9	0.2	21.9	0.6	6.03	4.33
FRESNO	1902, HZ	21	0.0	0.4	2.1	0.9	21.5	2.3	4.79	4.45	23	0.0	0.3	2.1	0.8	21.6	2.3	4.78	4.45
FRESNO	1994, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	21	0.0	0.0	2.7	0.3	22.1	0.1	5.57	4.35
FRESNO	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.2	1.5	0.2	20.3	0.8	5.57	4.53
FRESNO	393, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.4	2.7	0.4	20.4	4.2	5.33	4.55
FRESNO	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	0.5	1.0	0.1	21.3	0.9	5.34	4.40
FRESNO	MISC TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	0.3	1.7	0.5	20.7	1.2	5.43	4.44
FRESNO	1662, HZ	4	0.0	0.5	1.1	0.4	22.0	0.4	5.55	4.48	4	0.0	0.5	1.1	0.4	22.0	0.4	5.55	4.48
FRESNO	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.0	0.1	0.4	20.3	1.5	6.03	4.39
FRESNO	74, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	3.2	0.0	20.7	0.5	6.67	4.34
FRESNO	6465, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	1.2	0.2	21.5	0.7	5.90	4.35
FRESNO	9019, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	1.0	0.0	22.3	0.5	6.17	4.26
FRESNO	1115,FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	2.0	0.3	20.5	1.3	6.10	4.51
FRESNO	2756, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.5	0.3	21.0	2.5	5.50	4.38
FRESNO	58801, HM	2	0.0	3.8	0.8	0.0	20.8	1.3	5.80	4.37	2	0.0	3.8	0.8	0.0	20.8	1.3	5.80	4.37
FRESNO	2, BP	1	0.0	0.5	0.5	0.0	21.5	1.5	5.70	4.46	1	0.0	0.5	0.5	0.0	21.5	1.5	5.70	4.46
FRESNO	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	0.5	22.5	4.5	6.00	4.36
FRESNO		17,293	0.0	1.3	1.8	0.6	20.9	1.5	5.49	4.44	69,311	0.0	0.8	1.7	0.6	20.8	1.5	5.55	4.41
GLENN	6428, N	76	0.0	3.3	5.7	3.6	23.0	1.7	5.50	4.46	93	0.0	3.4	5.7	3.3	23.0	1.8	5.48	4.46
GLENN		76	0.0	3.3	5.7	3.6	23.0	1.7	5.50	4.46	93	0.0	3.4	5.7	3.3	23.0	1.8	5.48	4.46
KERN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,418	0.0	0.5	1.2	0.7	20.9	1.2	5.23	4.37
KERN	5608, HZ	4	0.0	0.6	0.1	0.0	21.9	6.1	5.43	4.61	2,743	0.0	0.8	0.9	0.5	20.4	1.0	5.04	4.45
KERN	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,772	0.0	0.5	1.5	0.9	21.1	1.7	5.28	4.34
KERN	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,698	0.0	0.5	0.9	0.7	20.3	1.0	5.26	4.47
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,055	0.0	1.0	1.7	0.4	21.5	2.3	4.76	4.42
KERN	8011, SV	1	0.0	1.0	0.5	0.0	20.5	0.0	5.20	4.38	868	0.0	1.0	0.9	0.2	20.3	1.4	5.53	4.44
KERN	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	751	0.0	0.7	0.8	0.2	20.1	0.3	4.92	4.37
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	623	0.0	0.3	1.6	0.4	21.1	1.8	5.50	4.50
KERN	5522, HM 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	517	0.0	0.5	0.9	0.2	19.9	1.0	6.10	4.45
KERN	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	377	0.0	0.1	0.3	0.2	20.8	0.3	5.18	4.42
KERN	9014, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	309	0.0	2.5	0.4	0.4	20.7	1.5	5.28	4.47
KERN	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	205	0.0	0.1	2.7	0.6	23.6	0.3	4.52	4.40
KERN	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	190	0.0	1.3	0.7	1.2	20.7	2.3	4.69	4.41
KERN	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	181	0.0	0.1	1.6	0.4	22.5	0.7	4.49	4.36
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	134	0.0	0.9	2.2	0.5	20.1	1.5	5.67	4.41
KERN	29814, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	126	0.0	0.5	0.9	0.2	20.4	0.5	5.77	4.40
KERN	0811, BOS	83	0.0	0.9	0.3	0.3	20.3	1.2	5.28	4.40	98	0.0	0.9	0.3	0.3	20.3	1.1	5.28	4.39
KERN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	87	0.0	1.0	1.4	0.4	20.5	1.2	5.06	4.49

2020 Processing Tomato Season
 PTAB Analysis (8/15/20) - County by Variety



County	Variety Name	Week Ending 8/15/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
KERN	3887, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	66	0.0	0.4	2.4	0.9	20.3	1.3	5.20	4.39
KERN	9011, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	46	0.0	0.6	2.1	0.6	20.5	0.9	5.60	4.42
KERN	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	0.1	3.3	0.2	21.0	0.1	5.01	4.29
KERN	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.5	0.8	1.0	20.8	0.8	5.62	4.40
KERN	58801, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15	0.1	1.2	0.2	0.1	21.0	1.3	5.31	4.40
KERN	58811, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	1.0	0.4	0.3	20.1	0.8	5.15	4.37
KERN	MISC TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.0	0.5	0.0	21.0	2.0	6.20	4.54
KERN	51,BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	19.5	0.0	5.20	4.38
KERN	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	22.0	5.0	4.70	4.55
KERN	2756, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	20.0	0.5	5.90	4.27
KERN	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.0	0.5	20.5	0.5	5.40	4.32
KERN	37314, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.5	19.0	0.5	5.50	4.48
KERN		88	0.0	0.9	0.3	0.3	20.3	1.4	5.29	4.41	15,341	0.0	0.6	1.1	0.6	20.7	1.2	5.20	4.41
KINGS	273, BQ	37	0.0	2.4	10.0	1.1	20.9	6.0	4.74	4.42	3,858	0.0	0.4	1.8	0.6	21.3	1.6	5.72	4.35
KINGS	8011, SV	869	0.0	1.1	0.8	0.4	20.6	0.6	5.52	4.43	3,733	0.0	1.0	1.2	0.3	20.6	0.7	5.81	4.39
KINGS	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,975	0.0	0.4	1.8	0.7	20.1	1.0	5.22	4.44
KINGS	5608, HZ	412	0.0	0.4	1.7	0.4	18.7	0.5	5.56	4.42	1,941	0.0	0.4	1.4	0.4	19.9	0.6	5.36	4.40
KINGS	5522, HM 61P	49	0.0	0.6	1.2	0.2	20.3	0.9	6.05	4.38	1,925	0.0	0.2	1.0	0.5	20.0	0.5	6.35	4.35
KINGS	2756, SV	736	0.0	0.6	0.6	0.2	21.5	1.1	4.85	4.52	1,873	0.0	0.3	1.1	0.3	20.9	0.7	5.16	4.46
KINGS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,309	0.0	1.4	2.4	0.4	21.4	1.9	5.10	4.47
KINGS	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,159	0.0	0.3	1.8	0.5	20.9	1.9	5.73	4.35
KINGS	3887, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,133	0.0	1.7	2.3	0.4	21.5	1.4	5.44	4.45
KINGS	4521, HMX 61P	449	0.0	0.1	1.8	0.2	20.2	0.2	6.04	4.38	1,022	0.0	0.2	1.6	0.3	20.9	0.3	5.90	4.36
KINGS	9014, SVTM	437	0.0	1.4	1.7	0.4	20.1	0.2	5.41	4.36	909	0.0	1.5	1.2	0.2	20.6	0.6	5.46	4.40
KINGS	0319, DRI	204	0.0	1.9	1.1	0.3	21.3	1.1	5.87	4.40	808	0.0	2.0	2.3	0.5	22.1	1.6	5.95	4.40
KINGS	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	710	0.0	0.3	2.5	0.2	21.8	0.8	5.19	4.44
KINGS	6434, N	104	0.0	1.3	1.6	0.7	21.9	3.1	5.49	4.52	653	0.0	1.3	2.1	0.7	22.0	2.2	5.31	4.52
KINGS	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	621	0.0	0.8	1.9	0.4	20.1	1.1	6.03	4.44
KINGS	29814, UG	203	0.0	0.0	2.0	0.2	21.5	1.0	5.97	4.48	580	0.0	0.1	1.6	0.3	21.5	0.6	5.94	4.45
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	566	0.0	0.8	1.2	0.2	20.9	2.7	4.70	4.39
KINGS	5235, HM	224	0.0	1.8	2.0	2.1	20.4	3.5	5.83	4.56	484	0.0	1.9	3.0	1.4	19.9	3.0	5.90	4.53
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	345	0.0	0.6	2.8	0.4	21.7	0.9	4.85	4.35
KINGS	6428, N	319	0.0	1.5	1.1	0.3	22.7	1.4	4.99	4.48	321	0.0	1.4	1.1	0.3	22.7	1.3	4.99	4.48
KINGS	9011, SVTM	170	0.0	2.3	1.0	0.2	20.6	2.0	6.06	4.45	319	0.0	1.7	1.4	0.3	20.7	1.7	6.19	4.44
KINGS	9013, SVTM	50	0.0	0.7	1.3	0.1	19.5	0.5	6.10	4.45	292	0.0	0.7	1.4	0.3	20.7	0.6	5.84	4.41
KINGS	UNCODED	39	0.0	0.8	0.9	0.4	21.4	0.7	5.29	4.42	285	0.0	0.3	1.3	0.3	20.6	0.6	5.71	4.39
KINGS	8163, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	272	0.0	0.1	0.6	0.8	19.5	0.4	6.40	4.40
KINGS	413, BQ	109	0.0	1.3	1.1	1.6	20.8	2.3	5.57	4.62	266	0.0	1.3	1.3	1.4	20.5	2.7	5.39	4.61
KINGS	4885, HMX	1	0.0	2.0	3.5	1.5	19.0	1.0	6.00	4.40	263	0.0	0.2	1.5	0.4	19.5	0.3	5.82	4.36
KINGS	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	208	0.0	0.8	2.5	2.2	20.6	1.6	5.00	4.45
KINGS	0811, BOS	205	0.0	0.1	1.6	0.2	19.1	0.3	5.57	4.35	205	0.0	0.1	1.6	0.2	19.1	0.3	5.57	4.35
KINGS	4707, HEINZ	190	0.0	0.3	3.7	0.4	22.2	0.3	4.83	4.37	202	0.0	0.3	3.7	0.4	22.2	0.3	4.83	4.37
KINGS	9663, HEINZ	85	0.0	5.1	2.9	0.4	20.1	1.5	4.50	4.35	176	0.0	4.4	3.3	0.5	20.2	1.2	4.44	4.35
KINGS	2401, HEINZ	71	0.0	1.5	2.1	0.3	21.5	1.0	4.96	4.36	170	0.0	0.8	1.7	0.3	21.4	0.7	5.02	4.37

2020 Processing Tomato Season
 PTAB Analysis (8/15/20) - County by Variety



County	Variety Name	Week Ending 8/15/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
KINGS	1662, HZ	136	0.0	0.4	1.3	0.1	22.5	0.7	4.88	4.44	140	0.0	0.4	1.5	0.1	22.5	0.7	4.87	4.44
KINGS	18205, ISI	28	0.0	1.6	2.6	0.3	21.0	2.2	5.31	4.63	97	0.0	0.8	1.6	0.5	20.5	1.9	5.43	4.58
KINGS	1428, HZ	3	0.0	0.7	1.7	0.2	23.0	0.5	5.67	4.43	93	0.0	0.2	1.7	0.2	20.5	0.2	5.08	4.42
KINGS	51,BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	87	0.0	0.1	0.7	0.7	21.2	3.9	6.31	4.41
KINGS	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	85	0.0	0.2	1.4	0.4	19.9	0.7	5.58	4.47
KINGS	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	0.4	1.4	0.5	19.3	0.4	5.60	4.43
KINGS	9016, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	58	0.0	0.9	0.9	0.1	21.7	0.3	5.10	4.38
KINGS	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	52	0.0	0.1	2.1	0.3	21.1	0.3	5.44	4.41
KINGS	25033, ISI	3	0.0	0.7	2.0	0.2	22.3	0.7	5.37	4.33	33	0.0	0.2	1.9	0.5	20.8	0.8	5.44	4.40
KINGS	9025, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.4	1.8	0.6	22.3	0.1	4.72	4.27
KINGS	4014, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	1.0	2.5	0.4	20.3	0.6	5.43	4.58
KINGS	23024, ISI	5	0.0	0.0	1.1	0.4	19.7	0.2	5.88	4.59	11	0.0	0.0	1.0	0.4	20.1	0.1	5.51	4.48
KINGS	26623, ISI	5	0.0	0.2	0.8	0.0	20.4	0.4	6.12	4.44	11	0.0	0.1	1.2	0.1	20.6	0.4	5.79	4.36
KINGS	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.4	0.7	0.1	20.7	2.0	5.59	4.35
KINGS	1765, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.8	0.0	22.0	1.0	5.30	4.37
KINGS	1991, HZ	1	0.0	4.0	2.5	0.5	21.5	1.5	5.80	4.40	1	0.0	4.0	2.5	0.5	21.5	1.5	5.80	4.40
KINGS	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.0	0.0	22.0	0.0	6.00	4.47
KINGS	58801, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	22.5	2.0	5.90	4.46
KINGS		5,144	0.0	1.0	1.5	0.4	20.8	1.0	5.43	4.44	30,376	0.0	0.7	1.7	0.5	20.8	1.1	5.57	4.41
MADERA	0319, DRI	63	0.0	0.5	3.7	0.5	22.1	2.3	6.50	4.41	227	0.0	0.6	2.6	0.5	21.8	2.0	6.37	4.36
MADERA		63	0.0	0.5	3.7	0.5	22.1	2.3	6.50	4.41	227	0.0	0.6	2.6	0.5	21.8	2.0	6.37	4.36
MERCED	9011, SVTM	395	0.0	1.8	2.2	0.7	21.6	3.2	6.42	4.52	767	0.0	1.7	2.6	0.6	21.5	2.4	6.28	4.47
MERCED	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	231	0.0	0.2	2.5	0.4	20.7	0.8	5.77	4.29
MERCED	6402, N	61	0.0	1.5	2.6	0.3	20.8	1.2	5.43	4.47	183	0.0	1.5	3.1	0.5	21.1	1.0	5.45	4.42
MERCED	1428, HZ	178	0.0	0.1	4.9	0.7	20.8	0.2	5.23	4.39	178	0.0	0.1	4.9	0.7	20.8	0.2	5.23	4.39
MERCED	58811, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	109	0.0	0.2	4.8	0.6	22.7	0.8	5.89	4.42
MERCED	8163, HM	107	0.0	1.2	0.6	0.2	19.7	1.4	5.88	4.48	107	0.0	1.2	0.6	0.2	19.7	1.4	5.88	4.48
MERCED	5522, HM 61P	105	0.0	0.2	1.7	0.5	20.3	0.8	5.59	4.27	105	0.0	0.2	1.7	0.5	20.3	0.8	5.59	4.27
MERCED	6428, N	48	0.0	0.3	3.4	0.7	22.5	2.0	6.16	4.51	62	0.0	0.3	3.7	0.7	22.5	1.9	6.13	4.50
MERCED	9014, SVTM	61	0.0	0.2	4.2	0.3	20.7	0.8	5.36	4.32	61	0.0	0.2	4.2	0.3	20.7	0.8	5.36	4.32
MERCED	0811, BOS	54	0.0	0.5	1.1	0.4	20.5	0.7	5.48	4.41	54	0.0	0.5	1.1	0.4	20.5	0.7	5.48	4.41
MERCED	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	51	0.0	0.1	1.9	0.1	25.0	0.7	4.72	4.42
MERCED	9016, SVTM	42	0.0	1.2	0.9	0.2	21.6	0.3	5.14	4.37	46	0.0	1.2	0.9	0.2	21.5	0.3	5.14	4.37
MERCED	2401, HEINZ	31	0.0	0.2	1.3	0.1	23.0	0.4	4.50	4.27	42	0.0	0.2	1.8	0.2	22.8	0.3	4.56	4.26
MERCED	0311, AB	37	0.0	3.2	0.2	0.1	20.5	1.5	5.64	4.38	37	0.0	3.2	0.2	0.1	20.5	1.5	5.64	4.38
MERCED	1082, SVTM	37	0.0	0.5	2.9	1.0	21.6	1.5	6.75	4.35	37	0.0	0.5	2.9	1.0	21.6	1.5	6.75	4.35
MERCED	398, BQ	9	0.0	3.2	1.1	0.4	20.4	1.9	5.57	4.44	23	0.0	1.9	0.7	0.2	21.1	1.7	5.61	4.42
MERCED	4014, UG	23	0.0	0.2	4.2	0.4	20.3	0.2	5.21	4.45	23	0.0	0.2	4.2	0.4	20.3	0.2	5.21	4.45
MERCED	58881, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.9	2.6	0.8	19.7	4.2	5.04	4.42
MERCED	6420, N	19	0.0	0.7	0.7	1.2	22.0	2.8	5.97	4.68	19	0.0	0.7	0.7	1.2	22.0	2.8	5.97	4.68
MERCED	1293, HZ	17	0.0	0.4	1.6	0.6	20.0	1.4	6.24	4.57	17	0.0	0.4	1.6	0.6	20.0	1.4	6.24	4.57
MERCED	9013, SVTM	14	0.0	0.6	5.1	0.5	20.9	2.9	6.08	4.38	14	0.0	0.6	5.1	0.5	20.9	2.9	6.08	4.38
MERCED	1662, HZ	8	0.0	0.1	1.1	0.0	22.5	0.2	4.80	4.38	8	0.0	0.1	1.1	0.0	22.5	0.2	4.80	4.38
MERCED	0319, DRI	2	0.0	1.0	5.0	0.3	21.5	0.8	5.80	4.33	2	0.0	1.0	5.0	0.3	21.5	0.8	5.80	4.33

2020 Processing Tomato Season
 PTAB Analysis (8/15/20) - County by Variety



County	Variety Name	Week Ending 8/15/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
MERCED	4885, HMX	2	0.0	0.3	2.5	0.0	21.8	1.3	5.80	4.33	2	0.0	0.3	2.5	0.0	21.8	1.3	5.80	4.33
MERCED	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	3.5	1.5	19.5	6.5	5.00	4.51
MERCED		1,250	0.0	1.0	2.4	0.6	21.1	1.7	5.82	4.44	2,199	0.0	1.0	2.7	0.5	21.3	1.5	5.81	4.41
SAN JOAQUIN	9011, SVTM	83	0.0	0.9	4.9	0.4	21.3	1.5	5.84	4.35	126	0.0	0.7	5.1	0.4	21.2	1.4	5.87	4.34
SAN JOAQUIN	9016, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.7	6.2	0.2	22.3	0.5	5.58	4.28
SAN JOAQUIN	58801, HM	6	0.0	1.6	5.9	0.4	21.9	2.3	5.78	4.45	6	0.0	1.6	5.9	0.4	21.9	2.3	5.78	4.45
SAN JOAQUIN	43, BP	4	0.0	2.0	6.4	0.3	20.6	0.6	6.10	4.39	4	0.0	2.0	6.4	0.3	20.6	0.6	6.10	4.39
SAN JOAQUIN		93	0.0	1.0	5.1	0.4	21.3	1.5	5.85	4.36	154	0.0	0.8	5.3	0.4	21.3	1.3	5.84	4.33
SOLANO	13, BP	75	0.0	0.3	2.2	1.2	21.1	1.4	4.63	4.35	392	0.0	0.4	2.4	2.0	21.5	1.2	4.78	4.35
SOLANO	4909, HMX	199	0.0	1.5	0.7	0.4	23.6	1.9	6.25	4.27	387	0.0	1.3	0.7	0.4	23.4	1.7	6.09	4.26
SOLANO	6397, N	55	0.0	0.9	0.4	0.4	21.9	1.6	5.16	4.39	303	0.0	0.6	0.9	0.5	21.8	1.1	5.39	4.40
SOLANO	9000, SVTM	24	0.0	1.6	0.3	0.4	21.3	0.4	5.14	4.38	181	0.0	0.6	0.4	0.3	21.6	0.3	4.96	4.42
SOLANO	403, BQ	1	0.0	0.5	0.5	0.5	23.5	2.0	5.80	4.20	163	0.0	0.6	1.5	0.6	22.5	1.0	5.27	4.23
SOLANO	9013, SVTM	155	0.0	0.5	0.6	0.4	21.9	0.7	4.91	4.26	155	0.0	0.5	0.6	0.4	21.9	0.7	4.91	4.26
SOLANO	8011, SV	110	0.0	1.7	1.0	0.2	21.2	0.4	6.01	4.32	144	0.0	1.6	1.1	0.2	21.3	0.4	5.99	4.31
SOLANO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	133	0.0	0.5	0.9	0.6	21.8	0.6	5.16	4.24
SOLANO	5235, HM	114	0.0	2.0	1.2	0.6	21.2	1.4	5.65	4.34	115	0.0	2.0	1.1	0.6	21.2	1.4	5.64	4.34
SOLANO	5522, HM 61P	90	0.0	0.4	1.1	0.4	20.9	0.3	6.13	4.25	90	0.0	0.4	1.1	0.4	20.9	0.3	6.13	4.25
SOLANO	393, BQ	30	0.0	0.7	0.2	0.1	22.2	4.8	4.50	4.49	87	0.0	0.7	0.4	0.1	22.4	3.8	4.43	4.44
SOLANO	19406, UG	86	0.0	0.5	0.3	0.5	21.6	1.0	6.35	4.27	86	0.0	0.5	0.3	0.5	21.6	1.0	6.35	4.27
SOLANO	58811, HM	70	0.0	0.3	3.8	2.7	22.0	0.7	4.99	4.30	70	0.0	0.3	3.8	2.7	22.0	0.7	4.99	4.30
SOLANO	413, BQ	23	0.0	0.7	0.2	0.2	22.1	3.9	4.36	4.49	53	0.0	1.1	0.4	0.1	22.6	2.4	4.33	4.45
SOLANO	1293, HZ	29	0.0	0.4	0.7	0.1	20.5	0.3	5.26	4.50	29	0.0	0.4	0.7	0.1	20.5	0.3	5.26	4.50
SOLANO	42, BP	14	0.0	0.8	0.9	0.2	21.3	0.9	5.26	4.35	14	0.0	0.8	0.9	0.2	21.3	0.9	5.26	4.35
SOLANO	0319, DRI	12	0.0	0.9	0.1	0.1	21.6	1.8	5.30	4.34	12	0.0	0.9	0.1	0.1	21.6	1.8	5.30	4.34
SOLANO	0311, AB	3	0.0	0.7	0.0	0.0	20.2	1.3	5.53	4.22	3	0.0	0.7	0.0	0.0	20.2	1.3	5.53	4.22
SOLANO		1,090	0.0	1.0	1.0	0.6	21.9	1.2	5.56	4.31	2,417	0.0	0.8	1.1	0.7	22.0	1.1	5.36	4.32
STANISLAUS	58881, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	195	0.0	0.9	4.6	0.8	21.3	2.7	5.22	4.48
STANISLAUS	9011, SVTM	22	0.0	0.3	1.0	0.2	19.9	0.3	6.64	4.41	101	0.0	1.1	1.6	0.2	20.3	1.5	6.45	4.41
STANISLAUS	0319, DRI	70	0.0	0.8	2.7	0.7	22.2	2.3	5.80	4.38	98	0.0	0.8	2.5	0.7	22.0	2.1	5.82	4.36
STANISLAUS	273, BQ	66	0.0	0.7	1.1	0.1	22.0	2.8	5.15	4.46	91	0.0	0.7	1.1	0.1	21.7	3.2	5.24	4.44
STANISLAUS	42, BP	49	0.0	3.3	0.7	0.2	19.8	4.7	5.54	4.47	49	0.0	3.3	0.7	0.2	19.8	4.7	5.54	4.47
STANISLAUS	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	28	0.0	0.5	2.5	0.5	22.5	1.6	5.43	4.52
STANISLAUS	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	28	0.0	0.4	1.6	0.4	21.3	4.2	5.46	4.39
STANISLAUS	9016, SVTM	13	0.0	0.5	3.7	0.7	22.8	0.0	5.34	4.37	17	0.0	0.5	3.2	0.6	22.6	0.3	5.32	4.37
STANISLAUS	43, BP	12	0.0	1.6	2.0	0.5	20.5	0.3	6.26	4.41	12	0.0	1.6	2.0	0.5	20.5	0.3	6.26	4.41
STANISLAUS	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	0.1	1.1	0.1	22.4	0.1	5.06	4.27
STANISLAUS	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	3.5	0.0	20.5	2.5	5.60	4.26
STANISLAUS		232	0.0	1.3	1.7	0.4	21.3	2.5	5.64	4.42	627	0.0	1.0	2.6	0.5	21.3	2.5	5.58	4.43
SUTTER	6428, N	626	0.0	1.1	4.3	1.0	22.7	3.0	4.98	4.45	877	0.0	1.1	4.4	0.9	22.5	2.4	5.16	4.43
SUTTER	413, BQ	384	0.0	3.4	3.1	0.6	22.1	2.4	4.32	4.58	656	0.0	3.1	2.9	0.7	21.9	2.0	4.38	4.56
SUTTER	141, BQ	56	0.0	1.3	5.4	0.6	22.6	10.6	4.82	4.52	352	0.0	0.7	5.1	0.7	22.3	6.7	4.94	4.46
SUTTER	13, BP	107	0.0	1.1	3.9	1.4	21.5	2.6	5.07	4.39	294	0.0	0.8	4.5	1.1	21.2	2.0	5.18	4.38

2020 Processing Tomato Season
 PTAB Analysis (8/15/20) - County by Variety



County	Variety Name	Week Ending 8/15/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
SUTTER	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	224	0.0	0.5	3.1	0.4	20.8	1.0	4.84	4.43
SUTTER	273, BQ	106	0.0	1.6	0.6	0.4	22.0	0.7	5.22	4.42	188	0.0	1.1	0.8	0.3	21.9	0.6	5.19	4.38
SUTTER	6459, N	99	0.0	1.7	4.6	1.5	21.0	1.2	5.55	4.47	99	0.0	1.7	4.6	1.5	21.0	1.2	5.55	4.47
SUTTER	9013, SVTM	91	0.0	1.2	0.5	0.2	20.7	1.3	6.20	4.38	97	0.0	1.1	0.5	0.2	20.8	1.2	6.12	4.38
SUTTER	51,BP	14	0.0	0.5	0.1	0.3	23.5	3.3	5.66	4.33	95	0.0	0.4	0.3	0.1	22.4	2.1	5.75	4.30
SUTTER	5235, HM	67	0.0	1.8	0.6	0.4	20.5	1.9	5.85	4.45	95	0.0	1.8	0.8	0.4	20.9	1.7	5.88	4.44
SUTTER	9016, SVTM	58	0.0	0.7	3.4	2.5	22.1	0.8	5.08	4.33	58	0.0	0.7	3.4	2.5	22.1	0.8	5.08	4.33
SUTTER	1082, SVTM	43	0.0	1.1	1.6	0.3	23.2	0.8	5.68	4.31	43	0.0	1.1	1.6	0.3	23.2	0.8	5.68	4.31
SUTTER	1902, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	1.4	0.6	0.1	21.8	2.1	6.19	4.50
SUTTER	1997, HZ	6	0.0	0.7	3.7	1.3	24.3	5.3	5.13	4.48	6	0.0	0.7	3.7	1.3	24.3	5.3	5.13	4.48
SUTTER		1,657	0.0	1.7	3.3	0.9	22.1	2.5	5.01	4.46	3,091	0.0	1.4	3.5	0.8	21.9	2.4	5.04	4.45
TULARE	400, BQ	169	0.0	1.6	2.1	0.5	20.7	2.7	4.96	4.57	1,075	0.0	1.2	3.4	1.2	20.3	2.2	4.99	4.53
TULARE	403, BQ	172	0.0	1.6	1.4	0.1	21.3	2.1	4.68	4.41	324	0.0	1.4	1.6	0.1	20.9	1.8	4.71	4.39
TULARE	273, BQ	215	0.0	2.3	4.0	1.0	20.8	3.5	4.98	4.43	215	0.0	2.3	4.0	1.0	20.8	3.5	4.98	4.43
TULARE	0811, BOS	170	0.0	1.3	2.0	0.7	20.5	1.2	4.93	4.42	170	0.0	1.3	2.0	0.7	20.5	1.2	4.93	4.42
TULARE		726	0.0	1.7	2.5	0.6	20.8	2.5	4.89	4.46	1,784	0.0	1.4	3.0	0.9	20.5	2.2	4.93	4.48
YOLO	6428, N	1,929	0.0	0.8	3.0	1.5	22.7	1.9	4.88	4.41	2,567	0.0	0.8	3.2	1.6	22.8	1.8	4.94	4.42
YOLO	4909, HMX	535	0.0	1.2	0.5	0.4	22.6	0.9	5.31	4.23	1,685	0.0	0.9	0.7	0.4	22.7	0.8	5.20	4.23
YOLO	13, BP	67	0.0	0.3	2.6	0.9	21.7	1.1	4.24	4.33	1,634	0.0	0.3	3.4	1.6	21.9	1.3	4.64	4.36
YOLO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,042	0.0	0.3	1.5	0.4	21.6	0.8	5.12	4.29
YOLO	0311, AB	555	0.0	1.3	0.4	0.2	20.7	1.5	5.88	4.33	1,019	0.0	1.1	0.4	0.1	21.0	1.4	6.08	4.32
YOLO	8011, SV	486	0.0	1.3	0.5	0.3	21.6	1.3	5.05	4.38	868	0.0	1.1	0.6	0.5	21.9	1.3	5.08	4.38
YOLO	5235, HM	418	0.0	1.1	0.9	1.0	21.1	1.6	5.32	4.39	832	0.0	0.9	1.4	1.0	20.7	1.4	5.26	4.39
YOLO	413, BQ	26	0.0	5.8	3.5	3.7	22.9	2.2	4.88	4.57	765	0.0	0.5	2.5	0.8	21.6	0.7	4.46	4.46
YOLO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	762	0.0	0.1	0.8	0.3	21.8	0.6	5.07	4.25
YOLO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	436	0.0	0.4	0.7	0.3	21.8	1.1	5.28	4.40
YOLO	1082, SVTM	349	0.0	0.6	0.3	0.7	22.2	1.7	5.17	4.32	401	0.0	0.6	0.3	0.7	22.2	1.5	5.22	4.32
YOLO	9011, SVTM	174	0.0	1.3	0.6	0.3	20.3	1.1	5.59	4.34	360	0.0	1.4	0.7	0.3	20.3	0.9	5.61	4.32
YOLO	3887, HM	230	0.0	0.8	0.1	0.1	21.5	2.3	5.21	4.36	345	0.0	0.7	0.2	0.1	21.7	2.1	5.22	4.36
YOLO	5608, HZ	121	0.0	0.3	0.7	1.2	20.8	1.5	5.21	4.42	279	0.0	0.3	0.5	0.9	20.5	1.2	5.15	4.40
YOLO	6463, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	261	0.0	0.5	1.0	0.2	20.2	0.5	4.77	4.38
YOLO	0319, DRI	70	0.0	0.4	0.2	0.1	21.6	2.3	5.88	4.35	249	0.0	0.9	0.4	0.2	21.2	1.8	5.52	4.32
YOLO	58841, HM	157	0.0	0.5	0.4	0.3	22.4	0.7	5.57	4.33	241	0.0	0.5	0.5	0.2	22.6	0.6	5.49	4.32
YOLO	1662, HZ	25	0.0	0.5	3.8	1.4	23.7	1.6	4.59	4.32	233	0.0	0.2	4.4	1.3	23.2	1.0	4.66	4.31
YOLO	63, NB	60	0.0	0.5	0.8	0.4	20.2	1.6	5.01	4.45	226	0.0	0.4	2.3	0.7	20.4	1.3	4.74	4.43
YOLO	141, BQ	131	0.0	0.9	4.6	0.5	21.5	3.6	4.85	4.47	212	0.0	0.6	4.6	1.4	21.4	2.9	5.00	4.44
YOLO	9013, SVTM	200	0.0	1.0	0.6	0.2	21.1	1.0	5.40	4.33	200	0.0	1.0	0.6	0.2	21.1	1.0	5.40	4.33
YOLO	1293, HZ	60	0.0	0.6	0.8	1.7	21.8	1.9	4.92	4.55	140	0.0	0.4	1.1	1.2	21.1	1.1	5.19	4.51
YOLO	6460, N	30	0.0	0.5	0.1	0.1	22.6	1.8	5.28	4.45	130	0.0	0.4	0.6	0.0	22.7	0.8	5.05	4.45
YOLO	19406, UG	98	0.0	1.0	0.3	0.1	22.5	1.0	5.28	4.30	127	0.0	1.0	0.3	0.1	22.6	1.3	5.50	4.32
YOLO	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	105	0.0	0.4	0.6	0.1	21.8	0.4	4.98	4.38
YOLO	6459, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	104	0.0	1.1	3.9	1.2	21.9	0.9	5.08	4.44
YOLO	5522, HM 61P	35	0.0	0.3	0.3	1.0	20.6	1.0	5.58	4.27	91	0.0	0.2	0.3	0.5	20.6	1.2	5.76	4.33
YOLO	9016, SVTM	91	0.0	0.6	1.5	1.5	22.5	0.8	5.87	4.34	91	0.0	0.6	1.5	1.5	22.5	0.8	5.87	4.34

2020 Processing Tomato Season
 PTAB Analysis (8/15/20) - County by Variety



County	Variety Name	Week Ending 8/15/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
YOLO	1428, HZ	82	0.0	0.5	1.1	2.6	22.3	0.9	4.24	4.41	82	0.0	0.5	1.1	2.6	22.3	0.9	4.24	4.41
YOLO	8163, HM	82	0.0	2.9	0.9	1.3	20.6	2.0	5.66	4.46	82	0.0	2.9	0.9	1.3	20.6	2.0	5.66	4.46
YOLO	0811, BOS	78	0.0	1.0	0.9	0.4	21.1	0.9	5.38	4.43	78	0.0	1.0	0.9	0.4	21.1	0.9	5.38	4.43
YOLO	255, CXD	74	0.0	1.7	0.7	0.9	22.8	2.4	5.00	4.36	74	0.0	1.7	0.7	0.9	22.8	2.4	5.00	4.36
YOLO	58811, HM	63	0.0	0.5	1.4	0.6	22.6	1.1	4.86	4.35	63	0.0	0.5	1.4	0.6	22.6	1.1	4.86	4.35
YOLO	6434, N	59	0.0	1.5	0.9	0.1	24.6	2.7	5.04	4.44	59	0.0	1.5	0.9	0.1	24.6	2.7	5.04	4.44
YOLO	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	47	0.0	0.6	0.7	0.1	22.4	1.0	5.42	4.37
YOLO	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.1	0.2	0.3	20.7	0.7	4.66	4.43
YOLO	43, BP	20	0.0	0.2	1.0	0.0	20.9	0.2	5.38	4.34	20	0.0	0.2	1.0	0.0	20.9	0.2	5.38	4.34
YOLO	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	0.1	0.3	0.2	21.4	0.9	4.68	4.41
YOLO	9012, SVTM	15	0.0	0.2	0.2	0.1	21.3	2.0	5.19	4.24	15	0.0	0.2	0.2	0.1	21.3	2.0	5.19	4.24
YOLO	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.1	1.3	1.6	22.8	1.4	4.68	4.23
YOLO	MISC TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	2.3	0.2	21.2	0.7	5.93	4.38
YOLO	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.3	0.0	21.3	0.3	5.37	4.40
YOLO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	0.0	0.5	21.0	0.5	6.10	4.26
YOLO	16, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	0.0	21.5	2.0	5.30	4.41
YOLO	108, HYPEEL	1	0.0	0.5	2.0	1.5	21.5	2.5	4.80	4.62	1	0.0	0.5	2.0	1.5	21.5	2.5	4.80	4.62
YOLO	270, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	2.0	22.0	1.0	4.60	4.32
YOLO	393, BQ	1	0.0	0.5	0.5	0.0	20.5	6.0	4.60	4.43	1	0.0	0.5	0.5	0.0	20.5	6.0	4.60	4.43
YOLO	6440, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	22.0	0.5	4.80	4.39
YOLO		6,322	0.0	1.0	1.4	0.8	22.0	1.6	5.18	4.37	15,983	0.0	0.7	1.6	0.8	21.9	1.2	5.11	4.35