

**2020 Processing Tomato Season**  
PTAB Analysis (8/22/20) - County by Variety



County	Variety Name	Week Ending 8/22/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
COLUSA	6428, N	1,979	0.0	1.6	2.4	1.0	22.7	3.8	5.02	4.48	4,350	0.0	1.2	4.0	1.0	22.3	2.5	5.05	4.44
COLUSA	13, BP	56	0.0	1.9	3.2	1.4	21.8	6.6	4.53	4.45	2,295	0.0	0.4	3.6	1.2	21.5	1.8	4.99	4.39
COLUSA	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,125	0.0	0.4	2.2	1.0	20.8	1.3	5.24	4.44
COLUSA	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	742	0.0	1.0	3.3	0.8	21.4	1.6	4.86	4.51
COLUSA	5235, HM	47	0.0	2.3	0.6	0.3	19.6	1.2	5.43	4.44	550	0.0	1.5	3.3	0.9	20.9	2.2	5.47	4.45
COLUSA	8011, SV	217	0.0	3.4	6.9	1.6	21.6	2.8	4.71	4.49	271	0.0	3.3	6.6	1.5	21.6	2.7	4.74	4.48
COLUSA	1293, HZ	117	0.0	1.8	2.1	0.9	20.4	0.9	5.90	4.54	254	0.0	1.1	2.4	0.9	20.3	0.6	5.65	4.50
COLUSA	9016, SVTM	57	0.0	1.5	5.9	1.3	21.5	1.0	5.09	4.32	212	0.0	1.4	5.0	0.9	22.1	0.7	5.37	4.32
COLUSA	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	194	0.0	0.2	2.8	0.9	22.7	1.4	5.04	4.38
COLUSA	5608, HZ	158	0.0	2.5	4.1	2.2	21.8	3.5	5.55	4.54	158	0.0	2.5	4.1	2.2	21.8	3.5	5.55	4.54
COLUSA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	157	0.0	0.3	3.5	0.7	21.7	1.5	5.09	4.27
COLUSA	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	154	0.0	2.0	0.9	0.4	20.6	0.9	5.32	4.26
COLUSA	6434, N	102	0.0	1.9	1.4	1.5	22.5	6.1	5.69	4.51	102	0.0	1.9	1.4	1.5	22.5	6.1	5.69	4.51
COLUSA	6459, N	101	0.0	1.8	3.4	1.2	21.2	2.4	4.73	4.51	101	0.0	1.8	3.4	1.2	21.2	2.4	4.73	4.51
COLUSA	8163, HM	29	0.0	1.7	1.5	1.4	20.0	0.6	5.63	4.45	82	0.0	1.1	1.2	0.8	20.4	0.5	5.63	4.42
COLUSA	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	71	0.0	0.5	4.6	1.1	20.7	4.6	5.22	4.43
COLUSA	9011, SVTM	47	0.0	1.7	0.9	0.6	19.6	1.0	5.71	4.33	66	0.0	1.8	1.1	0.6	19.5	1.0	5.74	4.33
COLUSA	1662, HZ	63	0.0	0.4	1.3	1.2	23.0	3.8	5.37	4.53	63	0.0	0.4	1.3	1.2	23.0	3.8	5.37	4.53
COLUSA	51,BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	0.4	3.8	0.8	22.0	3.0	5.36	4.29
COLUSA	1082, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	55	0.0	1.2	1.2	0.6	20.8	1.1	5.79	4.27
COLUSA	6463, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	0.7	1.5	0.9	21.5	0.8	5.01	4.49
COLUSA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	49	0.0	0.2	0.9	0.3	21.5	0.5	5.00	4.54
COLUSA	1902, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	47	0.0	0.3	1.2	0.8	22.2	1.9	4.79	4.43
COLUSA	63, NB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	39	0.0	0.8	9.5	1.0	20.6	1.9	5.29	4.38
COLUSA	9013, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	39	0.0	1.4	1.0	1.1	22.6	1.7	4.72	4.47
COLUSA	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	37	0.0	0.3	2.0	1.3	22.1	0.6	4.56	4.29
COLUSA	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	0.4	3.5	0.7	20.8	1.0	5.50	4.30
COLUSA	393, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.5	3.6	0.7	24.1	2.2	4.25	4.53
<b>COLUSA</b>		<b>2,973</b>	<b>0.0</b>	<b>1.8</b>	<b>2.8</b>	<b>1.1</b>	<b>22.3</b>	<b>3.5</b>	<b>5.09</b>	<b>4.48</b>	<b>12,372</b>	<b>0.0</b>	<b>1.0</b>	<b>3.4</b>	<b>1.0</b>	<b>21.6</b>	<b>2.0</b>	<b>5.11</b>	<b>4.43</b>
CONTRA COSTA	6366, SUN	26	0.0	1.8	0.7	0.1	21.4	3.1	4.96	4.45	1,531	0.0	0.8	0.6	0.2	20.7	1.6	5.24	4.43
CONTRA COSTA	6402, N	160	0.0	1.8	0.7	0.1	20.5	2.0	5.23	4.45	922	0.0	1.3	0.3	0.1	20.6	2.2	5.32	4.46
CONTRA COSTA	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	906	0.0	0.2	1.4	0.3	21.2	2.1	5.29	4.33
CONTRA COSTA	0311, AB	545	0.0	1.9	0.8	0.2	20.3	2.1	5.60	4.39	767	0.0	2.1	0.7	0.2	20.2	1.8	5.54	4.37
CONTRA COSTA	5522, HM 61P	230	0.0	0.4	0.7	0.2	20.2	0.4	5.36	4.32	247	0.0	0.4	0.6	0.2	20.2	0.4	5.36	4.32
CONTRA COSTA	5900, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	233	0.0	0.9	1.2	0.2	21.0	2.8	5.48	4.36
CONTRA COSTA	0319, DRI	14	0.0	0.7	0.2	0.2	21.1	2.2	5.99	4.41	185	0.0	0.8	1.1	0.5	21.9	1.5	5.91	4.39
CONTRA COSTA	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	49	0.0	0.3	2.0	1.3	19.3	1.0	6.54	4.56
CONTRA COSTA	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.1	0.3	0.1	20.8	1.2	5.38	4.34
CONTRA COSTA	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.1	0.2	0.2	20.8	0.3	4.80	4.31
CONTRA COSTA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	0.2	0.8	0.1	20.9	0.9	5.44	4.28
CONTRA COSTA	4014, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	0.2	0.3	20.0	0.7	5.10	4.50
<b>CONTRA COSTA</b>		<b>975</b>	<b>0.0</b>	<b>1.5</b>	<b>0.7</b>	<b>0.2</b>	<b>20.3</b>	<b>1.7</b>	<b>5.47</b>	<b>4.38</b>	<b>4,860</b>	<b>0.0</b>	<b>1.0</b>	<b>0.8</b>	<b>0.2</b>	<b>20.7</b>	<b>1.8</b>	<b>5.37</b>	<b>4.40</b>
FRESNO	273, BQ	512	0.0	1.5	2.1	0.4	20.6	2.1	5.02	4.43	13,002	0.0	0.7	2.2	0.5	21.0	1.8	5.42	4.38

**2020 Processing Tomato Season**  
 PTAB Analysis (8/22/20) - County by Variety



County	Variety Name	Week Ending 8/22/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
FRESNO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7,962	0.0	0.5	1.6	0.7	21.3	2.1	5.50	4.37
FRESNO	8011, SV	1,796	0.0	2.2	2.4	1.0	20.9	1.7	5.56	4.47	6,256	0.0	1.6	2.0	0.7	20.6	1.3	5.52	4.44
FRESNO	400, BQ	169	0.0	1.0	1.1	0.5	19.8	0.5	5.17	4.50	6,038	0.0	0.4	1.6	0.7	20.0	1.1	5.31	4.47
FRESNO	0311, AB	559	0.0	2.5	2.0	1.0	21.6	3.4	6.09	4.49	5,461	0.0	1.7	1.7	0.6	20.9	2.0	6.07	4.39
FRESNO	0811, BOS	840	0.0	0.9	1.6	0.5	20.4	0.7	5.18	4.41	4,899	0.0	0.6	1.9	0.7	20.1	0.7	5.33	4.38
FRESNO	6402, N	593	0.0	1.5	1.3	0.3	20.6	1.4	5.76	4.47	3,881	0.0	1.2	1.2	0.4	20.5	1.6	5.84	4.46
FRESNO	0319, DRI	2,043	0.0	2.1	1.2	0.6	21.7	2.7	5.89	4.47	3,865	0.0	1.8	1.3	0.5	21.7	2.6	5.97	4.46
FRESNO	5608, HZ	596	0.0	1.6	0.8	0.4	20.6	1.4	5.03	4.48	3,320	0.0	0.8	1.5	0.6	20.4	1.3	5.21	4.44
FRESNO	5522, HM 61P	847	0.0	1.0	1.0	0.6	21.5	1.5	5.48	4.43	2,836	0.0	0.6	0.9	0.4	20.5	0.9	5.81	4.39
FRESNO	9011, SVTM	840	0.0	2.4	3.1	0.5	21.3	1.9	5.74	4.47	2,802	0.0	1.7	2.4	0.5	21.2	2.0	5.96	4.45
FRESNO	3887, HM	165	0.0	2.4	2.5	0.6	20.7	1.5	5.90	4.49	2,257	0.0	1.2	2.4	0.4	21.1	1.4	5.68	4.43
FRESNO	1293, HZ	331	0.0	4.4	2.1	1.0	20.5	1.5	5.34	4.55	2,009	0.0	1.5	1.5	0.8	20.2	1.2	5.59	4.54
FRESNO	9000, SVTM	4	0.0	0.8	1.1	0.3	21.9	0.3	5.35	4.40	1,852	0.0	0.4	0.9	0.3	20.7	0.5	5.03	4.42
FRESNO	9008, SVTM	941	0.0	0.9	0.9	0.1	20.9	0.3	5.45	4.34	1,455	0.0	0.7	1.0	0.2	20.8	0.4	5.51	4.34
FRESNO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,425	0.0	0.8	1.0	0.3	20.8	2.0	5.80	4.45
FRESNO	8163, HM	339	0.0	1.1	1.0	0.9	19.9	0.9	5.79	4.44	1,199	0.0	0.8	0.9	0.9	19.8	1.0	5.94	4.43
FRESNO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,045	0.0	0.3	2.1	0.5	21.0	1.5	5.20	4.36
FRESNO	7885, HMX	175	0.0	1.7	1.2	0.2	21.4	1.3	5.03	4.64	1,039	0.0	1.3	1.2	0.2	21.4	1.3	5.13	4.63
FRESNO	6428, N	726	0.0	1.7	2.3	0.7	21.9	1.5	5.21	4.55	1,014	0.0	1.3	2.6	0.6	21.9	1.2	5.22	4.51
FRESNO	4885, HMX	340	0.0	1.2	2.5	0.3	21.6	1.7	5.25	4.44	827	0.0	1.2	2.5	0.4	21.7	1.6	5.21	4.43
FRESNO	5235, HM	302	0.0	1.3	2.1	0.9	20.6	2.9	5.77	4.50	801	0.0	1.6	2.2	1.1	20.8	3.2	5.69	4.51
FRESNO	6434, N	383	0.0	1.1	3.8	1.3	22.5	2.5	5.46	4.56	790	0.0	1.5	3.3	1.6	22.4	2.3	5.35	4.54
FRESNO	1892, HM	226	0.0	2.8	1.1	0.7	21.5	3.6	5.85	4.62	721	0.0	1.4	2.4	0.6	21.2	1.9	5.54	4.53
FRESNO	6415, N	204	0.0	0.7	0.5	0.4	20.9	1.5	5.18	4.55	660	0.0	0.5	1.2	0.3	21.2	0.9	5.17	4.45
FRESNO	6420, N	179	0.0	2.2	0.5	0.3	21.0	1.8	5.20	4.56	621	0.0	1.5	1.0	0.4	21.0	1.5	5.15	4.54
FRESNO	1428, HZ	326	0.0	0.4	4.8	1.0	21.8	0.6	5.00	4.48	565	0.0	0.3	4.1	0.7	21.4	0.4	5.10	4.43
FRESNO	2401, HEINZ	263	0.0	0.4	1.7	0.4	21.5	0.7	5.00	4.37	466	0.0	0.3	2.3	0.3	21.6	0.6	5.18	4.35
FRESNO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	434	0.0	0.6	0.9	0.5	20.8	2.1	6.03	4.41
FRESNO	6426, N	257	0.0	1.2	2.3	0.5	20.5	1.4	5.40	4.55	425	0.0	0.9	1.9	0.6	20.6	1.2	5.35	4.50
FRESNO	9013, SVTM	64	0.0	1.3	1.8	0.7	21.1	2.0	5.37	4.49	406	0.0	1.5	1.0	0.5	20.6	1.2	5.49	4.40
FRESNO	58811, HM	80	0.0	0.8	1.4	0.3	22.3	1.9	6.07	4.48	405	0.0	1.2	0.9	0.2	22.6	1.1	5.34	4.46
FRESNO	16112, UG	237	0.0	0.6	1.1	0.5	20.7	0.4	5.34	4.35	369	0.0	0.4	1.0	0.4	20.7	0.3	5.22	4.33
FRESNO	4707, HEINZ	259	0.0	0.2	1.5	0.4	22.4	0.3	4.91	4.43	365	0.0	0.2	1.9	0.4	22.6	0.3	4.88	4.42
FRESNO	4014, UG	130	0.0	1.4	1.6	0.3	20.3	0.5	5.42	4.55	345	0.0	1.1	1.4	0.4	20.7	1.0	5.27	4.56
FRESNO	9012, SVTM	304	0.0	1.8	0.7	0.5	20.6	1.8	6.10	4.48	335	0.0	1.7	1.1	0.5	20.6	1.7	6.10	4.48
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	310	0.0	0.2	0.8	0.2	21.3	1.3	5.37	4.38
FRESNO	398, BQ	302	0.0	1.8	2.1	0.9	19.5	1.3	5.51	4.50	302	0.0	1.8	2.1	0.9	19.5	1.3	5.51	4.50
FRESNO	1082, SVTM	288	0.0	1.5	1.9	0.9	22.4	3.0	5.32	4.39	288	0.0	1.5	1.9	0.9	22.4	3.0	5.32	4.39
FRESNO	1662, HZ	278	0.0	0.3	1.2	0.5	21.6	0.5	5.32	4.45	282	0.0	0.3	1.2	0.5	21.6	0.5	5.33	4.45
FRESNO	413, BQ	212	0.0	3.7	1.5	0.5	19.9	1.2	4.97	4.62	248	0.0	3.3	2.4	0.5	19.9	1.1	4.94	4.60
FRESNO	4521, HMX 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	212	0.0	0.1	2.0	0.1	20.8	0.1	5.78	4.38
FRESNO	1765, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	189	0.0	0.1	1.3	0.3	20.8	0.8	5.47	4.39
FRESNO	1996, HZ	72	0.0	0.4	1.5	0.1	20.9	0.3	4.63	4.42	189	0.0	0.2	1.6	0.4	20.8	0.2	4.99	4.40
FRESNO	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	159	0.0	0.7	3.7	0.4	22.9	1.1	6.42	4.32

**2020 Processing Tomato Season**  
PTAB Analysis (8/22/20) - County by Variety



County	Variety Name	Week Ending 8/22/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
FRESNO	27713, UG	92	0.0	1.5	1.4	0.9	19.8	2.9	6.04	4.46	159	0.0	1.2	1.4	0.7	19.7	2.4	6.14	4.45
FRESNO	9007, SVTM	148	0.0	1.3	3.6	0.6	23.2	2.0	4.89	4.54	148	0.0	1.3	3.6	0.6	23.2	2.0	4.89	4.54
FRESNO	1997, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	146	0.0	0.2	1.8	0.4	21.9	0.7	5.34	4.43
FRESNO	4326, HMX 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	138	0.0	1.3	0.9	0.1	21.1	0.9	5.68	4.36
FRESNO	9663, HEINZ	58	0.0	2.1	0.5	1.0	19.6	2.9	5.31	4.49	135	0.0	1.1	1.8	0.6	19.5	1.8	5.59	4.46
FRESNO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	115	0.0	0.2	1.5	0.5	20.0	0.8	6.04	4.48
FRESNO	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	115	0.0	1.4	2.1	0.3	22.5	1.7	5.64	4.47
FRESNO	9016, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	89	0.0	0.4	4.1	0.3	21.3	0.2	5.19	4.39
FRESNO	42, BP	87	0.0	3.7	0.3	0.2	20.4	3.6	5.17	4.57	87	0.0	3.7	0.3	0.2	20.4	3.6	5.17	4.57
FRESNO	9014, SVTM	12	0.0	3.6	0.6	0.4	23.0	0.6	4.96	4.50	84	0.0	2.0	0.4	0.1	21.1	1.5	5.47	4.46
FRESNO	5702, HZ	48	0.0	1.4	1.5	0.5	21.4	1.1	4.53	4.51	79	0.0	1.2	1.5	0.5	21.2	0.8	4.50	4.49
FRESNO	6463, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	77	0.0	1.7	1.2	0.5	20.1	1.2	5.15	4.50
FRESNO	58801, HM	40	0.0	0.8	3.5	0.7	21.5	1.7	5.58	4.45	42	0.0	0.9	3.3	0.6	21.5	1.7	5.59	4.45
FRESNO	1994, HZ	20	0.0	0.4	1.5	0.0	21.1	0.4	4.66	4.40	41	0.0	0.2	2.1	0.2	21.6	0.2	5.13	4.38
FRESNO	HEINZ TRIAL	11	0.0	0.1	1.4	2.0	23.1	1.0	5.45	4.49	40	0.0	0.1	1.4	0.8	22.5	1.0	5.47	4.47
FRESNO	1991, HZ	40	0.0	1.0	1.3	0.5	20.4	1.0	4.81	4.48	40	0.0	1.0	1.3	0.5	20.4	1.0	4.81	4.48
FRESNO	2756, SV	37	0.0	0.5	0.5	0.3	21.3	0.5	5.31	4.44	39	0.0	0.5	0.5	0.3	21.3	0.6	5.32	4.44
FRESNO	UNCODED	15	0.0	1.2	3.2	0.0	20.0	1.5	5.19	4.49	35	0.0	0.6	2.2	0.1	20.1	1.1	5.41	4.51
FRESNO	MIX	3	0.0	3.3	0.2	0.0	21.0	3.2	5.23	4.51	29	0.0	1.1	0.8	0.6	20.5	2.5	5.87	4.49
FRESNO	MISC TRIAL	14	0.0	3.6	1.2	0.2	21.5	1.4	5.25	4.42	27	0.0	2.0	1.4	0.3	21.1	1.3	5.34	4.43
FRESNO	5369, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.5	0.9	0.4	19.4	0.8	5.74	4.40
FRESNO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.1	0.9	0.2	21.9	0.6	6.03	4.33
FRESNO	1902, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	0.3	2.1	0.8	21.6	2.3	4.78	4.45
FRESNO	393, BQ	2	0.0	1.0	3.5	3.3	24.3	10.5	4.85	4.51	20	0.0	0.5	2.8	0.7	20.8	4.9	5.28	4.54
FRESNO	23, NB	19	0.0	1.4	3.2	0.9	21.3	1.5	6.26	4.48	19	0.0	1.4	3.2	0.9	21.3	1.5	6.26	4.48
FRESNO	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	0.5	1.0	0.1	21.3	0.9	5.34	4.40
FRESNO	422, BQ	12	0.0	1.0	4.7	0.3	21.8	4.5	5.53	4.53	12	0.0	1.0	4.7	0.3	21.8	4.5	5.53	4.53
FRESNO	74, BP	3	0.0	0.7	3.8	2.0	24.0	4.3	5.47	4.53	6	0.0	0.5	3.5	1.0	22.3	2.4	6.07	4.44
FRESNO	49, BP	5	0.0	1.8	0.4	0.5	20.9	0.9	5.44	4.51	5	0.0	1.8	0.4	0.5	20.9	0.9	5.44	4.51
FRESNO	6465, N	2	0.0	1.5	1.5	2.5	23.8	6.8	4.95	4.68	5	0.0	0.7	1.3	1.1	22.4	3.1	5.52	4.48
FRESNO	2074, BOS	4	0.0	1.8	0.4	0.3	20.3	4.0	6.18	4.46	4	0.0	1.8	0.4	0.3	20.3	4.0	6.18	4.46
FRESNO	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.0	0.1	0.4	20.3	1.5	6.03	4.39
FRESNO	25033, ISI	4	0.0	0.6	1.3	0.1	20.6	0.4	4.95	4.36	4	0.0	0.6	1.3	0.1	20.6	0.4	4.95	4.36
FRESNO	48, BP	3	0.0	1.5	0.0	0.0	21.5	3.5	5.47	4.44	3	0.0	1.5	0.0	0.0	21.5	3.5	5.47	4.44
FRESNO	9019, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	1.0	0.0	22.3	0.5	6.17	4.26
FRESNO	43, BP	2	0.0	1.3	0.8	0.0	19.5	0.3	7.05	4.47	2	0.0	1.3	0.8	0.0	19.5	0.3	7.05	4.47
FRESNO	1115, FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	2.0	0.3	20.5	1.3	6.10	4.51
FRESNO	58841, HM	2	0.0	3.5	1.0	0.0	20.0	0.8	6.25	4.49	2	0.0	3.5	1.0	0.0	20.0	0.8	6.25	4.49
FRESNO	2, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	21.5	1.5	5.70	4.46
FRESNO	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	0.5	22.5	4.5	6.00	4.36
<b>FRESNO</b>		<b>16,865</b>	<b>0.0</b>	<b>1.6</b>	<b>1.8</b>	<b>0.6</b>	<b>21.1</b>	<b>1.7</b>	<b>5.48</b>	<b>4.47</b>	<b>86,175</b>	<b>0.0</b>	<b>1.0</b>	<b>1.7</b>	<b>0.6</b>	<b>20.9</b>	<b>1.5</b>	<b>5.53</b>	<b>4.43</b>
GLENN	6428, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	93	0.0	3.4	5.7	3.3	23.0	1.8	5.48	4.46
<b>GLENN</b>		<b>0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>93</b>	<b>0.0</b>	<b>3.4</b>	<b>5.7</b>	<b>3.3</b>	<b>23.0</b>	<b>1.8</b>	<b>5.48</b>	<b>4.46</b>
KERN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,418	0.0	0.5	1.2	0.7	20.9	1.2	5.23	4.37

**2020 Processing Tomato Season**  
 PTAB Analysis (8/22/20) - County by Variety



County	Variety Name	Week Ending 8/22/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
KERN	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,744	0.0	0.8	0.9	0.5	20.4	1.0	5.04	4.45
KERN	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,772	0.0	0.5	1.5	0.9	21.1	1.7	5.28	4.34
KERN	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,698	0.0	0.5	0.9	0.7	20.3	1.0	5.26	4.47
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,055	0.0	1.0	1.7	0.4	21.5	2.3	4.76	4.42
KERN	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	868	0.0	1.0	0.9	0.2	20.3	1.4	5.53	4.44
KERN	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	751	0.0	0.7	0.8	0.2	20.1	0.3	4.92	4.37
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	623	0.0	0.3	1.6	0.4	21.1	1.8	5.50	4.50
KERN	5522, HM 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	517	0.0	0.5	0.9	0.2	19.9	1.0	6.10	4.45
KERN	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	377	0.0	0.1	0.3	0.2	20.8	0.3	5.18	4.42
KERN	9014, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	309	0.0	2.5	0.4	0.4	20.7	1.5	5.28	4.47
KERN	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	205	0.0	0.1	2.7	0.6	23.6	0.3	4.52	4.40
KERN	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	190	0.0	1.3	0.7	1.2	20.7	2.3	4.69	4.41
KERN	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	181	0.0	0.1	1.6	0.4	22.5	0.7	4.49	4.36
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	134	0.0	0.9	2.2	0.5	20.1	1.5	5.67	4.41
KERN	29814, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	126	0.0	0.5	0.9	0.2	20.4	0.5	5.77	4.40
KERN	0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	98	0.0	0.9	0.3	0.3	20.3	1.1	5.28	4.39
KERN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	87	0.0	1.0	1.4	0.4	20.5	1.2	5.06	4.49
KERN	3887, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	66	0.0	0.4	2.4	0.9	20.3	1.3	5.20	4.39
KERN	9011, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	46	0.0	0.6	2.1	0.6	20.5	0.9	5.60	4.42
KERN	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	0.1	3.3	0.2	21.0	0.1	5.01	4.29
KERN	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.5	0.8	1.0	20.8	0.8	5.62	4.40
KERN	58801, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15	0.1	1.2	0.2	0.1	21.0	1.3	5.31	4.40
KERN	58811, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	1.0	0.4	0.3	20.1	0.8	5.15	4.37
KERN	MISC TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	1.0	0.5	0.0	21.0	2.0	6.20	4.54
KERN	51,BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	19.5	0.0	5.20	4.38
KERN	2756, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	20.0	0.5	5.90	4.27
KERN	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.0	0.5	20.5	0.5	5.40	4.32
KERN	37314, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.5	19.0	0.5	5.50	4.48
<b>KERN</b>		<b>0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>15,341</b>	<b>0.0</b>	<b>0.6</b>	<b>1.1</b>	<b>0.6</b>	<b>20.7</b>	<b>1.2</b>	<b>5.20</b>	<b>4.41</b>
KINGS	8011, SV	613	0.0	1.7	0.8	0.4	20.7	0.8	5.66	4.43	4,346	0.0	1.1	1.2	0.3	20.6	0.7	5.79	4.39
KINGS	273, BQ	362	0.0	2.8	8.2	1.2	21.2	4.7	4.86	4.48	4,220	0.0	0.6	2.3	0.7	21.3	1.8	5.64	4.36
KINGS	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,975	0.0	0.4	1.8	0.7	20.1	1.0	5.22	4.44
KINGS	2756, SV	360	0.0	0.3	1.9	0.4	21.3	0.4	5.06	4.43	2,233	0.0	0.3	1.2	0.3	20.9	0.6	5.14	4.45
KINGS	5608, HZ	101	0.0	2.2	0.5	0.6	20.8	3.2	5.20	4.58	2,043	0.0	0.5	1.3	0.4	19.9	0.7	5.35	4.41
KINGS	4521, HMX 61P	1,016	0.0	0.6	1.4	0.5	20.6	0.3	5.62	4.39	2,038	0.0	0.4	1.5	0.4	20.8	0.3	5.76	4.37
KINGS	5522, HM 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,925	0.0	0.2	1.0	0.5	20.0	0.5	6.35	4.35
KINGS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,309	0.0	1.4	2.4	0.4	21.4	1.9	5.10	4.47
KINGS	6428, N	931	0.0	1.4	1.8	0.9	22.0	1.5	4.96	4.48	1,252	0.0	1.4	1.6	0.7	22.2	1.5	4.97	4.48
KINGS	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,159	0.0	0.3	1.8	0.5	20.9	1.9	5.73	4.35
KINGS	3887, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,133	0.0	1.7	2.3	0.4	21.5	1.4	5.44	4.45
KINGS	0811, BOS	876	0.0	0.4	1.7	0.4	20.0	0.4	5.33	4.36	1,081	0.0	0.3	1.7	0.4	19.8	0.4	5.37	4.36
KINGS	0319, DRI	180	0.0	1.9	0.7	0.5	21.9	2.6	5.76	4.44	988	0.0	2.0	2.0	0.5	22.0	1.8	5.91	4.41
KINGS	9014, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	909	0.0	1.5	1.2	0.2	20.6	0.6	5.46	4.40
KINGS	5235, HM	229	0.0	1.9	1.3	1.4	20.8	4.6	5.72	4.59	712	0.0	1.9	2.4	1.4	20.2	3.5	5.84	4.55

**2020 Processing Tomato Season**  
 PTAB Analysis (8/22/20) - County by Variety



County	Variety Name	Week Ending 8/22/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
KINGS	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	710	0.0	0.3	2.5	0.2	21.8	0.8	5.19	4.44
KINGS	6434, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	653	0.0	1.3	2.1	0.7	22.0	2.2	5.31	4.52
KINGS	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	621	0.0	0.8	1.9	0.4	20.1	1.1	6.03	4.44
KINGS	29814, UG	18	0.0	0.9	2.8	0.3	22.1	3.5	6.05	4.43	598	0.0	0.1	1.6	0.3	21.5	0.7	5.95	4.45
KINGS	9011, SVTM	261	0.0	3.3	3.0	2.5	20.5	2.9	5.95	4.59	580	0.0	2.4	2.1	1.3	20.6	2.2	6.09	4.51
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	566	0.0	0.8	1.2	0.2	20.9	2.7	4.70	4.39
KINGS	4707, HEINZ	213	0.0	0.3	2.8	0.4	22.5	0.3	4.49	4.40	415	0.0	0.3	3.2	0.4	22.3	0.3	4.66	4.39
KINGS	UNCODED	67	0.0	1.1	1.7	0.4	20.5	0.7	5.43	4.39	352	0.0	0.4	1.4	0.3	20.6	0.6	5.66	4.39
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	345	0.0	0.6	2.8	0.4	21.7	0.9	4.85	4.35
KINGS	9013, SVTM	35	0.0	0.6	1.5	0.2	19.4	0.6	5.86	4.37	327	0.0	0.7	1.4	0.3	20.6	0.6	5.85	4.40
KINGS	9008, SVTM	289	0.0	0.6	3.0	0.5	20.5	0.2	5.56	4.28	289	0.0	0.6	3.0	0.5	20.5	0.2	5.56	4.28
KINGS	8163, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	272	0.0	0.1	0.6	0.8	19.5	0.4	6.40	4.40
KINGS	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	266	0.0	1.3	1.3	1.4	20.5	2.7	5.39	4.61
KINGS	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	263	0.0	0.2	1.5	0.4	19.5	0.3	5.82	4.36
KINGS	2401, HEINZ	48	0.0	1.9	1.5	0.2	21.9	2.1	4.90	4.45	218	0.0	1.0	1.7	0.3	21.5	1.1	5.00	4.39
KINGS	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	208	0.0	0.8	2.5	2.2	20.6	1.6	5.00	4.45
KINGS	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	176	0.0	4.4	3.3	0.5	20.2	1.2	4.44	4.35
KINGS	1662, HZ	16	0.0	0.8	0.8	0.3	22.4	1.1	4.87	4.51	156	0.0	0.4	1.4	0.1	22.5	0.7	4.87	4.45
KINGS	18205, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	97	0.0	0.8	1.6	0.5	20.5	1.9	5.43	4.58
KINGS	1428, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	93	0.0	0.2	1.7	0.2	20.5	0.2	5.08	4.42
KINGS	51, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	87	0.0	0.1	0.7	0.7	21.2	3.9	6.31	4.41
KINGS	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	85	0.0	0.2	1.4	0.4	19.9	0.7	5.58	4.47
KINGS	25033, ISI	39	0.0	0.6	2.5	0.6	21.5	0.7	5.32	4.38	72	0.0	0.5	2.3	0.6	21.2	0.7	5.38	4.39
KINGS	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	0.4	1.4	0.5	19.3	0.4	5.60	4.43
KINGS	9016, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	58	0.0	0.9	0.9	0.1	21.7	0.3	5.10	4.38
KINGS	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	52	0.0	0.1	2.1	0.3	21.1	0.3	5.44	4.41
KINGS	9025, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	30	0.0	0.4	1.8	0.6	22.3	0.1	4.72	4.27
KINGS	4014, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	1.0	2.5	0.4	20.3	0.6	5.43	4.58
KINGS	23024, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.0	1.0	0.4	20.1	0.1	5.51	4.48
KINGS	26623, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	0.1	1.2	0.1	20.6	0.4	5.79	4.36
KINGS	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.4	0.7	0.1	20.7	2.0	5.59	4.35
KINGS	1765, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.8	0.0	22.0	1.0	5.30	4.37
KINGS	1991, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	4.0	2.5	0.5	21.5	1.5	5.80	4.40
KINGS	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.0	0.0	22.0	0.0	6.00	4.47
KINGS	58801, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.5	0.5	22.5	2.0	5.90	4.46
<b>KINGS</b>		<b>5,654</b>	<b>0.0</b>	<b>1.2</b>	<b>2.1</b>	<b>0.7</b>	<b>21.0</b>	<b>1.3</b>	<b>5.35</b>	<b>4.43</b>	<b>36,030</b>	<b>0.0</b>	<b>0.8</b>	<b>1.7</b>	<b>0.5</b>	<b>20.8</b>	<b>1.1</b>	<b>5.53</b>	<b>4.41</b>
MADERA	0319, DRI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	227	0.0	0.6	2.6	0.5	21.8	2.0	6.37	4.36
MADERA	5522, HM 61P	9	0.0	3.2	0.6	0.5	21.3	1.9	5.84	4.54	9	0.0	3.2	0.6	0.5	21.3	1.9	5.84	4.54
<b>MADERA</b>		<b>9</b>	<b>0.0</b>	<b>3.2</b>	<b>0.6</b>	<b>0.5</b>	<b>21.3</b>	<b>1.9</b>	<b>5.84</b>	<b>4.54</b>	<b>236</b>	<b>0.0</b>	<b>0.7</b>	<b>2.5</b>	<b>0.5</b>	<b>21.7</b>	<b>2.0</b>	<b>6.35</b>	<b>4.37</b>
MERCED	9011, SVTM	238	0.0	2.0	1.9	1.2	21.0	2.3	6.08	4.53	1,005	0.0	1.8	2.4	0.7	21.4	2.4	6.23	4.48
MERCED	1428, HZ	209	0.0	0.4	3.9	2.3	22.0	0.7	4.97	4.50	387	0.0	0.2	4.3	1.6	21.4	0.5	5.09	4.45
MERCED	3887, HM	345	0.0	1.3	4.3	0.7	21.3	3.1	5.94	4.58	345	0.0	1.3	4.3	0.7	21.3	3.1	5.94	4.58
MERCED	8163, HM	166	0.0	1.3	1.0	1.6	20.3	1.7	5.82	4.51	273	0.0	1.3	0.8	1.0	20.1	1.6	5.84	4.50
MERCED	273, BQ	19	0.0	2.0	1.4	3.5	21.5	4.0	5.15	4.53	250	0.0	0.4	2.4	0.6	20.8	1.0	5.72	4.31

**2020 Processing Tomato Season**  
 PTAB Analysis (8/22/20) - County by Variety



County	Variety Name	Week Ending 8/22/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
MERCED	0319, DRI	244	0.0	1.8	1.0	0.6	22.7	2.4	5.67	4.48	246	0.0	1.8	1.0	0.6	22.7	2.4	5.67	4.48
MERCED	8011, SV	240	0.0	1.7	2.6	0.6	21.0	1.7	5.15	4.53	240	0.0	1.7	2.6	0.6	21.0	1.7	5.15	4.53
MERCED	2401, HEINZ	147	0.0	0.5	4.4	1.9	23.5	1.3	4.83	4.49	189	0.0	0.4	3.8	1.5	23.3	1.1	4.77	4.44
MERCED	0811, BOS	129	0.0	0.9	0.5	0.5	20.1	1.0	5.53	4.49	183	0.0	0.8	0.7	0.4	20.2	0.9	5.52	4.47
MERCED	6402, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	183	0.0	1.5	3.1	0.5	21.1	1.0	5.45	4.42
MERCED	9014, SVTM	109	0.0	0.3	2.1	0.4	20.8	1.2	5.34	4.39	170	0.0	0.2	2.9	0.4	20.8	1.1	5.35	4.37
MERCED	58801, HM	158	0.0	0.9	1.9	0.2	23.0	3.3	4.95	4.48	158	0.0	0.9	1.9	0.2	23.0	3.3	4.95	4.48
MERCED	1662, HZ	144	0.0	0.4	1.4	0.2	22.0	0.7	4.95	4.46	152	0.0	0.4	1.4	0.1	22.0	0.7	4.94	4.46
MERCED	5522, HM 61P	8	0.0	0.4	0.4	0.0	19.3	0.6	5.90	4.41	113	0.0	0.2	1.6	0.5	20.2	0.8	5.61	4.28
MERCED	58811, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	109	0.0	0.2	4.8	0.6	22.7	0.8	5.89	4.42
MERCED	6420, N	68	0.0	1.5	1.0	0.9	22.3	1.2	4.91	4.57	87	0.0	1.3	1.0	0.9	22.2	1.6	5.14	4.60
MERCED	6428, N	19	0.1	0.6	2.0	1.8	22.0	1.6	4.83	4.49	81	0.0	0.4	3.3	1.0	22.4	1.8	5.82	4.50
MERCED	0311, AB	41	0.0	4.5	0.4	0.1	20.8	1.1	5.63	4.44	78	0.0	3.9	0.3	0.1	20.6	1.3	5.63	4.41
MERCED	1293, HZ	57	0.0	0.4	1.7	1.0	20.3	2.5	6.07	4.61	74	0.0	0.4	1.6	0.9	20.3	2.3	6.11	4.60
MERCED	9007, SVTM	74	0.0	0.5	2.9	0.2	22.9	1.9	4.52	4.57	74	0.0	0.5	2.9	0.2	22.9	1.9	4.52	4.57
MERCED	1082, SVTM	31	0.0	0.8	1.1	1.1	22.3	2.4	6.22	4.37	68	0.0	0.7	2.1	1.0	21.9	1.9	6.51	4.36
MERCED	9016, SVTM	21	0.0	1.6	3.0	0.4	21.8	0.2	5.20	4.43	67	0.0	1.3	1.5	0.3	21.6	0.2	5.16	4.39
MERCED	9013, SVTM	46	0.0	0.9	1.0	0.3	21.6	4.1	6.43	4.48	60	0.0	0.8	1.9	0.3	21.5	3.8	6.35	4.45
MERCED	4707, HEINZ	6	0.0	0.3	1.5	0.1	23.0	0.3	4.75	4.42	57	0.0	0.1	1.8	0.1	24.8	0.6	4.72	4.42
MERCED	4885, HMX	38	0.0	0.8	0.9	0.2	22.0	2.4	5.50	4.44	40	0.0	0.8	1.0	0.2	22.0	2.4	5.52	4.44
MERCED	398, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	1.9	0.7	0.2	21.1	1.7	5.61	4.42
MERCED	4014, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	0.2	4.2	0.4	20.3	0.2	5.21	4.45
MERCED	58881, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.9	2.6	0.8	19.7	4.2	5.04	4.42
MERCED	108, HYPEEL	1	0.0	1.0	1.0	1.5	23.5	0.5	4.60	4.67	1	0.0	1.0	1.0	1.5	23.5	0.5	4.60	4.67
MERCED	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	3.5	1.5	19.5	6.5	5.00	4.51
<b>MERCED</b>		<b>2,558</b>	<b>0.0</b>	<b>1.2</b>	<b>2.3</b>	<b>0.9</b>	<b>21.6</b>	<b>2.0</b>	<b>5.45</b>	<b>4.51</b>	<b>4,757</b>	<b>0.0</b>	<b>1.1</b>	<b>2.5</b>	<b>0.7</b>	<b>21.5</b>	<b>1.7</b>	<b>5.62</b>	<b>4.46</b>
SAN JOAQUIN	9011, SVTM	2	0.0	1.5	1.5	0.3	21.0	1.0	5.60	4.45	128	0.0	0.7	5.1	0.4	21.2	1.4	5.86	4.34
SAN JOAQUIN	43, BP	92	0.0	1.2	1.2	0.1	20.5	1.4	6.30	4.48	96	0.0	1.2	1.4	0.2	20.5	1.4	6.29	4.48
SAN JOAQUIN	58801, HM	47	0.0	2.2	2.8	0.3	21.9	3.4	5.80	4.46	53	0.0	2.2	3.2	0.3	21.9	3.3	5.80	4.46
SAN JOAQUIN	5900, HM	48	0.0	0.6	1.1	0.2	22.7	2.1	5.40	4.39	48	0.0	0.6	1.1	0.2	22.7	2.1	5.40	4.39
SAN JOAQUIN	0319, DRI	45	0.0	0.5	1.1	0.1	21.6	1.4	5.94	4.38	45	0.0	0.5	1.1	0.1	21.6	1.4	5.94	4.38
SAN JOAQUIN	9016, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.7	6.2	0.2	22.3	0.5	5.58	4.28
<b>SAN JOAQUIN</b>		<b>234</b>	<b>0.0</b>	<b>1.2</b>	<b>1.5</b>	<b>0.2</b>	<b>21.4</b>	<b>2.0</b>	<b>5.94</b>	<b>4.44</b>	<b>388</b>	<b>0.0</b>	<b>1.0</b>	<b>3.0</b>	<b>0.2</b>	<b>21.4</b>	<b>1.7</b>	<b>5.90</b>	<b>4.40</b>
SOLANO	4909, HMX	129	0.0	1.2	0.3	0.3	23.2	2.2	6.00	4.31	516	0.0	1.3	0.6	0.4	23.3	1.8	6.07	4.27
SOLANO	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	392	0.0	0.4	2.4	2.0	21.5	1.2	4.78	4.35
SOLANO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	303	0.0	0.6	0.9	0.5	21.8	1.1	5.39	4.40
SOLANO	8011, SV	146	0.0	1.8	0.2	0.2	21.5	1.1	5.75	4.36	290	0.0	1.7	0.7	0.2	21.4	0.7	5.87	4.34
SOLANO	9013, SVTM	83	0.0	0.6	0.1	0.0	20.3	0.7	5.08	4.37	238	0.0	0.6	0.4	0.2	21.4	0.7	4.97	4.30
SOLANO	19406, UG	111	0.0	2.0	0.2	0.4	22.5	1.6	5.58	4.33	197	0.0	1.3	0.2	0.5	22.1	1.3	5.91	4.31
SOLANO	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	181	0.0	0.6	0.4	0.3	21.6	0.3	4.96	4.42
SOLANO	5522, HM 61P	84	0.0	0.3	0.3	0.2	21.3	0.5	5.22	4.28	174	0.0	0.4	0.7	0.3	21.1	0.4	5.69	4.26
SOLANO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	163	0.0	0.6	1.5	0.6	22.5	1.0	5.27	4.23
SOLANO	1293, HZ	110	0.0	0.6	0.4	0.1	20.6	0.7	5.31	4.53	139	0.0	0.5	0.4	0.1	20.6	0.6	5.30	4.52
SOLANO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	133	0.0	0.5	0.9	0.6	21.8	0.6	5.16	4.24

**2020 Processing Tomato Season**  
PTAB Analysis (8/22/20) - County by Variety



County	Variety Name	Week Ending 8/22/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
SOLANO	5235, HM	17	0.0	2.2	0.1	0.1	19.8	2.4	5.08	4.38	132	0.0	2.0	1.0	0.5	21.0	1.5	5.57	4.35
SOLANO	8163, HM	124	0.0	0.9	0.6	1.0	19.9	0.5	5.98	4.42	124	0.0	0.9	0.6	1.0	19.9	0.5	5.98	4.42
SOLANO	6428, N	122	0.0	1.7	1.5	1.0	23.4	2.6	4.63	4.50	122	0.0	1.7	1.5	1.0	23.4	2.6	4.63	4.50
SOLANO	0319, DRI	89	0.0	1.0	0.1	0.8	22.3	3.9	5.03	4.42	101	0.0	1.0	0.1	0.8	22.3	3.7	5.06	4.41
SOLANO	393, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	88	0.0	0.7	0.4	0.1	22.4	3.9	4.43	4.44
SOLANO	9008, SVTM	71	0.0	0.3	0.2	0.0	21.9	0.8	4.79	4.30	71	0.0	0.3	0.2	0.0	21.9	0.8	4.79	4.30
SOLANO	58811, HM	1	0.0	4.5	1.5	0.5	22.0	3.0	5.50	4.42	71	0.0	0.4	3.8	2.7	22.0	0.8	5.00	4.30
SOLANO	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	1.1	0.4	0.1	22.6	2.4	4.33	4.45
SOLANO	6434, N	18	0.0	1.2	0.1	0.1	22.1	2.1	5.04	4.39	18	0.0	1.2	0.1	0.1	22.1	2.1	5.04	4.39
SOLANO	42, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	14	0.0	0.8	0.9	0.2	21.3	0.9	5.26	4.35
SOLANO	0311, AB	9	0.0	0.6	0.2	0.0	20.3	0.7	5.60	4.27	12	0.0	0.6	0.1	0.0	20.3	0.9	5.58	4.26
SOLANO	0811, BOS	4	0.0	1.4	0.4	0.4	21.8	1.0	5.45	4.41	4	0.0	1.4	0.4	0.4	21.8	1.0	5.45	4.41
<b>SOLANO</b>		<b>1,118</b>	<b>0.0</b>	<b>1.1</b>	<b>0.4</b>	<b>0.4</b>	<b>21.7</b>	<b>1.5</b>	<b>5.39</b>	<b>4.39</b>	<b>3,536</b>	<b>0.0</b>	<b>0.9</b>	<b>0.9</b>	<b>0.6</b>	<b>21.9</b>	<b>1.2</b>	<b>5.37</b>	<b>4.34</b>
STANISLAUS	58881, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	195	0.0	0.9	4.6	0.8	21.3	2.7	5.22	4.48
STANISLAUS	9011, SVTM	83	0.0	2.3	3.3	0.9	21.0	1.4	5.43	4.39	184	0.0	1.7	2.4	0.5	20.6	1.5	5.99	4.40
STANISLAUS	0319, DRI	43	0.0	0.5	0.7	0.1	20.7	2.6	6.18	4.40	141	0.0	0.7	2.0	0.5	21.6	2.3	5.93	4.37
STANISLAUS	273, BQ	18	0.0	0.3	0.5	0.2	20.9	2.2	5.81	4.44	109	0.0	0.7	1.0	0.1	21.5	3.0	5.33	4.44
STANISLAUS	42, BP	53	0.0	7.6	0.2	0.2	20.8	8.3	5.69	4.42	102	0.0	5.6	0.4	0.2	20.3	6.5	5.62	4.44
STANISLAUS	43, BP	39	0.0	1.5	1.5	0.4	20.7	0.6	6.29	4.43	51	0.0	1.5	1.6	0.4	20.6	0.5	6.29	4.43
STANISLAUS	5900, HM	39	0.0	1.2	1.2	0.5	23.1	5.9	5.33	4.45	39	0.0	1.2	1.2	0.5	23.1	5.9	5.33	4.45
STANISLAUS	9016, SVTM	22	0.0	0.7	3.9	0.3	22.5	0.1	5.35	4.40	39	0.0	0.6	3.6	0.4	22.5	0.2	5.34	4.39
STANISLAUS	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	28	0.0	0.5	2.5	0.5	22.5	1.6	5.43	4.52
STANISLAUS	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	28	0.0	0.4	1.6	0.4	21.3	4.2	5.46	4.39
STANISLAUS	58801, HM	19	0.0	1.0	2.7	0.4	21.2	3.1	5.88	4.46	19	0.0	1.0	2.7	0.4	21.2	3.1	5.88	4.46
STANISLAUS	8163, HM	18	0.0	0.8	0.8	0.1	19.4	0.5	5.95	4.45	18	0.0	0.8	0.8	0.1	19.4	0.5	5.95	4.45
STANISLAUS	51, BP	12	0.0	0.6	0.3	0.1	20.8	3.1	5.59	4.45	12	0.0	0.6	0.3	0.1	20.8	3.1	5.59	4.45
STANISLAUS	9014, SVTM	10	0.0	0.6	0.6	0.2	21.0	0.4	4.76	4.32	10	0.0	0.6	0.6	0.2	21.0	0.4	4.76	4.32
STANISLAUS	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	0.1	1.1	0.1	22.4	0.1	5.06	4.27
STANISLAUS	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	3.5	0.0	20.5	2.5	5.60	4.26
<b>STANISLAUS</b>		<b>356</b>	<b>0.0</b>	<b>2.2</b>	<b>1.6</b>	<b>0.4</b>	<b>21.1</b>	<b>3.0</b>	<b>5.69</b>	<b>4.42</b>	<b>983</b>	<b>0.0</b>	<b>1.5</b>	<b>2.3</b>	<b>0.4</b>	<b>21.2</b>	<b>2.7</b>	<b>5.62</b>	<b>4.43</b>
SUTTER	6428, N	1,075	0.0	1.6	3.9	1.3	22.6	3.4	4.93	4.48	1,952	0.0	1.4	4.1	1.1	22.6	3.0	5.03	4.46
SUTTER	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	656	0.0	3.1	2.9	0.7	21.9	2.0	4.38	4.56
SUTTER	5235, HM	315	0.0	3.6	3.5	1.2	21.5	6.8	5.53	4.54	410	0.0	3.2	2.9	1.0	21.3	5.6	5.61	4.51
SUTTER	141, BQ	34	0.0	2.6	9.6	0.8	21.7	8.0	4.63	4.52	386	0.0	0.9	5.5	0.7	22.3	6.8	4.92	4.46
SUTTER	13, BP	5	0.0	0.9	4.2	1.5	21.4	2.6	4.94	4.44	299	0.0	0.8	4.5	1.1	21.2	2.0	5.17	4.38
SUTTER	9013, SVTM	179	0.0	2.0	0.4	0.3	20.9	1.9	5.80	4.46	276	0.0	1.7	0.4	0.3	20.9	1.7	5.91	4.43
SUTTER	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	224	0.0	0.5	3.1	0.4	20.8	1.0	4.84	4.43
SUTTER	6434, N	216	0.0	2.1	2.4	1.4	22.9	3.6	5.17	4.43	216	0.0	2.1	2.4	1.4	22.9	3.6	5.17	4.43
SUTTER	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	188	0.0	1.1	0.8	0.3	21.9	0.6	5.19	4.38
SUTTER	1662, HZ	113	0.0	0.7	3.2	1.0	24.5	4.6	5.35	4.40	113	0.0	0.7	3.2	1.0	24.5	4.6	5.35	4.40
SUTTER	9014, SVTM	109	0.0	1.8	0.9	0.1	22.3	1.7	5.21	4.44	109	0.0	1.8	0.9	0.1	22.3	1.7	5.21	4.44
SUTTER	6459, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	99	0.0	1.7	4.6	1.5	21.0	1.2	5.55	4.47
SUTTER	51, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	95	0.0	0.4	0.3	0.1	22.4	2.1	5.75	4.30
SUTTER	9016, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	58	0.0	0.7	3.4	2.5	22.1	0.8	5.08	4.33

**2020 Processing Tomato Season**  
 PTAB Analysis (8/22/20) - County by Variety



County	Variety Name	Week Ending 8/22/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
SUTTER	1082, SVTM	3	0.0	0.7	1.2	0.0	22.5	0.8	5.87	4.34	46	0.0	1.1	1.5	0.3	23.1	0.8	5.70	4.32
SUTTER	9011, SVTM	19	0.0	1.5	1.3	1.2	21.6	1.7	6.78	4.48	19	0.0	1.5	1.3	1.2	21.6	1.7	6.78	4.48
SUTTER	1902, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	1.4	0.6	0.1	21.8	2.1	6.19	4.50
SUTTER	1997, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.7	3.7	1.3	24.3	5.3	5.13	4.48
SUTTER	4014, UG	6	0.0	3.3	1.8	1.1	21.1	1.8	6.22	4.51	6	0.0	3.3	1.8	1.1	21.1	1.8	6.22	4.51
SUTTER	9023, SVTM	5	0.0	0.4	1.2	0.8	24.8	12.7	5.16	4.61	5	0.0	0.4	1.2	0.8	24.8	12.7	5.16	4.61
SUTTER	19, BP	1	0.0	2.5	1.0	0.0	24.5	0.5	5.70	4.51	1	0.0	2.5	1.0	0.0	24.5	0.5	5.70	4.51
SUTTER	9018, SVTM	1	0.0	2.0	1.5	0.0	22.0	1.0	5.00	4.49	1	0.0	2.0	1.5	0.0	22.0	1.0	5.00	4.49
<b>SUTTER</b>		<b>2,081</b>	<b>0.0</b>	<b>1.9</b>	<b>3.2</b>	<b>1.1</b>	<b>22.4</b>	<b>3.9</b>	<b>5.18</b>	<b>4.48</b>	<b>5,172</b>	<b>0.0</b>	<b>1.6</b>	<b>3.4</b>	<b>0.9</b>	<b>22.1</b>	<b>3.0</b>	<b>5.09</b>	<b>4.46</b>
TULARE	400, BQ	1	0.0	2.0	1.5	0.5	22.5	2.0	4.80	4.50	1,076	0.0	1.2	3.4	1.2	20.3	2.2	4.99	4.53
TULARE	403, BQ	18	0.0	2.2	1.6	0.2	20.9	2.3	4.73	4.49	343	0.0	1.4	1.6	0.1	20.9	1.9	4.72	4.40
TULARE	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	215	0.0	2.3	4.0	1.0	20.8	3.5	4.98	4.43
TULARE	0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	170	0.0	1.3	2.0	0.7	20.5	1.2	4.93	4.42
<b>TULARE</b>		<b>19</b>	<b>0.0</b>	<b>2.2</b>	<b>1.6</b>	<b>0.2</b>	<b>21.0</b>	<b>2.3</b>	<b>4.73</b>	<b>4.49</b>	<b>1,804</b>	<b>0.0</b>	<b>1.4</b>	<b>3.0</b>	<b>0.9</b>	<b>20.5</b>	<b>2.2</b>	<b>4.93</b>	<b>4.48</b>
YOLO	6428, N	1,116	0.0	1.5	1.0	0.7	22.9	3.6	5.03	4.51	3,684	0.0	1.0	2.5	1.3	22.8	2.3	4.97	4.45
YOLO	4909, HMX	118	0.0	3.1	0.8	0.4	22.5	1.1	5.82	4.30	1,803	0.0	1.1	0.7	0.4	22.6	0.8	5.24	4.23
YOLO	13, BP	104	0.0	0.9	0.8	3.9	22.0	4.1	4.58	4.44	1,738	0.0	0.4	3.2	1.7	21.9	1.5	4.64	4.36
YOLO	5235, HM	447	0.0	2.2	0.7	0.4	21.1	2.0	5.14	4.39	1,280	0.0	1.3	1.2	0.8	20.9	1.6	5.22	4.39
YOLO	8011, SV	344	0.0	1.9	0.4	0.3	21.2	2.1	5.26	4.41	1,212	0.0	1.3	0.5	0.5	21.7	1.5	5.13	4.39
YOLO	0311, AB	170	0.0	2.9	0.5	0.5	20.7	1.5	5.72	4.38	1,189	0.0	1.4	0.4	0.2	21.0	1.4	6.03	4.33
YOLO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,043	0.0	0.3	1.5	0.4	21.6	0.8	5.12	4.29
YOLO	413, BQ	96	0.0	5.8	3.0	3.1	23.1	3.2	4.80	4.62	861	0.0	1.1	2.6	1.0	21.8	1.0	4.50	4.48
YOLO	58841, HM	612	0.0	0.6	0.5	0.5	21.8	1.5	5.15	4.37	853	0.0	0.6	0.5	0.4	22.1	1.2	5.25	4.35
YOLO	1082, SVTM	397	0.0	1.1	1.0	0.7	21.5	1.4	5.30	4.32	798	0.0	0.8	0.6	0.7	21.9	1.4	5.26	4.32
YOLO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	762	0.0	0.1	0.8	0.3	21.8	0.6	5.07	4.25
YOLO	9013, SVTM	521	0.0	2.1	0.4	0.2	21.6	2.1	4.91	4.40	721	0.0	1.8	0.5	0.2	21.5	1.8	5.04	4.38
YOLO	9011, SVTM	231	0.0	1.7	0.5	0.2	20.5	2.3	5.53	4.42	591	0.0	1.5	0.6	0.2	20.4	1.5	5.58	4.36
YOLO	5608, HZ	257	0.0	0.6	0.9	1.0	20.7	1.3	4.84	4.39	536	0.0	0.5	0.7	1.0	20.6	1.2	5.00	4.39
YOLO	1662, HZ	227	0.0	1.1	1.6	2.1	22.7	2.2	4.71	4.48	460	0.0	0.7	3.0	1.7	23.0	1.6	4.68	4.40
YOLO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	436	0.0	0.4	0.7	0.3	21.8	1.1	5.28	4.40
YOLO	3887, HM	69	0.0	0.4	0.0	0.0	21.6	4.0	5.17	4.47	414	0.0	0.6	0.1	0.1	21.7	2.4	5.22	4.38
YOLO	1428, HZ	281	0.0	0.5	1.6	1.4	22.0	0.9	4.43	4.43	363	0.0	0.5	1.5	1.7	22.1	0.9	4.39	4.42
YOLO	0319, DRI	98	0.0	1.3	0.4	1.2	21.9	1.5	5.67	4.30	347	0.0	1.0	0.4	0.5	21.4	1.7	5.56	4.31
YOLO	1293, HZ	158	0.0	0.6	0.8	0.4	20.4	0.7	5.50	4.55	298	0.0	0.5	0.9	0.8	20.7	0.9	5.36	4.53
YOLO	19406, UG	165	0.0	0.9	0.4	0.2	21.8	0.8	5.10	4.24	292	0.0	0.9	0.3	0.1	22.1	1.0	5.27	4.28
YOLO	9016, SVTM	178	0.0	0.3	0.8	0.4	21.8	0.3	4.89	4.30	268	0.0	0.4	1.0	0.7	22.0	0.4	5.22	4.31
YOLO	6463, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	261	0.0	0.5	1.0	0.2	20.2	0.5	4.77	4.38
YOLO	63, NB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	226	0.0	0.4	2.3	0.7	20.4	1.3	4.74	4.43
YOLO	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	212	0.0	0.6	4.6	1.4	21.4	2.9	5.00	4.44
YOLO	8163, HM	119	0.0	1.2	0.4	0.6	20.5	0.8	5.58	4.45	201	0.0	1.9	0.6	0.9	20.5	1.3	5.61	4.45
YOLO	58811, HM	136	0.0	1.1	1.1	1.9	21.5	0.8	4.96	4.35	199	0.0	0.9	1.2	1.5	21.8	0.9	4.93	4.35
YOLO	0811, BOS	107	0.0	2.1	0.7	0.4	21.2	1.6	5.37	4.49	185	0.0	1.6	0.8	0.4	21.2	1.3	5.37	4.46
YOLO	9012, SVTM	139	0.0	0.6	0.1	0.1	21.1	2.0	5.16	4.31	154	0.0	0.6	0.1	0.1	21.1	2.0	5.16	4.30
YOLO	6460, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	130	0.0	0.4	0.6	0.0	22.7	0.8	5.05	4.45



**2020 Processing Tomato Season**  
 PTAB Analysis (8/22/20) - County by Variety



County	Variety Name	Week Ending 8/22/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
YOLO	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	105	0.0	0.4	0.6	0.1	21.8	0.4	4.98	4.38
YOLO	6459, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	104	0.0	1.1	3.9	1.2	21.9	0.9	5.08	4.44
YOLO	6434, N	36	0.0	3.0	0.5	3.8	23.2	5.8	5.05	4.61	95	0.0	2.1	0.8	1.5	24.0	3.9	5.04	4.50
YOLO	255, CXD	17	0.0	1.9	0.5	0.6	22.4	1.9	5.08	4.39	91	0.0	1.8	0.7	0.9	22.7	2.3	5.01	4.36
YOLO	5522, HM 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	91	0.0	0.2	0.3	0.5	20.6	1.2	5.76	4.33
YOLO	9014, SVTM	89	0.0	0.4	1.0	0.1	21.3	0.6	5.75	4.41	89	0.0	0.4	1.0	0.1	21.3	0.6	5.75	4.41
YOLO	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	47	0.0	0.6	0.7	0.1	22.4	1.0	5.42	4.37
YOLO	42, BP	27	0.0	1.1	0.0	0.1	20.0	3.5	5.06	4.45	27	0.0	1.1	0.0	0.1	20.0	3.5	5.06	4.45
YOLO	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.1	0.2	0.3	20.7	0.7	4.66	4.43
YOLO	MISC TRIAL	19	0.0	1.3	0.4	0.3	22.7	2.2	4.29	4.35	22	0.0	1.1	0.6	0.3	22.5	2.0	4.52	4.36
YOLO	43, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.2	1.0	0.0	20.9	0.2	5.38	4.34
YOLO	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	0.1	0.3	0.2	21.4	0.9	4.68	4.41
YOLO	4014, UG	17	0.0	1.5	0.6	0.4	21.5	3.6	5.83	4.40	17	0.0	1.5	0.6	0.4	21.5	3.6	5.83	4.40
YOLO	58801, HM	15	0.0	2.0	1.1	0.9	22.5	2.9	5.28	4.51	15	0.0	2.0	1.1	0.9	22.5	2.9	5.28	4.51
YOLO	4521, HMX 61P	9	0.0	0.1	0.2	0.3	20.8	0.3	5.30	4.30	9	0.0	0.1	0.2	0.3	20.8	0.3	5.30	4.30
YOLO	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.1	1.3	1.6	22.8	1.4	4.68	4.23
YOLO	6420, N	3	0.0	2.5	0.2	0.0	21.5	2.7	4.30	4.52	3	0.0	2.5	0.2	0.0	21.5	2.7	4.30	4.52
YOLO	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.3	0.0	21.3	0.3	5.37	4.40
YOLO	6440, N	1	0.0	4.5	1.0	1.0	23.0	3.0	4.80	4.67	2	0.0	2.5	0.8	0.5	22.5	1.8	4.80	4.53
YOLO	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	0.0	0.5	21.0	0.5	6.10	4.26
YOLO	49, BP	1	0.0	2.0	0.5	0.0	21.5	0.5	4.60	4.43	1	0.0	2.0	0.5	0.0	21.5	0.5	4.60	4.43
YOLO	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	2.0	1.5	21.5	2.5	4.80	4.62
YOLO	393, BQ	1	0.0	9.5	2.5	0.5	22.5	16.0	4.10	4.48	1	0.0	9.5	2.5	0.5	22.5	16.0	4.10	4.48
YOLO	435, BQ	1	0.0	4.0	1.0	0.5	22.0	5.5	4.40	4.57	1	0.0	4.0	1.0	0.5	22.0	5.5	4.40	4.57
YOLO	2074, BOS	1	0.0	1.0	1.5	0.0	20.5	3.0	6.00	4.39	1	0.0	1.0	1.5	0.0	20.5	3.0	6.00	4.39
YOLO	9023, SVTM	1	0.0	2.0	0.5	0.0	22.0	0.0	4.30	4.46	1	0.0	2.0	0.5	0.0	22.0	0.0	4.30	4.46
<b>YOLO</b>		<b>6,328</b>	<b>0.0</b>	<b>1.4</b>	<b>0.8</b>	<b>0.7</b>	<b>21.7</b>	<b>2.0</b>	<b>5.11</b>	<b>4.41</b>	<b>22,310</b>	<b>0.0</b>	<b>0.9</b>	<b>1.4</b>	<b>0.8</b>	<b>21.8</b>	<b>1.5</b>	<b>5.11</b>	<b>4.37</b>