

**2020 Processing Tomato Season**  
 PTAB Analysis (8/8/20) - County by Variety



County	Variety Name	Week Ending 8/8/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
COLUSA	13, BP	460	0.0	0.4	4.5	1.2	21.2	1.7	5.09	4.38	2,239	0.0	0.4	3.6	1.2	21.5	1.7	5.01	4.39
COLUSA	1015, HEINZ	824	0.0	0.5	3.1	1.1	20.3	1.1	5.34	4.40	2,125	0.0	0.4	2.2	1.0	20.8	1.3	5.24	4.44
COLUSA	6428, N	784	0.0	0.8	5.7	1.0	21.9	1.0	5.10	4.40	784	0.0	0.8	5.7	1.0	21.9	1.0	5.10	4.40
COLUSA	413, BQ	288	0.0	1.0	2.6	0.9	21.2	1.6	4.98	4.51	590	0.0	0.8	3.6	0.8	21.4	1.3	4.82	4.50
COLUSA	5235, HM	426	0.0	1.4	3.9	1.0	21.1	2.4	5.50	4.45	453	0.0	1.4	3.8	1.0	21.1	2.4	5.49	4.44
COLUSA	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	194	0.0	0.2	2.8	0.9	22.7	1.4	5.04	4.38
COLUSA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	157	0.0	0.3	3.5	0.7	21.7	1.5	5.09	4.27
COLUSA	0311, AB	54	0.0	2.0	1.0	0.4	20.8	1.2	5.36	4.28	154	0.0	2.0	0.9	0.4	20.6	0.9	5.32	4.26
COLUSA	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	111	0.0	0.3	2.6	1.0	20.2	0.2	5.33	4.46
COLUSA	141, BQ	71	0.0	0.5	4.6	1.1	20.7	4.6	5.22	4.43	71	0.0	0.5	4.6	1.1	20.7	4.6	5.22	4.43
COLUSA	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	65	0.0	0.6	7.1	0.9	20.7	1.6	5.38	4.35
COLUSA	51, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	60	0.0	0.4	3.8	0.8	22.0	3.0	5.36	4.29
COLUSA	6463, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	0.7	1.5	0.9	21.5	0.8	5.01	4.49
COLUSA	8163, HM	47	0.0	0.8	1.0	0.5	20.6	0.5	5.63	4.41	53	0.0	0.8	1.0	0.4	20.6	0.5	5.63	4.40
COLUSA	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	49	0.0	0.2	0.9	0.3	21.5	0.5	5.00	4.54
COLUSA	1902, HZ	47	0.0	0.3	1.2	0.8	22.2	1.9	4.79	4.43	47	0.0	0.3	1.2	0.8	22.2	1.9	4.79	4.43
COLUSA	9013, SVTM	36	0.0	1.5	0.8	1.0	22.6	1.8	4.71	4.48	39	0.0	1.4	1.0	1.1	22.6	1.7	4.72	4.47
COLUSA	9018, SVTM	16	0.0	0.2	2.1	1.2	22.2	0.5	4.60	4.31	37	0.0	0.3	2.0	1.3	22.1	0.6	4.56	4.29
COLUSA	393, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.5	3.6	0.7	24.1	2.2	4.25	4.53
<b>COLUSA</b>		<b>3,053</b>	<b>0.0</b>	<b>0.8</b>	<b>3.9</b>	<b>1.0</b>	<b>21.1</b>	<b>1.5</b>	<b>5.21</b>	<b>4.41</b>	<b>7,301</b>	<b>0.0</b>	<b>0.6</b>	<b>3.3</b>	<b>1.0</b>	<b>21.3</b>	<b>1.5</b>	<b>5.12</b>	<b>4.42</b>
CONTRA COSTA	6366, SUN	366	0.0	0.5	0.7	0.3	20.7	1.4	5.29	4.42	1,201	0.0	0.5	0.7	0.2	20.7	1.5	5.34	4.41
CONTRA COSTA	403, BQ	136	0.0	0.2	1.6	0.3	21.1	1.8	5.10	4.33	779	0.0	0.1	1.5	0.3	21.1	2.1	5.34	4.32
CONTRA COSTA	6402, N	324	0.0	0.8	0.2	0.1	21.0	2.3	5.26	4.46	378	0.0	0.7	0.2	0.1	21.0	2.3	5.23	4.46
CONTRA COSTA	0319, DRI	45	0.0	0.8	1.7	0.6	22.2	1.6	6.21	4.43	136	0.0	0.8	1.5	0.6	22.3	1.4	5.94	4.39
CONTRA COSTA	0311, AB	69	0.0	0.5	0.6	0.0	20.1	0.9	5.94	4.31	69	0.0	0.5	0.6	0.0	20.1	0.9	5.94	4.31
CONTRA COSTA	1293, HZ	49	0.0	0.3	2.0	1.3	19.3	1.0	6.54	4.56	49	0.0	0.3	2.0	1.3	19.3	1.0	6.54	4.56
CONTRA COSTA	5900, HM	43	0.0	0.2	1.2	0.1	20.5	1.6	6.20	4.33	43	0.0	0.2	1.2	0.1	20.5	1.6	6.20	4.33
CONTRA COSTA	7103, HMX61P	3	0.0	0.2	0.5	0.2	20.7	1.8	5.53	4.43	6	0.0	0.1	0.3	0.1	20.8	1.2	5.38	4.34
CONTRA COSTA	9018, SVTM	4	0.0	0.1	0.1	0.3	20.6	0.4	4.68	4.33	6	0.0	0.1	0.2	0.2	20.8	0.3	4.80	4.31
CONTRA COSTA	273, BQ	3	0.0	0.2	1.0	0.2	21.0	1.2	5.33	4.32	5	0.0	0.2	0.8	0.1	20.9	0.9	5.44	4.28
CONTRA COSTA	4014, UG	3	0.0	0.2	0.2	0.3	20.0	0.7	5.10	4.50	3	0.0	0.2	0.2	0.3	20.0	0.7	5.10	4.50
<b>CONTRA COSTA</b>		<b>1,045</b>	<b>0.0</b>	<b>0.5</b>	<b>0.8</b>	<b>0.3</b>	<b>20.8</b>	<b>1.7</b>	<b>5.43</b>	<b>4.42</b>	<b>2,675</b>	<b>0.0</b>	<b>0.4</b>	<b>0.9</b>	<b>0.2</b>	<b>20.9</b>	<b>1.7</b>	<b>5.40</b>	<b>4.39</b>
FRESNO	273, BQ	2,852	0.0	0.7	3.0	0.6	21.1	1.9	5.33	4.39	11,109	0.0	0.6	2.2	0.5	21.0	1.7	5.47	4.37
FRESNO	403, BQ	1,374	0.0	0.5	1.7	1.3	21.0	2.6	5.37	4.39	7,718	0.0	0.5	1.6	0.7	21.3	2.1	5.51	4.37
FRESNO	400, BQ	324	0.0	0.5	2.5	0.4	19.7	0.6	5.27	4.49	5,285	0.0	0.3	1.6	0.7	20.0	1.1	5.33	4.46
FRESNO	0311, AB	1,328	0.0	1.5	1.4	0.5	20.5	1.5	6.07	4.38	3,554	0.0	1.3	1.4	0.5	20.7	1.6	6.15	4.37
FRESNO	6402, N	700	0.0	1.2	1.5	0.5	20.6	2.3	5.90	4.48	2,529	0.0	1.2	1.0	0.4	20.4	1.6	5.87	4.46
FRESNO	5608, HZ	1,384	0.0	0.6	2.2	0.7	20.1	1.0	5.15	4.41	2,332	0.0	0.6	1.8	0.6	20.4	1.2	5.24	4.43
FRESNO	0811, BOS	1,429	0.0	0.6	2.3	0.8	20.1	0.8	5.34	4.38	1,968	0.0	0.5	2.1	0.7	20.0	0.8	5.38	4.37
FRESNO	9000, SVTM	368	0.0	0.8	1.4	0.3	21.5	0.6	4.77	4.43	1,744	0.0	0.4	0.9	0.4	20.7	0.5	5.01	4.42
FRESNO	3887, HM	726	0.0	1.0	2.8	0.4	21.2	1.3	5.54	4.42	1,732	0.0	1.0	2.3	0.4	21.2	1.4	5.61	4.41
FRESNO	8011, SV	1,384	0.0	1.2	1.5	0.3	20.1	0.8	5.56	4.42	1,711	0.0	1.2	1.4	0.3	20.3	1.0	5.63	4.43
FRESNO	5522, HM 61P	930	0.0	0.5	0.7	0.2	20.0	0.5	5.85	4.37	1,495	0.0	0.4	0.8	0.3	20.2	0.7	5.96	4.38

**2020 Processing Tomato Season**  
 PTAB Analysis (8/8/20) - County by Variety



County	Variety Name	Week Ending 8/8/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
FRESNO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,425	0.0	0.8	1.0	0.3	20.8	2.0	5.80	4.45
FRESNO	1293, HZ	248	0.0	1.8	1.3	0.8	20.8	1.8	5.60	4.58	1,407	0.0	0.7	1.3	0.7	20.1	1.0	5.64	4.52
FRESNO	0319, DRI	696	0.0	1.5	1.2	0.3	21.6	2.3	6.17	4.45	1,113	0.0	1.3	1.3	0.3	21.5	2.1	6.17	4.43
FRESNO	9011, SVTM	723	0.0	1.1	2.3	0.4	21.2	1.9	6.13	4.45	1,062	0.0	1.1	2.1	0.5	21.0	1.9	6.22	4.44
FRESNO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,045	0.0	0.3	2.1	0.5	21.0	1.5	5.20	4.36
FRESNO	8163, HM	240	0.0	0.8	0.8	1.1	20.0	1.2	6.05	4.41	617	0.0	0.6	1.0	0.9	19.9	1.2	6.08	4.42
FRESNO	1892, HM	294	0.0	0.8	2.9	0.6	21.3	1.2	5.40	4.50	395	0.0	0.8	3.3	0.6	21.3	1.1	5.40	4.50
FRESNO	6420, N	257	0.0	1.1	1.1	0.4	21.0	1.1	5.10	4.54	361	0.0	1.1	1.2	0.5	21.0	1.1	5.11	4.52
FRESNO	6415, N	142	0.0	0.3	1.9	0.3	21.2	0.6	5.32	4.42	315	0.0	0.2	1.8	0.3	21.2	0.7	5.33	4.42
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	310	0.0	0.2	0.8	0.2	21.3	1.3	5.37	4.38
FRESNO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	279	0.0	0.4	0.9	0.3	20.6	1.7	5.98	4.37
FRESNO	4521, HMX 61P	22	0.0	0.0	3.2	0.1	20.3	0.0	5.38	4.38	212	0.0	0.1	2.0	0.1	20.8	0.1	5.78	4.38
FRESNO	7885, HMX	148	0.0	1.5	1.4	0.3	21.5	1.2	5.04	4.62	190	0.0	1.4	1.5	0.3	21.9	1.2	5.03	4.61
FRESNO	6428, N	88	0.0	0.3	4.0	0.5	22.5	0.1	4.87	4.43	184	0.0	0.2	3.8	0.4	22.1	0.3	5.24	4.43
FRESNO	1765, HZ	122	0.0	0.1	1.1	0.3	20.6	0.6	5.38	4.38	167	0.0	0.1	1.3	0.3	20.9	0.9	5.49	4.38
FRESNO	4909, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	159	0.0	0.7	3.7	0.4	22.9	1.1	6.42	4.32
FRESNO	9008, SVTM	155	0.0	0.2	0.9	0.2	20.0	0.2	5.56	4.37	155	0.0	0.2	0.9	0.2	20.0	0.2	5.56	4.37
FRESNO	6434, N	119	0.0	1.8	2.0	2.5	21.4	1.8	5.03	4.45	119	0.0	1.8	2.0	2.5	21.4	1.8	5.03	4.45
FRESNO	1292, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	115	0.0	0.2	1.5	0.5	20.0	0.8	6.04	4.48
FRESNO	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	115	0.0	1.4	2.1	0.3	22.5	1.7	5.64	4.47
FRESNO	6426, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	113	0.0	0.4	1.2	0.8	21.0	1.1	5.41	4.39
FRESNO	1428, HZ	100	0.0	0.1	4.0	0.3	20.8	0.0	5.23	4.31	100	0.0	0.1	4.0	0.3	20.8	0.0	5.23	4.31
FRESNO	2401, HEINZ	100	0.0	0.2	3.4	0.3	21.7	0.5	6.02	4.38	100	0.0	0.2	3.4	0.3	21.7	0.5	6.02	4.38
FRESNO	9013, SVTM	4	0.0	0.5	4.3	1.8	21.1	0.6	6.80	4.46	100	0.0	0.8	0.6	0.1	21.0	0.5	5.46	4.36
FRESNO	58811, HM	95	0.0	0.7	1.5	0.3	22.2	0.7	5.03	4.45	95	0.0	0.7	1.5	0.3	22.2	0.7	5.03	4.45
FRESNO	4014, UG	3	0.0	0.2	4.0	0.2	21.8	0.0	5.00	4.54	82	0.0	0.6	1.8	0.3	21.2	0.9	5.33	4.57
FRESNO	9663, HEINZ	62	0.0	0.4	2.9	0.3	19.4	1.0	5.83	4.43	77	0.0	0.4	2.8	0.3	19.4	1.1	5.81	4.43
FRESNO	9014, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	46	0.0	1.0	0.3	0.1	21.1	1.7	5.63	4.43
FRESNO	6463, N	21	0.0	0.7	1.1	0.3	19.4	1.0	5.35	4.49	43	0.0	0.8	1.0	0.4	19.7	0.9	5.15	4.47
FRESNO	9016, SVTM	42	0.0	0.3	5.8	0.5	21.4	0.1	5.10	4.36	42	0.0	0.3	5.8	0.5	21.4	0.1	5.10	4.36
FRESNO	413, BQ	36	0.0	0.7	8.1	0.7	19.9	0.4	4.81	4.52	36	0.0	0.7	8.1	0.7	19.9	0.4	4.81	4.52
FRESNO	9012, SVTM	25	0.0	0.7	6.1	0.2	20.9	1.0	5.98	4.41	31	0.0	0.6	5.6	0.2	21.1	1.0	6.11	4.43
FRESNO	MIX	15	0.0	0.9	0.6	0.9	20.3	3.1	6.15	4.58	26	0.0	0.8	0.9	0.7	20.4	2.4	5.95	4.49
FRESNO	5369, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	0.5	0.9	0.4	19.4	0.8	5.74	4.40
FRESNO	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.1	0.9	0.2	21.9	0.6	6.03	4.33
FRESNO	1997, HZ	24	0.0	0.3	2.9	0.7	22.5	0.6	5.48	4.44	24	0.0	0.3	2.9	0.7	22.5	0.6	5.48	4.44
FRESNO	4885, HMX	24	0.0	0.6	2.4	1.0	21.6	0.7	5.28	4.39	24	0.0	0.6	2.4	1.0	21.6	0.7	5.28	4.39
FRESNO	1994, HZ	21	0.0	0.0	2.7	0.3	22.1	0.1	5.57	4.35	21	0.0	0.0	2.7	0.3	22.1	0.1	5.57	4.35
FRESNO	UNCODED	3	0.0	0.7	6.8	0.7	22.5	1.5	4.83	4.40	20	0.0	0.2	1.5	0.2	20.3	0.8	5.57	4.53
FRESNO	393, BQ	17	0.0	0.4	2.8	0.5	20.4	4.3	5.30	4.56	18	0.0	0.4	2.7	0.4	20.4	4.2	5.33	4.55
FRESNO	9018, SVTM	2	0.0	0.0	3.5	0.5	22.8	1.5	4.85	4.38	14	0.0	0.5	1.0	0.1	21.3	0.9	5.34	4.40
FRESNO	MISC TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	13	0.0	0.3	1.7	0.5	20.7	1.2	5.43	4.44
FRESNO	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.0	0.1	0.4	20.3	1.5	6.03	4.39
FRESNO	74, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	3.2	0.0	20.7	0.5	6.67	4.34

**2020 Processing Tomato Season**  
 PTAB Analysis (8/8/20) - County by Variety



County	Variety Name	Week Ending 8/8/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
FRESNO	6465, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	1.2	0.2	21.5	0.7	5.90	4.35
FRESNO	9019, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	1.0	0.0	22.3	0.5	6.17	4.26
FRESNO	1115,FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	2.0	0.3	20.5	1.3	6.10	4.51
FRESNO	1902, HZ	2	0.0	0.0	1.8	0.3	22.5	2.3	4.70	4.37	2	0.0	0.0	1.8	0.3	22.5	2.3	4.70	4.37
FRESNO	2756, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	0.5	0.3	21.0	2.5	5.50	4.38
FRESNO	4326, HMX 61P	2	0.0	1.5	1.8	0.3	20.8	0.0	5.50	4.33	2	0.0	1.5	1.8	0.3	20.8	0.0	5.50	4.33
FRESNO	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	1.5	0.5	22.5	4.5	6.00	4.36
<b>FRESNO</b>		<b>16,651</b>	<b>0.0</b>	<b>0.9</b>	<b>2.0</b>	<b>0.6</b>	<b>20.7</b>	<b>1.4</b>	<b>5.53</b>	<b>4.42</b>	<b>52,018</b>	<b>0.0</b>	<b>0.7</b>	<b>1.7</b>	<b>0.5</b>	<b>20.8</b>	<b>1.5</b>	<b>5.57</b>	<b>4.41</b>
GLENN	6428, N	17	0.0	3.7	5.6	2.1	23.1	2.1	5.41	4.43	17	0.0	3.7	5.6	2.1	23.1	2.1	5.41	4.43
<b>GLENN</b>		<b>17</b>	<b>0.0</b>	<b>3.7</b>	<b>5.6</b>	<b>2.1</b>	<b>23.1</b>	<b>2.1</b>	<b>5.41</b>	<b>4.43</b>	<b>17</b>	<b>0.0</b>	<b>3.7</b>	<b>5.6</b>	<b>2.1</b>	<b>23.1</b>	<b>2.1</b>	<b>5.41</b>	<b>4.43</b>
KERN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,431	0.0	0.5	1.2	0.7	20.9	1.2	5.23	4.37
KERN	5608, HZ	260	0.0	2.6	1.4	0.4	20.7	2.0	5.59	4.48	2,739	0.0	0.8	0.9	0.5	20.4	1.0	5.04	4.45
KERN	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,772	0.0	0.5	1.5	0.9	21.1	1.7	5.28	4.34
KERN	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,698	0.0	0.5	0.9	0.7	20.3	1.0	5.26	4.47
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,055	0.0	1.0	1.7	0.4	21.5	2.3	4.76	4.42
KERN	8011, SV	49	0.0	1.7	0.9	0.2	20.9	5.3	6.30	4.63	867	0.0	1.0	0.9	0.2	20.3	1.4	5.53	4.44
KERN	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	751	0.0	0.7	0.8	0.2	20.1	0.3	4.92	4.37
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	623	0.0	0.3	1.6	0.4	21.1	1.8	5.50	4.50
KERN	5522, HM 61P	21	0.0	0.7	0.2	0.1	21.1	3.3	6.68	4.52	517	0.0	0.5	0.9	0.2	19.9	1.0	6.10	4.45
KERN	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	377	0.0	0.1	0.3	0.2	20.8	0.3	5.18	4.42
KERN	9014, SVTM	235	0.0	2.8	0.4	0.5	20.7	1.6	5.26	4.47	309	0.0	2.5	0.4	0.4	20.7	1.5	5.28	4.47
KERN	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	205	0.0	0.1	2.7	0.6	23.6	0.3	4.52	4.40
KERN	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	190	0.0	1.3	0.7	1.2	20.7	2.3	4.69	4.41
KERN	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	181	0.0	0.1	1.6	0.4	22.5	0.7	4.49	4.36
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	134	0.0	0.9	2.2	0.5	20.1	1.5	5.67	4.41
KERN	29814, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	126	0.0	0.5	0.9	0.2	20.4	0.5	5.77	4.40
KERN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	74	0.0	1.2	1.4	0.4	20.2	1.3	5.07	4.47
KERN	3887, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	66	0.0	0.4	2.4	0.9	20.3	1.3	5.20	4.39
KERN	9011, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	46	0.0	0.6	2.1	0.6	20.5	0.9	5.60	4.42
KERN	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	26	0.0	0.1	3.3	0.2	21.0	0.1	5.01	4.29
KERN	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	16	0.0	0.5	0.8	1.0	20.8	0.8	5.62	4.40
KERN	0811, BOS	15	0.0	0.8	0.4	0.2	20.4	0.6	5.30	4.37	15	0.0	0.8	0.4	0.2	20.4	0.6	5.30	4.37
KERN	58801, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15	0.1	1.2	0.2	0.1	21.0	1.3	5.31	4.40
KERN	58811, HM	13	0.0	1.0	0.4	0.3	20.1	0.8	5.15	4.37	13	0.0	1.0	0.4	0.3	20.1	0.8	5.15	4.37
KERN	MISC TRIAL	2	0.0	1.0	0.5	0.0	21.0	2.0	6.20	4.54	2	0.0	1.0	0.5	0.0	21.0	2.0	6.20	4.54
KERN	51,BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	19.5	0.0	5.20	4.38
KERN	205, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	22.0	5.0	4.70	4.55
KERN	2756, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.0	20.0	0.5	5.90	4.27
KERN	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.0	0.5	20.5	0.5	5.40	4.32
KERN	37314, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.5	19.0	0.5	5.50	4.48
<b>KERN</b>		<b>595</b>	<b>0.0</b>	<b>2.5</b>	<b>0.9</b>	<b>0.4</b>	<b>20.7</b>	<b>2.1</b>	<b>5.54</b>	<b>4.48</b>	<b>15,253</b>	<b>0.0</b>	<b>0.6</b>	<b>1.1</b>	<b>0.6</b>	<b>20.7</b>	<b>1.2</b>	<b>5.20</b>	<b>4.41</b>
KINGS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,821	0.0	0.4	1.7	0.6	21.3	1.5	5.73	4.35
KINGS	400, BQ	38	0.0	0.6	1.3	1.2	21.7	3.4	4.64	4.59	2,975	0.0	0.4	1.8	0.7	20.1	1.0	5.22	4.44

**2020 Processing Tomato Season**  
 PTAB Analysis (8/8/20) - County by Variety



County	Variety Name	Week Ending 8/8/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
KINGS	8011, SV	1,606	0.0	1.3	1.4	0.3	20.4	0.7	5.80	4.38	2,863	0.0	0.9	1.4	0.3	20.5	0.7	5.90	4.37
KINGS	5522, HM 61P	196	0.0	0.4	1.0	0.2	20.0	1.0	6.28	4.35	1,876	0.0	0.2	1.0	0.5	20.0	0.5	6.36	4.35
KINGS	5608, HZ	595	0.0	0.7	1.4	0.3	19.5	0.5	5.30	4.43	1,529	0.0	0.4	1.3	0.3	20.2	0.6	5.30	4.39
KINGS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,309	0.0	1.4	2.4	0.4	21.4	1.9	5.10	4.47
KINGS	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,159	0.0	0.3	1.8	0.5	20.9	1.9	5.73	4.35
KINGS	2756, SV	757	0.0	0.2	1.1	0.2	20.6	0.5	5.31	4.43	1,137	0.0	0.2	1.4	0.3	20.5	0.4	5.35	4.42
KINGS	3887, HM	61	0.0	0.4	2.1	1.6	21.6	4.5	5.76	4.53	1,133	0.0	1.7	2.3	0.4	21.5	1.4	5.44	4.45
KINGS	6415, N	167	0.0	0.1	2.5	0.1	21.1	0.6	5.55	4.40	710	0.0	0.3	2.5	0.2	21.8	0.8	5.19	4.44
KINGS	6402, N	350	0.0	0.9	2.0	0.3	20.0	1.4	5.82	4.43	621	0.0	0.8	1.9	0.4	20.1	1.1	6.03	4.44
KINGS	0319, DRI	175	0.0	1.6	2.7	0.3	21.5	2.0	6.18	4.41	604	0.0	2.0	2.7	0.5	22.3	1.7	5.97	4.41
KINGS	4521, HMX 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	573	0.0	0.2	1.5	0.3	21.4	0.3	5.80	4.34
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	566	0.0	0.8	1.2	0.2	20.9	2.7	4.70	4.39
KINGS	6434, N	466	0.0	1.3	2.1	0.7	22.0	2.2	5.30	4.52	549	0.0	1.2	2.1	0.6	22.0	2.0	5.27	4.51
KINGS	9014, SVTM	191	0.0	1.4	1.1	0.1	20.9	0.8	5.40	4.41	472	0.0	1.7	0.8	0.1	21.0	1.0	5.51	4.43
KINGS	29814, UG	377	0.0	0.1	1.3	0.3	21.4	0.4	5.93	4.44	377	0.0	0.1	1.3	0.3	21.4	0.4	5.93	4.44
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	345	0.0	0.6	2.8	0.4	21.7	0.9	4.85	4.35
KINGS	8163, HM	72	0.0	0.2	0.5	1.0	19.6	0.3	5.93	4.40	272	0.0	0.1	0.6	0.8	19.5	0.4	6.40	4.40
KINGS	4885, HMX	260	0.0	0.2	1.5	0.4	19.5	0.3	5.82	4.36	262	0.0	0.2	1.5	0.4	19.5	0.3	5.82	4.36
KINGS	5235, HM	260	0.0	2.0	3.8	0.9	19.5	2.6	5.96	4.51	260	0.0	2.0	3.8	0.9	19.5	2.6	5.96	4.51
KINGS	UNCODED	56	0.0	0.3	2.6	0.4	20.3	0.8	5.89	4.39	246	0.0	0.2	1.3	0.2	20.5	0.6	5.77	4.38
KINGS	9013, SVTM	162	0.0	1.1	1.2	0.2	21.1	0.7	5.54	4.44	242	0.0	0.8	1.5	0.3	21.0	0.6	5.79	4.40
KINGS	13, BP	27	0.0	0.7	2.4	1.7	20.4	2.0	5.04	4.48	208	0.0	0.8	2.5	2.2	20.6	1.6	5.00	4.45
KINGS	413, BQ	150	0.0	1.2	1.5	1.2	20.4	3.1	5.27	4.61	157	0.0	1.2	1.6	1.3	20.4	3.0	5.26	4.60
KINGS	9011, SVTM	59	0.0	1.6	1.0	0.3	20.0	1.0	6.21	4.42	149	0.0	0.9	1.8	0.4	20.9	1.4	6.34	4.43
KINGS	2401, HEINZ	99	0.0	0.3	1.4	0.2	21.3	0.6	5.07	4.37	99	0.0	0.3	1.4	0.2	21.3	0.6	5.07	4.37
KINGS	9663, HEINZ	91	0.0	3.7	3.6	0.6	20.2	0.9	4.39	4.35	91	0.0	3.7	3.6	0.6	20.2	0.9	4.39	4.35
KINGS	1428, HZ	90	0.0	0.1	1.7	0.2	20.5	0.2	5.06	4.42	90	0.0	0.1	1.7	0.2	20.5	0.2	5.06	4.42
KINGS	51, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	87	0.0	0.1	0.7	0.7	21.2	3.9	6.31	4.41
KINGS	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	85	0.0	0.2	1.4	0.4	19.9	0.7	5.58	4.47
KINGS	18205, ISI	53	0.0	0.5	1.1	0.4	20.2	1.9	5.47	4.55	69	0.0	0.4	1.2	0.6	20.2	1.8	5.48	4.56
KINGS	1293, HZ	1	0.0	0.0	3.5	0.5	19.0	0.5	5.90	4.34	65	0.0	0.4	1.4	0.5	19.3	0.4	5.61	4.43
KINGS	9016, SVTM	17	0.0	0.9	0.9	0.1	21.6	0.2	4.96	4.39	58	0.0	0.9	0.9	0.1	21.7	0.3	5.10	4.38
KINGS	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	52	0.0	0.1	2.1	0.3	21.1	0.3	5.44	4.41
KINGS	9025, SVTM	30	0.0	0.4	1.8	0.6	22.3	0.1	4.72	4.27	30	0.0	0.4	1.8	0.6	22.3	0.1	4.72	4.27
KINGS	25033, ISI	26	0.0	0.2	0.7	0.6	20.7	0.7	5.44	4.41	30	0.0	0.2	1.9	0.6	20.7	0.8	5.44	4.40
KINGS	4014, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	1.0	2.5	0.4	20.3	0.6	5.43	4.58
KINGS	4707, HEINZ	12	0.0	0.2	4.8	0.3	22.0	0.4	4.87	4.34	12	0.0	0.2	4.8	0.3	22.0	0.4	4.87	4.34
KINGS	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	9	0.0	0.4	0.7	0.1	20.7	2.0	5.59	4.35
KINGS	23024, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.0	1.0	0.3	20.5	0.1	5.20	4.39
KINGS	26623, ISI	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6	0.0	0.0	1.6	0.2	20.8	0.3	5.52	4.29
KINGS	1662, HZ	4	0.0	0.4	7.0	0.0	22.9	0.3	4.75	4.38	4	0.0	0.4	7.0	0.0	22.9	0.3	4.75	4.38
KINGS	1765, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	0.8	0.0	22.0	1.0	5.30	4.37
KINGS	6428, N	2	0.0	0.8	5.0	0.5	24.0	0.0	4.60	4.42	2	0.0	0.8	5.0	0.5	24.0	0.0	4.60	4.42
KINGS	19406, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.5	0.0	0.0	22.0	0.0	6.00	4.47



**2020 Processing Tomato Season**  
 PTAB Analysis (8/8/20) - County by Variety



County	Variety Name	Week Ending 8/8/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
KINGS	58801, HM	1	0.0	1.0	0.5	0.5	22.5	2.0	5.90	4.46	1	0.0	1.0	0.5	0.5	22.5	2.0	5.90	4.46
<b>KINGS</b>		<b>6,451</b>	<b>0.0</b>	<b>0.9</b>	<b>1.6</b>	<b>0.4</b>	<b>20.5</b>	<b>1.0</b>	<b>5.60</b>	<b>4.42</b>	<b>25,232</b>	<b>0.0</b>	<b>0.7</b>	<b>1.7</b>	<b>0.5</b>	<b>20.8</b>	<b>1.1</b>	<b>5.59</b>	<b>4.40</b>
MADERA	0319, DRI	164	0.0	0.6	2.2	0.5	21.6	1.9	6.32	4.35	164	0.0	0.6	2.2	0.5	21.6	1.9	6.32	4.35
<b>MADERA</b>		<b>164</b>	<b>0.0</b>	<b>0.6</b>	<b>2.2</b>	<b>0.5</b>	<b>21.6</b>	<b>1.9</b>	<b>6.32</b>	<b>4.35</b>	<b>164</b>	<b>0.0</b>	<b>0.6</b>	<b>2.2</b>	<b>0.5</b>	<b>21.6</b>	<b>1.9</b>	<b>6.32</b>	<b>4.35</b>
MERCED	9011, SVTM	146	0.0	1.9	2.8	0.5	21.6	1.9	6.24	4.45	372	0.0	1.6	3.0	0.4	21.4	1.6	6.13	4.41
MERCED	273, BQ	52	0.0	0.2	6.1	0.6	21.9	1.3	5.64	4.33	231	0.0	0.2	2.5	0.4	20.7	0.8	5.77	4.29
MERCED	6402, N	97	0.0	1.6	3.3	0.5	21.1	0.9	5.39	4.40	122	0.0	1.5	3.4	0.5	21.2	0.8	5.46	4.39
MERCED	58811, HM	71	0.0	0.2	5.2	0.7	22.8	1.0	6.06	4.44	109	0.0	0.2	4.8	0.6	22.7	0.8	5.89	4.42
MERCED	4707, HEINZ	51	0.0	0.1	1.9	0.1	25.0	0.7	4.72	4.42	51	0.0	0.1	1.9	0.1	25.0	0.7	4.72	4.42
MERCED	58881, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.9	2.6	0.8	19.7	4.2	5.04	4.42
MERCED	398, BQ	14	0.0	1.0	0.5	0.1	21.5	1.5	5.64	4.41	14	0.0	1.0	0.5	0.1	21.5	1.5	5.64	4.41
MERCED	6428, N	14	0.0	0.4	4.5	0.8	22.4	1.3	6.03	4.47	14	0.0	0.4	4.5	0.8	22.4	1.3	6.03	4.47
MERCED	2401, HEINZ	11	0.0	0.1	3.1	0.2	22.1	0.0	4.75	4.24	11	0.0	0.1	3.1	0.2	22.1	0.0	4.75	4.24
MERCED	9016, SVTM	4	0.0	0.5	0.9	0.1	20.6	0.1	5.15	4.37	4	0.0	0.5	0.9	0.1	20.6	0.1	5.15	4.37
MERCED	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	3.5	1.5	19.5	6.5	5.00	4.51
<b>MERCED</b>		<b>460</b>	<b>0.0</b>	<b>1.0</b>	<b>3.5</b>	<b>0.5</b>	<b>22.1</b>	<b>1.3</b>	<b>5.73</b>	<b>4.42</b>	<b>949</b>	<b>0.0</b>	<b>0.9</b>	<b>3.0</b>	<b>0.5</b>	<b>21.5</b>	<b>1.2</b>	<b>5.80</b>	<b>4.38</b>
SAN JOAQUIN	9011, SVTM	43	0.0	0.4	5.4	0.4	20.9	1.2	5.92	4.30	43	0.0	0.4	5.4	0.4	20.9	1.2	5.92	4.30
SAN JOAQUIN	9016, SVTM	18	0.0	0.7	6.2	0.2	22.3	0.5	5.58	4.28	18	0.0	0.7	6.2	0.2	22.3	0.5	5.58	4.28
<b>SAN JOAQUIN</b>		<b>61</b>	<b>0.0</b>	<b>0.5</b>	<b>5.7</b>	<b>0.3</b>	<b>21.3</b>	<b>1.0</b>	<b>5.82</b>	<b>4.29</b>	<b>61</b>	<b>0.0</b>	<b>0.5</b>	<b>5.7</b>	<b>0.3</b>	<b>21.3</b>	<b>1.0</b>	<b>5.82</b>	<b>4.29</b>
SOLANO	13, BP	226	0.0	0.4	2.2	2.0	21.7	1.2	4.83	4.36	317	0.0	0.4	2.5	2.2	21.6	1.1	4.81	4.35
SOLANO	6397, N	190	0.0	0.6	1.1	0.6	21.8	1.0	5.48	4.39	248	0.0	0.5	1.0	0.5	21.8	1.0	5.44	4.40
SOLANO	4909, HMX	188	0.0	1.1	0.8	0.4	23.2	1.5	5.92	4.25	188	0.0	1.1	0.8	0.4	23.2	1.5	5.92	4.25
SOLANO	403, BQ	21	0.0	0.9	1.4	0.1	22.1	1.1	5.38	4.22	162	0.0	0.6	1.5	0.6	22.5	1.0	5.26	4.23
SOLANO	9000, SVTM	117	0.0	0.3	0.3	0.4	21.5	0.3	4.92	4.45	157	0.0	0.4	0.5	0.3	21.7	0.2	4.93	4.42
SOLANO	273, BQ	48	0.0	0.6	0.7	0.1	21.8	0.7	4.94	4.28	133	0.0	0.5	0.9	0.6	21.8	0.6	5.16	4.24
SOLANO	393, BQ	57	0.0	0.7	0.4	0.1	22.5	3.3	4.40	4.41	57	0.0	0.7	0.4	0.1	22.5	3.3	4.40	4.41
SOLANO	8011, SV	34	0.0	1.4	1.4	0.2	21.4	0.2	5.90	4.27	34	0.0	1.4	1.4	0.2	21.4	0.2	5.90	4.27
SOLANO	413, BQ	30	0.0	1.4	0.5	0.1	23.1	1.3	4.30	4.42	30	0.0	1.4	0.5	0.1	23.1	1.3	4.30	4.42
SOLANO	5235, HM	1	0.0	0.0	0.0	0.0	23.5	1.5	4.50	4.41	1	0.0	0.0	0.0	0.0	23.5	1.5	4.50	4.41
<b>SOLANO</b>		<b>912</b>	<b>0.0</b>	<b>0.7</b>	<b>1.1</b>	<b>0.8</b>	<b>22.1</b>	<b>1.2</b>	<b>5.21</b>	<b>4.35</b>	<b>1,327</b>	<b>0.0</b>	<b>0.6</b>	<b>1.3</b>	<b>0.9</b>	<b>22.1</b>	<b>1.0</b>	<b>5.19</b>	<b>4.33</b>
STANISLAUS	58881, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	195	0.0	0.9	4.6	0.8	21.3	2.7	5.22	4.48
STANISLAUS	9011, SVTM	68	0.0	1.4	1.4	0.1	20.1	2.1	6.42	4.42	79	0.0	1.3	1.8	0.1	20.4	1.9	6.40	4.41
STANISLAUS	108, HYPEEL	28	0.0	0.5	2.5	0.5	22.5	1.6	5.43	4.52	28	0.0	0.5	2.5	0.5	22.5	1.6	5.43	4.52
STANISLAUS	0319, DRI	28	0.0	0.6	2.1	0.5	21.7	1.7	5.85	4.32	28	0.0	0.6	2.1	0.5	21.7	1.7	5.85	4.32
STANISLAUS	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	28	0.0	0.4	1.6	0.4	21.3	4.2	5.46	4.39
STANISLAUS	273, BQ	15	0.0	0.6	0.7	0.0	20.6	3.3	5.41	4.36	25	0.0	0.7	1.1	0.2	20.7	4.3	5.48	4.38
STANISLAUS	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	0.1	1.1	0.1	22.4	0.1	5.06	4.27
STANISLAUS	9016, SVTM	4	0.0	0.3	1.9	0.3	22.1	1.3	5.25	4.38	4	0.0	0.3	1.9	0.3	22.1	1.3	5.25	4.38
STANISLAUS	0599, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	3.5	0.0	20.5	2.5	5.60	4.26
<b>STANISLAUS</b>		<b>143</b>	<b>0.0</b>	<b>1.0</b>	<b>1.7</b>	<b>0.3</b>	<b>21.0</b>	<b>2.0</b>	<b>5.98</b>	<b>4.41</b>	<b>395</b>	<b>0.0</b>	<b>0.8</b>	<b>3.2</b>	<b>0.5</b>	<b>21.2</b>	<b>2.5</b>	<b>5.55</b>	<b>4.44</b>
SUTTER	141, BQ	292	0.0	0.6	5.0	0.7	22.2	5.9	4.97	4.45	296	0.0	0.6	5.1	0.8	22.2	5.9	4.97	4.45
SUTTER	413, BQ	244	0.0	2.8	2.6	0.8	21.8	1.6	4.42	4.55	272	0.0	2.7	2.6	0.8	21.7	1.6	4.46	4.54
SUTTER	6428, N	162	0.0	1.0	3.9	0.5	22.0	1.0	5.57	4.37	251	0.0	1.1	4.7	0.5	22.2	1.0	5.58	4.38

**2020 Processing Tomato Season**  
PTAB Analysis (8/8/20) - County by Variety



County	Variety Name	Week Ending 8/8/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
SUTTER	1015, HEINZ	61	0.0	0.7	3.8	0.4	20.8	0.8	4.70	4.46	224	0.0	0.5	3.1	0.4	20.8	1.0	4.84	4.43
SUTTER	13, BP	4	0.0	0.1	5.0	1.4	21.3	1.3	4.40	4.47	187	0.0	0.7	4.9	0.9	21.1	1.6	5.24	4.37
SUTTER	51,BP	62	0.0	0.4	0.3	0.1	21.9	2.0	5.74	4.30	81	0.0	0.4	0.4	0.0	22.2	1.9	5.76	4.30
SUTTER	273, BQ	33	0.0	0.4	0.6	0.1	21.8	0.6	5.13	4.34	81	0.0	0.4	1.1	0.3	21.8	0.5	5.15	4.34
SUTTER	5235, HM	16	0.0	2.0	0.8	0.4	21.7	1.2	5.88	4.45	28	0.0	1.6	1.4	0.3	21.8	1.2	5.96	4.41
SUTTER	1902, HZ	7	0.0	1.4	0.6	0.1	21.8	2.1	6.19	4.50	7	0.0	1.4	0.6	0.1	21.8	2.1	6.19	4.50
SUTTER	9013, SVTM	6	0.0	0.6	0.5	0.3	22.2	0.8	4.82	4.37	6	0.0	0.6	0.5	0.3	22.2	0.8	4.82	4.37
SUTTER	323, BQ	1	0.0	0.0	1.0	0.0	23.0	0.0	5.00	4.27	1	0.0	0.0	1.0	0.0	23.0	0.0	5.00	4.27
<b>SUTTER</b>		<b>888</b>	<b>0.0</b>	<b>1.3</b>	<b>3.4</b>	<b>0.6</b>	<b>21.9</b>	<b>2.8</b>	<b>4.99</b>	<b>4.45</b>	<b>1,434</b>	<b>0.0</b>	<b>1.1</b>	<b>3.6</b>	<b>0.6</b>	<b>21.7</b>	<b>2.2</b>	<b>5.07</b>	<b>4.43</b>
TULARE	400, BQ	533	0.0	1.4	3.8	1.3	20.2	2.2	4.95	4.55	906	0.0	1.1	3.7	1.3	20.3	2.0	4.99	4.52
TULARE	403, BQ	139	0.0	1.1	1.8	0.1	20.5	1.6	4.74	4.37	152	0.0	1.1	1.7	0.1	20.5	1.5	4.76	4.37
<b>TULARE</b>		<b>672</b>	<b>0.0</b>	<b>1.4</b>	<b>3.4</b>	<b>1.0</b>	<b>20.3</b>	<b>2.1</b>	<b>4.91</b>	<b>4.51</b>	<b>1,058</b>	<b>0.0</b>	<b>1.1</b>	<b>3.4</b>	<b>1.1</b>	<b>20.3</b>	<b>2.0</b>	<b>4.96</b>	<b>4.50</b>
YOLO	13, BP	388	0.0	0.5	3.4	2.1	21.9	1.2	4.50	4.37	1,567	0.0	0.3	3.4	1.6	21.9	1.3	4.66	4.36
YOLO	4909, HMX	906	0.0	0.8	0.6	0.3	22.6	0.7	5.20	4.23	1,150	0.0	0.8	0.7	0.3	22.7	0.7	5.16	4.23
YOLO	273, BQ	297	0.0	0.4	1.7	0.4	21.5	1.1	5.05	4.32	1,042	0.0	0.3	1.5	0.4	21.6	0.8	5.12	4.29
YOLO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	762	0.0	0.1	0.8	0.3	21.8	0.6	5.07	4.25
YOLO	413, BQ	142	0.0	0.6	1.7	0.4	21.0	0.9	4.61	4.51	739	0.0	0.4	2.5	0.7	21.6	0.7	4.44	4.46
YOLO	6428, N	517	0.0	0.3	3.0	2.5	22.8	1.3	4.87	4.42	638	0.0	0.8	3.7	2.1	22.8	1.4	5.14	4.44
YOLO	0311, AB	385	0.0	0.9	0.4	0.1	20.9	1.2	6.27	4.32	464	0.0	0.9	0.4	0.1	21.3	1.3	6.32	4.32
YOLO	6397, N	126	0.0	0.6	0.5	0.6	21.2	1.4	5.16	4.42	436	0.0	0.4	0.7	0.3	21.8	1.1	5.28	4.40
YOLO	5235, HM	285	0.0	0.7	2.3	1.1	20.5	1.6	5.21	4.40	414	0.0	0.7	1.9	1.0	20.4	1.3	5.20	4.38
YOLO	8011, SV	315	0.0	0.8	0.7	1.0	22.2	1.4	5.10	4.39	382	0.0	0.8	0.7	0.8	22.3	1.3	5.13	4.39
YOLO	6463, N	149	0.0	0.7	1.1	0.2	20.1	0.5	4.79	4.40	261	0.0	0.5	1.0	0.2	20.2	0.5	4.77	4.38
YOLO	1662, HZ	208	0.0	0.2	4.4	1.3	23.2	0.9	4.67	4.31	208	0.0	0.2	4.4	1.3	23.2	0.9	4.67	4.31
YOLO	9011, SVTM	110	0.0	1.2	0.6	0.3	20.5	0.9	5.73	4.32	186	0.0	1.4	0.7	0.3	20.3	0.8	5.63	4.30
YOLO	UNCODED	183	0.0	0.3	2.7	0.8	20.5	1.1	4.65	4.41	183	0.0	0.3	2.7	0.8	20.5	1.1	4.65	4.41
YOLO	0319, DRI	131	0.0	1.0	0.5	0.2	21.2	1.7	5.40	4.32	179	0.0	1.1	0.5	0.2	21.1	1.6	5.38	4.31
YOLO	5608, HZ	158	0.0	0.4	0.4	0.7	20.2	1.0	5.10	4.39	158	0.0	0.4	0.4	0.7	20.2	1.0	5.10	4.39
YOLO	3887, HM	97	0.0	0.3	0.3	0.0	22.1	1.8	5.26	4.37	115	0.0	0.3	0.3	0.1	22.1	1.7	5.25	4.38
YOLO	9000, SVTM	37	0.0	0.4	0.5	0.1	21.7	0.7	5.06	4.39	105	0.0	0.4	0.6	0.1	21.8	0.4	4.98	4.38
YOLO	6459, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	104	0.0	1.1	3.9	1.2	21.9	0.9	5.08	4.44
YOLO	6460, N	100	0.0	0.3	0.8	0.0	22.7	0.5	4.98	4.45	100	0.0	0.3	0.8	0.0	22.7	0.5	4.98	4.45
YOLO	58841, HM	84	0.0	0.3	0.5	0.1	22.8	0.4	5.33	4.30	84	0.0	0.3	0.5	0.1	22.8	0.4	5.33	4.30
YOLO	141, BQ	24	0.0	0.1	4.6	2.0	21.0	1.7	5.30	4.41	81	0.0	0.2	4.7	2.9	21.3	1.8	5.26	4.39
YOLO	1293, HZ	24	0.0	0.4	1.1	1.1	21.9	0.8	5.45	4.50	80	0.0	0.3	1.4	0.7	20.6	0.5	5.40	4.49
YOLO	5522, HM 61P	56	0.0	0.2	0.3	0.2	20.6	1.4	5.88	4.37	56	0.0	0.2	0.3	0.2	20.6	1.4	5.88	4.37
YOLO	1082, SVTM	52	0.0	0.2	0.4	0.4	22.4	0.4	5.52	4.32	52	0.0	0.2	0.4	0.4	22.4	0.4	5.52	4.32
YOLO	3842, BOS	47	0.0	0.6	0.7	0.1	22.4	1.0	5.42	4.37	47	0.0	0.6	0.7	0.1	22.4	1.0	5.42	4.37
YOLO	19406, UG	29	0.0	0.7	0.2	0.2	22.9	2.2	6.24	4.39	29	0.0	0.7	0.2	0.2	22.9	2.2	6.24	4.39
YOLO	400, BQ	25	0.0	0.1	0.2	0.3	20.7	0.7	4.66	4.43	25	0.0	0.1	0.2	0.3	20.7	0.7	4.66	4.43
YOLO	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.1	1.3	1.6	22.8	1.4	4.68	4.23
YOLO	MISC TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.2	2.3	0.2	21.2	0.7	5.93	4.38
YOLO	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.3	0.0	21.3	0.3	5.37	4.40
YOLO	MIX	1	0.0	2.0	0.0	0.5	21.0	0.5	6.10	4.26	1	0.0	2.0	0.0	0.5	21.0	0.5	6.10	4.26

**2020 Processing Tomato Season**  
*PTAB Analysis (8/8/20) - County by Variety*



County	Variety Name	Week Ending 8/8/19									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
YOLO	16, BP	1	0.0	1.0	0.0	0.0	21.5	2.0	5.30	4.41	1	0.0	1.0	0.0	0.0	21.5	2.0	5.30	4.41
YOLO	270, BQ	1	0.0	1.0	0.0	2.0	22.0	1.0	4.60	4.32	1	0.0	1.0	0.0	2.0	22.0	1.0	4.60	4.32
YOLO	6440, N	1	0.0	0.5	0.5	0.0	22.0	0.5	4.80	4.39	1	0.0	0.5	0.5	0.0	22.0	0.5	4.80	4.39
<b>YOLO</b>		<b>4,879</b>	<b>0.0</b>	<b>0.6</b>	<b>1.5</b>	<b>0.8</b>	<b>21.8</b>	<b>1.1</b>	<b>5.13</b>	<b>4.35</b>	<b>9,661</b>	<b>0.0</b>	<b>0.5</b>	<b>1.8</b>	<b>0.8</b>	<b>21.8</b>	<b>1.0</b>	<b>5.06</b>	<b>4.35</b>