

2020 Processing Tomato Season
 PTAB Analysis (8/29/20) - Statewide by Variety



Variety Name	Week Ending 8/29/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
273, BQ	280	0	2.1	1.4	0.9	21.26	2.4	5.17	4.47	23,021	0	0.7	2.0	0.6	21.11	1.7	5.41	4.37
6428, N	7,207	0	2.6	2.6	1.2	22.12	2.4	4.75	4.52	19,755	0	1.7	3.0	1.1	22.34	2.4	4.93	4.48
8011, SV	2,834	0	3.1	1.4	0.7	20.90	1.7	5.31	4.47	16,318	0	1.7	1.6	0.5	20.76	1.3	5.52	4.43
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13,289	0	0.5	1.5	0.7	21.28	1.9	5.42	4.36
400, BQ	115	0	0.9	0.3	0.1	19.43	0.4	5.38	4.53	11,927	0	0.5	1.7	0.7	20.10	1.1	5.25	4.47
5608, HZ	946	0	3.7	1.7	0.6	20.63	1.3	5.05	4.52	9,747	0	1.0	1.3	0.6	20.36	1.1	5.17	4.44
0311, AB	1,906	0	3.5	1.2	0.7	20.55	2.5	5.69	4.44	9,567	0	2.1	1.3	0.5	20.79	2.0	5.93	4.39
0319, DRI	2,097	0	2.4	1.4	0.6	21.78	2.9	5.68	4.44	8,241	0	1.9	1.4	0.5	21.79	2.5	5.86	4.43
0811, BOS	1236	0	1.9	1.2	0.4	20.38	0.7	5.22	4.40	7,857	0	0.8	1.7	0.6	20.16	0.7	5.31	4.38
9011, SVTM	1878	0	3.8	1.8	0.7	20.56	2.2	5.56	4.46	7,299	0	2.3	2.1	0.6	20.92	2.0	5.87	4.45
5522, HM 61P	953	0	2.0	0.7	0.3	20.62	1.0	5.41	4.39	6,865	0	0.6	0.9	0.4	20.33	0.8	5.91	4.37
6402, N	39	0	3.2	0.7	0.1	20.32	2.4	5.08	4.47	5,646	0	1.2	1.2	0.4	20.51	1.6	5.76	4.46
5235, HM	1494	0	2.5	1.7	0.9	20.60	3.0	5.30	4.48	5,380	0	1.9	2.0	1.0	20.74	2.9	5.46	4.47
13, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,933	0	0.4	3.4	1.5	21.60	1.6	4.86	4.38
6366, SUN	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,888	0	0.9	1.3	0.3	20.97	1.8	5.40	4.45
3887, HM	141	0	0.8	2.0	0.2	20.51	1.1	5.64	4.40	4,356	0	1.3	2.3	0.4	21.22	1.6	5.58	4.44
9013, SVTM	1222	0	2.3	1.7	0.5	20.83	1.6	4.95	4.45	3,289	0	1.7	1.1	0.4	20.99	1.5	5.23	4.41
2756, SV	987	0	1.0	2.0	0.5	20.69	0.6	5.35	4.46	3,260	0	0.5	1.4	0.4	20.87	0.6	5.20	4.46
1293, HZ	356	0	2.8	1.4	0.9	20.69	0.6	5.09	4.50	3,243	0	1.4	1.5	0.8	20.32	1.0	5.53	4.53
1428, HZ	1708	0	1.0	2.2	1.3	21.30	0.6	4.89	4.50	3,116	0	0.7	2.7	1.3	21.40	0.6	4.90	4.47
413, BQ	163	0	4.0	3.0	0.9	21.12	3.1	4.55	4.54	2,989	0	1.9	2.7	0.9	21.43	1.7	4.68	4.53
8163, HM	652	0	1.9	0.8	0.7	20.28	1.1	5.61	4.50	2,821	0	1.1	0.8	0.9	19.99	1.0	5.87	4.45
4521, HMX 61P	414	0	1.6	1.4	0.7	20.04	0.3	5.48	4.38	2,673	0	0.6	1.5	0.4	20.67	0.3	5.72	4.37
9008, SVTM	835	0	1.7	1.0	0.3	20.80	0.4	5.39	4.34	2,650	0	1.0	1.2	0.3	20.78	0.4	5.46	4.33
4909, HMX	90	0	2.5	0.2	0.4	21.05	1.6	5.44	4.33	2,568	0	1.1	0.8	0.4	22.74	1.0	5.49	4.25
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,566	0	0.4	0.8	0.3	20.86	0.5	5.05	4.42
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,349	0	0.4	2.3	1.0	20.79	1.2	5.20	4.44
6434, N	447	0	2.3	3.5	1.5	22.30	3.0	5.09	4.50	2,321	0	1.7	2.7	1.3	22.37	2.8	5.27	4.51
9014, SVTM	554	0	2.7	1.1	0.4	21.09	1.9	5.04	4.44	2,234	0	1.8	1.1	0.3	20.86	1.2	5.32	4.42
2401, HEINZ	1165	0	1.7	2.3	0.8	21.60	1.1	4.77	4.38	2,219	0	1.1	2.3	0.7	21.81	0.9	4.86	4.38
4707, HEINZ	1103	0	0.8	1.5	0.5	22.62	0.5	4.92	4.45	2,145	0	0.5	2.0	0.5	22.71	0.4	4.82	4.42
4885, HMX	195	0	4.0	1.3	0.4	21.58	1.6	5.50	4.46	2,076	0	1.1	1.6	0.3	20.87	1.0	5.22	4.40
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,931	0	0.8	1.4	0.3	21.29	2.3	4.84	4.40
58841, HM	1006	0	1.6	0.8	0.6	20.66	0.8	5.45	4.40	1,861	0	1.1	0.7	0.5	21.29	1.0	5.36	4.38
1662, HZ	631	0	1.2	1.2	0.5	22.16	1.8	5.24	4.46	1,857	0	0.8	1.8	0.8	22.47	1.6	5.07	4.44
9016, SVTM	976	0	2.1	3.2	0.7	21.71	0.7	4.94	4.40	1,785	0	1.5	3.0	0.7	21.81	0.6	5.08	4.37
1082, SVTM	430	0	1.2	0.6	0.7	21.13	1.0	5.37	4.31	1,685	0	1.0	1.0	0.7	21.76	1.6	5.38	4.33
7885, HMX	554	0	1.8	0.7	0.2	21.71	1.1	4.55	4.64	1,594	0	1.4	1.0	0.2	21.49	1.2	4.93	4.63
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,524	0	0.4	2.3	0.5	21.10	1.4	5.17	4.36

2020 Processing Tomato Season
PTAB Analysis (8/29/20) - Statewide by Variety



Variety Name	Week Ending 8/29/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6415, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,396	0	0.4	1.9	0.3	21.52	0.8	5.18	4.44
16112, UG	832	0	0.6	2.8	0.6	21.02	0.3	5.12	4.35	1,201	0	0.6	2.3	0.5	20.93	0.3	5.15	4.35
58811, HM	301	0	1.5	0.3	0.8	22.16	1.3	5.02	4.46	1,098	0	1.1	1.4	0.8	22.27	1.1	5.21	4.42
6420, N	266	0	3.0	0.5	0.4	21.21	2.1	4.74	4.60	1,062	0	1.8	0.9	0.5	21.09	1.6	5.08	4.55
6426, N	583	0	2.4	2.1	1.3	20.63	1.8	5.15	4.54	1,008	0	1.8	2.0	1.0	20.60	1.5	5.24	4.52
9012, SVTM	408	0	3.9	1.7	0.4	20.67	2.3	5.63	4.46	897	0	2.5	1.2	0.4	20.73	2.1	5.73	4.44
UNCODED	374	0	2.7	2.0	0.7	20.56	0.8	4.99	4.46	891	0	1.4	1.7	0.5	20.58	0.8	5.29	4.43
1892, HM	118	0	2.2	1.3	2.1	21.41	2.7	5.76	4.59	839	0	1.5	2.3	0.8	21.26	2.0	5.57	4.54
4014, UG	378	0	2.5	2.5	0.6	20.63	1.1	5.31	4.52	790	0	1.8	2.0	0.5	20.65	1.1	5.31	4.54
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	788	0	0.4	0.8	0.4	21.80	1.1	5.31	4.41
58801, HM	470	0	1.4	1.9	0.4	21.96	2.8	5.27	4.48	773	0	1.3	2.0	0.4	22.11	2.9	5.28	4.48
19406, UG	246	0	1.8	0.3	0.2	21.52	0.7	5.24	4.30	736	0	1.3	0.3	0.3	21.92	1.0	5.43	4.29
29814, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	724	0	0.2	1.5	0.2	21.28	0.7	5.92	4.44
141, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	669	0	0.8	5.1	1.0	21.81	5.3	4.98	4.45
9007, SVTM	441	0	1.5	2.9	0.9	22.64	1.7	4.72	4.53	663	0	1.3	3.1	0.8	22.79	1.8	4.74	4.54
9663, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	501	0	2.3	1.9	0.8	20.21	1.8	4.85	4.40
5900, HM	137	0	1.4	1.1	0.5	22.46	3.1	5.36	4.39	457	0	1.0	1.2	0.3	21.82	3.1	5.42	4.38
16609, UG	20	0	3.3	2.0	0.8	21.83	3.0	5.79	4.42	454	0	0.7	1.0	0.5	20.84	2.1	6.02	4.41
43, BP	276	0	2.2	1.6	0.4	20.63	1.1	6.04	4.46	445	0	1.8	1.6	0.3	20.60	1.0	6.10	4.45
6463, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	391	0	0.8	1.1	0.4	20.37	0.7	4.88	4.42
398, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	325	0	1.8	2.0	0.9	19.58	1.3	5.52	4.49
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	304	0	1.5	3.9	1.3	21.38	1.5	5.12	4.48
5706, HZ	287	0	2.3	2.2	2.3	22.18	2.0	4.62	4.55	287	0	2.3	2.2	2.3	22.18	2.0	4.62	4.55
42, BP	45	0	2.0	0.0	0.1	19.90	6.4	5.15	4.48	275	0	3.7	0.3	0.2	20.31	5.0	5.33	4.48
63, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	265	0	0.5	3.4	0.8	20.42	1.4	4.82	4.42
51, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	255	0	0.3	1.3	0.5	21.81	2.9	5.84	4.34
1996, HZ	29	0	0.5	5.6	0.4	21.88	0.4	5.45	4.38	218	0	0.2	2.1	0.4	20.93	0.2	5.05	4.40
58881, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	215	0	0.9	4.4	0.8	21.18	2.8	5.20	4.47
1765, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	191	0	0.1	1.3	0.3	20.86	0.8	5.46	4.39
8504, HEINZ	190	0	1.5	2.9	2.1	22.28	1.7	4.81	4.31	190	0	1.5	2.9	2.1	22.28	1.7	4.81	4.31
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	178	0	1.1	1.6	0.3	22.35	1.4	5.58	4.44
1997, HZ	21	0	1.1	4.8	0.7	21.50	2.1	4.60	4.47	173	0	0.3	2.2	0.5	21.89	1.0	5.25	4.44
27713, UG	4	0	4.6	0.6	0.6	20.38	2.5	6.68	4.63	163	0	1.2	1.4	0.7	19.72	2.4	6.15	4.45
5702, HZ	83	0	2.4	1.5	0.8	21.02	0.6	4.66	4.54	162	0	1.8	1.5	0.6	21.11	0.7	4.58	4.52
393, BQ	14	0	3.3	0.6	0.2	21.18	2.6	4.98	4.45	143	0	0.9	1.2	0.3	22.27	3.7	4.58	4.47
4326, HMX 61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	138	0	1.3	0.9	0.1	21.09	0.9	5.68	4.36
6460, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	130	0	0.4	0.6	0.0	22.66	0.8	5.05	4.45
1292, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	115	0	0.2	1.5	0.5	20.04	0.8	6.04	4.48
1310, HZ	110	0	6.6	1.7	1.5	22.75	2.3	4.45	4.63	110	0	6.6	1.7	1.5	22.75	2.3	4.45	4.63

2020 Processing Tomato Season
 PTAB Analysis (8/29/20) - Statewide by Variety



Variety Name	Week Ending 8/29/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
18205, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	97	0	0.8	1.6	0.5	20.45	1.9	5.43	4.58
255, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	91	0	1.8	0.7	0.9	22.71	2.3	5.01	4.36
1902, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	77	0	0.4	1.4	0.7	22.00	2.0	4.92	4.44
25033, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	76	0	0.5	2.2	0.5	21.19	0.7	5.35	4.39
9018, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	69	0	0.3	1.5	0.8	21.92	0.6	4.80	4.31
MISC TRIAL	15	0	0.7	0.2	0.3	21.67	0.8	4.51	4.27	66	0	1.4	0.9	0.3	21.69	1.4	4.90	4.37
23, NB	37	0	4.0	1.4	0.3	20.50	1.6	5.39	4.49	56	0	3.1	2.0	0.5	20.79	1.6	5.68	4.49
9025, SVTM	22	0	1.2	0.4	0.1	23.34	1.3	5.63	4.33	52	0	0.7	1.2	0.4	22.75	0.6	5.10	4.29
5369, HMX61P	25	0	2.7	0.5	0.2	21.88	1.4	5.11	4.63	50	0	1.6	0.7	0.3	20.62	1.1	5.43	4.51
1991, HZ	6	0	6.2	0.8	0.0	20.92	2.4	4.93	4.48	47	0	1.7	1.3	0.4	20.47	1.2	4.85	4.48
1994, HZ	5	0	3.6	1.2	0.3	21.90	0.8	4.94	4.37	46	0	0.6	2.0	0.2	21.66	0.3	5.11	4.37
108, HYPEEL	2	0	3.3	1.0	0.3	21.75	2.0	5.05	4.58	41	0	0.6	2.0	0.4	22.10	1.7	5.41	4.49
HEINZ TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	40	0	0.1	1.4	0.8	22.46	1.0	5.47	4.47
MIX	8	0	2.8	0.2	0.0	20.13	0.9	5.60	4.42	38	0	1.4	0.6	0.5	20.43	2.1	5.82	4.47
9023, SVTM	23	0	1.5	3.2	0.9	22.30	1.0	4.89	4.45	29	0	1.3	2.7	0.8	22.72	3.0	4.92	4.48
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	25	0	0.1	1.0	0.2	21.84	0.7	6.02	4.33
7103, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13	0	0.1	0.3	0.2	20.73	1.1	5.58	4.37
422, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	12	0	1.0	4.7	0.3	21.83	4.5	5.53	4.53
6465, N	6	0	1.5	1.2	0.3	22.00	1.8	4.95	4.44	11	0	1.1	1.2	0.6	22.18	2.4	5.21	4.46
23024, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	0.0	1.0	0.4	20.14	0.1	5.51	4.48
26623, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	0.1	1.2	0.1	20.64	0.4	5.79	4.36
74, BP	4	0	1.5	0.3	0.6	20.00	0.9	5.03	4.38	10	0	0.9	2.2	0.9	21.40	1.8	5.65	4.41
9019, SVTM	4	0	0.8	0.1	0.4	21.25	0.8	5.20	4.19	7	0	0.5	0.5	0.2	21.71	0.6	5.61	4.22
9024, SVTM	7	0	2.3	1.2	0.1	21.86	0.7	5.24	4.30	7	0	2.3	1.2	0.1	21.86	0.7	5.24	4.30
49, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6	0	1.8	0.4	0.4	21.00	0.8	5.30	4.50
29314	6	0	0.3	0.9	0.5	20.75	1.1	4.98	4.39	6	0	0.3	0.9	0.5	20.75	1.1	4.98	4.39
2074, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	1.6	0.6	0.2	20.30	3.8	6.14	4.44
1776, HZ	4	0	6.0	3.3	0.3	21.50	0.1	4.75	4.50	4	0	6.0	3.3	0.3	21.50	0.1	4.75	4.50
000, MISC	3	0	4.0	0.0	0.3	20.17	0.8	5.33	4.34	3	0	4.0	0.0	0.3	20.17	0.8	5.33	4.34
48, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.5	0.0	0.0	21.50	3.5	5.47	4.44
6440, N	1	0	1.0	0.0	0.0	22.00	1.0	4.60	4.57	3	0	2.0	0.5	0.3	22.33	1.5	4.73	4.54
1115, FM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.0	2.0	0.3	20.50	1.3	6.10	4.51
9003, SVTM	2	0	1.0	0.0	0.0	19.25	0.8	5.10	4.33	2	0	1.0	0.0	0.0	19.25	0.8	5.10	4.33
2, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	21.50	1.5	5.70	4.46
19, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.5	1.0	0.0	24.50	0.5	5.70	4.51
47, BP	1	0	4.0	2.0	1.0	20.50	1.0	6.40	4.35	1	0	4.0	2.0	1.0	20.50	1.0	6.40	4.35
435, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	4.0	1.0	0.5	22.00	5.5	4.40	4.57
37314, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.5	19.00	0.5	5.50	4.48

2020 Processing Tomato Season
PTAB Analysis (8/29/20) - Statewide by Variety



Variety Name	Week Ending 8/29/20										Year to Date									
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH		#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	
STATEWIDE	40,428	0.0	2.3	1.8	0.8	21.28	1.7	5.16	4.46		234,486	0.0	1.2	1.8	0.6	21.11	1.5	5.37	4.42	