

2020 Processing Tomato Season
PTAB Analysis (9/5/20) - Statewide by Variety



	Week Ending 9/5/20										Year to Date								
Variety Name	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	
6428, N	5,903	0	3.6	2.7	1.2	21.83	2.3	4.75	4.53	25,658	0	2.1	2.9	1.1	22.22	2.3	4.89	4.49	
273, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	23,021	0	0.7	2.0	0.6	21.11	1.7	5.41	4.37	
8011, SV	1,101	0	2.9	1.0	0.5	20.05	1.2	5.20	4.45	17,430	0	1.8	1.5	0.5	20.71	1.3	5.50	4.43	
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13,289	0	0.5	1.5	0.7	21.28	1.9	5.42	4.36	
400, BQ	108	0	2.8	2.2	0.4	20.09	1.9	5.46	4.52	12,035	0	0.5	1.7	0.7	20.10	1.2	5.26	4.47	
5608, HZ	755	0	7.3	2.6	0.6	20.41	1.1	5.03	4.50	10,502	0	1.5	1.4	0.6	20.36	1.1	5.16	4.45	
0311, AB	587	0	3.5	0.7	0.2	20.30	1.6	5.60	4.39	10,154	0	2.1	1.3	0.5	20.76	2.0	5.91	4.39	
0319, DRI	1,413	0	2.2	1.2	0.7	21.38	2.7	5.63	4.42	9,654	0	1.9	1.4	0.6	21.73	2.5	5.83	4.43	
9011, SVTM	2,039	0	3.5	1.0	0.5	20.35	1.5	5.42	4.42	9,338	0	2.5	1.9	0.6	20.79	1.9	5.77	4.44	
0811, BOS	1,406	0	1.8	1.2	0.5	20.40	0.7	5.00	4.43	9,263	0	0.9	1.6	0.6	20.20	0.7	5.27	4.39	
5522, HM 61P	762	0	1.5	0.6	0.3	20.25	0.7	5.60	4.38	7,627	0	0.7	0.9	0.4	20.32	0.8	5.88	4.37	
5235, HM	911	0	4.1	1.9	1.3	20.20	2.6	5.27	4.47	6,291	0	2.3	2.0	1.0	20.66	2.8	5.43	4.47	
6402, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5,646	0	1.2	1.2	0.4	20.51	1.6	5.76	4.46	
6366, SUN	243	0	2.7	0.8	0.3	20.64	2.0	4.81	4.47	5,131	0	1.0	1.3	0.3	20.95	1.8	5.37	4.45	
1428, HZ	1,911	0	2.0	2.3	0.8	21.14	0.8	4.91	4.53	5,027	0	1.2	2.5	1.1	21.30	0.6	4.90	4.49	
13, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4,933	0	0.4	3.4	1.5	21.60	1.6	4.86	4.38	
4707, HEINZ	2,553	0	0.8	1.9	0.7	22.99	0.6	4.82	4.47	4,698	0	0.7	2.0	0.6	22.86	0.5	4.82	4.45	
9013, SVTM	1,297	0	2.4	2.3	0.6	20.24	1.4	5.16	4.43	4,586	0	1.9	1.5	0.5	20.78	1.5	5.21	4.42	
3887, HM	156	0	3.6	4.2	0.5	20.16	1.0	5.04	4.46	4,512	0	1.3	2.4	0.4	21.18	1.6	5.57	4.44	
1662, HZ	2,442	0	1.8	2.1	0.7	21.78	1.4	5.06	4.46	4,299	0	1.3	2.0	0.7	22.08	1.5	5.06	4.45	
2756, SV	997	0	1.1	2.0	0.5	20.64	0.7	5.11	4.50	4,257	0	0.7	1.6	0.4	20.81	0.7	5.18	4.47	
9016, SVTM	2180	0	2.8	1.7	0.7	21.94	0.8	4.82	4.39	3,965	0	2.2	2.3	0.7	21.88	0.7	4.94	4.38	
8163, HM	808	0	1.5	0.7	0.8	19.98	1.2	5.68	4.46	3,629	0	1.2	0.8	0.8	19.99	1.0	5.83	4.45	
1293, HZ	352	0	2.0	1.1	0.6	20.23	1.6	5.43	4.55	3,595	0	1.4	1.4	0.8	20.31	1.1	5.52	4.53	
2401, HEINZ	1346	0	2.2	2.7	0.9	21.61	1.3	5.08	4.38	3,565	0	1.5	2.5	0.8	21.73	1.1	4.94	4.38	
9008, SVTM	622	0	1.4	0.7	0.4	20.78	0.5	5.37	4.35	3,272	0	1.1	1.1	0.3	20.78	0.4	5.44	4.34	
9014, SVTM	951	0	2.9	0.6	0.4	20.14	1.5	4.88	4.39	3,185	0	2.1	1.0	0.3	20.65	1.3	5.19	4.41	
413, BQ	26	0	6.1	1.2	3.1	21.71	6.7	4.37	4.66	3,015	0	1.9	2.7	0.9	21.43	1.7	4.67	4.53	
4521, HMX 61P	293	0	1.1	1.0	0.2	21.41	0.7	5.28	4.49	2,966	0	0.6	1.5	0.4	20.74	0.3	5.68	4.38	
6434, N	615	0	1.2	4.5	1.3	21.07	0.8	4.96	4.48	2,936	0	1.6	3.1	1.3	22.10	2.4	5.20	4.50	
58841, HM	946	0	1.4	2.1	1.1	20.69	0.9	5.24	4.39	2,807	0	1.2	1.1	0.7	21.09	0.9	5.32	4.38	
4909, HMX	120	0	2.5	0.7	0.1	21.79	2.0	5.95	4.30	2,688	0	1.2	0.8	0.4	22.70	1.1	5.51	4.25	
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,566	0	0.4	0.8	0.3	20.86	0.5	5.05	4.42	
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,349	0	0.4	2.3	1.0	20.79	1.2	5.20	4.44	
4885, HMX	116	0	1.2	3.3	0.3	21.54	1.6	5.30	4.41	2,192	0	1.2	1.7	0.3	20.90	1.0	5.22	4.40	
1082, SVTM	432	0	1.8	0.9	0.8	21.06	1.5	5.30	4.35	2,117	0	1.2	1.0	0.7	21.61	1.6	5.36	4.33	
6426, N	957	0	1.8	2.7	0.5	20.56	1.3	5.11	4.45	1,965	0	1.8	2.4	0.7	20.58	1.4	5.18	4.49	
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,931	0	0.8	1.4	0.3	21.29	2.3	4.84	4.40	
16112, UG	704	0	1.1	1.7	0.4	20.92	0.3	5.09	4.39	1,905	0	0.8	2.1	0.5	20.93	0.3	5.13	4.36	

2020 Processing Tomato Season
PTAB Analysis (9/5/20) - Statewide by Variety



Variety Name	Week Ending 9/5/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
7885, HMX	205	0	2.6	0.9	0.4	20.55	0.6	5.03	4.62	1,799	0	1.6	1.0	0.2	21.38	1.1	4.94	4.63
58811, HM	604	0	0.9	0.8	0.8	21.49	0.9	4.93	4.47	1,702	0	1.0	1.2	0.8	22.00	1.0	5.11	4.44
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,524	0	0.4	2.3	0.5	21.10	1.4	5.17	4.36
6415, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,396	0	0.4	1.9	0.3	21.52	0.8	5.18	4.44
58801, HM	472	0	2.8	1.7	0.7	21.89	3.3	5.21	4.51	1,245	0	1.9	1.9	0.5	22.03	3.0	5.25	4.49
6420, N	100	0	3.1	1.5	0.5	21.61	2.2	4.85	4.54	1,162	0	1.9	0.9	0.5	21.13	1.6	5.06	4.55
4014, UG	212	0	3.0	1.2	0.8	20.50	1.2	4.86	4.52	991	0	2.0	1.8	0.6	20.61	1.1	5.21	4.53
UNCODED	51	0	2.1	1.4	2.3	21.49	4.4	5.26	4.53	942	0	1.5	1.7	0.6	20.63	1.0	5.28	4.44
9012, SVTM	15	0	6.1	0.9	0.4	21.50	3.3	5.72	4.59	912	0	2.6	1.2	0.4	20.74	2.1	5.73	4.44
19406, UG	106	0	2.8	0.3	0.4	21.26	0.8	5.57	4.30	842	0	1.5	0.3	0.3	21.83	1.0	5.45	4.29
1892, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	839	0	1.5	2.3	0.8	21.26	2.0	5.57	4.54
16609, UG	344	0	2.8	1.5	0.5	21.39	1.8	5.57	4.43	798	0	1.6	1.2	0.5	21.08	2.0	5.83	4.42
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	788	0	0.4	0.8	0.4	21.80	1.1	5.31	4.41
9007, SVTM	118	0	1.1	2.2	0.7	21.62	1.5	5.09	4.52	781	0	1.3	2.9	0.8	22.61	1.8	4.79	4.53
43, BP	297	0	3.0	1.6	0.4	20.14	1.7	6.09	4.50	742	0	2.3	1.6	0.3	20.42	1.3	6.09	4.47
29814, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	724	0	0.2	1.5	0.2	21.28	0.7	5.92	4.44
141, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	669	0	0.8	5.1	1.0	21.81	5.3	4.98	4.45
8504, HEINZ	409	0	2.0	1.0	0.4	22.01	1.3	4.59	4.31	599	0	1.8	1.6	0.9	22.10	1.4	4.66	4.31
5900, HM	48	0	0.7	1.0	0.9	21.16	0.9	5.52	4.22	505	0	1.0	1.1	0.3	21.76	2.9	5.43	4.36
9663, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	501	0	2.3	1.9	0.8	20.21	1.8	4.85	4.40
5702, HZ	302	0	1.9	1.3	0.5	20.46	0.7	4.93	4.56	464	0	1.9	1.4	0.6	20.68	0.7	4.81	4.54
398, BQ	99	0	0.6	0.4	0.2	19.86	1.1	4.79	4.42	424	0	1.5	1.6	0.7	19.65	1.3	5.35	4.48
6463, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	391	0	0.8	1.1	0.4	20.37	0.7	4.88	4.42
63, NB	101	0	1.7	0.8	0.3	20.64	2.5	5.50	4.55	366	0	0.8	2.7	0.6	20.48	1.7	5.01	4.46
42, BP	60	0	2.1	2.2	0.1	21.44	2.0	4.76	4.46	335	0	3.4	0.7	0.2	20.52	4.5	5.23	4.48
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	304	0	1.5	3.9	1.3	21.38	1.5	5.12	4.48
1996, HZ	82	0	1.1	0.6	0.6	20.11	0.6	5.27	4.51	300	0	0.5	1.7	0.5	20.70	0.3	5.11	4.43
5706, HZ	1	0	0.0	3.5	4.0	21.50	4.5	4.60	4.54	288	0	2.3	2.2	2.3	22.17	2.0	4.62	4.55
27713, UG	124	0	4.4	2.4	0.8	19.94	3.8	5.89	4.51	287	0	2.6	1.8	0.7	19.81	3.0	6.04	4.48
1310, HZ	175	0	5.0	2.8	1.9	21.86	3.1	5.09	4.57	285	0	5.6	2.4	1.8	22.20	2.8	4.84	4.59
51,BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	255	0	0.3	1.3	0.5	21.81	2.9	5.84	4.34
1997, HZ	46	0	3.4	2.8	0.5	20.42	0.6	4.97	4.44	219	0	1.0	2.3	0.5	21.58	0.9	5.19	4.44
58881, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	215	0	0.9	4.4	0.7	21.18	2.8	5.20	4.47
1765, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	191	0	0.1	1.3	0.3	20.86	0.8	5.46	4.39
3842, BOS	13	0	0.3	0.6	0.1	19.00	0.7	5.15	4.50	191	0	1.1	1.5	0.3	22.12	1.4	5.55	4.44
9023, SVTM	134	0	4.3	0.6	0.1	22.39	1.3	5.48	4.46	163	0	3.8	1.0	0.3	22.45	1.6	5.38	4.47
393, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	143	0	0.9	1.2	0.3	22.27	3.7	4.58	4.47
4326, HMX 61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	138	0	1.3	0.9	0.1	21.09	0.9	5.68	4.36
6460, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	130	0	0.4	0.6	0.0	22.66	0.8	5.05	4.45

2020 Processing Tomato Season
PTAB Analysis (9/5/20) - Statewide by Variety



Variety Name	Week Ending 9/5/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
MIX	91	0	5.4	0.2	0.2	20.66	1.8	5.17	4.42	129	0	4.2	0.3	0.3	20.59	1.9	5.36	4.43
1292, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	115	0	0.2	1.5	0.5	20.04	0.8	6.04	4.48
18205, ISI	5	0	1.7	1.0	1.0	21.60	1.5	4.64	4.32	102	0	0.8	1.5	0.6	20.51	1.9	5.39	4.57
255, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	91	0	1.8	0.7	0.9	22.71	2.3	5.01	4.36
23, NB	34	0	1.7	0.5	0.1	20.66	1.4	5.63	4.43	90	0	2.6	1.5	0.4	20.74	1.5	5.66	4.47
1902, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	77	0	0.4	1.4	0.7	22.00	2.0	4.92	4.44
25033, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	76	0	0.5	2.2	0.5	21.19	0.7	5.35	4.39
1776, HZ	71	0	2.1	1.9	0.6	21.42	0.4	5.09	4.43	75	0	2.3	2.0	0.6	21.42	0.4	5.07	4.44
HEINZ TRIAL	33	0	4.1	2.8	0.1	21.56	1.7	4.97	4.56	73	0	1.9	2.0	0.5	22.05	1.3	5.25	4.51
1422, HZ	73	0	3.7	1.0	2.0	21.68	5.0	5.14	4.48	73	0	3.7	1.0	2.0	21.68	5.0	5.14	4.48
9018, SVTM	2	0	5.3	1.3	0.0	21.25	0.8	5.45	4.45	71	0	0.4	1.5	0.8	21.90	0.6	4.82	4.31
MISC TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	66	0	1.4	0.9	0.3	21.69	1.4	4.90	4.37
5369, HMX61P	13	0	0.7	0.1	0.3	21.04	0.8	5.68	4.62	63	0	1.4	0.6	0.3	20.71	1.1	5.48	4.54
9025, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	52	0	0.7	1.2	0.4	22.75	0.6	5.10	4.29
1991, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	47	0	1.7	1.3	0.4	20.47	1.2	4.85	4.48
1994, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	46	0	0.6	2.0	0.2	21.66	0.3	5.11	4.37
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	41	0	0.6	2.0	0.4	22.10	1.7	5.41	4.49
422, BQ	23	0	2.6	0.5	0.0	20.93	4.2	4.81	4.45	35	0	2.1	1.9	0.1	21.24	4.3	5.06	4.48
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	25	0	0.1	1.0	0.2	21.84	0.7	6.02	4.33
9905, HARRIS MO	22	0	0.6	0.2	0.2	20.66	0.2	5.25	4.42	22	0	0.6	0.2	0.2	20.66	0.2	5.25	4.42
6377, SSA	21	0	2.0	1.1	1.4	21.98	0.2	5.60	4.23	21	0	2.0	1.1	1.4	21.98	0.2	5.60	4.23
50, BP	16	0	4.9	1.4	0.3	22.16	1.3	4.21	4.42	16	0	4.9	1.4	0.3	22.16	1.3	4.21	4.42
7744, BOS	15	0	2.8	1.5	1.4	21.90	2.4	5.12	4.55	15	0	2.8	1.5	1.4	21.90	2.4	5.12	4.55
6464, N	14	0	1.7	1.1	0.4	21.57	1.4	5.65	4.42	14	0	1.7	1.1	0.4	21.57	1.4	5.65	4.42
7103, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	13	0	0.1	0.3	0.2	20.73	1.1	5.58	4.37
6465, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	1.1	1.2	0.6	22.18	2.4	5.21	4.46
23024, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	0.0	1.0	0.4	20.14	0.1	5.51	4.48
26623, ISI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	11	0	0.1	1.2	0.1	20.64	0.4	5.79	4.36
29314	5	0	0.2	1.1	0.2	21.00	0.5	5.72	4.37	11	0	0.2	1.0	0.4	20.86	0.8	5.32	4.38
47, BP	9	0	1.0	0.4	0.3	23.33	0.5	5.07	4.35	10	0	1.3	0.6	0.4	23.05	0.6	5.20	4.35
74, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.9	2.2	0.9	21.40	1.8	5.65	4.41
9024, SVTM	2	0	0.5	0.3	1.0	23.50	0.5	4.15	4.29	9	0	1.9	1.0	0.3	22.22	0.7	5.00	4.30
000, MISC	5	0	5.4	0.1	0.1	21.70	0.2	5.44	4.41	8	0	4.9	0.1	0.2	21.13	0.4	5.40	4.39
435, BQ	6	0	1.6	1.8	0.6	21.33	1.3	4.40	4.42	7	0	1.9	1.6	0.6	21.43	1.9	4.40	4.44
9019, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	7	0	0.5	0.5	0.2	21.71	0.6	5.61	4.22
48, BP	3	0	0.2	1.2	1.5	20.83	2.2	5.90	4.42	6	0	0.8	0.6	0.8	21.17	2.8	5.68	4.43
49, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	6	0	1.8	0.4	0.4	21.00	0.8	5.30	4.50
2074, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	1.6	0.6	0.2	20.30	3.8	6.14	4.44
4569, BOS	3	0	0.3	1.2	0.0	20.17	0.5	5.97	4.37	3	0	0.3	1.2	0.0	20.17	0.5	5.97	4.37

2020 Processing Tomato Season
PTAB Analysis (9/5/20) - Statewide by Variety



Variety Name	Week Ending 9/5/20									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6440, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	2.0	0.5	0.3	22.33	1.5	4.73	4.54
1115, FM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	0.0	2.0	0.3	20.50	1.3	6.10	4.51
1311, HZ	2	0	3.5	0.3	0.0	21.00	1.8	5.15	4.43	2	0	3.5	0.3	0.0	21.00	1.8	5.15	4.43
9003, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	1.0	0.0	0.0	19.25	0.8	5.10	4.33
2, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	21.50	1.5	5.70	4.46
19, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.5	1.0	0.0	24.50	0.5	5.70	4.51
20, BP	1	0	1.0	1.0	0.0	21.00	1.5	5.00	4.32	1	0	1.0	1.0	0.0	21.00	1.5	5.00	4.32
4565, BOS	1	0	1.5	0.0	0.0	21.50	2.5	4.90	4.34	1	0	1.5	0.0	0.0	21.50	2.5	4.90	4.34
15212, UG	1	0	1.5	0.5	0.0	18.50	0.5	5.70	4.33	1	0	1.5	0.5	0.0	18.50	0.5	5.70	4.33
37314, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.5	19.00	0.5	5.50	4.48
STATEWIDE	39,641	0.0	2.5	1.8	0.7	21.18	1.4	5.09	4.46	274,127	0.0	1.4	1.8	0.7	21.12	1.5	5.33	4.43