

# 2020 California Processing Tomato

## Use Category Detail

Final PTAB

Variety	Supplier	Attributes	Loads		Brix		Mold	LU	Color	pH
			2020	2019	2020	2019				
<b>Early Class</b>										
BQ273	SYN	-	24,279	24,907	5.38	5.34	0.8	1.7	21.12	4.38
BQ403	SYN	-	13,289	9,616	5.42	5.29	0.5	1.9	21.28	4.36
BQ400	SYN	-	12,103	9,635	5.25	5.14	0.5	1.2	20.11	4.47
BP13	BHN	F3	4,933	2,898	4.86	4.76	0.4	1.6	21.60	4.38
BQ413	SYN	F3	3,015	2,164	4.67	4.64	1.9	1.7	21.43	4.53
SVTM9000	SVS	Lv	2,566	2,293	5.05	5.16	0.4	0.5	20.86	4.42
H1015	HZ	EFS™	2,349	2,815	5.20	5.06	0.4	1.2	20.79	4.44
CXD187	HM	-	1,931	423	4.84	4.72	0.8	2.3	21.29	4.40
UG4014	UG	-	1,586	6	5.00	5.53	2.2	1.1	20.63	4.51
N6416	NS	-	1,524	1,759	5.17	4.84	0.4	1.4	21.10	4.36
N6397	NS	-	788	840	5.31	5.30	0.4	1.1	21.80	4.41
NB63	NB	F3	534	-	4.93	-	2.1	1.5	20.68	4.50
N6459	NS	F3	304	442	5.12	5.05	1.5	1.5	21.38	4.48
BP51	BHN	F3, EFH	255	14	5.84	5.39	0.3	2.9	21.81	4.34
HM58881	HM	-	218	273	5.20	4.95	0.9	2.8	21.16	4.47
H1765	HZ	-	198	105	5.50	5.05	0.1	1.0	20.91	4.39
BOS3842	OS	-	191	128	5.55	4.88	1.1	1.4	22.12	4.44
H1902	HZ	F3	77	-	4.92	-	0.4	2.0	22.00	4.44
SVTM9018	SVS	F3, Fr	71	-	4.82	-	0.4	0.6	21.90	4.31
SV0599TM	SVS	-	25	34	6.02	5.51	0.1	0.7	21.84	4.33
HM7103	HM	-	13	-	5.58	-	0.1	1.1	20.73	4.37
H1901	HZ	-	4	2	4.40	5.05	4.3	1.4	19.63	4.37
<b>Early Total</b>			<b>70,253</b>	<b>58,354</b>	<b>5.25</b>	<b>5.20</b>	<b>0.7</b>	<b>1.6</b>	<b>21.01</b>	<b>4.40</b>
<b>Thin Class</b>										
DRI319	SVS	-	15,402	20,550	5.67	5.65	1.9	2.4	21.61	4.42
SVTM9011	SVS	F3	14,285	1,702	5.65	5.56	2.9	1.8	20.71	4.43
AB0311	SVS	-	13,194	23,733	5.83	5.71	2.3	1.8	20.78	4.39
N6366	NS	-	6,008	5,327	5.39	5.37	1.0	1.9	20.99	4.46
N6402	NS	-	5,743	3,768	5.76	5.54	1.2	1.6	20.50	4.46
SVTM1082	SVS	F3	2,875	13,660	5.41	5.50	1.3	1.6	21.57	4.34
BP43	BHN	F3	2,278	101	5.53	4.93	2.4	1.3	20.82	4.46
SVTM9012	SVS	F3	1,604	8	5.46	5.35	2.9	1.9	20.65	4.42
UG16609	UG	-	868	1,477	5.80	5.50	1.7	2.0	21.04	4.42
HM4326	HM	-	650	514	5.50	5.53	1.0	1.1	21.17	4.34
SSA6377	SSA	-	501	-	5.25	-	1.2	1.1	21.50	4.37
N6407	NS	EFH	310	340	5.36	5.02	2.0	0.7	22.00	4.45
UG27713	UG	-	292	659	6.02	5.99	2.6	3.0	19.84	4.48
BQ393	SYN	F3	175	-	4.65	-	1.6	3.6	22.08	4.48

# 2020 California Processing Tomato

## Use Category Detail

Final PTAB

Variety	Supplier	Attributes	Loads		Brix		Mold	LU	Color	pH
			2020	2019	2020	2019				
BP74	BHN	F3	139	-	5.27	-	1.4	0.9	21.81	4.45
H1161	HZ	-	57	85	5.23	5.82	0.9	1.0	20.96	4.40
HM5511	HM	F3	31	-	5.34	-	1.9	2.8	21.06	4.42
SVTM9019	SVS	F3, EFH	22	-	5.42	-	1.0	1.3	21.89	4.27
LYKOBOL	UG	-	11	-	5.68	-	1.1	1.0	19.18	4.53
BP48	BHN	F3	8	8	5.69	5.31	0.8	2.4	21.06	4.43
BP49	BHN	F3	7	10	5.33	5.15	1.9	0.9	20.79	4.49
BOS2074	OS	F3	6	-	6.05	-	1.4	3.3	20.08	4.45
<b>Thin Total</b>			<b>64,466</b>	<b>71,942</b>	<b>5.65</b>	<b>5.61</b>	<b>2.1</b>	<b>1.9</b>	<b>21.01</b>	<b>4.42</b>
<b>Intermediate Class</b>										
N6428	NS	F3, EFH	43,534	26,976	4.81	4.93	2.6	2.1	22.04	4.50
SV8011TM	SVS	-	21,489	23,050	5.40	5.20	2.0	1.2	20.62	4.43
HM5522	HM	Fr	11,518	1,284	5.75	5.62	1.0	0.7	20.32	4.37
HM58841	HM	EFH	8,892	7,661	5.12	5.17	1.4	0.7	21.07	4.40
HM5235	HM	F3	8,843	5,273	5.38	5.27	3.2	2.6	20.60	4.48
SVTM9013	SVS	F3	6,797	479	5.16	5.21	2.4	1.4	20.73	4.43
HM4521	HM	EFH	5,804	2,458	5.30	5.16	0.8	0.5	21.06	4.38
SVTM9014	SVS	F3	5,534	350	5.05	5.19	2.7	1.3	20.73	4.42
HM3887	HM	-	5,400	7,744	5.53	5.62	1.7	1.6	21.17	4.44
N6434	NS	F3, EFH	4,082	4,877	5.06	4.88	2.3	2.1	22.01	4.50
HM58801	HM	F3, EFH	3,876	1,321	5.12	5.34	3.1	2.8	21.81	4.49
HM4909	HM	Fr	2,722	3,772	5.51	5.42	1.2	1.1	22.69	4.25
HM9905	HM	EFH	2,516	2,398	4.75	5.07	1.1	0.9	20.91	4.47
UG19406	UG	EFH	2,187	4,016	5.51	5.19	2.0	0.8	21.58	4.31
BQ398	SYN	-	1,928	1,893	5.05	5.27	2.7	1.1	19.87	4.45
UG29814	UG	F3, EFH	1,299	6	5.61	5.52	1.7	0.7	20.86	4.47
HM1892	HM	EFH	839	2,618	5.57	5.31	1.5	2.0	21.26	4.54
HM3888	HM	EFH	787	1,723	5.31	5.44	1.1	0.7	21.71	4.47
HM5900	HM	-	715	1,462	5.31	5.44	1.2	2.2	21.60	4.38
BQ141	SYN	F3	669	613	4.98	5.11	0.8	5.3	21.81	4.45
BP42	BHN	F3	636	-	5.16	-	2.2	2.6	20.62	4.47
BQ422	SYN	F3	512	261	4.92	4.78	7.0	2.4	21.21	4.60
N6463	NS	EFH	392	-	4.88	-	0.8	0.7	20.38	4.42
N6460	NS	F3, EFH	345	347	5.07	5.01	0.7	0.8	21.59	4.45
NB23	NB	F3	323	-	5.78	-	1.9	1.5	20.54	4.44
N6441	NS	F3, EFH	185	2,012	4.81	5.05	5.8	0.3	21.24	4.51
N6465	NS	F3, EFH	118	-	5.02	-	2.9	1.1	21.22	4.46
CXD255	HM	-	91	175	5.01	4.80	1.8	2.3	22.71	4.36
N6464	NS	EFH	61	-	5.57	-	1.4	1.0	21.25	4.37
BP47	BHN	F3	60	12	5.30	5.13	0.8	0.6	22.20	4.37

# 2020 California Processing Tomato

## Use Category Detail

Final PTAB

Variety	Supplier	Attributes	Loads		Brix		Mold	LU	Color	pH
			2020	2019	2020	2019				
UG29314	UG	F3, EFH	51	1	5.21	5.20	2.1	1.5	21.32	4.42
BOS4565	OS	F3	23	-	5.17	-	1.7	1.8	20.80	4.43
N6440	NS	F3, EFH	13	563	4.82	4.72	7.1	0.7	21.42	4.50
UG9436	UG	-	13	-	5.81	-	3.0	0.7	18.31	4.48
LYCOMECH	UG	-	12	-	5.33	-	0.8	0.5	19.92	4.50
SV2493TM	SVS	F3	3	7	5.70	5.27	6.0	1.5	22.00	4.53
SVTM9003	SVS	EFH	3	227	5.20	5.40	1.2	1.0	19.83	4.35
SVTM7791	SVS	-	3	-	5.13	-	3.0	0.3	20.33	4.46
BP16	BHN	F3	1	1	4.70	5.60	7.0	2.0	21.50	4.50
BP2	BHN	F3	1	-	5.70	-	0.5	1.5	21.50	4.46
BP20	BHN	F3	1	1	5.00	4.70	1.0	1.5	21.00	4.32
UG37314	UG	Fr, EFH	1	1	5.50	5.60	0.5	0.5	19.00	4.48
BQ402	SYN	-	1	3	5.10	5.27	0.5	1.0	21.00	4.33
<b>Intermediate Total</b>			<b>142,280</b>	<b>103,585</b>	<b>5.17</b>	<b>5.16</b>	<b>2.1</b>	<b>1.6</b>	<b>21.26</b>	<b>4.45</b>
<b>Thick Class</b>										
H1662	HZ	F3, Lv	23,619	22,199	4.99	4.97	2.2	1.6	21.86	4.46
BOS811	OS	EFH	14,682	5,526	5.12	5.09	1.4	0.7	20.25	4.40
H1428	HZ	EFS™	14,195	25,920	4.83	4.92	2.0	0.9	21.25	4.49
H4707	HZ	EFS™	13,348	18,664	4.88	4.86	1.5	0.8	22.60	4.45
H5608	HZ	-	11,066	18,063	5.14	4.88	1.6	1.1	20.37	4.45
H2401	HZ	EFS™	9,630	13,886	4.86	4.83	2.1	1.0	21.71	4.38
SVTM9008	SVS	EFH	8,736	2,455	5.24	5.24	2.3	0.5	20.77	4.34
SVTM9016	SVS	F3, EFH	8,520	44	4.89	4.84	2.5	0.6	21.67	4.38
SV2756TM	SVS	EFH	7,967	19,657	5.09	4.87	2.3	0.6	21.03	4.48
UG16112	UG	EFH	6,879	4,922	5.12	4.99	1.5	0.4	20.57	4.40
HM4885	HM	EFH	5,611	8,836	5.04	5.05	1.6	0.9	20.95	4.39
H5508	HZ	EFS™	4,354	5,263	4.65	4.63	2.6	0.4	21.22	4.48
HM58811	HM	EFH	3,882	2,370	4.96	5.00	1.0	0.9	21.91	4.42
N6426	NS	EFH, Lv	3,096	5,617	5.01	5.08	1.9	1.3	20.69	4.47
H1310	HZ	F3, EFS™	2,239	8,491	4.98	5.02	4.8	2.2	21.95	4.53
N6415	NS	EFH	1,739	10,385	5.17	4.96	0.6	0.8	21.28	4.43
SVTM9007	SVS	-	1,436	2,124	4.73	4.91	1.7	1.7	22.35	4.55
H5706	HZ	EFS™	1,313	-	4.68	-	2.4	1.7	21.54	4.45
H5702	HZ	EFS™	1,166	8,100	4.82	4.75	2.5	0.6	20.58	4.55
H1776	HZ	EFS™	1,120	1,755	5.31	5.16	2.4	0.6	20.86	4.44
H8504	HZ	EFS™	1,040	3,010	4.68	4.94	2.0	1.2	22.00	4.34
H1996	HZ	F3, EFS™	563	4	5.02	4.83	1.3	0.7	20.77	4.44
H1997	HZ	F3	550	3	4.96	4.77	2.7	1.3	21.61	4.45
H1422	HZ	F3	539	708	4.82	4.95	3.4	3.5	21.07	4.51
H9663	HZ	-	501	969	4.85	4.70	2.3	1.8	20.21	4.40

# 2020 California Processing Tomato

## Use Category Detail

Final PTAB

Variety	Supplier	Attributes	Loads		Brix		Mold	LU	Color	pH
			2020	2019	2020	2019				
HZ Trial	HZ	-	431	331	4.94	4.90	2.8	1.6	21.32	4.48
SVTM9023	SVS	F3, EFH	404	-	5.12	-	2.9	1.3	22.31	4.47
BOS7744	OS	-	226	17	5.06	5.64	4.1	1.0	21.42	4.53
H1991	HZ	F3	214	3	4.86	4.93	4.3	1.2	20.44	4.43
SVTM9025	SVS	F3, Fr, EFH	190	-	5.23	-	1.0	0.4	21.67	4.26
ISI25033	ISI	-	105	-	5.19	-	1.0	1.0	20.97	4.41
BP50	BHN	F3, EFH	100	-	5.02	-	3.0	2.2	21.33	4.42
H1994	HZ	F3, EFS™	81	1	5.12	4.80	1.5	0.7	21.52	4.41
SVTM9024	SVS	F3, EFH	69	-	5.15	-	1.6	0.7	21.35	4.31
BQ430	SYN	-	45	-	4.37	-	4.2	0.5	20.87	4.54
BQ431	SYN	-	43	-	4.75	-	9.4	0.8	20.55	4.51
BOS4569	OS	F3	20	-	5.38	-	0.5	1.6	21.05	4.37
HM6140	HM	-	17	7	5.18	5.09	0.8	0.5	19.65	4.33
BQ434	SYN	F3	14	-	5.18	-	2.8	0.7	19.68	4.44
BOS4680	OS	-	11	-	5.48	-	1.3	0.0	20.23	4.53
ISI23024	ISI	-	11	-	5.51	-	0.0	0.1	20.14	4.48
ISI26623	ISI	-	11	-	5.79	-	0.1	0.4	20.64	4.36
BQ435	SYN	F3	7	-	4.40	-	1.9	1.9	21.43	4.44
H1311	HZ	EFS™	5	38	5.20	5.31	3.2	3.4	22.00	4.47
UG15212	UG	EFH	1	483	5.70	4.95	1.5	0.5	18.50	4.33
<b>Thick Total</b>			<b>149,796</b>	<b>189,851</b>	<b>4.99</b>	<b>4.92</b>	<b>2.0</b>	<b>1.0</b>	<b>21.30</b>	<b>4.44</b>
<b>Pear Class</b>										
HM8163	HM	-	4,611	360	5.77	5.88	1.4	1.1	20.02	4.45
H1293	HZ	-	3,795	7,628	5.51	5.37	1.5	1.1	20.33	4.53
HM7885	HM	EFH	2,467	3,452	4.99	4.78	1.6	1.1	21.24	4.62
N6420	NS	-	2,180	2,637	5.02	4.86	1.9	1.5	21.06	4.53
H1292	HZ	-	118	308	6.03	5.20	0.2	0.8	20.06	4.48
ISI18205	ISI	-	106	10	5.39	5.37	0.8	1.8	20.47	4.56
HM5369	HM	-	77	66	5.52	5.41	1.3	1.1	20.70	4.53
HP108	SVS	-	45	15	5.42	5.09	0.8	1.7	21.97	4.49
<b>Pear Total</b>			<b>13,399</b>	<b>14,476</b>	<b>5.43</b>	<b>5.14</b>	<b>1.5</b>	<b>1.2</b>	<b>20.52</b>	<b>4.52</b>
<b>Misc Total</b>			<b>1,926</b>	<b>1,441</b>	<b>5.13</b>	<b>5.12</b>	<b>2.4</b>	<b>1.1</b>	<b>20.82</b>	<b>4.44</b>
<b>Dead Varieties Total</b>			<b>-</b>	<b>2,851</b>	<b>-</b>	<b>5.10</b>	<b>-</b>	<b>-</b>	<b>-</b>	<b>-</b>
<b>Statewide Total</b>			<b>442,120</b>	<b>442,500</b>	<b>5.20</b>	<b>5.13</b>	<b>1.8</b>	<b>1.4</b>	<b>21.17</b>	<b>4.43</b>

\*Dead Varieties: Varieties that had loads in 2019 but failed to collect any loads in 2020.