

**2021 Processing Tomato Season**  
PTAB Analysis 7/31/21 - County by Variety



County	Variety Name	Week Ending 7/31/21									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
COLUSA	13, BP	1,289	0.0	0.4	6.1	1.2	21.3	1.1	4.93	4.36	1,659	0.0	0.4	6.1	1.2	21.4	1.2	4.94	4.36
COLUSA	1015, HEINZ	282	0.0	0.3	2.7	1.0	21.2	0.8	4.84	4.38	958	0.0	0.4	3.8	1.1	21.1	0.8	4.98	4.40
COLUSA	9018, SVTM	219	0.0	0.4	3.4	1.1	22.2	0.7	4.63	4.27	330	0.0	0.8	3.1	0.9	22.5	0.8	4.56	4.31
COLUSA	7103, HMX61P	88	0.0	0.7	2.2	1.0	22.2	1.5	4.59	4.42	88	0.0	0.7	2.2	1.0	22.2	1.5	4.59	4.42
COLUSA	403, BQ	79	0.0	1.0	3.2	0.8	22.4	4.0	4.80	4.35	79	0.0	1.0	3.2	0.8	22.4	4.0	4.80	4.35
COLUSA	51, BP	60	0.0	0.3	3.2	1.0	22.9	1.2	5.26	4.35	77	0.0	0.3	3.3	1.0	22.7	1.1	5.17	4.36
COLUSA	63, NB	19	0.0	1.1	5.7	1.5	21.9	2.3	5.33	4.59	65	0.0	1.1	4.7	1.0	21.5	1.6	4.94	4.56
COLUSA	9012, SVTM	59	0.0	4.8	2.0	0.2	20.8	1.1	5.24	4.39	59	0.0	4.8	2.0	0.2	20.8	1.1	5.24	4.39
COLUSA	9032, SVTM	3	0.0	0.2	4.5	0.8	21.5	2.0	5.20	4.25	51	0.0	0.3	4.1	1.3	22.0	0.8	5.14	4.33
COLUSA	9027, SVTM	19	0.0	0.2	2.6	1.0	21.0	1.0	5.26	4.39	29	0.0	0.2	2.6	0.8	21.0	0.8	5.37	4.35
COLUSA	413, BQ	6	0.0	1.4	6.6	1.1	21.5	1.8	4.63	4.54	6	0.0	1.4	6.6	1.1	21.5	1.8	4.63	4.54
<b>COLUSA</b>		<b>2,123</b>	<b>0.0</b>	<b>0.6</b>	<b>4.9</b>	<b>1.1</b>	<b>21.5</b>	<b>1.2</b>	<b>4.89</b>	<b>4.36</b>	<b>3,401</b>	<b>0.0</b>	<b>0.5</b>	<b>4.7</b>	<b>1.1</b>	<b>21.5</b>	<b>1.1</b>	<b>4.91</b>	<b>4.37</b>
CONTRA COSTA	403, BQ	297	0.0	0.2	0.6	0.3	20.9	1.3	5.11	4.34	730	0.0	0.2	0.8	0.3	20.8	1.2	5.22	4.30
CONTRA COSTA	6366, SUN	467	0.0	0.7	0.5	0.3	20.4	2.4	5.29	4.42	480	0.0	0.7	0.5	0.3	20.4	2.4	5.29	4.42
CONTRA COSTA	7103, HMX61P	98	0.0	0.1	0.5	0.1	20.3	0.9	5.18	4.33	274	0.0	0.0	0.5	0.1	20.5	0.9	5.12	4.32
CONTRA COSTA	9032, SVTM	14	0.0	0.2	1.2	0.2	21.0	0.2	5.46	4.25	23	0.0	0.1	0.8	0.3	20.9	0.4	5.40	4.27
CONTRA COSTA	198, SSA	22	0.0	0.0	1.2	0.2	20.0	0.0	5.31	4.38	22	0.0	0.0	1.2	0.2	20.0	0.0	5.31	4.38
CONTRA COSTA	9027, SVTM	13	0.0	0.0	0.6	0.4	20.7	0.2	5.10	4.31	19	0.0	0.1	0.5	0.3	20.7	0.2	5.09	4.31
CONTRA COSTA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	0.2	0.9	0.2	20.3	0.6	4.93	4.28
CONTRA COSTA	6402, N	5	0.0	1.0	0.1	0.1	20.9	2.3	5.12	4.44	5	0.0	1.0	0.1	0.1	20.9	2.3	5.12	4.44
<b>CONTRA COSTA</b>		<b>916</b>	<b>0.0</b>	<b>0.5</b>	<b>0.5</b>	<b>0.3</b>	<b>20.5</b>	<b>1.8</b>	<b>5.22</b>	<b>4.38</b>	<b>1,563</b>	<b>0.0</b>	<b>0.3</b>	<b>0.6</b>	<b>0.2</b>	<b>20.6</b>	<b>1.5</b>	<b>5.22</b>	<b>4.34</b>
FRESNO	403, BQ	487	0.0	0.4	1.5	0.6	20.8	1.4	5.33	4.35	6,332	0.0	0.2	1.5	0.5	20.8	1.9	5.62	4.34
FRESNO	400, BQ	727	0.0	0.4	1.9	0.4	19.9	1.6	5.41	4.56	5,105	0.0	0.3	1.2	0.6	19.7	1.0	5.30	4.48
FRESNO	273, BQ	1,797	0.0	0.5	1.6	0.5	20.5	1.2	5.32	4.39	4,808	0.0	0.4	1.7	0.4	20.5	1.3	5.39	4.36
FRESNO	6402, N	1,498	0.0	0.9	1.0	0.6	19.8	1.9	5.90	4.49	2,637	0.0	0.7	1.1	0.5	19.8	1.8	5.87	4.47
FRESNO	0811, BOS	1,608	0.0	0.3	1.7	0.5	20.1	0.9	5.36	4.40	2,213	0.0	0.3	1.9	0.5	20.1	0.8	5.38	4.38
FRESNO	9000, SVTM	591	0.0	0.2	1.6	0.2	21.0	0.6	4.75	4.46	1,872	0.0	0.2	1.1	0.2	20.6	0.7	4.99	4.43
FRESNO	9011, SVTM	1,168	0.0	1.1	0.9	0.5	19.8	1.8	6.22	4.41	1,601	0.0	1.0	1.0	0.5	19.9	1.7	6.23	4.41
FRESNO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,591	0.0	0.2	1.7	0.4	20.9	1.1	4.93	4.36
FRESNO	6366, SUN	232	0.0	0.5	0.7	0.3	20.0	2.6	6.08	4.53	1,482	0.0	0.5	0.9	0.4	20.1	2.5	5.81	4.48
FRESNO	5608, HZ	831	0.0	0.3	1.3	0.3	19.3	0.7	5.55	4.41	1,213	0.0	0.4	1.3	0.3	19.8	0.9	5.44	4.41
FRESNO	7103, HMX61P	72	0.0	0.1	0.3	0.2	20.4	2.6	5.94	4.45	1,014	0.0	0.2	0.7	0.4	20.2	1.4	5.71	4.38
FRESNO	8163, HM	410	0.0	0.7	0.7	0.7	19.0	1.5	6.27	4.45	833	0.0	0.5	0.8	0.7	19.1	1.2	6.16	4.43
FRESNO	0311, AB	318	0.0	0.6	0.5	0.6	19.5	1.0	6.17	4.35	782	0.0	0.6	0.8	0.5	19.6	1.2	6.24	4.35
FRESNO	0319, DRI	398	0.0	0.7	0.7	0.4	20.4	1.7	6.37	4.38	782	0.0	0.6	0.7	0.4	20.6	1.5	6.30	4.37
FRESNO	1293, HZ	177	0.0	1.0	1.3	1.1	20.0	2.1	5.73	4.56	722	0.0	0.8	1.6	0.8	19.6	1.5	5.66	4.54
FRESNO	5522, HM 61P	262	0.0	0.3	2.0	0.3	20.2	1.6	6.10	4.38	699	0.0	0.2	1.2	0.4	19.8	1.2	5.93	4.35
FRESNO	3842, BOS	63	0.0	0.3	1.6	0.2	21.2	3.1	5.52	4.49	546	0.0	0.3	1.3	0.2	20.7	1.3	5.48	4.38
FRESNO	3887, HM	415	0.0	0.6	3.0	0.2	20.6	1.2	5.98	4.41	539	0.0	0.6	3.1	0.2	20.7	1.1	6.01	4.42
FRESNO	6426, N	348	0.0	0.4	1.1	0.3	20.3	1.1	5.24	4.45	497	0.0	0.4	1.0	0.3	20.6	1.4	5.34	4.46
FRESNO	9014, SVTM	305	0.0	0.9	1.1	0.2	19.6	0.4	5.58	4.36	415	0.0	0.8	0.9	0.2	19.6	0.5	5.60	4.36
FRESNO	8011, SV	389	0.0	0.5	0.9	0.1	19.8	1.1	5.69	4.39	409	0.0	0.5	0.9	0.1	19.8	1.1	5.66	4.38
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	360	0.0	0.3	1.2	0.3	20.4	1.5	4.94	4.36
FRESNO	6420, N	243	0.0	0.5	1.1	0.8	20.3	2.4	5.69	4.54	331	0.0	0.5	1.3	0.9	20.5	2.3	5.54	4.54
FRESNO	9013, SVTM	231	0.0	0.3	0.1	0.1	19.5	0.8	5.69	4.39	298	0.0	0.4	0.1	0.1	19.6	0.9	5.69	4.39
FRESNO	6428, N	286	0.0	0.4	2.7	0.9	20.5	0.7	5.35	4.44	286	0.0	0.4	2.7	0.9	20.5	0.7	5.35	4.44
FRESNO	7885, HMX	250	0.0	0.6	1.1	0.2	20.5	1.3	5.15	4.58	250	0.0	0.6	1.1	0.2	20.5	1.3	5.15	4.58
FRESNO	9019, SVTM	153	0.0	0.3	0.6	0.4	20.6	2.0	6.22	4.24	213	0.0	0.3	0.7	0.4	21.0	1.7	6.04	4.23
FRESNO	5511, HMX61P	118	0.0	0.6	0.9	0.6	19.4	3.0	6.02	4.42	207	0.0	0.4	0.6	0.7	19.6	2.5	5.82	4.42

**2021 Processing Tomato Season**  
PTAB Analysis 7/31/21 - County by Variety



County	Variety Name	Week Ending 7/31/21									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
FRESNO	6415, N	171	0.0	0.6	1.2	0.0	21.3	0.7	5.02	4.47	207	0.0	0.6	1.8	0.2	21.5	1.1	5.19	4.48
FRESNO	398, BQ	202	0.0	0.4	2.1	1.6	19.7	1.1	5.70	4.49	202	0.0	0.4	2.1	1.6	19.7	1.1	5.70	4.49
FRESNO	58841, HM	129	0.0	0.6	2.1	0.3	22.9	2.2	5.89	4.53	181	0.0	0.5	1.8	0.3	22.8	2.6	6.14	4.52
FRESNO	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	154	0.0	0.1	0.3	0.4	20.4	0.3	5.08	4.23
FRESNO	1776, HZ	87	0.0	0.5	1.8	0.6	21.0	0.6	5.77	4.43	142	0.0	0.4	1.4	0.4	20.9	0.5	5.69	4.41
FRESNO	9012, SVTM	133	0.0	0.6	1.7	0.1	21.3	1.9	5.85	4.42	133	0.0	0.6	1.7	0.1	21.3	1.9	5.85	4.42
FRESNO	16112, UG	131	0.0	0.4	1.5	0.3	21.0	0.5	5.23	4.36	131	0.0	0.4	1.5	0.3	21.0	0.5	5.23	4.36
FRESNO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	121	0.0	0.2	1.2	0.6	19.9	2.1	5.99	4.35
FRESNO	9027, SVTM	24	0.0	0.8	0.2	0.1	19.4	0.9	6.04	4.35	113	0.0	0.4	0.6	0.1	19.6	0.7	5.98	4.36
FRESNO	9663, HEINZ	109	0.0	0.6	1.3	0.3	19.3	1.4	5.21	4.38	109	0.0	0.6	1.3	0.3	19.3	1.4	5.21	4.38
FRESNO	UNCODED	103	0.0	0.2	4.3	0.3	20.3	0.4	5.19	4.46	104	0.0	0.2	4.3	0.3	20.4	0.4	5.19	4.46
FRESNO	5369, HMX61P	71	0.0	0.2	0.8	0.1	19.6	0.4	5.81	4.54	104	0.0	0.2	1.0	0.4	20.5	0.7	5.66	4.55
FRESNO	4521, HMX 61P	93	0.0	0.1	1.0	0.1	21.0	0.6	5.88	4.40	93	0.0	0.1	1.0	0.1	21.0	0.6	5.88	4.40
FRESNO	9032, SVTM	23	0.0	0.3	0.3	0.4	20.1	1.4	5.99	4.34	76	0.0	0.2	1.1	0.4	20.5	1.5	6.03	4.34
FRESNO	63, NB	58	0.0	1.1	0.6	0.4	19.0	1.8	5.49	4.55	58	0.0	1.1	0.6	0.4	19.0	1.8	5.49	4.55
FRESNO	MIX	5	0.0	0.3	0.4	0.5	19.3	1.4	6.12	4.32	23	0.0	0.3	1.0	0.4	20.2	1.5	5.70	4.39
FRESNO	74, BP	19	0.0	0.6	1.5	0.7	20.6	1.5	6.98	4.51	19	0.0	0.6	1.5	0.7	20.6	1.5	6.98	4.51
FRESNO	1082, SVTM	18	0.0	0.4	4.0	0.4	22.2	2.8	6.27	4.43	18	0.0	0.4	4.0	0.4	22.2	2.8	6.27	4.43
FRESNO	6203 E, FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.3	0.3	0.0	20.0	2.2	4.56	4.36
FRESNO	MISC TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	0.5	0.7	0.5	20.2	4.2	5.36	4.55
FRESNO	9008, SVTM	11	0.0	0.1	1.1	0.2	20.2	0.5	5.78	4.28	11	0.0	0.1	1.1	0.2	20.2	0.5	5.78	4.28
FRESNO	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	0.4	3.3	0.3	22.2	1.2	6.67	4.35
FRESNO	42, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.0	3.3	1.3	21.0	1.5	5.80	4.46
FRESNO	43, BP	2	0.0	1.3	1.0	0.0	20.5	1.5	5.60	4.44	3	0.0	0.8	1.0	0.0	20.3	1.0	5.60	4.41
FRESNO	6845, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.2	0.2	0.7	0.5	21.3	2.3	5.17	4.57
FRESNO	48, BP	1	0.0	0.5	1.5	2.0	19.0	0.0	5.70	4.23	1	0.0	0.5	1.5	2.0	19.0	0.0	5.70	4.23
FRESNO	262, SSA	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	21.0	5.5	5.70	4.53
FRESNO	6463, N	1	0.0	1.0	0.0	0.0	18.5	2.5	5.50	4.60	1	0.0	1.0	0.0	0.0	18.5	2.5	5.50	4.60
<b>FRESNO</b>		<b>14,768</b>	<b>0.0</b>	<b>0.5</b>	<b>1.4</b>	<b>0.4</b>	<b>20.1</b>	<b>1.3</b>	<b>5.64</b>	<b>4.43</b>	<b>40,093</b>	<b>0.0</b>	<b>0.4</b>	<b>1.3</b>	<b>0.5</b>	<b>20.2</b>	<b>1.4</b>	<b>5.56</b>	<b>4.41</b>
IMPERIAL	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	168	0.0	0.9	5.8	1.3	22.4	1.7	5.44	4.33
IMPERIAL	1776, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	2.0	6.8	1.4	23.3	2.5	5.70	4.38
IMPERIAL	58841, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	50	0.0	1.2	12.1	2.0	24.0	4.1	5.69	4.36
IMPERIAL	0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	0.6	6.3	1.0	22.1	2.1	5.24	4.30
IMPERIAL	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	2.1	7.1	2.8	21.7	1.1	5.26	4.44
IMPERIAL	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.1	2.3	7.3	1.4	23.1	5.3	5.46	4.36
<b>IMPERIAL</b>		<b>0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.00</b>	<b>0.00</b>	<b>341</b>	<b>0.0</b>	<b>1.2</b>	<b>7.1</b>	<b>1.5</b>	<b>22.7</b>	<b>2.4</b>	<b>5.49</b>	<b>4.35</b>
KERN	187, CXD	1	0.0	6.0	2.0	6.0	22.0	3.0	5.40	4.63	3,259	0.0	1.1	2.9	0.8	21.4	2.0	4.47	4.44
KERN	5608, HZ	305	0.0	2.3	0.4	0.5	20.3	1.2	4.68	4.47	2,393	0.0	1.3	1.1	0.5	20.4	1.0	4.68	4.44
KERN	400, BQ	384	0.0	2.8	2.0	2.6	19.8	2.2	5.27	4.58	2,093	0.0	1.1	1.3	1.3	20.2	1.7	5.00	4.53
KERN	273, BQ	743	0.0	1.2	0.9	0.6	20.2	1.9	5.18	4.42	1,930	0.0	0.9	1.3	0.6	20.7	2.1	5.06	4.42
KERN	403, BQ	101	0.0	2.1	0.7	1.8	21.2	1.7	5.36	4.45	1,354	0.0	0.6	0.8	0.5	21.0	1.7	5.12	4.35
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,085	0.0	0.9	1.5	1.0	21.2	1.7	4.70	4.43
KERN	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	936	0.0	0.3	0.8	0.2	21.0	0.7	4.65	4.46
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	708	0.0	1.4	0.3	0.8	20.4	1.6	4.98	4.47
KERN	1662, HZ	183	0.0	0.4	1.3	0.1	21.3	0.2	4.77	4.37	434	0.0	0.3	1.7	0.3	22.2	0.8	4.78	4.39
KERN	0811, BOS	193	0.1	1.8	0.4	0.8	20.1	2.0	4.93	4.33	401	0.1	1.1	0.7	0.5	20.0	1.8	4.90	4.32
KERN	5522, HM 61P	162	0.1	1.1	0.1	0.1	19.7	0.6	5.75	4.31	341	0.0	0.9	1.2	0.3	20.1	0.4	5.53	4.33
KERN	4885, HMX	273	0.0	1.5	0.3	0.1	20.1	1.0	5.87	4.42	304	0.0	1.5	0.3	0.1	20.1	0.9	5.86	4.41
KERN	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	223	0.0	0.7	2.2	0.3	21.4	0.3	4.77	4.37
KERN	6428, N	91	0.0	0.3	3.2	0.4	21.4	0.3	4.77	4.42	194	0.0	0.3	3.5	0.4	21.6	0.3	4.74	4.41

**2021 Processing Tomato Season**  
PTAB Analysis 7/31/21 - County by Variety



County	Variety Name	Week Ending 7/31/21									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
KERN	4707, HEINZ	136	0.0	0.2	0.9	0.8	22.8	0.5	4.59	4.43	171	0.0	0.2	1.0	0.8	22.8	0.5	4.57	4.41
KERN	3887, HM	95	0.0	1.7	1.5	0.5	21.7	1.8	5.32	4.48	169	0.0	1.6	1.5	0.6	21.6	1.8	5.29	4.46
KERN	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	165	0.0	0.2	1.6	0.3	21.9	0.4	4.49	4.31
KERN	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	104	0.0	3.6	0.7	0.5	20.8	1.7	4.40	4.37
KERN	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	98	0.0	0.2	1.2	0.2	22.8	3.4	4.48	4.37
KERN	8011, SV	64	0.1	2.5	0.7	0.9	23.1	7.1	4.90	4.53	97	0.1	1.9	1.5	0.7	24.2	5.8	5.29	4.50
KERN	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	91	0.0	0.5	3.4	0.4	22.1	1.5	4.89	4.48
KERN	UNCODED	41	0.0	0.5	0.5	0.1	20.3	0.6	5.46	4.45	82	0.0	0.6	1.2	0.4	20.5	1.2	5.35	4.45
KERN	9024, SVTM	64	0.0	1.0	1.6	0.4	21.6	1.3	4.95	4.30	64	0.0	1.0	1.6	0.4	21.6	1.3	4.95	4.30
KERN	MISC TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	36	0.1	0.3	0.6	0.1	20.5	0.7	5.17	4.36
KERN	9019, SVTM	22	0.0	1.2	0.4	0.5	22.1	1.3	5.05	4.22	27	0.0	1.1	0.5	0.4	22.2	1.1	5.05	4.21
<b>KERN</b>		<b>2,858</b>	<b>0.0</b>	<b>1.5</b>	<b>1.0</b>	<b>0.8</b>	<b>20.5</b>	<b>1.5</b>	<b>5.16</b>	<b>4.43</b>	<b>16,759</b>	<b>0.0</b>	<b>1.0</b>	<b>1.5</b>	<b>0.7</b>	<b>20.9</b>	<b>1.5</b>	<b>4.83</b>	<b>4.43</b>
KINGS	400, BQ	700	0.0	0.7	2.1	1.0	19.5	1.1	5.32	4.53	2,521	0.0	0.4	2.4	0.7	19.7	1.8	5.39	4.52
KINGS	273, BQ	526	0.0	0.4	1.4	0.6	21.2	2.4	5.23	4.46	2,346	0.0	0.2	1.2	0.4	21.1	1.4	5.01	4.41
KINGS	5608, HZ	580	0.0	0.5	1.0	0.3	19.8	1.5	5.50	4.46	2,288	0.0	0.5	1.6	0.2	20.2	1.0	5.41	4.42
KINGS	4521, HMX 61P	1,702	0.0	0.1	0.7	0.5	20.6	0.3	5.65	4.35	1,756	0.0	0.1	0.7	0.5	20.6	0.3	5.66	4.35
KINGS	6416, N	188	0.0	1.0	1.1	0.7	20.8	2.1	4.75	4.56	853	0.0	0.5	1.9	0.5	21.3	1.4	5.01	4.43
KINGS	5522, HM 61P	276	0.0	0.2	1.0	0.3	19.6	0.7	6.17	4.41	802	0.0	0.2	1.0	0.4	19.7	0.4	5.93	4.36
KINGS	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	756	0.0	0.2	1.6	0.4	21.3	1.6	5.51	4.35
KINGS	8163, HM	375	0.0	0.6	0.4	0.6	19.5	1.0	5.90	4.47	726	0.0	0.5	0.6	0.7	19.4	0.7	5.62	4.43
KINGS	413, BQ	440	0.0	1.0	2.3	2.2	20.8	1.7	5.03	4.58	609	0.0	1.0	2.3	2.8	21.0	2.1	5.06	4.58
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	588	0.0	0.5	1.8	0.4	20.7	3.5	4.74	4.44
KINGS	9018, SVTM	325	0.0	1.3	0.8	1.0	22.2	1.1	4.26	4.44	538	0.0	0.8	0.7	0.8	22.0	0.8	4.44	4.40
KINGS	6402, N	181	0.0	0.8	1.0	0.6	20.2	2.4	5.86	4.50	480	0.0	0.7	2.1	0.5	20.2	1.5	5.91	4.43
KINGS	3887, HM	381	0.0	2.6	3.2	0.4	20.7	1.5	5.52	4.44	436	0.0	2.6	3.1	0.4	20.7	1.4	5.53	4.44
KINGS	7103, HMX61P	57	0.0	0.1	0.8	0.3	20.1	1.5	5.59	4.46	374	0.0	0.2	1.1	0.3	20.6	1.2	5.72	4.40
KINGS	9014, SVTM	120	0.0	0.8	0.3	0.5	19.9	1.8	5.59	4.43	365	0.0	0.6	0.4	0.4	19.9	1.2	5.50	4.40
KINGS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	285	0.0	1.5	2.4	0.3	20.5	1.1	5.10	4.40
KINGS	6434, N	242	0.0	0.9	4.3	2.5	22.0	1.5	5.29	4.47	242	0.0	0.9	4.3	2.5	22.0	1.5	5.29	4.47
KINGS	4885, HMX	187	0.0	0.8	0.6	0.4	20.4	0.4	4.74	4.36	187	0.0	0.8	0.6	0.4	20.4	0.4	4.74	4.36
KINGS	9019, SVTM	85	0.0	0.3	0.9	0.2	20.9	0.7	6.06	4.29	184	0.0	0.2	0.8	0.4	22.0	0.7	5.50	4.25
KINGS	UNCODED	41	0.0	0.4	0.5	0.6	20.1	1.8	5.54	4.56	124	0.0	0.2	1.2	0.3	21.4	1.0	5.19	4.45
KINGS	58841, HM	12	0.0	0.8	0.8	1.1	21.5	0.9	5.57	4.46	111	0.0	0.6	1.3	0.8	21.0	1.0	5.62	4.43
KINGS	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	106	0.0	0.3	3.1	0.2	21.6	0.4	4.81	4.42
KINGS	9025, SVTM	27	0.0	0.6	1.3	0.4	21.9	0.2	5.59	4.27	102	0.0	0.2	2.8	0.3	21.3	0.1	5.83	4.23
KINGS	8011, SV	74	0.0	3.1	1.6	1.0	20.5	5.9	6.38	4.41	101	0.0	2.4	2.0	0.9	20.8	5.4	6.09	4.43
KINGS	5511, HMX61P	85	0.0	0.2	0.3	0.2	19.2	1.4	6.22	4.47	99	0.0	0.2	0.4	0.2	19.3	1.3	6.20	4.46
KINGS	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	75	0.0	0.3	0.9	0.6	21.7	1.2	5.48	4.41
KINGS	1776, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	0.3	1.2	0.2	23.0	2.7	5.09	4.44
KINGS	0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	0.5	1.1	0.4	22.1	3.1	5.21	4.41
KINGS	1996, HZ	31	0.0	0.7	1.7	0.7	20.5	1.7	5.95	4.42	31	0.0	0.7	1.7	0.7	20.5	1.7	5.95	4.42
KINGS	4565, BOS	4	0.0	0.0	1.0	0.0	19.8	0.5	5.80	4.34	22	0.0	0.0	0.9	0.0	20.3	1.3	5.82	4.38
KINGS	4569, BOS	11	0.0	0.0	0.8	0.0	20.1	1.4	5.82	4.39	21	0.0	0.2	1.0	0.1	20.4	1.9	5.85	4.40
<b>KINGS</b>		<b>6,650</b>	<b>0.0</b>	<b>0.7</b>	<b>1.3</b>	<b>0.7</b>	<b>20.5</b>	<b>1.2</b>	<b>5.45</b>	<b>4.44</b>	<b>17,214</b>	<b>0.0</b>	<b>0.5</b>	<b>1.6</b>	<b>0.6</b>	<b>20.6</b>	<b>1.3</b>	<b>5.35</b>	<b>4.42</b>
MERCED	9018, SVTM	123	0.0	0.6	1.5	0.7	22.1	0.8	4.79	4.35	314	0.0	0.4	1.5	0.6	21.8	0.8	4.88	4.32
MERCED	9012, SVTM	134	0.0	0.3	3.5	0.5	21.0	2.2	6.38	4.39	148	0.0	0.3	3.6	0.5	21.0	2.3	6.39	4.39
MERCED	UNCODED	41	0.0	0.1	4.4	0.7	21.0	0.2	4.53	4.44	75	0.0	3.5	5.2	0.6	22.7	2.7	4.72	4.40
MERCED	9016, SVTM	29	0.0	1.1	0.4	0.3	21.6	2.3	5.16	4.43	29	0.0	1.1	0.4	0.3	21.6	2.3	5.16	4.43
MERCED	43, BP	14	0.0	0.3	1.6	0.6	20.2	0.7	6.51	4.41	14	0.0	0.3	1.6	0.6	20.2	0.7	6.51	4.41
MERCED	7103, HMX61P	14	0.0	0.2	4.1	0.3	22.6	1.3	5.12	4.41	14	0.0	0.2	4.1	0.3	22.6	1.3	5.12	4.41

**2021 Processing Tomato Season**  
PTAB Analysis 7/31/21 - County by Variety



County	Variety Name	Week Ending 7/31/21									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
MERCED	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	0.6	7.6	0.4	21.1	0.6	5.36	4.32
MERCED	9014, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	5	0.0	1.1	1.3	0.0	20.1	0.9	5.14	4.37
<b>MERCED</b>		<b>355</b>	<b>0.0</b>	<b>0.4</b>	<b>2.6</b>	<b>0.6</b>	<b>21.4</b>	<b>1.4</b>	<b>5.47</b>	<b>4.39</b>	<b>606</b>	<b>0.0</b>	<b>0.8</b>	<b>2.6</b>	<b>0.6</b>	<b>21.6</b>	<b>1.4</b>	<b>5.29</b>	<b>4.36</b>
SOLANO	403, BQ	187	0.0	0.5	0.8	0.3	21.8	0.9	5.17	4.26	222	0.0	0.5	0.9	0.4	21.9	0.8	5.14	4.26
SOLANO	6397, N	67	0.0	1.0	2.3	0.6	22.5	1.0	5.57	4.40	67	0.0	1.0	2.3	0.6	22.5	1.0	5.57	4.40
SOLANO	273, BQ	57	0.0	0.6	0.3	0.2	20.6	0.6	4.91	4.24	57	0.0	0.6	0.3	0.2	20.6	0.6	4.91	4.24
SOLANO	9000, SVTM	32	0.0	0.4	1.1	0.3	20.3	0.3	4.94	4.35	35	0.0	0.4	1.3	0.3	20.3	0.2	4.90	4.36
SOLANO	42, BP	15	0.0	1.5	0.9	0.0	20.1	0.9	5.39	4.34	15	0.0	1.5	0.9	0.0	20.1	0.9	5.39	4.34
SOLANO	3842, BOS	8	0.0	0.6	0.4	0.1	22.4	0.9	4.88	4.36	8	0.0	0.6	0.4	0.1	22.4	0.9	4.88	4.36
<b>SOLANO</b>		<b>366</b>	<b>0.0</b>	<b>0.6</b>	<b>1.0</b>	<b>0.3</b>	<b>21.5</b>	<b>0.8</b>	<b>5.18</b>	<b>4.30</b>	<b>404</b>	<b>0.0</b>	<b>0.6</b>	<b>1.1</b>	<b>0.4</b>	<b>21.6</b>	<b>0.8</b>	<b>5.16</b>	<b>4.30</b>
STANISLAUS	9018, SVTM	18	0.0	0.3	0.9	0.4	22.1	1.2	4.48	4.29	63	0.0	0.2	0.7	0.3	21.6	0.8	4.55	4.26
<b>STANISLAUS</b>		<b>18</b>	<b>0.0</b>	<b>0.3</b>	<b>0.9</b>	<b>0.4</b>	<b>22.1</b>	<b>1.2</b>	<b>4.48</b>	<b>4.29</b>	<b>63</b>	<b>0.0</b>	<b>0.2</b>	<b>0.7</b>	<b>0.3</b>	<b>21.6</b>	<b>0.8</b>	<b>4.55</b>	<b>4.26</b>
SUTTER	13, BP	91	0.0	0.5	1.8	1.1	21.4	1.6	4.87	4.42	91	0.0	0.5	1.8	1.1	21.4	1.6	4.87	4.42
SUTTER	1015, HEINZ	24	0.0	0.7	3.8	0.8	21.9	1.4	4.48	4.51	72	0.0	0.4	4.0	0.8	21.6	1.0	4.63	4.48
SUTTER	413, BQ	67	0.0	0.4	2.1	1.0	21.9	1.3	4.73	4.49	67	0.0	0.4	2.1	1.0	21.9	1.3	4.73	4.49
SUTTER	9032, SVTM	43	0.0	0.6	2.9	1.2	23.0	1.2	4.54	4.32	43	0.0	0.6	2.9	1.2	23.0	1.2	4.54	4.32
SUTTER	9027, SVTM	39	0.0	0.2	1.6	0.7	20.9	0.4	5.44	4.28	39	0.0	0.2	1.6	0.7	20.9	0.4	5.44	4.28
SUTTER	9018, SVTM	27	0.0	0.3	0.3	0.1	22.1	0.6	5.10	4.27	27	0.0	0.3	0.3	0.1	22.1	0.6	5.10	4.27
SUTTER	51, BP	20	0.0	1.2	1.7	0.8	22.9	2.6	5.68	4.33	20	0.0	1.2	1.7	0.8	22.9	2.6	5.68	4.33
<b>SUTTER</b>		<b>20</b>	<b>0.0</b>	<b>1.2</b>	<b>1.7</b>	<b>0.8</b>	<b>22.9</b>	<b>2.6</b>	<b>5.68</b>	<b>4.33</b>	<b>20</b>	<b>0.0</b>	<b>1.2</b>	<b>1.7</b>	<b>0.8</b>	<b>22.9</b>	<b>2.6</b>	<b>5.68</b>	<b>4.33</b>
TULARE	187, CXD	13	0.0	2.3	2.1	0.7	22.3	2.2	4.08	4.56	633	0.0	3.5	5.0	0.8	21.0	2.0	4.33	4.48
TULARE	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	503	0.0	0.4	1.8	0.5	21.7	0.7	4.22	4.47
TULARE	400, BQ	81	0.0	2.0	4.2	0.6	19.3	0.5	4.93	4.53	189	0.0	1.9	4.9	0.7	19.4	0.7	4.98	4.53
<b>TULARE</b>		<b>94</b>	<b>0.0</b>	<b>2.0</b>	<b>3.9</b>	<b>0.6</b>	<b>19.7</b>	<b>0.7</b>	<b>4.82</b>	<b>4.54</b>	<b>1,325</b>	<b>0.0</b>	<b>2.1</b>	<b>3.8</b>	<b>0.6</b>	<b>21.0</b>	<b>1.3</b>	<b>4.38</b>	<b>4.49</b>
YOLO	13, BP	968	0.0	0.4	4.4	1.3	21.9	0.9	4.52	4.36	2,029	0.0	0.4	4.4	1.1	21.9	0.9	4.52	4.37
YOLO	403, BQ	557	0.0	0.4	0.8	0.5	22.2	1.8	5.01	4.31	1,272	0.0	0.3	0.9	0.4	22.6	1.4	4.96	4.31
YOLO	273, BQ	474	0.0	0.2	0.8	0.2	22.1	0.7	4.98	4.30	637	0.0	0.3	0.8	0.3	22.0	0.6	5.02	4.29
YOLO	1015, HEINZ	405	0.0	0.7	2.4	0.9	21.3	1.1	4.81	4.47	527	0.0	0.6	2.7	0.8	21.3	1.0	4.78	4.46
YOLO	7103, HMX61P	327	0.0	0.2	0.5	0.4	21.0	1.3	5.33	4.38	327	0.0	0.2	0.5	0.4	21.0	1.3	5.33	4.38
YOLO	5235, HM	307	0.0	0.6	2.8	0.5	20.4	0.4	5.03	4.36	325	0.0	0.6	3.0	0.5	20.4	0.5	5.03	4.36
YOLO	413, BQ	314	0.0	0.5	4.5	0.8	22.0	0.8	4.49	4.46	314	0.0	0.5	4.5	0.8	22.0	0.8	4.49	4.46
YOLO	6397, N	161	0.0	0.2	0.5	0.3	21.5	0.6	5.00	4.38	237	0.0	0.2	0.5	0.3	22.0	0.7	5.08	4.40
YOLO	51, BP	122	0.0	0.3	1.9	0.9	23.4	1.8	5.01	4.34	122	0.0	0.3	1.9	0.9	23.4	1.8	5.01	4.34
YOLO	198, SSA	78	0.0	0.3	0.9	0.3	21.7	0.4	4.58	4.44	95	0.0	0.3	1.0	0.5	21.7	0.4	4.58	4.43
YOLO	9027, SVTM	11	0.0	0.1	2.3	1.1	22.4	0.3	5.36	4.38	68	0.0	0.2	2.0	0.6	21.4	0.3	5.01	4.34
YOLO	0319, DRI	57	0.0	0.5	0.8	0.2	21.2	0.7	5.41	4.28	57	0.0	0.5	0.8	0.2	21.2	0.7	5.41	4.28
YOLO	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	57	0.0	0.1	3.9	0.7	23.2	0.3	4.99	4.24
YOLO	9032, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	0.1	2.5	0.9	22.1	0.6	5.01	4.28
YOLO	4909, HMX	32	0.0	0.8	0.6	0.1	22.8	2.1	5.30	4.25	32	0.0	0.8	0.6	0.1	22.8	2.1	5.30	4.25
YOLO	6428, N	22	0.0	0.1	11.8	0.8	22.5	0.4	4.65	4.37	22	0.0	0.1	11.8	0.8	22.5	0.4	4.65	4.37
YOLO	UNCODED	13	0.0	0.1	3.4	0.6	22.0	0.1	4.82	4.31	13	0.0	0.1	3.4	0.6	22.0	0.1	4.82	4.31
<b>YOLO</b>		<b>3,848</b>	<b>0.0</b>	<b>0.4</b>	<b>2.4</b>	<b>0.7</b>	<b>21.7</b>	<b>1.0</b>	<b>4.85</b>	<b>4.37</b>	<b>6,177</b>	<b>0.0</b>	<b>0.4</b>	<b>2.6</b>	<b>0.7</b>	<b>21.9</b>	<b>1.0</b>	<b>4.81</b>	<b>4.36</b>