

**2021 Processing Tomato Season**  
PTAB Analysis 8/28/21 - County by Variety



County	Variety Name	Week Ending 8/28/21									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
COLUSA	6428, N	1,936	0.0	2.6	3.6	1.5	22.0	2.4	4.91	4.48	4,476	0.0	2.1	4.3	1.6	22.2	2.2	4.91	4.47
COLUSA	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,834	0.0	0.9	5.7	1.0	21.3	1.4	4.88	4.38
COLUSA	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,755	0.0	0.5	3.3	1.0	21.0	1.0	4.96	4.41
COLUSA	6434, N	459	0.0	3.0	4.6	0.9	22.3	1.4	4.92	4.48	751	0.0	2.5	4.4	0.8	22.2	1.9	5.09	4.45
COLUSA	413, BQ	263	0.0	8.5	2.9	0.6	20.7	3.7	4.73	4.60	466	0.0	6.2	3.8	0.7	20.8	3.1	4.73	4.58
COLUSA	5706, HZ	46	0.0	1.9	3.6	3.2	21.6	1.3	4.73	4.43	431	0.0	1.7	4.2	2.6	21.8	0.9	4.66	4.42
COLUSA	9013, SVTM	77	0.0	5.9	4.1	2.1	21.2	2.3	4.96	4.54	403	0.0	2.4	6.9	1.3	21.1	2.1	4.89	4.49
COLUSA	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	387	0.0	0.8	3.1	1.0	22.4	0.8	4.53	4.31
COLUSA	273, BQ	173	0.0	3.8	11.0	1.4	21.6	1.8	5.45	4.38	326	0.0	2.8	8.8	1.1	21.5	1.7	5.40	4.36
COLUSA	5235, HM	253	0.0	4.3	2.7	0.9	20.3	2.6	5.47	4.49	253	0.0	4.3	2.7	0.9	20.3	2.6	5.47	4.49
COLUSA	9016, SVTM	112	0.0	1.2	5.4	0.7	21.3	0.4	5.33	4.31	253	0.0	2.7	7.6	1.1	21.8	0.6	4.93	4.41
COLUSA	1082, SVTM	78	0.0	2.4	1.3	0.8	20.7	1.0	5.55	4.32	244	0.0	2.0	1.5	0.6	20.6	0.9	5.46	4.30
COLUSA	1662, HZ	173	0.0	1.7	3.8	1.7	21.7	1.9	5.07	4.47	222	0.0	1.7	3.7	1.5	21.7	1.8	5.05	4.47
COLUSA	8163, HM	58	0.0	3.5	1.1	0.9	19.6	1.8	5.61	4.48	205	0.0	2.8	0.8	0.6	19.8	1.4	5.70	4.51
COLUSA	51, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	173	0.0	0.3	2.5	0.8	21.9	1.3	5.28	4.35
COLUSA	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	165	0.0	2.0	1.5	0.4	20.2	1.3	5.68	4.58
COLUSA	63, NB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	161	0.0	1.2	3.0	1.6	21.1	2.8	5.41	4.57
COLUSA	9021, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	145	0.0	2.0	5.9	2.4	22.4	1.0	4.78	4.47
COLUSA	198, SSA	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	142	0.0	0.5	7.3	0.7	21.0	1.0	5.46	4.44
COLUSA	9012, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	123	0.0	5.2	1.7	0.2	20.9	1.1	5.29	4.41
COLUSA	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	88	0.0	0.7	2.2	1.0	22.2	1.5	4.59	4.42
COLUSA	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	79	0.0	1.0	3.2	0.8	22.4	4.0	4.80	4.35
COLUSA	6459, N	39	0.0	3.2	11.2	0.8	20.8	1.0	5.45	4.53	60	0.0	3.3	11.4	0.8	20.9	1.0	5.47	4.53
COLUSA	9032, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	58	0.0	0.3	4.7	1.4	22.1	0.8	5.16	4.32
COLUSA	9011, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	50	0.0	4.6	1.1	0.2	20.4	0.9	5.53	4.39
COLUSA	6474, N	36	0.0	4.3	5.1	0.9	21.6	1.5	5.12	4.48	36	0.0	4.3	5.1	0.9	21.6	1.5	5.12	4.48
COLUSA	74, BP	35	0.0	6.3	2.2	0.7	20.1	1.2	5.31	4.46	35	0.0	6.3	2.2	0.7	20.1	1.2	5.31	4.46
COLUSA	MIX	31	0.0	5.1	1.4	0.6	20.4	0.6	5.45	4.35	33	0.0	5.1	1.4	0.6	20.4	0.7	5.45	4.36
COLUSA	9027, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	29	0.0	0.2	2.6	0.8	21.0	0.8	5.37	4.35
COLUSA	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	4.0	0.0	21.5	1.0	4.80	4.33
COLUSA	72, BP	1	0.0	6.5	3.5	2.5	21.5	0.0	5.40	4.34	1	0.0	6.5	3.5	2.5	21.5	0.0	5.40	4.34
COLUSA	5900, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	2.0	1.0	0.5	19.5	0.5	6.10	4.51
<b>COLUSA</b>		<b>3,770</b>	<b>0.0</b>	<b>3.3</b>	<b>4.0</b>	<b>1.3</b>	<b>21.6</b>	<b>2.2</b>	<b>5.02</b>	<b>4.47</b>	<b>14,386</b>	<b>0.0</b>	<b>1.8</b>	<b>4.4</b>	<b>1.2</b>	<b>21.6</b>	<b>1.7</b>	<b>4.97</b>	<b>4.44</b>
CONTRA COSTA	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,730	0.0	0.9	0.4	0.4	20.4	2.4	5.11	4.43
CONTRA COSTA	0311, AB	448	0.0	3.1	1.1	0.3	19.8	1.0	5.34	4.36	952	0.0	2.9	1.1	0.4	20.0	1.1	5.45	4.37
CONTRA COSTA	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	875	0.0	0.3	0.8	0.3	20.8	1.4	5.13	4.31
CONTRA COSTA	6402, N	62	0.0	0.3	0.4	0.0	18.8	1.2	5.93	4.35	815	0.0	1.2	0.6	0.3	20.0	1.3	5.40	4.44
CONTRA COSTA	0319, DRI	52	0.0	1.6	0.4	0.3	21.2	4.0	5.29	4.50	456	0.0	1.4	0.5	0.3	20.9	2.1	5.29	4.41
CONTRA COSTA	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	306	0.0	0.0	0.5	0.1	20.4	0.9	5.11	4.33
CONTRA COSTA	5522, HM 61P	39	0.0	2.1	0.2	0.0	20.0	2.0	5.17	4.34	273	0.0	0.7	0.3	0.1	20.1	0.6	5.56	4.32
CONTRA COSTA	3887, HM	93	0.0	0.9	3.4	0.6	20.0	0.8	4.91	4.39	96	0.0	0.9	3.3	0.6	20.0	0.7	4.92	4.39
CONTRA COSTA	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	73	0.0	1.4	0.3	0.3	19.8	0.9	5.40	4.53
CONTRA COSTA	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	1.0	0.3	0.2	20.6	0.5	4.53	4.61
CONTRA COSTA	8163, HM	61	0.0	1.8	0.1	0.4	19.2	2.0	5.85	4.50	61	0.0	1.8	0.1	0.4	19.2	2.0	5.85	4.50
CONTRA COSTA	9027, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	24	0.0	0.1	0.5	0.4	20.5	0.2	5.13	4.33
CONTRA COSTA	9032, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	0.1	0.8	0.3	20.9	0.4	5.40	4.27
CONTRA COSTA	198, SSA	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	0.0	1.2	0.2	20.0	0.0	5.31	4.38
CONTRA COSTA	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	0.2	0.9	0.2	20.3	0.6	4.93	4.28
CONTRA COSTA	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.3	0.3	20.5	0.8	5.25	4.41
<b>CONTRA COSTA</b>		<b>755</b>	<b>0.0</b>	<b>2.3</b>	<b>1.2</b>	<b>0.3</b>	<b>19.8</b>	<b>1.3</b>	<b>5.37</b>	<b>4.38</b>	<b>5,782</b>	<b>0.0</b>	<b>1.2</b>	<b>0.7</b>	<b>0.3</b>	<b>20.3</b>	<b>1.6</b>	<b>5.25</b>	<b>4.39</b>
FRESNO	400, BQ	298	0.0	0.9	1.4	0.4	19.3	1.1	5.53	4.49	7,078	0.0	0.4	1.6	0.6	19.8	1.3	5.30	4.50
FRESNO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	6,537	0.0	0.3	1.5	0.5	20.8	1.9	5.61	4.35
FRESNO	273, BQ	39	0.0	1.1	1.6	0.3	21.7	3.7	5.79	4.58	5,902	0.0	0.5	1.9	0.4	20.6	1.4	5.37	4.37
FRESNO	0811, BOS	795	0.0	1.3	1.4	0.4	20.2	0.8	5.47	4.39	5,779	0.0	0.5	2.3	0.6	20.1	0.8	5.34	4.40
FRESNO	6402, N	398	0.0	1.4	1.6	0.5	20.0	1.9	6.05	4.49	4,555	0.0	0.9	1.3	0.5	19.8	1.8	5.95	4.49
FRESNO	9011, SVTM	263	0.0	2.8	2.5	1.2	21.1	3.1	6.22	4.50	3,326	0.0	1.5	1.4	0.5	20.4	2.2	6.14	4.44

**2021 Processing Tomato Season**  
PTAB Analysis 8/28/21 - County by Variety



County	Variety Name	Week Ending 8/28/21									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
FRESNO	5608, HZ	154	0.0	6.4	0.8	0.4	19.6	0.5	5.06	4.48	3,166	0.0	1.1	2.3	0.5	19.8	0.9	5.31	4.44
FRESNO	4707, HEINZ	1,032	0.0	1.2	2.0	0.7	22.3	0.8	5.00	4.43	3,146	0.0	1.1	2.1	0.6	22.4	0.8	5.09	4.44
FRESNO	1082, SVTM	519	0.0	1.8	2.2	0.5	21.2	1.1	5.56	4.37	2,755	0.0	0.6	2.3	0.7	21.1	1.4	5.88	4.37
FRESNO	8011, SV	137	0.0	1.6	2.3	0.4	19.6	1.3	6.11	4.48	2,659	0.0	1.4	2.6	0.5	20.4	1.3	5.50	4.45
FRESNO	9014, SVTM	635	0.0	1.5	2.3	0.6	20.1	1.1	5.38	4.45	2,421	0.0	1.5	2.3	0.4	20.0	0.9	5.56	4.43
FRESNO	0319, DRI	688	0.0	1.9	2.0	0.5	21.1	1.2	6.09	4.41	2,120	0.0	1.4	1.3	0.4	20.8	1.5	6.05	4.40
FRESNO	9013, SVTM	539	0.0	3.2	5.0	1.6	20.0	1.8	5.62	4.50	2,093	0.0	1.8	3.2	0.8	20.2	1.3	5.66	4.45
FRESNO	8163, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,031	0.0	1.2	0.8	0.8	19.5	1.8	6.10	4.48
FRESNO	5522, HM 61P	122	0.0	1.2	1.4	1.3	20.1	1.1	5.89	4.42	1,984	0.0	0.7	1.0	0.4	19.8	0.9	5.99	4.37
FRESNO	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,872	0.0	0.2	1.1	0.2	20.6	0.7	4.99	4.43
FRESNO	43, BP	188	0.0	3.7	1.2	0.5	19.7	1.0	5.50	4.51	1,677	0.0	2.3	1.7	0.3	20.9	1.5	5.63	4.52
FRESNO	9008, SVTM	73	0.0	0.9	1.1	0.2	21.1	0.8	5.17	4.41	1,646	0.0	0.7	1.2	0.3	21.4	0.9	5.54	4.39
FRESNO	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,591	0.0	0.2	1.7	0.4	20.9	1.1	4.93	4.36
FRESNO	1428, HZ	508	0.0	1.9	2.6	0.6	21.0	0.7	5.26	4.49	1,577	0.0	1.1	2.2	0.8	21.1	0.8	5.42	4.50
FRESNO	16112, UG	317	0.0	3.3	1.1	0.5	21.4	1.1	5.07	4.51	1,563	0.0	1.1	1.3	0.3	21.1	0.7	5.15	4.44
FRESNO	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,496	0.0	0.5	0.9	0.4	20.1	2.5	5.81	4.48
FRESNO	6434, N	260	0.0	1.9	2.0	1.2	20.6	1.8	5.63	4.54	1,431	0.0	1.5	3.6	0.8	21.1	1.1	5.44	4.47
FRESNO	6428, N	519	0.0	2.7	3.6	0.9	21.0	2.2	5.05	4.53	1,419	0.0	2.7	3.4	1.2	21.0	1.7	5.09	4.51
FRESNO	2401, HEINZ	220	0.0	2.7	1.9	0.4	21.1	1.1	5.00	4.36	1,393	0.0	1.5	1.9	0.5	21.3	1.2	5.17	4.36
FRESNO	3887, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,263	0.0	1.0	3.1	0.3	21.0	2.3	5.97	4.48
FRESNO	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,168	0.0	0.2	0.8	0.4	20.3	1.6	5.69	4.40
FRESNO	6426, N	118	0.0	2.8	0.6	0.3	21.1	1.6	4.82	4.56	1,163	0.0	0.8	1.6	0.4	20.5	1.4	5.24	4.49
FRESNO	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,109	0.0	1.6	1.6	0.7	19.8	1.7	5.67	4.55
FRESNO	0311, AB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	812	0.0	0.6	0.7	0.5	19.6	1.2	6.23	4.35
FRESNO	1662, HZ	539	0.0	2.1	1.6	0.3	21.3	1.1	5.18	4.47	812	0.0	1.8	1.9	0.3	21.6	1.3	5.18	4.48
FRESNO	1776, HZ	73	0.0	1.2	1.8	0.2	20.4	0.6	5.86	4.41	788	0.0	0.8	1.6	0.5	20.8	0.9	5.80	4.46
FRESNO	9012, SVTM	228	0.0	0.8	3.1	1.0	20.6	1.7	6.20	4.43	784	0.0	0.8	2.1	0.4	21.0	2.1	5.93	4.43
FRESNO	398, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	780	0.0	0.6	3.2	1.9	19.8	1.9	5.75	4.49
FRESNO	9025, SVTM	237	0.0	0.6	1.5	0.4	21.2	0.9	6.02	4.34	701	0.0	0.5	1.3	0.2	21.0	0.7	5.66	4.28
FRESNO	74, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	674	0.0	2.3	1.3	0.4	20.3	1.7	5.69	4.53
FRESNO	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	621	0.0	0.8	1.0	0.4	20.4	1.7	5.25	4.60
FRESNO	5511, HMX61P	25	0.0	2.0	1.3	0.3	21.0	6.8	6.07	4.58	614	0.0	0.9	1.4	0.7	20.7	5.1	5.63	4.50
FRESNO	58841, HM	23	0.0	1.4	6.5	2.7	21.5	3.2	6.16	4.43	561	0.0	2.7	2.5	0.6	22.3	2.4	5.56	4.52
FRESNO	6420, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	549	0.0	1.4	1.2	0.8	20.7	2.8	5.43	4.57
FRESNO	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	546	0.0	0.3	1.3	0.2	20.7	1.3	5.48	4.38
FRESNO	9021, SVTM	39	0.0	1.1	2.4	0.8	20.2	0.5	5.66	4.33	466	0.0	1.4	5.3	1.1	20.7	1.6	6.02	4.38
FRESNO	16609, UG	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	454	0.0	1.5	1.5	0.5	20.6	2.8	5.58	4.45
FRESNO	4521, HMX 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	417	0.0	0.4	1.3	0.1	20.8	0.4	5.57	4.39
FRESNO	9023, SVTM	244	0.0	3.7	0.7	0.3	21.6	1.6	5.26	4.48	413	0.0	3.1	0.8	0.3	21.6	1.4	5.23	4.47
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	360	0.0	0.3	1.2	0.3	20.4	1.5	4.94	4.36
FRESNO	9019, SVTM	4	0.0	2.4	2.8	0.3	22.1	4.0	6.70	4.50	339	0.0	0.6	1.0	0.4	21.4	1.8	5.92	4.26
FRESNO	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	311	0.0	1.8	5.4	1.1	19.5	1.7	5.33	4.58
FRESNO	5235, HM	171	0.0	0.3	1.4	0.8	19.5	2.3	6.01	4.46	300	0.0	0.4	1.8	0.9	19.7	2.6	6.01	4.46
FRESNO	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	215	0.0	0.7	1.4	0.5	19.3	1.7	5.07	4.42
FRESNO	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	207	0.0	0.6	1.8	0.2	21.5	1.1	5.19	4.48
FRESNO	5369, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	174	0.0	0.3	0.9	0.3	21.0	1.4	5.80	4.58
FRESNO	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	154	0.0	0.1	0.3	0.4	20.4	0.3	5.08	4.23
FRESNO	9024, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	150	0.0	0.3	1.5	0.1	20.6	0.9	5.11	4.27
FRESNO	6475, N	12	0.0	4.0	1.2	0.4	21.2	1.3	5.46	4.49	123	0.0	1.5	1.6	0.3	21.2	1.2	5.29	4.60
FRESNO	9027, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	113	0.0	0.4	0.6	0.1	19.6	0.7	5.98	4.36
FRESNO	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	107	0.0	0.2	4.3	0.3	20.4	0.5	5.20	4.46
FRESNO	42, BP	16	0.0	3.7	1.7	0.5	20.2	4.0	5.95	4.59	96	0.0	4.0	1.1	1.0	21.3	4.4	5.25	4.60
FRESNO	1994, HZ	94	0.0	5.6	2.3	0.8	20.4	0.7	5.31	4.43	94	0.0	5.6	2.3	0.8	20.4	0.7	5.31	4.43
FRESNO	9016, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	91	0.0	0.6	1.2	0.2	21.5	0.3	5.44	4.39
FRESNO	9032, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	76	0.0	0.2	1.1	0.4	20.5	1.5	6.03	4.34
FRESNO	63, NB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	58	0.0	1.1	0.6	0.4	19.0	1.8	5.49	4.55
FRESNO	4680, BOS	15	0.0	3.1	1.1	0.4	21.1	1.7	5.32	4.52	58	0.0	1.1	2.4	0.2	20.2	1.0	5.37	4.44

**2021 Processing Tomato Season**  
PTAB Analysis 8/28/21 - County by Variety



County	Variety Name	Week Ending 8/28/21									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
FRESNO	HEINZ TRIAL	4	0.0	2.9	4.1	0.3	20.9	1.6	5.40	4.46	41	0.0	1.0	4.5	0.3	20.5	0.4	5.20	4.38
FRESNO	29812, UG	40	0.0	0.8	1.1	0.2	21.1	1.3	5.47	4.51	40	0.0	0.8	1.1	0.2	21.1	1.3	5.47	4.51
FRESNO	MIX	1	0.0	7.5	1.5	1.0	19.0	2.5	5.20	4.55	38	0.0	0.6	2.2	0.4	20.5	1.7	5.61	4.40
FRESNO	262, SSA	17	0.0	1.0	1.3	0.5	19.9	1.5	5.61	4.50	35	0.0	1.1	1.3	0.3	20.2	1.9	5.65	4.50
FRESNO	391, BQ	11	0.0	4.1	3.7	0.6	22.9	6.5	5.60	4.50	33	0.0	2.0	2.6	0.5	21.5	3.5	5.63	4.54
FRESNO	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	2.9	1.0	0.9	20.9	5.7	5.15	4.60
FRESNO	395, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	1.0	2.7	0.5	20.8	2.8	5.17	4.51
FRESNO	6848, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	22	0.0	1.0	0.5	0.2	19.4	0.8	5.47	4.45
FRESNO	1991, HZ	20	0.0	2.1	1.6	0.9	20.2	4.1	5.21	4.58	20	0.0	2.1	1.6	0.9	20.2	4.1	5.21	4.58
FRESNO	6851, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	20	0.0	0.8	0.4	0.2	19.4	0.3	5.47	4.42
FRESNO	6203 E, FM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.3	0.3	0.0	20.0	2.2	4.56	4.36
FRESNO	MISC TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	0.5	0.7	0.5	20.2	4.2	5.36	4.55
FRESNO	88, BP	12	0.0	4.9	1.8	0.6	20.0	4.0	4.72	4.61	13	0.0	4.5	1.7	0.6	20.0	3.9	4.85	4.61
FRESNO	1311, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	0.4	3.3	0.3	22.2	1.2	6.67	4.35
FRESNO	6474, N	8	0.0	0.4	0.8	0.0	19.9	0.4	6.49	4.34	10	0.0	0.4	1.3	0.0	20.5	0.5	6.30	4.36
FRESNO	58801, HM	8	0.0	1.6	1.4	1.1	21.9	2.3	5.58	4.48	8	0.0	1.6	1.4	1.1	21.9	2.3	5.58	4.48
FRESNO	71, BP	6	0.0	3.6	2.3	0.6	20.5	1.8	4.78	4.54	7	0.0	3.1	2.1	0.5	20.5	1.8	4.96	4.54
FRESNO	60, BP	5	0.0	4.5	3.2	0.6	19.7	2.3	5.24	4.57	5	0.0	4.5	3.2	0.6	19.7	2.3	5.24	4.57
FRESNO	2016, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	5.2	0.5	21.5	0.0	5.00	4.33
FRESNO	6845, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.2	0.2	0.7	0.5	21.3	2.3	5.17	4.57
FRESNO	8237, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.0	4.2	0.3	21.5	0.5	5.40	4.30
FRESNO	8268, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	5.8	0.3	20.5	2.8	5.67	4.43
FRESNO	2010, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	6.3	0.5	22.0	1.0	5.35	4.40
FRESNO	2011, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.0	4.3	0.8	22.8	2.5	4.90	4.48
FRESNO	9028, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.3	5.5	1.0	20.5	0.0	5.15	4.40
FRESNO	48, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	1.5	2.0	19.0	0.0	5.70	4.23
FRESNO	394, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	10.5	0.5	21.0	1.0	5.40	4.45
FRESNO	2012, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	10.0	0.5	23.5	0.5	5.40	4.36
FRESNO	2015, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	5.5	1.5	20.0	0.5	5.30	4.35
FRESNO	6463, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.0	0.0	0.0	18.5	2.5	5.50	4.60
<b>FRESNO</b>		<b>9,674</b>	<b>0.0</b>	<b>2.0</b>	<b>2.1</b>	<b>0.6</b>	<b>20.8</b>	<b>1.3</b>	<b>5.49</b>	<b>4.46</b>	<b>89,346</b>	<b>0.0</b>	<b>0.9</b>	<b>1.8</b>	<b>0.5</b>	<b>20.5</b>	<b>1.4</b>	<b>5.54</b>	<b>4.43</b>
IMPERIAL	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	168	0.0	0.9	5.8	1.3	22.4	1.7	5.44	4.33
IMPERIAL	1776, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	2.0	6.8	1.4	23.3	2.5	5.70	4.38
IMPERIAL	58841, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	50	0.0	1.2	12.1	2.0	24.0	4.1	5.69	4.36
IMPERIAL	0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	0.6	6.3	1.0	22.1	2.1	5.24	4.30
IMPERIAL	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	25	0.0	2.1	7.1	2.8	21.7	1.1	5.26	4.44
IMPERIAL	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.1	2.3	7.3	1.4	23.1	5.3	5.46	4.36
<b>IMPERIAL</b>		<b>0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.00</b>	<b>0.00</b>	<b>341</b>	<b>0.0</b>	<b>1.2</b>	<b>7.1</b>	<b>1.5</b>	<b>22.7</b>	<b>2.4</b>	<b>5.49</b>	<b>4.35</b>
KERN	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3,259	0.0	1.1	2.9	0.8	21.4	2.0	4.47	4.44
KERN	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,624	0.0	1.3	1.1	0.5	20.4	1.2	4.67	4.44
KERN	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,093	0.0	1.1	1.3	1.3	20.2	1.7	5.00	4.53
KERN	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,930	0.0	0.9	1.3	0.6	20.7	2.1	5.06	4.42
KERN	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,354	0.0	0.6	0.8	0.5	21.0	1.7	5.12	4.35
KERN	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,085	0.0	0.9	1.5	1.0	21.2	1.7	4.70	4.43
KERN	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	936	0.0	0.3	0.8	0.2	21.0	0.7	4.65	4.46
KERN	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	708	0.0	1.4	0.3	0.8	20.4	1.6	4.98	4.47
KERN	0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	656	0.1	1.9	0.9	0.7	20.2	1.6	4.75	4.33
KERN	1662, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	434	0.0	0.3	1.7	0.3	22.2	0.8	4.78	4.39
KERN	5522, HM 61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	341	0.0	0.9	1.2	0.3	20.1	0.4	5.53	4.33
KERN	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	304	0.0	1.5	0.3	0.1	20.1	0.9	5.86	4.41
KERN	6415, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	223	0.0	0.7	2.2	0.3	21.4	0.3	4.77	4.37
KERN	6428, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	194	0.0	0.3	3.5	0.4	21.6	0.3	4.74	4.41
KERN	4707, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	171	0.0	0.2	1.0	0.8	22.8	0.5	4.57	4.41
KERN	3887, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	169	0.0	1.6	1.5	0.6	21.6	1.8	5.29	4.46
KERN	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	165	0.0	0.2	1.6	0.3	21.9	0.4	4.49	4.31
KERN	9663, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	104	0.0	3.6	0.7	0.5	20.8	1.7	4.40	4.37
KERN	2401, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	98	0.0	0.2	1.2	0.2	22.8	3.4	4.48	4.37

**2021 Processing Tomato Season**  
PTAB Analysis 8/28/21 - County by Variety



County	Variety Name	Week Ending 8/28/21									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
KERN	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	98	0.1	1.9	1.5	0.7	24.2	5.8	5.27	4.50
KERN	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	91	0.0	0.5	3.4	0.4	22.1	1.5	4.89	4.48
KERN	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	82	0.0	0.6	1.2	0.4	20.5	1.2	5.35	4.45
KERN	9024, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	1.0	1.6	0.4	21.6	1.3	4.95	4.30
KERN	MISC TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	36	0.1	0.3	0.6	0.1	20.5	0.7	5.17	4.36
KERN	9019, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	1.1	0.5	0.4	22.2	1.1	5.05	4.21
<b>KERN</b>		<b>0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.00</b>	<b>0.00</b>	<b>17,246</b>	<b>0.0</b>	<b>1.0</b>	<b>1.5</b>	<b>0.7</b>	<b>20.9</b>	<b>1.6</b>	<b>4.82</b>	<b>4.43</b>
KINGS	4521, HMX 61P	75	0.0	1.8	4.2	0.8	20.6	0.2	5.27	4.36	6,207	0.0	0.4	1.5	0.4	20.7	0.4	5.59	4.39
KINGS	5608, HZ	504	0.0	10.9	2.8	1.0	19.1	0.4	5.48	4.51	4,422	0.0	2.3	1.4	0.4	19.9	1.1	5.56	4.48
KINGS	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,747	0.0	0.2	1.1	0.4	21.2	1.8	5.05	4.43
KINGS	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,533	0.0	0.4	2.4	0.7	19.7	1.8	5.39	4.52
KINGS	6428, N	1,488	0.0	3.4	2.9	0.4	21.0	1.1	4.95	4.52	2,188	0.0	2.7	3.0	0.4	21.1	1.1	4.95	4.53
KINGS	8163, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,849	0.0	0.7	1.1	0.7	19.6	1.7	6.12	4.51
KINGS	5522, HM 61P	86	0.0	2.6	1.9	0.5	19.4	0.1	6.08	4.36	1,623	0.0	0.6	0.9	0.4	19.6	0.5	6.11	4.39
KINGS	4885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,039	0.0	1.3	0.4	0.2	20.0	0.7	5.45	4.44
KINGS	1776, HZ	358	0.0	4.4	3.1	1.0	20.1	0.6	6.26	4.49	952	0.0	2.9	2.1	0.8	20.5	0.8	6.01	4.47
KINGS	6416, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	853	0.0	0.5	1.9	0.5	21.3	1.4	5.01	4.43
KINGS	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	815	0.0	1.2	2.0	2.3	20.8	1.9	4.96	4.59
KINGS	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	756	0.0	0.2	1.6	0.4	21.3	1.6	5.51	4.35
KINGS	6402, N	10	0.0	4.2	0.8	0.5	20.6	2.0	6.01	4.62	756	0.0	1.4	1.6	0.5	20.2	1.8	5.95	4.49
KINGS	0811, BOS	564	0.0	4.6	3.7	0.5	19.8	0.2	4.71	4.36	746	0.0	4.3	3.2	0.6	19.8	0.3	4.77	4.37
KINGS	3887, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	699	0.0	3.1	3.2	0.4	20.7	1.7	5.52	4.46
KINGS	5511, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	595	0.0	1.9	1.0	0.3	20.0	3.6	5.99	4.56
KINGS	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	588	0.0	0.5	1.8	0.4	20.7	3.5	4.74	4.44
KINGS	1662, HZ	111	0.0	4.2	1.5	0.3	21.8	1.2	5.23	4.47	540	0.0	3.5	1.7	0.4	21.7	1.1	5.26	4.44
KINGS	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	538	0.0	0.8	0.7	0.8	22.0	0.8	4.44	4.40
KINGS	29814, UG	101	0.0	2.1	2.6	0.5	20.1	0.2	5.07	4.49	504	0.0	1.6	2.7	0.4	20.2	0.4	5.20	4.48
KINGS	9019, SVTM	25	0.0	5.8	4.4	3.9	22.5	0.8	5.40	4.36	485	0.0	1.7	1.4	0.7	22.1	1.5	5.68	4.31
KINGS	9014, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	459	0.0	1.9	0.7	0.5	20.0	1.1	5.40	4.41
KINGS	9024, SVTM	443	0.0	1.7	5.0	0.5	19.5	0.1	4.90	4.31	458	0.0	1.7	4.8	0.5	19.5	0.1	4.91	4.31
KINGS	UNCODED	85	0.0	4.2	4.5	0.7	19.8	0.2	4.96	4.49	410	0.0	1.4	2.3	0.5	20.7	0.7	5.29	4.47
KINGS	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	374	0.0	0.2	1.1	0.3	20.6	1.2	5.72	4.40
KINGS	9025, SVTM	40	0.0	1.9	2.4	0.7	20.7	0.6	4.80	4.27	293	0.0	1.6	2.7	0.3	21.1	0.2	5.37	4.26
KINGS	6366, SUN	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	285	0.0	1.5	2.4	0.3	20.5	1.1	5.10	4.40
KINGS	6434, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	263	0.0	0.8	4.1	2.6	22.0	1.4	5.28	4.47
KINGS	7885, HMX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	228	0.0	1.4	1.9	0.4	20.6	3.6	5.58	4.61
KINGS	2401, HEINZ	86	0.0	4.4	2.9	0.4	20.8	1.2	5.39	4.40	206	0.0	2.3	1.8	0.4	20.8	1.3	5.19	4.41
KINGS	1428, HZ	15	0.0	2.1	2.2	0.1	21.0	0.2	5.05	4.39	201	0.0	2.6	2.2	0.8	21.0	1.1	4.88	4.54
KINGS	9011, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	173	0.0	2.0	1.0	0.5	21.5	5.1	6.18	4.63
KINGS	9016, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	141	0.0	2.4	1.6	0.1	22.1	0.3	5.24	4.44
KINGS	58841, HM	4	0.0	1.9	0.8	0.5	22.1	0.8	5.53	4.56	115	0.0	0.6	1.3	0.7	21.1	1.0	5.62	4.43
KINGS	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	106	0.0	0.3	3.1	0.2	21.6	0.4	4.81	4.42
KINGS	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	100	0.0	2.4	2.0	0.9	20.8	5.5	6.10	4.43
KINGS	1082, SVTM	97	0.0	4.6	3.5	1.7	21.6	2.0	5.28	4.42	97	0.0	4.6	3.5	1.7	21.6	2.0	5.28	4.42
KINGS	2010, HZ	81	0.0	2.0	3.6	0.2	20.0	0.6	4.83	4.51	82	0.0	2.0	3.6	0.2	20.1	0.6	4.83	4.51
KINGS	9012, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	76	0.0	3.6	1.4	0.7	20.0	2.2	5.78	4.40
KINGS	8504, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	75	0.0	0.3	0.9	0.6	21.7	1.2	5.48	4.41
KINGS	4707, HEINZ	47	0.0	2.6	3.1	0.4	22.0	0.4	4.61	4.41	69	0.0	2.3	2.8	0.4	21.8	0.6	4.93	4.40
KINGS	43, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	68	0.0	4.2	1.1	0.5	19.9	1.3	5.82	4.53
KINGS	4565, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	53	0.0	2.4	2.6	0.3	20.1	1.2	5.34	4.42
KINGS	4569, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	49	0.0	2.7	2.2	0.4	20.0	1.6	5.41	4.44
KINGS	9008, SVTM	34	0.0	4.0	2.6	0.0	20.3	0.3	5.56	4.33	34	0.0	4.0	2.6	0.0	20.3	0.3	5.56	4.33
KINGS	1996, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	32	0.0	0.7	1.7	0.7	20.5	1.7	5.94	4.42
KINGS	9028, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	17	0.0	2.4	2.4	0.8	20.4	0.8	5.05	4.47
KINGS	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	15	0.0	2.6	0.7	0.5	20.3	0.9	5.25	4.50
KINGS	HEINZ TRIAL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	11	0.0	4.8	1.3	0.4	21.6	2.2	6.06	4.45
KINGS	9023, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.1	3.5	2.0	1.4	20.5	6.2	5.96	4.45

**2021 Processing Tomato Season**  
PTAB Analysis 8/28/21 - County by Variety



County	Variety Name	Week Ending 8/28/21									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
KINGS	2015, HZ	7	0.0	2.0	0.4	0.2	21.9	0.6	5.10	4.52	7	0.0	2.0	0.4	0.2	21.9	0.6	5.10	4.52
KINGS	60, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	2.0	1.6	0.8	18.6	0.6	5.55	4.50
KINGS	72, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	1.9	0.5	0.5	19.0	1.0	5.80	4.50
KINGS	2012, HZ	4	0.0	1.9	0.8	0.4	23.9	0.1	5.35	4.52	4	0.0	1.9	0.8	0.4	23.9	0.1	5.35	4.52
KINGS	71, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.0	0.5	0.5	19.5	0.5	5.27	4.45
KINGS	88, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.8	0.5	0.3	19.0	0.8	5.30	4.55
KINGS	2011, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	3.0	0.7	0.5	23.2	0.3	5.20	4.53
KINGS	2016, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.7	0.3	20.3	0.2	4.93	4.49
KINGS	2128, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	3.2	0.7	0.5	18.8	1.0	5.47	4.66
KINGS	8237, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	1.2	1.0	0.7	21.5	0.0	5.00	4.41
KINGS	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	2.0	0.8	0.8	19.5	1.3	5.90	4.56
KINGS	6475, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	2.8	0.5	0.5	22.3	0.0	4.85	4.57
<b>KINGS</b>		<b>4,265</b>	<b>0.0</b>	<b>4.3</b>	<b>3.2</b>	<b>0.6</b>	<b>20.3</b>	<b>0.7</b>	<b>5.14</b>	<b>4.46</b>	<b>35,976</b>	<b>0.0</b>	<b>1.3</b>	<b>1.8</b>	<b>0.5</b>	<b>20.5</b>	<b>1.2</b>	<b>5.45</b>	<b>4.45</b>
MADERA	1428, HZ	176	0.0	0.6	2.9	1.4	21.1	1.3	4.92	4.51	380	0.0	0.5	4.3	0.9	21.1	0.8	4.76	4.46
MADERA	9024, SVTM	200	0.0	1.8	4.0	0.5	20.5	0.8	5.39	4.38	245	0.0	1.8	3.9	0.5	20.4	0.8	5.38	4.37
MADERA	4707, HEINZ	240	0.0	0.6	4.1	0.6	23.0	0.8	4.48	4.37	240	0.0	0.6	4.1	0.6	23.0	0.8	4.48	4.37
MADERA	9013, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	130	0.0	2.6	2.3	0.3	20.2	1.1	5.73	4.48
MADERA	5608, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	113	0.0	1.7	3.5	2.5	20.4	1.5	5.01	4.56
MADERA	9023, SVTM	68	0.0	0.9	6.1	0.5	21.4	1.0	5.83	4.42	68	0.0	0.9	6.1	0.5	21.4	1.0	5.83	4.42
<b>MADERA</b>		<b>684</b>	<b>0.0</b>	<b>1.0</b>	<b>4.0</b>	<b>0.8</b>	<b>21.6</b>	<b>1.0</b>	<b>5.00</b>	<b>4.41</b>	<b>1,176</b>	<b>0.0</b>	<b>1.2</b>	<b>4.0</b>	<b>0.8</b>	<b>21.2</b>	<b>0.9</b>	<b>5.02</b>	<b>4.43</b>
MERCED	1662, HZ	835	0.0	0.4	3.6	1.3	21.5	0.9	5.08	4.43	1,268	0.0	0.4	3.9	1.3	21.7	1.0	5.16	4.42
MERCED	4707, HEINZ	649	0.0	0.3	1.5	0.6	22.6	1.0	5.27	4.43	1,249	0.0	0.3	1.7	1.0	22.7	0.8	5.12	4.42
MERCED	9013, SVTM	811	0.0	1.6	3.7	1.5	20.2	1.1	5.25	4.46	1,198	0.0	1.6	3.4	1.9	20.5	1.4	5.31	4.48
MERCED	9012, SVTM	277	0.0	2.1	2.6	0.3	20.3	2.3	5.92	4.45	1,056	0.0	1.0	3.2	0.4	20.8	1.8	5.95	4.43
MERCED	1428, HZ	377	0.0	0.7	2.0	1.5	21.2	1.0	4.99	4.44	986	0.0	0.7	2.1	1.3	21.1	0.9	5.01	4.47
MERCED	1082, SVTM	314	0.0	1.6	1.6	0.4	21.5	2.3	5.36	4.38	827	0.0	0.8	2.5	0.4	21.4	1.5	5.53	4.35
MERCED	9014, SVTM	228	0.0	0.7	4.3	3.8	20.0	0.6	5.27	4.39	816	0.0	1.2	2.7	3.0	20.7	1.1	5.26	4.43
MERCED	9021, SVTM	433	0.0	1.8	3.7	1.0	19.7	0.8	5.93	4.39	708	0.0	1.3	3.5	1.0	19.9	0.6	5.85	4.37
MERCED	43, BP	50	0.0	0.3	4.4	0.6	19.8	0.6	6.34	4.36	546	0.0	0.5	3.7	0.4	21.0	1.1	5.75	4.47
MERCED	6428, N	329	0.0	2.0	5.8	3.9	21.9	1.3	4.89	4.49	476	0.0	1.5	5.2	3.0	21.7	1.1	5.19	4.48
MERCED	9011, SVTM	241	0.0	0.6	3.7	0.6	20.1	1.3	6.36	4.41	393	0.0	1.0	2.7	0.6	20.1	2.2	6.11	4.41
MERCED	5235, HM	250	0.0	2.1	1.5	0.7	20.5	2.7	5.34	4.47	385	0.0	1.9	1.8	0.8	20.4	2.5	5.41	4.47
MERCED	8011, SV	17	0.0	1.9	0.7	0.1	18.9	4.6	7.11	4.52	377	0.0	2.1	1.9	0.4	20.4	1.1	5.29	4.48
MERCED	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	376	0.0	0.4	1.7	0.8	21.8	0.8	4.84	4.33
MERCED	9023, SVTM	199	0.0	0.6	2.9	1.3	20.3	1.0	5.46	4.40	375	0.0	0.7	2.4	1.2	20.6	1.1	5.55	4.40
MERCED	6426, N	2	0.0	0.0	1.3	0.8	20.5	1.5	4.90	4.50	319	0.0	0.5	2.3	0.6	20.7	1.4	4.89	4.48
MERCED	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	272	0.0	1.0	4.2	0.5	20.5	1.1	4.77	4.56
MERCED	8163, HM	10	0.0	4.5	0.7	1.4	20.4	3.5	5.72	4.49	213	0.0	1.3	0.7	0.6	19.9	2.4	5.70	4.51
MERCED	9016, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	165	0.0	2.4	0.9	0.4	23.3	1.2	4.86	4.49
MERCED	273, BQ	50	0.0	3.3	4.3	4.7	21.7	1.8	5.68	4.44	141	0.0	1.6	3.0	2.0	22.0	2.1	5.34	4.46
MERCED	74, BP	70	0.0	1.3	1.2	0.1	20.8	0.8	4.99	4.42	134	0.0	1.1	1.2	0.1	20.8	0.8	5.08	4.42
MERCED	1776, HZ	79	0.0	0.6	3.6	0.7	20.4	0.7	6.14	4.39	115	0.0	0.6	3.9	0.8	20.5	0.7	6.15	4.38
MERCED	9025, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	104	0.0	0.7	3.4	0.6	21.1	0.9	6.36	4.27
MERCED	0319, DRI	59	0.0	0.5	0.6	0.0	20.0	3.0	6.17	4.43	99	0.0	0.5	0.8	0.0	20.2	3.0	6.08	4.43
MERCED	58841, HM	84	0.0	0.9	2.6	1.2	21.5	1.3	5.32	4.46	84	0.0	0.9	2.6	1.2	21.5	1.3	5.32	4.46
MERCED	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	75	0.0	3.5	5.2	0.6	22.7	2.7	4.72	4.40
MERCED	HEINZ TRIAL	25	0.0	0.1	0.9	0.6	23.0	2.3	5.51	4.53	66	0.0	0.1	1.3	0.9	23.7	1.8	5.32	4.53
MERCED	1293, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	0.6	1.5	0.5	19.8	1.8	5.38	4.58
MERCED	6420, N	64	0.0	0.9	1.2	0.5	20.8	1.5	5.30	4.57	64	0.0	0.9	1.2	0.5	20.8	1.5	5.30	4.57
MERCED	6434, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	64	0.0	0.3	2.8	0.8	22.7	1.3	6.19	4.46
MERCED	7885, HMX	39	0.0	1.4	0.9	0.6	20.8	1.5	4.83	4.62	44	0.0	1.3	0.9	0.7	20.8	1.4	4.84	4.62
MERCED	198, SSA	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	0.4	2.4	0.6	21.2	1.9	5.43	4.56
MERCED	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	40	0.0	0.3	2.0	0.2	22.5	1.4	5.23	4.47
MERCED	8237, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	23	0.0	0.6	2.8	1.4	21.1	0.8	5.85	4.37
MERCED	1996, HZ	21	0.0	0.8	4.0	0.4	20.1	0.2	4.71	4.38	21	0.0	0.8	4.0	0.4	20.1	0.2	4.71	4.38
MERCED	MIX	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	1.5	2.0	0.0	21.0	2.5	5.00	4.43
MERCED	5706, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.0	0.0	21.0	1.0	5.50	4.22

**2021 Processing Tomato Season**  
PTAB Analysis 8/28/21 - County by Variety



County	Variety Name	Week Ending 8/28/21									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
<b>MERCED</b>		<b>5,513</b>	<b>0.0</b>	<b>1.1</b>	<b>3.0</b>	<b>1.3</b>	<b>20.9</b>	<b>1.3</b>	<b>5.38</b>	<b>4.43</b>	<b>13,188</b>	<b>0.0</b>	<b>1.0</b>	<b>2.8</b>	<b>1.1</b>	<b>21.1</b>	<b>1.3</b>	<b>5.38</b>	<b>4.44</b>
SACRAMENTO	5900, HM	14	0.0	0.5	0.2	0.5	21.0	1.4	5.60	4.40	14	0.0	0.5	0.2	0.5	21.0	1.4	5.60	4.40
<b>SACRAMENTO</b>		<b>14</b>	<b>0.0</b>	<b>0.5</b>	<b>0.2</b>	<b>0.5</b>	<b>21.0</b>	<b>1.4</b>	<b>5.60</b>	<b>4.40</b>	<b>14</b>	<b>0.0</b>	<b>0.5</b>	<b>0.2</b>	<b>0.5</b>	<b>21.0</b>	<b>1.4</b>	<b>5.60</b>	<b>4.40</b>
SAN JOAQUIN	0319, DRI	248	0.0	1.4	1.2	0.6	20.4	1.1	5.72	4.29	261	0.0	1.3	1.2	0.6	20.4	1.1	5.74	4.28
SAN JOAQUIN	9011, SVTM	16	0.0	0.6	0.9	0.3	19.8	0.8	5.87	4.34	170	0.0	1.1	5.1	0.3	21.2	2.0	6.50	4.43
SAN JOAQUIN	9013, SVTM	84	0.0	1.5	3.7	0.6	20.4	2.7	5.20	4.47	117	0.0	1.4	4.4	0.6	20.4	2.7	5.42	4.46
SAN JOAQUIN	5235, HM	33	0.0	4.6	4.0	0.5	20.6	5.1	5.56	4.47	73	0.0	4.2	5.0	0.6	20.6	5.0	5.66	4.47
SAN JOAQUIN	9014, SVTM	67	0.0	1.9	3.9	0.4	20.6	1.7	5.86	4.38	72	0.0	1.9	4.2	0.4	20.6	1.8	5.85	4.38
SAN JOAQUIN	0311, AB	40	0.0	2.3	1.0	0.6	21.1	1.2	5.03	4.29	40	0.0	2.3	1.0	0.6	21.1	1.2	5.03	4.29
SAN JOAQUIN	9012, SVTM	39	0.0	0.5	1.7	0.2	20.3	1.2	5.75	4.32	39	0.0	0.5	1.7	0.2	20.3	1.2	5.75	4.32
SAN JOAQUIN	8011, SV	36	0.0	3.1	0.5	1.2	20.9	1.7	4.42	4.48	36	0.0	3.1	0.5	1.2	20.9	1.7	4.42	4.48
SAN JOAQUIN	5900, HM	34	0.0	0.2	1.1	0.9	20.9	0.8	5.55	4.29	34	0.0	0.2	1.1	0.9	20.9	0.8	5.55	4.29
SAN JOAQUIN	6420, N	19	0.0	1.5	2.2	0.8	20.3	0.3	4.95	4.37	19	0.0	1.5	2.2	0.8	20.3	0.3	4.95	4.37
SAN JOAQUIN	43, BP	18	0.0	0.8	0.7	0.5	20.0	0.2	4.97	4.41	18	0.0	0.8	0.7	0.5	20.0	0.2	4.97	4.41
SAN JOAQUIN	5522, HM 61P	12	0.0	0.5	1.2	0.3	19.8	0.3	5.55	4.31	12	0.0	0.5	1.2	0.3	19.8	0.3	5.55	4.31
SAN JOAQUIN	74, BP	6	0.0	0.3	1.8	0.4	19.9	0.0	4.90	4.37	6	0.0	0.3	1.8	0.4	19.9	0.0	4.90	4.37
SAN JOAQUIN	8163, HM	6	0.0	0.7	0.7	0.3	19.5	1.1	5.68	4.42	6	0.0	0.7	0.7	0.3	19.5	1.1	5.68	4.42
<b>SAN JOAQUIN</b>		<b>658</b>	<b>0.0</b>	<b>1.6</b>	<b>1.9</b>	<b>0.6</b>	<b>20.5</b>	<b>1.5</b>	<b>5.49</b>	<b>4.35</b>	<b>903</b>	<b>0.0</b>	<b>1.6</b>	<b>2.9</b>	<b>0.5</b>	<b>20.6</b>	<b>1.8</b>	<b>5.71</b>	<b>4.37</b>
SOLANO	4909, HMX	500	0.0	2.1	0.8	0.3	21.5	0.5	5.89	4.21	1,642	0.0	1.8	1.0	0.3	21.7	0.5	5.79	4.22
SOLANO	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	447	0.0	1.1	2.8	1.4	21.9	2.0	4.61	4.41
SOLANO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	344	0.0	0.6	1.2	0.5	22.1	1.3	5.27	4.27
SOLANO	4521, HMX 61P	27	0.0	0.8	0.7	1.6	21.0	0.5	5.07	4.30	294	0.0	0.8	1.2	1.3	21.6	0.6	5.18	4.32
SOLANO	5522, HM 61P	167	0.0	0.3	0.4	0.4	20.3	0.1	5.36	4.28	220	0.0	0.3	0.5	0.4	20.5	0.2	5.28	4.28
SOLANO	58841, HM	199	0.0	0.5	0.9	0.3	20.5	0.2	5.34	4.37	199	0.0	0.5	0.9	0.3	20.5	0.2	5.34	4.37
SOLANO	0319, DRI	51	0.0	0.8	0.3	0.3	20.8	0.8	4.84	4.38	194	0.0	0.8	0.8	0.4	21.6	1.6	5.07	4.34
SOLANO	9013, SVTM	169	0.0	2.1	0.7	0.2	19.5	0.9	5.08	4.37	193	0.0	1.9	0.7	0.2	19.6	0.8	5.16	4.37
SOLANO	5235, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	148	0.0	0.5	1.9	0.2	19.2	0.6	5.61	4.34
SOLANO	9014, SVTM	51	0.0	0.6	0.3	0.2	19.1	0.5	6.05	4.36	144	0.0	0.5	0.4	0.3	19.2	0.4	6.07	4.38
SOLANO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	141	0.0	0.9	2.1	0.5	21.7	0.8	5.47	4.40
SOLANO	9011, SVTM	48	0.0	3.5	0.7	0.4	20.3	2.0	5.63	4.46	130	0.0	2.5	0.9	0.6	20.2	1.6	5.60	4.42
SOLANO	9023, SVTM	27	0.0	0.1	0.2	0.6	20.0	0.2	5.33	4.34	129	0.0	0.4	0.8	0.3	20.8	0.3	5.18	4.33
SOLANO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	121	0.0	0.8	0.3	0.2	20.9	0.7	4.86	4.27
SOLANO	51, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	117	0.0	0.7	1.3	1.0	22.3	3.0	5.61	4.37
SOLANO	1310, HZ	109	0.0	1.2	1.0	1.2	21.5	2.3	4.86	4.45	109	0.0	1.2	1.0	1.2	21.5	2.3	4.86	4.45
SOLANO	198, SSA	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	98	0.0	0.6	0.7	0.1	19.7	0.3	5.19	4.38
SOLANO	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	94	0.0	0.5	1.1	0.2	20.2	0.3	4.91	4.36
SOLANO	1293, HZ	72	0.0	1.8	1.0	0.6	20.0	1.8	5.17	4.59	83	0.0	1.7	1.0	0.7	20.0	1.7	5.17	4.59
SOLANO	42, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	77	0.0	1.6	0.8	0.1	20.0	1.2	5.40	4.38
SOLANO	8011, SV	68	0.0	2.5	1.0	0.4	19.8	0.4	5.95	4.33	68	0.0	2.5	1.0	0.4	19.8	0.4	5.95	4.33
SOLANO	8163, HM	26	0.0	0.6	1.0	1.8	19.6	0.7	6.43	4.47	66	0.0	0.5	1.7	1.3	19.6	0.5	6.33	4.44
SOLANO	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	58	0.0	0.4	0.1	0.0	20.1	0.9	5.16	4.36
SOLANO	9024, SVTM	57	0.0	0.1	1.0	0.5	19.9	0.1	4.87	4.26	57	0.0	0.1	1.0	0.5	19.9	0.1	4.87	4.26
SOLANO	9025, SVTM	57	0.0	1.1	0.7	0.9	22.7	0.4	5.58	4.28	57	0.0	1.1	0.7	0.9	22.7	0.4	5.58	4.28
SOLANO	3842, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	42	0.0	0.8	0.2	0.1	21.7	1.3	4.85	4.39
SOLANO	9019, SVTM	19	0.0	0.3	0.7	0.2	22.8	2.1	5.01	4.23	22	0.0	0.3	0.8	0.3	22.9	1.9	4.99	4.23
SOLANO	9012, SVTM	21	0.0	2.0	0.9	0.7	19.8	0.7	5.81	4.33	21	0.0	2.0	0.9	0.7	19.8	0.7	5.81	4.33
SOLANO	9027, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	19	0.0	0.9	0.9	0.8	21.6	0.5	5.39	4.33
SOLANO	9028, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.6	4.5	0.6	20.7	0.9	5.01	4.33
SOLANO	9016, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	7	0.0	0.6	2.0	1.5	22.3	0.4	5.33	4.24
SOLANO	9032, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.8	0.3	0.3	21.0	0.3	4.90	4.25
<b>SOLANO</b>		<b>1,668</b>	<b>0.0</b>	<b>1.4</b>	<b>0.7</b>	<b>0.5</b>	<b>20.7</b>	<b>0.7</b>	<b>5.49</b>	<b>4.32</b>	<b>5,361</b>	<b>0.0</b>	<b>1.2</b>	<b>1.1</b>	<b>0.5</b>	<b>21.2</b>	<b>0.9</b>	<b>5.40</b>	<b>4.32</b>
STANISLAUS	9014, SVTM	168	0.0	2.3	0.5	0.1	19.9	1.4	5.18	4.38	324	0.0	2.0	1.1	0.2	20.5	2.2	5.33	4.39
STANISLAUS	5522, HM 61P	105	0.0	0.2	0.0	0.1	20.4	1.5	5.35	4.38	225	0.0	0.1	0.0	0.1	20.2	1.0	5.41	4.35
STANISLAUS	273, BQ	56	0.0	1.0	1.1	2.1	21.3	1.6	4.97	4.45	201	0.0	0.8	0.8	0.9	21.6	2.5	5.43	4.42
STANISLAUS	0319, DRI	22	0.0	1.1	0.5	0.6	22.6	2.9	5.34	4.39	187	0.0	0.3	0.4	0.2	21.5	2.7	5.99	4.39
STANISLAUS	8163, HM	76	0.0	0.5	0.3	0.5	19.9	1.1	5.57	4.43	178	0.0	0.4	0.4	0.4	19.9	0.8	5.62	4.43
STANISLAUS	9011, SVTM	55	0.0	2.6	1.3	0.8	19.9	3.4	6.20	4.51	173	0.0	1.6	2.5	0.6	20.4	2.4	6.12	4.44

**2021 Processing Tomato Season**  
PTAB Analysis 8/28/21 - County by Variety



County	Variety Name	Week Ending 8/28/21									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
STANISLAUS	43, BP	60	0.0	3.2	2.2	0.7	21.3	1.5	5.28	4.50	170	0.0	2.5	1.9	0.6	21.5	2.2	5.48	4.53
STANISLAUS	74, BP	158	0.0	2.3	0.4	0.3	20.2	1.6	5.44	4.48	159	0.0	2.3	0.4	0.3	20.2	1.6	5.44	4.48
STANISLAUS	5900, HM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	152	0.0	1.0	0.6	0.4	21.9	2.3	5.44	4.33
STANISLAUS	1082, SVTM	101	0.0	1.0	0.4	1.2	21.2	3.6	5.10	4.34	146	0.0	0.9	0.4	1.3	21.1	3.6	5.11	4.34
STANISLAUS	4521, HMX 61P	127	0.0	0.2	0.1	0.0	20.1	0.2	5.01	4.38	127	0.0	0.2	0.1	0.0	20.1	0.2	5.01	4.38
STANISLAUS	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	105	0.0	0.6	1.0	0.4	21.9	0.8	4.66	4.33
STANISLAUS	5235, HM	77	0.0	1.0	0.9	0.1	19.7	1.1	5.73	4.42	77	0.0	1.0	0.9	0.1	19.7	1.1	5.73	4.42
STANISLAUS	0811, BOS	32	0.0	0.0	0.2	0.1	19.1	0.6	5.56	4.32	58	0.0	0.0	0.2	0.0	19.1	0.6	5.48	4.32
STANISLAUS	9016, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	4	0.0	0.5	3.4	0.0	23.4	2.3	5.00	4.40
STANISLAUS	6474, N	1	0.0	0.5	0.5	2.0	19.5	5.5	5.30	4.47	1	0.0	0.5	0.5	2.0	19.5	5.5	5.30	4.47
STANISLAUS	58801, HM	1	0.0	1.0	0.0	0.5	21.5	2.5	5.00	4.20	1	0.0	1.0	0.0	0.5	21.5	2.5	5.00	4.20
<b>STANISLAUS</b>		<b>1,039</b>	<b>0.0</b>	<b>1.4</b>	<b>0.5</b>	<b>0.5</b>	<b>20.3</b>	<b>1.6</b>	<b>5.34</b>	<b>4.41</b>	<b>2,288</b>	<b>0.0</b>	<b>1.1</b>	<b>0.8</b>	<b>0.4</b>	<b>20.8</b>	<b>1.9</b>	<b>5.46</b>	<b>4.40</b>
SUTTER	6428, N	1,352	0.0	1.9	3.5	1.9	22.0	2.5	4.79	4.50	2,166	0.0	1.9	4.0	1.7	22.2	2.2	4.78	4.48
SUTTER	9013, SVTM	49	0.0	2.8	0.4	0.1	20.7	1.9	5.27	4.43	1,152	0.0	1.9	3.2	0.8	20.7	1.4	5.25	4.44
SUTTER	9016, SVTM	68	0.0	2.7	0.4	0.2	22.0	1.0	5.40	4.37	724	0.0	1.6	4.7	1.5	22.5	0.6	4.97	4.32
SUTTER	9014, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	443	0.0	1.5	4.1	0.8	21.1	1.3	5.35	4.43
SUTTER	63, NB	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	423	0.0	1.0	4.9	2.0	20.9	2.5	5.33	4.55
SUTTER	51, BP	57	0.0	1.6	0.1	0.2	21.6	1.7	5.30	4.41	415	0.0	1.2	1.5	0.9	21.9	2.3	5.39	4.37
SUTTER	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	327	0.0	1.7	3.5	1.1	21.7	1.9	4.54	4.53
SUTTER	6434, N	153	0.0	2.5	5.9	2.6	22.3	2.0	4.91	4.50	325	0.0	1.8	4.3	1.6	22.3	2.1	5.03	4.47
SUTTER	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	308	0.0	1.6	2.6	1.8	21.8	2.2	4.82	4.47
SUTTER	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	285	0.0	1.5	5.3	0.8	21.6	1.2	4.55	4.50
SUTTER	9024, SVTM	124	0.0	1.5	1.5	0.1	20.4	0.6	5.22	4.34	179	0.0	1.4	1.3	0.2	20.4	0.6	5.27	4.34
SUTTER	5235, HM	142	0.0	2.3	7.9	0.7	20.8	4.6	4.95	4.46	152	0.0	2.3	7.9	0.6	20.8	4.5	4.94	4.46
SUTTER	9023, SVTM	39	0.0	2.8	0.2	0.1	21.4	1.8	5.25	4.41	143	0.0	1.9	0.5	0.3	21.5	1.3	5.41	4.45
SUTTER	9021, SVTM	21	0.0	1.3	0.2	0.2	21.3	1.3	5.17	4.37	52	0.0	1.3	0.4	0.4	21.0	1.1	5.27	4.38
SUTTER	1662, HZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	46	0.0	1.2	2.7	0.9	22.7	1.8	5.05	4.39
SUTTER	9032, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	0.6	2.9	1.2	23.0	1.2	4.54	4.32
SUTTER	9027, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	39	0.0	0.2	1.6	0.7	20.9	0.4	5.44	4.28
SUTTER	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	27	0.0	0.3	0.3	0.1	22.1	0.6	5.10	4.27
SUTTER	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	10	0.0	1.0	2.8	2.0	22.9	4.0	5.42	4.42
<b>SUTTER</b>		<b>2,005</b>	<b>0.0</b>	<b>2.0</b>	<b>3.5</b>	<b>1.5</b>	<b>21.8</b>	<b>2.4</b>	<b>4.89</b>	<b>4.47</b>	<b>7,259</b>	<b>0.0</b>	<b>1.7</b>	<b>3.7</b>	<b>1.3</b>	<b>21.7</b>	<b>1.8</b>	<b>5.01</b>	<b>4.45</b>
TULARE	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	633	0.0	3.5	5.0	0.8	21.0	2.0	4.33	4.48
TULARE	0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	596	0.0	3.1	3.6	0.7	19.8	0.4	4.40	4.37
TULARE	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	503	0.0	0.4	1.8	0.5	21.7	0.7	4.22	4.47
TULARE	400, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	189	0.0	1.9	4.9	0.7	19.4	0.7	4.98	4.53
<b>TULARE</b>		<b>0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.0</b>	<b>0.00</b>	<b>0.00</b>	<b>1,921</b>	<b>0.0</b>	<b>2.4</b>	<b>3.7</b>	<b>0.6</b>	<b>20.7</b>	<b>1.0</b>	<b>4.39</b>	<b>4.45</b>
YOLO	58841, HM	1,264	0.0	1.2	3.0	1.1	20.2	0.6	5.30	4.40	3,423	0.0	0.8	2.2	0.9	20.5	0.4	5.31	4.36
YOLO	5235, HM	43	0.0	2.6	0.5	0.4	19.3	3.1	5.24	4.48	3,163	0.0	1.1	2.2	0.7	20.0	1.5	5.18	4.39
YOLO	13, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2,599	0.0	0.5	4.5	1.2	21.8	1.0	4.50	4.38
YOLO	6428, N	694	0.0	1.7	2.3	0.5	21.1	2.0	4.74	4.44	2,591	0.0	1.1	2.9	0.8	22.0	1.9	4.62	4.45
YOLO	9011, SVTM	244	0.0	2.6	0.5	0.2	19.5	1.4	5.45	4.36	1,950	0.0	1.7	0.8	0.2	19.3	0.9	5.61	4.31
YOLO	4909, HMX	249	0.0	2.3	0.9	0.4	20.6	1.0	5.38	4.25	1,710	0.0	1.8	0.8	0.4	21.9	1.0	5.26	4.24
YOLO	9013, SVTM	684	0.0	1.7	1.8	1.0	20.0	1.2	5.25	4.38	1,522	0.0	1.4	1.8	0.7	20.3	1.1	5.22	4.38
YOLO	403, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1,421	0.0	0.4	0.9	0.4	22.5	1.6	4.98	4.31
YOLO	9021, SVTM	365	0.0	1.7	5.8	0.6	20.6	1.0	4.82	4.40	1,303	0.0	1.1	4.7	0.8	21.1	0.8	4.92	4.36
YOLO	0319, DRI	530	0.0	0.9	0.5	1.0	21.2	1.0	5.38	4.32	1,077	0.0	0.8	0.6	0.6	21.0	1.1	5.40	4.32
YOLO	9025, SVTM	200	0.0	0.8	0.2	0.1	20.7	0.2	4.86	4.21	943	0.0	0.4	2.6	1.0	21.7	0.5	5.03	4.23
YOLO	273, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	921	0.0	0.3	0.9	0.3	22.0	0.6	4.98	4.30
YOLO	413, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	786	0.0	0.8	3.7	0.8	21.7	1.0	4.50	4.50
YOLO	9016, SVTM	80	0.0	1.2	4.3	1.2	21.9	0.7	4.77	4.35	665	0.0	1.6	4.2	0.9	22.1	0.6	4.91	4.33
YOLO	43, BP	287	0.0	2.5	0.9	0.6	19.8	0.7	5.25	4.42	661	0.0	1.9	0.9	0.6	20.5	0.6	5.08	4.43
YOLO	9024, SVTM	340	0.0	0.7	1.5	0.3	20.4	0.2	4.88	4.24	580	0.0	1.0	2.2	0.6	20.8	0.7	5.10	4.29
YOLO	9014, SVTM	105	0.0	0.6	1.1	0.2	19.2	0.4	5.00	4.29	559	0.0	1.0	1.2	0.7	20.0	0.9	5.63	4.35
YOLO	6434, N	200	0.0	4.3	3.0	3.2	22.5	2.7	4.94	4.48	550	0.0	2.2	4.5	2.0	22.2	1.9	4.90	4.42
YOLO	1015, HEINZ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	527	0.0	0.6	2.7	0.8	21.3	1.0	4.78	4.46
YOLO	1082, SVTM	264	0.0	1.5	0.6	0.6	20.3	0.8	5.21	4.32	493	0.0	1.6	0.5	0.6	20.6	0.7	5.13	4.32

**2021 Processing Tomato Season**  
PTAB Analysis 8/28/21 - County by Variety



County	Variety Name	Week Ending 8/28/21									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
YOLO	7103, HMX61P	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	471	0.0	0.4	0.6	0.3	20.7	1.4	5.32	4.38
YOLO	8163, HM	177	0.0	1.2	0.6	0.8	19.4	1.7	5.71	4.46	451	0.0	1.0	0.4	0.8	19.6	1.2	5.54	4.45
YOLO	5608, HZ	190	0.0	0.9	2.2	1.3	20.1	0.9	4.82	4.40	374	0.0	0.7	1.6	1.0	20.4	0.9	4.88	4.42
YOLO	9023, SVTM	313	0.0	0.8	0.5	0.3	21.0	0.9	4.81	4.39	374	0.0	0.8	0.8	0.5	21.2	1.0	4.85	4.39
YOLO	3887, HM	35	0.0	4.1	5.4	2.3	21.8	2.5	5.22	4.44	346	0.0	1.9	2.2	1.4	22.1	2.9	5.11	4.41
YOLO	9019, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	289	0.0	0.4	1.8	1.5	23.0	2.0	5.14	4.25
YOLO	6397, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	245	0.0	0.2	0.5	0.3	22.0	0.7	5.07	4.40
YOLO	0811, BOS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	207	0.0	0.5	0.2	0.3	20.1	0.3	5.02	4.31
YOLO	198, SSA	30	0.0	0.4	0.9	0.1	19.2	0.8	5.38	4.38	190	0.0	0.4	0.7	0.4	21.0	0.8	5.03	4.45
YOLO	1293, HZ	63	0.0	1.5	0.5	0.8	20.1	2.1	5.50	4.58	190	0.0	0.8	1.1	0.9	20.0	1.9	5.46	4.56
YOLO	51, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	171	0.0	0.5	1.8	1.0	23.1	2.1	5.08	4.33
YOLO	5706, HZ	166	0.0	0.7	2.5	1.2	21.1	0.5	4.71	4.35	166	0.0	0.7	2.5	1.2	21.1	0.5	4.71	4.35
YOLO	5522, HM 61P	93	0.0	0.4	6.9	3.2	20.1	0.5	6.08	4.28	151	0.0	0.4	4.7	2.3	19.8	0.4	5.91	4.27
YOLO	4521, HMX 61P	52	0.0	1.1	0.9	0.3	19.2	0.2	5.54	4.29	120	0.0	0.7	1.4	0.5	19.8	0.3	5.54	4.29
YOLO	141, BQ	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	117	0.0	1.4	6.7	2.0	22.1	5.3	4.41	4.49
YOLO	8011, SV	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	117	0.0	0.7	0.2	0.3	21.0	3.2	5.23	4.44
YOLO	5511, HMX61P	10	0.0	0.7	2.4	0.4	19.5	2.3	5.92	4.42	109	0.0	2.1	1.5	0.3	20.3	1.3	5.11	4.44
YOLO	6420, N	66	0.0	1.6	0.7	0.4	20.3	1.1	4.84	4.48	97	0.0	1.7	1.1	0.7	20.5	1.0	4.78	4.48
YOLO	9027, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	74	0.0	0.2	1.9	0.5	21.5	0.3	5.04	4.35
YOLO	1662, HZ	63	0.0	2.1	11.0	0.8	21.6	0.7	4.67	4.40	63	0.0	2.1	11.0	0.8	21.6	0.7	4.67	4.40
YOLO	1310, HZ	59	0.0	3.5	2.0	1.6	23.5	2.8	4.00	4.53	59	0.0	3.5	2.0	1.6	23.5	2.8	4.00	4.53
YOLO	9018, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	57	0.0	0.1	3.9	0.7	23.2	0.3	4.99	4.24
YOLO	5369, HMX61P	51	0.0	1.0	1.7	0.8	20.4	0.3	5.09	4.52	51	0.0	1.0	1.7	0.8	20.4	0.3	5.09	4.52
YOLO	9032, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	43	0.0	0.1	2.5	0.9	22.1	0.6	5.01	4.28
YOLO	6459, N	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	1.2	6.5	1.5	21.3	1.4	6.14	4.47
YOLO	9012, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	34	0.0	1.4	1.1	1.2	19.5	0.7	5.36	4.31
YOLO	UNCODED	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	33	0.0	1.1	2.0	0.3	22.3	1.1	4.66	4.38
YOLO	8237, HM	20	0.0	0.8	0.7	0.1	19.7	0.4	5.31	4.32	20	0.0	0.8	0.7	0.1	19.7	0.4	5.31	4.32
YOLO	262, SSA	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	18	0.0	0.2	2.0	0.1	22.7	0.2	5.04	4.29
YOLO	88, BP	3	0.2	2.2	0.2	0.5	19.7	0.7	4.77	4.44	12	0.0	3.0	0.3	1.0	19.8	2.3	4.63	4.48
YOLO	6474, N	7	0.0	0.9	2.1	0.0	19.9	0.3	4.94	4.33	11	0.0	0.7	1.7	0.1	20.1	0.3	4.98	4.32
YOLO	2128, HZ	2	0.0	3.8	0.5	0.5	19.3	0.5	5.15	4.55	10	0.0	2.9	0.5	1.0	19.1	2.0	4.85	4.58
YOLO	9028, SVTM	6	0.0	1.2	0.8	0.2	19.8	0.8	4.62	4.34	6	0.0	1.2	0.8	0.2	19.8	0.8	4.62	4.34
YOLO	2012, HZ	4	0.0	0.8	1.8	0.4	19.6	0.5	5.00	4.24	4	0.0	0.8	1.8	0.4	19.6	0.5	5.00	4.24
YOLO	60, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.3	0.3	19.2	0.3	5.37	4.40
YOLO	71, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	3	0.0	0.3	0.2	0.5	19.2	0.3	5.20	4.40
YOLO	2011, HZ	3	0.0	0.3	1.0	0.3	19.7	0.2	5.13	4.24	3	0.0	0.3	1.0	0.3	19.7	0.2	5.13	4.24
YOLO	MIX	1	0.0	0.5	0.5	2.0	20.5	0.5	5.10	4.45	2	0.0	0.8	1.0	1.0	19.8	0.8	5.20	4.43
YOLO	72, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	0.5	0.0	0.3	19.3	0.3	5.50	4.39
YOLO	2015, HZ	2	0.0	0.8	2.5	0.3	18.5	0.0	4.60	4.31	2	0.0	0.8	2.5	0.3	18.5	0.0	4.60	4.31
YOLO	5234, IVF	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	2	0.0	2.3	0.3	0.0	18.5	2.3	5.55	4.48
YOLO	6475, N	2	0.0	0.3	0.8	0.0	19.0	0.0	4.60	4.36	2	0.0	0.3	0.8	0.0	19.0	0.0	4.60	4.36
YOLO	74, BP	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.5	0.5	0.5	20.0	1.0	5.30	4.40
YOLO	108, HYPEEL	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	3.0	1.5	20.0	2.0	5.10	4.61
YOLO	1538, HZ	1	0.0	4.5	0.0	0.0	18.0	0.5	5.10	4.41	1	0.0	4.5	0.0	0.0	18.0	0.5	5.10	4.41
YOLO	2016, HZ	1	0.5	1.0	1.0	0.5	18.5	0.0	4.70	4.31	1	0.5	1.0	1.0	0.5	18.5	0.0	4.70	4.31
YOLO	8232, SV	1	0.0	1.0	0.0	0.0	21.0	1.0	5.40	4.40	1	0.0	1.0	0.0	0.0	21.0	1.0	5.40	4.40
YOLO	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	1	0.0	0.0	0.5	0.0	19.0	1.5	5.50	4.39
<b>YOLO</b>		<b>6,970</b>	<b>0.0</b>	<b>1.5</b>	<b>2.1</b>	<b>0.8</b>	<b>20.5</b>	<b>1.0</b>	<b>5.12</b>	<b>4.38</b>	<b>32,183</b>	<b>0.0</b>	<b>1.0</b>	<b>2.2</b>	<b>0.8</b>	<b>21.1</b>	<b>1.1</b>	<b>5.06</b>	<b>4.36</b>