

**2022 Processing Tomato Season**  
PTAB Analysis 7/16/22 - County by Variety



County	Variety Name	Week Ending 7/16/22									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
CONTRA COSTA	403, BQ	51	0.0	0.0	0.3	0.0	22.0	1.2	5.34	4.27	51	0.0	0.0	0.3	0.0	22.0	1.2	5.34	4.27
<b>CONTRA COSTA</b>		<b>51</b>	<b>0.0</b>	<b>0.0</b>	<b>0.3</b>	<b>0.0</b>	<b>22.0</b>	<b>1.2</b>	<b>5.34</b>	<b>4.27</b>	<b>51</b>	<b>0.0</b>	<b>0.0</b>	<b>0.3</b>	<b>0.0</b>	<b>22.0</b>	<b>1.2</b>	<b>5.34</b>	<b>4.27</b>
FRESNO	6416, N	1,177	0.0	0.5	2.0	0.4	21.2	1.7	5.26	4.38	1,214	0.0	0.5	2.0	0.4	21.2	1.7	5.26	4.38
FRESNO	400, BQ	1,154	0.0	0.1	1.7	0.3	19.9	0.8	5.51	4.45	1,158	0.0	0.1	1.7	0.3	19.9	0.8	5.51	4.45
FRESNO	403, BQ	906	0.0	0.2	1.6	0.4	20.9	1.7	5.82	4.35	1,000	0.0	0.2	1.6	0.4	21.0	1.7	5.83	4.35
FRESNO	7103, HMX61P	618	0.0	0.0	0.7	0.3	20.5	0.9	5.98	4.34	618	0.0	0.0	0.7	0.3	20.5	0.9	5.98	4.34
FRESNO	273, BQ	503	0.0	0.3	2.4	0.7	21.1	1.4	5.62	4.37	503	0.0	0.3	2.4	0.7	21.1	1.4	5.62	4.37
FRESNO	9027, SVTM	284	0.0	0.1	1.2	0.2	20.6	0.6	5.95	4.35	284	0.0	0.1	1.2	0.2	20.6	0.6	5.95	4.35
FRESNO	187, CXD	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	162	0.0	0.1	2.2	0.4	20.0	1.2	5.19	4.32
FRESNO	9000, SVTM	0	0.0	0.0	0.0	0.0	0.0	0.0	0.00	0.00	146	0.0	0.3	3.4	0.1	21.0	0.5	5.18	4.35
FRESNO	6366, SUN	106	0.0	0.3	1.0	0.2	20.9	4.3	5.91	4.49	106	0.0	0.3	1.0	0.2	20.9	4.3	5.91	4.49
FRESNO	9032, SVTM	99	0.0	0.1	0.6	0.5	21.3	0.5	5.79	4.24	99	0.0	0.1	0.6	0.5	21.3	0.5	5.79	4.24
FRESNO	5608, HZ	84	0.0	0.3	2.2	0.1	21.2	1.7	5.07	4.47	84	0.0	0.3	2.2	0.1	21.2	1.7	5.07	4.47
FRESNO	5511, HMX61P	42	0.0	0.0	1.7	0.1	20.8	3.4	5.93	4.39	42	0.0	0.0	1.7	0.1	20.8	3.4	5.93	4.39
FRESNO	6402, N	27	0.0	0.1	3.4	0.3	19.9	1.8	6.20	4.44	27	0.0	0.1	3.4	0.3	19.9	1.8	6.20	4.44
FRESNO	3842, BOS	25	0.0	0.2	1.4	0.1	21.5	2.9	5.84	4.54	25	0.0	0.2	1.4	0.1	21.5	2.9	5.84	4.54
FRESNO	6426, N	11	0.0	0.3	3.2	0.0	20.2	0.4	5.10	4.37	16	0.0	0.3	3.2	0.1	20.3	0.5	5.12	4.37
FRESNO	6845, BOS	5	0.0	0.4	6.1	0.4	20.3	1.6	5.24	4.38	5	0.0	0.4	6.1	0.4	20.3	1.6	5.24	4.38
FRESNO	8131, BOS	4	0.0	0.5	1.9	0.1	21.5	1.1	5.20	4.32	4	0.0	0.5	1.9	0.1	21.5	1.1	5.20	4.32
FRESNO	MIX	1	0.0	0.0	2.0	0.5	21.5	3.5	4.90	4.34	1	0.0	0.0	2.0	0.5	21.5	3.5	4.90	4.34
FRESNO	UNCODED	1	0.0	1.5	2.0	0.5	20.5	2.0	4.70	4.35	1	0.0	1.5	2.0	0.5	20.5	2.0	4.70	4.35
<b>FRESNO</b>		<b>5,047</b>	<b>0.0</b>	<b>0.2</b>	<b>1.7</b>	<b>0.4</b>	<b>20.7</b>	<b>1.3</b>	<b>5.62</b>	<b>4.39</b>	<b>5,495</b>	<b>0.0</b>	<b>0.2</b>	<b>1.7</b>	<b>0.4</b>	<b>20.7</b>	<b>1.3</b>	<b>5.59</b>	<b>4.38</b>
KERN	400, BQ	1,298	0.0	0.4	2.8	0.6	20.7	1.0	5.14	4.48	1,359	0.0	0.4	2.8	0.5	20.7	1.0	5.13	4.48
KERN	187, CXD	190	0.0	1.0	1.4	0.7	20.6	3.0	4.67	4.41	1,002	0.0	1.9	2.2	0.4	20.8	1.8	4.70	4.38
KERN	403, BQ	738	0.0	0.3	2.3	0.7	21.5	1.6	5.34	4.36	894	0.0	0.4	2.0	0.7	21.5	1.5	5.34	4.35
KERN	7103, HMX61P	788	0.0	0.2	1.9	0.2	20.9	1.5	5.30	4.39	788	0.0	0.2	1.9	0.2	20.9	1.5	5.30	4.39
KERN	6416, N	404	0.0	0.4	4.3	0.4	21.9	0.6	4.77	4.36	447	0.0	0.4	4.1	0.4	21.9	0.6	4.74	4.36
KERN	9013, SVTM	428	0.0	1.6	2.8	0.1	21.0	1.0	4.84	4.37	441	0.0	1.6	2.9	0.1	21.0	0.9	4.84	4.37
KERN	273, BQ	314	0.0	1.3	1.1	0.4	21.6	0.7	5.18	4.31	392	0.0	1.6	1.1	0.4	21.8	0.7	5.23	4.32
KERN	5511, HMX61P	341	0.0	0.7	2.6	0.3	20.8	2.2	5.38	4.47	341	0.0	0.7	2.6	0.3	20.8	2.2	5.38	4.47
KERN	5608, HZ	277	0.0	1.3	1.4	0.4	20.5	1.0	4.96	4.41	314	0.0	1.5	1.4	0.4	20.6	1.0	4.92	4.41
KERN	6366, SUN	191	0.0	0.2	1.5	1.4	20.9	3.0	5.22	4.45	191	0.0	0.2	1.5	1.4	20.9	3.0	5.22	4.45
KERN	6426, N	81	0.0	1.3	1.7	0.4	20.9	0.9	4.75	4.37	170	0.0	1.5	2.7	0.5	21.0	0.8	4.65	4.36
KERN	9027, SVTM	69	0.0	0.4	0.7	0.2	20.6	0.9	5.56	4.40	139	0.0	0.6	0.4	0.4	20.8	0.6	5.45	4.37
KERN	6415, N	53	0.0	2.2	1.5	0.1	21.6	0.9	4.60	4.41	53	0.0	2.2	1.5	0.1	21.6	0.9	4.60	4.41
KERN	9000, SVTM	40	0.0	0.6	1.0	0.4	21.2	0.7	5.23	4.46	40	0.0	0.6	1.0	0.4	21.2	0.7	5.23	4.46
KERN	3887, HM	25	0.0	0.1	3.0	0.2	21.2	2.7	5.37	4.41	25	0.0	0.1	3.0	0.2	21.2	2.7	5.37	4.41
KERN	9032, SVTM	25	0.0	0.5	2.7	0.3	22.6	1.5	5.00	4.35	25	0.0	0.5	2.7	0.3	22.6	1.5	5.00	4.35
KERN	9014, SVTM	15	0.0	1.0	5.2	0.9	20.8	1.7	5.24	4.38	15	0.0	1.0	5.2	0.9	20.8	1.7	5.24	4.38
KERN	9019, SVTM	15	0.0	0.4	2.5	0.2	24.0	1.6	5.33	4.29	15	0.0	0.4	2.5	0.2	24.0	1.6	5.33	4.29
KERN	MISC TRIAL	5	0.0	1.8	0.6	0.3	21.4	0.9	4.54	4.51	5	0.0	1.8	0.6	0.3	21.4	0.9	4.54	4.51
KERN	1662, HZ	3	0.0	0.2	3.7	0.8	22.2	2.2	4.60	4.43	3	0.0	0.2	3.7	0.8	22.2	2.2	4.60	4.43
KERN	MIX	1	0.0	0.0	0.0	0.5	21.0	1.0	6.10	4.46	1	0.0	0.0	0.0	0.5	21.0	1.0	6.10	4.46
KERN	6402, N	1	0.0	1.5	0.5	0.0	22.0	5.5	5.10	4.48	1	0.0	1.5	0.5	0.0	22.0	5.5	5.10	4.48

**2022 Processing Tomato Season**  
 PTAB Analysis 7/16/22 - County by Variety



County	Variety Name	Week Ending 7/16/22									Year to Date								
		Loads	Worm	Mold	Green	MOT	Hue	Lu	Solids	pH	Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
<b>KERN</b>		<b>5,302</b>	<b>0.0</b>	<b>0.6</b>	<b>2.4</b>	<b>0.5</b>	<b>21.0</b>	<b>1.3</b>	<b>5.13</b>	<b>4.41</b>	<b>6,661</b>	<b>0.0</b>	<b>0.8</b>	<b>2.3</b>	<b>0.5</b>	<b>21.0</b>	<b>1.3</b>	<b>5.07</b>	<b>4.40</b>
KINGS	5608, HZ	904	0.0	0.6	3.6	0.3	20.2	1.2	5.50	4.40	956	0.0	0.6	3.6	0.3	20.2	1.1	5.50	4.40
KINGS	273, BQ	754	0.0	0.2	2.7	0.3	21.4	0.8	5.16	4.33	758	0.0	0.2	2.7	0.3	21.4	0.8	5.17	4.33
KINGS	400, BQ	650	0.0	0.1	2.7	0.2	20.7	0.6	5.20	4.44	657	0.0	0.1	2.7	0.2	20.7	0.6	5.20	4.44
KINGS	7103, HMX61P	518	0.0	0.1	2.7	0.2	21.4	0.4	5.03	4.33	518	0.0	0.1	2.7	0.2	21.4	0.4	5.03	4.33
KINGS	403, BQ	446	0.0	0.2	4.8	0.5	21.0	2.0	5.59	4.33	446	0.0	0.2	4.8	0.5	21.0	2.0	5.59	4.33
KINGS	9027, SVTM	206	0.0	0.2	1.1	0.1	20.2	0.7	6.04	4.35	206	0.0	0.2	1.1	0.1	20.2	0.7	6.04	4.35
KINGS	9000, SVTM	204	0.0	0.1	1.5	0.0	21.6	0.6	4.82	4.40	204	0.0	0.1	1.5	0.0	21.6	0.6	4.82	4.40
KINGS	6416, N	185	0.0	0.3	2.2	0.2	21.4	1.3	4.82	4.38	185	0.0	0.3	2.2	0.2	21.4	1.3	4.82	4.38
KINGS	187, CXD	143	0.0	0.2	2.0	0.3	20.0	2.4	5.19	4.38	165	0.0	0.2	2.1	0.3	19.9	2.4	5.22	4.38
KINGS	2016, HZ	66	0.0	0.1	5.3	0.3	21.1	0.4	4.71	4.33	66	0.0	0.1	5.3	0.3	21.1	0.4	4.71	4.33
KINGS	4680, BOS	64	0.0	0.1	3.6	0.1	20.5	0.6	5.31	4.33	64	0.0	0.1	3.6	0.1	20.5	0.6	5.31	4.33
KINGS	9019, SVTM	49	0.0	0.2	4.4	0.2	23.3	0.7	5.41	4.18	49	0.0	0.2	4.4	0.2	23.3	0.7	5.41	4.18
KINGS	9014, SVTM	12	0.0	0.7	3.1	0.1	20.9	1.7	6.30	4.41	12	0.0	0.7	3.1	0.1	20.9	1.7	6.30	4.41
KINGS	9023, SVTM	4	0.1	0.0	1.5	0.0	21.9	1.6	5.65	4.37	4	0.1	0.0	1.5	0.0	21.9	1.6	5.65	4.37
<b>KINGS</b>		<b>4,205</b>	<b>0.0</b>	<b>0.3</b>	<b>3.0</b>	<b>0.2</b>	<b>20.9</b>	<b>1.0</b>	<b>5.28</b>	<b>4.37</b>	<b>4,290</b>	<b>0.0</b>	<b>0.3</b>	<b>3.0</b>	<b>0.2</b>	<b>20.9</b>	<b>1.0</b>	<b>5.29</b>	<b>4.37</b>
MERCED	9018, SVTM	71	0.0	0.0	1.7	0.7	22.3	0.4	5.52	4.28	71	0.0	0.0	1.7	0.7	22.3	0.4	5.52	4.28
<b>MERCED</b>		<b>71</b>	<b>0.0</b>	<b>0.0</b>	<b>1.7</b>	<b>0.7</b>	<b>22.3</b>	<b>0.4</b>	<b>5.52</b>	<b>4.28</b>	<b>71</b>	<b>0.0</b>	<b>0.0</b>	<b>1.7</b>	<b>0.7</b>	<b>22.3</b>	<b>0.4</b>	<b>5.52</b>	<b>4.28</b>
STANISLAUS	9018, SVTM	15	0.0	0.1	2.2	0.2	21.9	0.4	5.01	4.30	15	0.0	0.1	2.2	0.2	21.9	0.4	5.01	4.30
<b>STANISLAUS</b>		<b>15</b>	<b>0.0</b>	<b>0.1</b>	<b>2.2</b>	<b>0.2</b>	<b>21.9</b>	<b>0.4</b>	<b>5.01</b>	<b>4.30</b>	<b>15</b>	<b>0.0</b>	<b>0.1</b>	<b>2.2</b>	<b>0.2</b>	<b>21.9</b>	<b>0.4</b>	<b>5.01</b>	<b>4.30</b>
TULARE	6416, N	209	0.0	0.4	12.5	0.6	22.4	0.8	4.16	4.35	209	0.0	0.4	12.5	0.6	22.4	0.8	4.16	4.35
TULARE	403, BQ	95	0.0	0.2	5.4	2.2	21.3	1.2	5.37	4.26	95	0.0	0.2	5.4	2.2	21.3	1.2	5.37	4.26
<b>TULARE</b>		<b>304</b>	<b>0.0</b>	<b>0.3</b>	<b>10.3</b>	<b>1.1</b>	<b>22.1</b>	<b>0.9</b>	<b>4.54</b>	<b>4.32</b>	<b>304</b>	<b>0.0</b>	<b>0.3</b>	<b>10.3</b>	<b>1.1</b>	<b>22.1</b>	<b>0.9</b>	<b>4.5</b>	<b>4.32</b>
YOLO	273, BQ	48	0.0	0.2	0.3	0.2	22.0	0.0	5.06	4.23	48	0.0	0.2	0.3	0.2	22.0	0.0	5.06	4.23
<b>YOLO</b>		<b>48</b>	<b>0.0</b>	<b>0.2</b>	<b>0.3</b>	<b>0.2</b>	<b>22.0</b>	<b>0.0</b>	<b>5.06</b>	<b>4.23</b>	<b>48</b>	<b>0.0</b>	<b>0.2</b>	<b>0.3</b>	<b>0.2</b>	<b>22.0</b>	<b>0.0</b>	<b>5.06</b>	<b>4.23</b>