

2022 Processing Tomato Season
 PTAB Analysis 10/15/22 - Statewide by Variety



Variety Name	Week Ending 10/15/22										Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH		#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
58841, HM	3,703	0	12.1	2.1	1.9	21.71	0.7	5.04	4.52		31,035	0	3.5	1.8	1.0	21.88	1.0	5.22	4.45
6428, N	3,242	0	8.7	4.6	3.0	22.09	1.2	4.58	4.49		27,365	0	3.5	3.5	1.4	22.40	2.3	4.90	4.50
9013, SVTM	228	0	4.1	3.2	1.3	21.17	0.8	4.87	4.44		22,895	0	1.8	2.8	1.1	21.12	1.8	5.15	4.44
5522, HM 61P	568	0	4.7	1.2	0.5	21.05	0.6	5.36	4.38		22,688	0	1.0	1.1	0.4	20.62	1.0	5.82	4.38
9016, SVTM	1,923	0	8.7	3.5	1.5	22.03	0.5	4.71	4.41		21,191	0	3.7	3.1	0.9	22.00	0.7	5.09	4.41
1662, HZ	850	0	3.2	2.1	1.5	21.73	1.1	5.06	4.39		14,786	0	3.0	2.9	1.1	22.30	2.0	5.09	4.46
0811, BOS	289	0	3.9	1.0	0.5	20.98	0.4	4.97	4.41		11,196	0	1.4	1.7	0.7	20.59	0.9	5.05	4.39
5608, HZ	11	0	26.1	1.1	1.8	21.18	0.8	4.00	4.69		10,702	0	1.1	1.9	0.4	20.39	1.5	5.10	4.45
1082, SVTM	214	0	2.7	2.3	1.6	21.19	1.1	5.26	4.39		10,319	0	1.1	2.1	0.7	21.65	1.7	5.64	4.35
1996, HZ	81	0	4.1	7.1	5.3	20.76	0.8	5.22	4.42		9,602	0	2.4	3.1	1.6	21.29	1.4	5.07	4.45
273, BQ	24	0	0.8	5.0	1.2	19.33	1.8	5.78	4.41		9,522	0	0.6	2.2	0.8	21.31	1.9	5.29	4.40
4521, HMX 61P	169	0	7.5	0.7	1.1	21.50	0.9	5.02	4.42		9,263	0	2.0	1.9	0.5	21.34	0.8	5.54	4.40
9014, SVTM	467	0	5.4	3.2	1.3	20.71	0.8	4.79	4.47		8,915	0	2.1	2.3	0.6	20.99	1.8	5.34	4.45
9023, SVTM	503	0	9.0	2.2	1.5	22.32	1.0	4.66	4.45		8,889	0	2.0	1.5	0.7	22.16	1.6	5.22	4.43
7103, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00		8,706	0	0.2	1.3	0.3	21.09	1.7	5.57	4.40
9027, SVTM	266	0	2.2	4.2	1.1	21.74	0.2	4.55	4.41		8,508	0	0.5	1.9	0.5	21.09	0.9	5.64	4.38
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00		8,398	0	0.3	2.4	0.7	21.28	2.4	5.46	4.37
400, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00		8,191	0	0.3	2.7	0.5	20.36	1.3	5.27	4.50
4707, HEINZ	571	0	6.1	4.4	2.8	22.35	0.9	4.38	4.51		7,856	0	2.3	3.0	1.6	23.03	1.2	4.78	4.47
5511, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00		7,329	0	0.8	1.8	0.4	21.34	4.0	5.66	4.47
8163, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00		7,263	0	1.4	1.0	0.7	20.61	1.6	5.93	4.47
74, BP	247	0	3.0	1.8	0.8	21.39	0.6	5.56	4.41		6,979	0	2.6	1.6	0.6	20.97	1.6	5.45	4.47
9025, SVTM	572	0	3.5	0.7	0.4	21.29	0.4	5.01	4.33		6,744	0	1.6	2.0	0.5	22.01	1.0	5.42	4.30
2015, HZ	118	0	5.0	4.1	3.1	19.89	1.0	4.64	4.45		5,430	0	5.9	3.7	1.9	20.46	1.7	4.45	4.49
43, BP	76	0	4.6	0.8	0.6	21.04	0.7	5.71	4.41		4,927	0	2.2	1.7	0.7	21.39	1.3	5.46	4.47
6402, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00		4,879	0	0.7	1.2	0.4	20.42	2.2	5.82	4.48
9021, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00		4,739	0	1.2	2.2	0.9	21.58	1.3	5.08	4.39
1776, HZ	137	0	0.2	3.9	1.3	19.61	0.4	5.76	4.36		4,592	0	0.7	2.6	0.8	21.07	1.0	5.40	4.44
6434, N	113	0	10.1	2.9	3.4	22.11	1.1	4.70	4.50		4,506	0	2.0	3.4	1.5	23.12	2.5	4.92	4.49
6475, N	336	0	7.4	4.1	1.8	21.03	0.7	4.84	4.54		4,500	0	3.1	3.2	0.8	21.54	1.0	4.78	4.55
8268, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00		3,899	0	1.5	2.2	0.7	20.76	2.3	5.43	4.45
29814, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00		3,792	0	3.1	2.7	0.6	20.79	1.3	5.35	4.50
5235, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00		3,723	0	1.3	2.7	0.7	21.10	2.4	5.16	4.43
9011, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00		3,632	0	1.9	0.9	0.4	20.97	1.9	5.64	4.40
9008, SVTM	230	0	4.6	1.8	0.3	20.83	0.4	4.58	4.38		3,450	0	1.6	1.9	0.3	21.50	1.0	5.26	4.36
16112, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00		3,415	0	1.2	2.0	0.3	20.96	0.7	5.06	4.42
8237, HM	312	0	4.1	1.3	0.5	21.67	0.5	4.99	4.42		3,095	0	2.0	1.8	0.6	21.98	0.9	5.14	4.39
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00		3,053	0	0.5	4.2	0.7	21.30	1.5	4.97	4.38
9032, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00		2,794	0	0.2	1.8	0.8	22.21	1.3	5.45	4.31
1428, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00		2,789	0	3.3	3.2	2.0	21.48	1.1	4.72	4.48

2022 Processing Tomato Season
PTAB Analysis 10/15/22 - Statewide by Variety



Variety Name	Week Ending 10/15/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6366, SUN	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,668	0	1.2	1.2	0.7	20.99	2.9	5.28	4.45
9019, SVTM	156	0	7.5	0.7	0.7	22.69	0.5	5.07	4.36	2,666	0	1.5	1.2	0.5	22.91	2.1	5.47	4.28
9012, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,569	0	2.0	1.1	0.5	21.20	2.0	5.70	4.41
13, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,504	0	0.5	4.2	1.3	21.86	2.0	4.92	4.37
3887, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,260	0	1.7	2.5	0.4	21.68	2.5	5.65	4.44
4909, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2,045	0	1.4	1.0	0.3	22.83	1.0	5.70	4.28
2016, HZ	6	0	9.9	0.8	1.7	22.33	0.1	4.73	4.54	1,925	0	2.5	2.8	0.9	20.84	1.9	4.77	4.43
9905, HARRIS MO	743	0	0.7	2.1	1.3	20.62	0.9	5.19	4.46	1,798	0	1.2	2.7	1.8	20.97	0.9	4.97	4.49
6848, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,737	0	1.4	3.1	0.9	20.18	1.3	4.91	4.45
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,715	0	1.3	2.3	0.6	20.78	2.3	4.79	4.40
0319, DRI	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,691	0	3.3	1.0	1.1	22.58	2.3	5.50	4.43
6420, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,631	0	1.6	1.0	0.6	22.04	2.2	5.11	4.56
2010, HZ	137	0	11.6	4.1	3.1	21.70	1.7	4.31	4.54	1,468	0	7.3	2.9	2.0	21.30	2.2	4.86	4.47
2012, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,427	0	0.7	2.8	1.0	22.62	2.1	5.17	4.47
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,390	0	0.7	2.3	1.1	21.76	1.9	5.00	4.46
9028, SVTM	50	0	3.1	9.5	1.5	21.76	0.2	4.20	4.43	1,371	0	1.0	3.5	0.8	20.70	1.6	5.08	4.45
1991, HZ	52	0	6.0	2.4	1.1	20.15	0.7	4.89	4.41	1,346	0	4.2	2.2	0.8	20.56	3.2	4.84	4.46
6474, N	85	0	7.3	8.4	1.5	22.48	1.2	5.21	4.48	1,294	0	2.8	2.5	0.7	22.47	1.5	5.18	4.46
88, BP	116	0	3.9	1.2	2.8	21.66	1.5	4.54	4.50	1,185	0	2.7	0.8	0.9	21.35	2.4	4.94	4.53
5508, HZ	248	0	2.6	1.5	0.6	21.99	0.6	4.62	4.38	1,177	0	1.3	1.7	0.4	21.15	0.6	4.88	4.35
9018, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	864	0	0.4	1.3	0.9	21.98	1.2	5.32	4.32
5369, HMX61P	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	857	0	0.8	1.2	0.4	21.83	1.2	5.61	4.57
0311, AB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	739	0	1.2	1.2	0.3	21.21	1.5	5.80	4.35
58811, HM	22	0	9.7	0.5	0.4	20.59	0.8	5.01	4.55	682	0	5.1	1.7	1.6	22.49	1.6	5.16	4.47
6473, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	670	0	2.3	2.5	1.4	20.99	2.4	4.94	4.56
UNCODED	12	0	11.6	4.2	1.9	22.17	0.7	4.09	4.44	651	0	3.1	3.3	1.3	21.17	1.7	5.09	4.45
2401, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	603	0	1.9	3.4	0.9	21.98	2.2	5.03	4.36
8011, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	603	0	3.6	1.1	0.4	21.29	1.7	4.83	4.47
1310, HZ	168	0	16.9	5.3	3.5	22.08	1.1	4.26	4.56	599	0	8.9	7.0	2.0	22.42	2.0	4.40	4.53
51, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	561	0	0.5	3.6	1.3	23.46	2.4	5.23	4.34
7885, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	553	0	1.1	1.9	0.4	20.50	1.3	4.86	4.58
3888, HM	22	0	0.9	1.3	0.6	22.07	0.5	5.22	4.54	487	0	3.3	1.5	1.2	21.77	1.3	5.33	4.51
HEINZ TRIAL	56	0	4.3	1.5	0.6	21.56	0.6	5.23	4.33	468	0	2.5	3.3	0.6	23.12	3.7	5.04	4.39
72, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	418	0	1.5	1.6	0.4	21.43	2.3	5.56	4.43
413, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	396	0	2.2	4.2	1.0	21.78	2.0	4.57	4.56
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	390	0	0.2	2.1	0.1	21.34	0.6	5.00	4.39
9037, SVTM	32	0	11.0	4.8	2.9	21.72	1.3	4.62	4.40	388	0	3.1	1.9	0.8	22.41	1.6	5.15	4.40
6426, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	370	0	0.9	3.5	0.5	21.02	2.2	5.16	4.43
63, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	366	0	0.8	2.9	0.5	21.50	4.0	5.05	4.53
1994, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	362	0	1.7	1.5	0.5	21.88	2.0	4.97	4.38

2022 Processing Tomato Season
 PTAB Analysis 10/15/22 - Statewide by Variety



Variety Name	Week Ending 10/15/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
9024, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	358	0	2.1	2.0	0.9	21.86	0.8	5.10	4.36
4885, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	335	0	2.2	0.7	0.3	21.96	1.7	4.68	4.49
9038, SVTM	26	0	8.0	3.8	3.6	21.77	0.8	5.00	4.38	296	0	3.0	2.7	0.9	22.11	1.0	4.79	4.41
4680, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	239	0	0.2	3.5	0.2	20.28	0.8	5.33	4.38
1293, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	226	0	1.2	1.8	0.8	21.76	2.2	5.17	4.59
4565, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	226	0	1.2	2.0	0.3	21.17	1.8	4.89	4.41
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	219	0	0.1	1.3	0.2	21.79	0.9	5.54	4.42
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	205	0	0.1	0.9	0.3	21.59	1.9	5.55	4.33
6407, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	201	0	0.9	0.9	1.0	21.98	0.5	5.29	4.36
6377, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	190	0	2.6	0.8	1.3	22.83	2.1	5.66	4.47
60, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	189	0	0.3	1.4	0.4	20.98	1.6	6.13	4.56
71, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	174	0	0.9	1.0	0.6	21.54	2.0	5.25	4.54
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	170	0	0.9	1.4	0.2	21.56	1.8	5.62	4.46
MIX	1	0	2.0	1.0	0.0	21.50	0.0	5.00	4.32	150	0	2.6	0.8	0.7	20.99	1.4	5.39	4.41
391, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	147	0	0.4	6.8	1.1	20.33	1.9	5.54	4.48
6460, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	139	0	0.1	8.9	1.5	22.02	0.8	5.30	4.35
169, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	137	0	0.8	1.1	0.4	20.46	3.1	5.60	4.51
5706, HZ	91	0	17.1	6.3	3.1	21.90	0.7	4.21	4.53	124	0	16.4	6.5	3.0	21.90	0.7	4.20	4.52
9036, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	117	0	2.9	2.8	0.4	22.17	3.0	5.02	4.46
2128, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	110	0	2.3	0.4	0.8	20.27	3.3	4.81	4.59
49, BP	52	0	4.8	0.9	0.8	21.33	1.1	5.98	4.41	102	0	3.7	0.9	0.5	22.42	1.5	5.25	4.45
6441, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	95	0	0.4	1.9	0.4	21.50	0.6	5.35	4.53
1657, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	94	0	0.2	4.4	0.7	19.74	0.6	5.26	4.46
MISC TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	75	0	1.6	1.2	0.3	21.43	1.8	5.15	4.47
6845, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	63	0	0.1	2.3	0.2	20.45	3.3	5.65	4.44
198, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	60	0	0.2	1.5	0.1	22.15	1.1	4.91	4.44
247, E	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	58	0	0.5	1.3	0.2	21.49	0.9	5.42	4.35
6415, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	53	0	2.2	1.5	0.1	21.58	0.9	4.60	4.41
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	48	0	0.4	3.9	1.3	21.47	1.3	5.31	4.57
9030, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	48	0	3.9	4.9	0.6	20.50	0.2	4.71	4.49
628507, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	33	0	1.2	1.1	0.5	20.18	1.8	5.45	4.51
604, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	25	0	1.1	3.5	0.5	21.34	2.2	5.26	4.40
93, BP	22	0	7.7	0.7	0.8	20.89	0.7	4.65	4.52	22	0	7.7	0.7	0.8	20.89	0.7	4.65	4.52
78, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	20	0	1.2	1.1	0.4	21.75	2.9	5.14	4.40
1311, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	19	0	0.6	1.4	0.6	19.03	0.9	5.15	4.49
262, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	18	0	2.2	3.1	0.9	22.17	3.2	4.91	4.44
6485, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	16	0	1.3	0.5	0.9	20.97	0.6	4.64	4.51
59, BP	15	0	1.6	1.0	0.6	21.27	0.0	5.73	4.42	15	0	1.6	1.0	0.6	21.27	0.0	5.73	4.42
101, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	15	0	1.4	1.0	0.3	21.50	2.3	4.83	4.50
1161, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	15	0	0.3	1.0	0.7	23.23	1.5	5.43	4.45

2022 Processing Tomato Season
 PTAB Analysis 10/15/22 - Statewide by Variety



Variety Name	Week Ending 10/15/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
5900, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	15	0	0.4	0.5	0.4	23.63	1.1	5.36	4.45
58, BP	14	0	2.1	1.0	0.4	21.61	0.4	5.46	4.38	14	0	2.1	1.0	0.4	21.61	0.4	5.46	4.38
628512, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.2	3.7	0.3	21.25	5.5	5.68	4.44
29216, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9	0	1.3	0.6	0.5	21.39	8.4	5.09	4.52
627849, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9	0	0.5	2.2	0.6	22.28	8.2	5.43	4.47
5341, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	0.3	3.7	0.6	20.25	2.9	5.60	4.42
8131, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	0.4	1.5	0.2	21.30	1.3	5.28	4.34
6517, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.5	2.2	0.3	24.33	1.3	5.23	4.44
8422, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.0	3.0	0.5	20.17	4.2	5.90	4.52
8423, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.3	2.3	0.3	20.67	6.2	5.80	4.50
9174, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.7	0.8	20.17	1.0	5.83	4.34
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	5.0	3.0	1.3	24.25	3.0	4.60	4.53
1901, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	2.3	0.3	0.3	20.75	1.8	5.10	4.42
58801, HM	1	0	25.5	1.5	0.0	20.00	0.0	4.50	4.64	2	0	14.0	0.8	0.5	20.75	0.5	4.85	4.55
34, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.5	0.5	0.0	20.50	4.5	5.10	4.62
42, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.5	0.0	1.0	21.50	6.5	5.00	4.52
48, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	2.5	0.0	22.50	2.0	5.60	4.36
0204, LS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	1.0	1.5	20.50	1.5	5.80	4.54
312, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	2.0	0.0	1.0	20.00	2.0	5.20	4.50
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	2.0	0.5	22.50	0.5	5.80	4.42
2241, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	6.5	1.5	0.5	22.00	3.5	5.70	4.52
3817, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	0.5	0.0	23.50	4.5	5.00	4.29
6617, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	23.50	1.5	5.20	4.44
9022, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	24.00	2.5	4.90	4.30
10217, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.0	21.50	1.5	6.50	4.37
STATEWIDE	17,377	0.0	7.6	2.9	1.8	21.66	0.8	4.86	4.46	407,396	0.0	2.0	2.3	0.8	21.46	1.6	5.26	4.43