

2022 Processing Tomato Season
 PTAB Analysis 09/03/22 - Statewide by Variety



Variety Name	Week Ending 9/3/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
5522, HM 61P	1,245	0	0.8	1.3	0.4	21.82	0.8	5.57	4.38	17,657	0	0.5	1.2	0.3	20.51	1.0	5.94	4.38
6428, N	4,672	0	2.4	3.3	1.4	22.97	3.1	4.81	4.49	15,191	0	1.4	3.5	1.0	22.50	2.5	5.01	4.48
9013, SVTM	3,150	0	1.4	2.5	1.0	21.22	2.3	5.20	4.43	12,263	0	1.1	3.0	0.8	21.20	1.8	5.19	4.42
5608, HZ	347	0	0.6	2.2	0.4	20.83	0.7	4.79	4.47	10,476	0	0.9	2.0	0.4	20.37	1.5	5.12	4.45
58841, HM	3,373	0	1.1	1.7	0.5	21.92	1.2	5.41	4.42	10,331	0	0.8	2.3	0.7	21.95	1.2	5.43	4.41
273, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,822	0	0.5	2.2	0.7	21.33	1.9	5.29	4.40
7103, HMX61P	107	0	0.3	0.7	0.1	21.46	2.4	5.19	4.48	8,666	0	0.2	1.3	0.3	21.09	1.7	5.57	4.40
403, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8,398	0	0.3	2.4	0.7	21.28	2.4	5.46	4.37
400, BQ	8	0	0.9	4.5	0.4	20.38	1.3	5.33	4.58	8,191	0	0.3	2.7	0.5	20.36	1.3	5.27	4.50
9027, SVTM	214	0	0.5	1.4	0.4	21.20	1.1	5.47	4.42	8,041	0	0.4	1.8	0.5	21.06	1.0	5.68	4.38
0811, BOS	2,467	0	1.9	1.3	0.4	20.40	0.8	5.25	4.41	7,578	0	1.0	1.9	0.6	20.46	0.8	5.16	4.39
5511, HMX61P	423	0	1.2	1.1	0.6	22.16	2.5	5.23	4.43	6,768	0	0.7	1.8	0.4	21.28	4.1	5.67	4.47
4521, HMX 61P	268	0	1.3	2.0	0.6	21.75	1.0	5.39	4.43	6,481	0	0.5	1.8	0.4	21.11	0.8	5.69	4.38
8163, HM	630	0	1.6	1.0	0.7	20.93	1.8	5.86	4.50	5,909	0	0.9	1.0	0.6	20.53	1.5	5.97	4.46
1082, SVTM	1,509	0	0.9	1.8	0.6	21.99	1.8	5.46	4.36	5,833	0	0.6	2.2	0.5	21.65	1.4	5.64	4.34
9014, SVTM	1,073	0	1.0	1.9	0.4	21.03	1.7	5.34	4.46	5,737	0	1.2	2.3	0.4	21.18	1.9	5.43	4.45
1662, HZ	1,293	0	1.0	3.5	0.9	22.77	2.4	5.09	4.43	5,033	0	0.8	2.8	0.5	22.50	2.1	5.04	4.44
6402, N	74	0	1.1	1.9	0.3	21.20	6.0	5.39	4.58	4,743	0	0.7	1.2	0.4	20.40	2.2	5.83	4.48
9016, SVTM	1,737	0	0.9	2.4	0.5	22.43	0.8	5.11	4.37	4,500	0	0.7	3.1	0.7	22.28	0.7	5.30	4.37
9023, SVTM	339	0	1.3	1.3	0.5	22.77	1.4	5.40	4.44	3,945	0	0.7	1.5	0.4	22.20	1.5	5.35	4.42
1776, HZ	480	0	0.9	4.4	1.3	21.61	1.3	5.30	4.47	3,535	0	0.6	2.6	0.7	20.99	1.0	5.45	4.43
5235, HM	173	0	0.9	0.9	0.6	21.23	1.4	5.14	4.40	3,527	0	1.2	2.7	0.7	21.08	2.3	5.14	4.43
4707, HEINZ	1,688	0	0.6	2.5	0.9	23.37	1.4	4.79	4.46	3,479	0	0.5	2.6	1.0	23.05	1.2	4.88	4.45
9025, SVTM	414	0	0.5	1.8	0.7	22.21	1.0	5.48	4.29	3,432	0	0.4	2.1	0.5	22.34	1.0	5.56	4.30
6434, N	829	0	1.5	2.5	1.0	23.23	3.0	4.88	4.49	3,289	0	1.1	3.7	1.3	23.09	2.3	4.98	4.49
9021, SVTM	749	0	1.3	2.5	1.0	21.39	1.2	5.17	4.42	3,267	0	0.9	2.7	1.0	21.80	1.3	5.01	4.37
6416, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3,053	0	0.5	4.2	0.7	21.30	1.5	4.97	4.38
9032, SVTM	71	0	0.2	4.0	1.0	21.61	1.0	5.55	4.35	2,783	0	0.2	1.8	0.8	22.21	1.3	5.46	4.31
9011, SVTM	242	0	2.0	1.3	0.5	21.67	2.1	5.72	4.37	2,749	0	1.4	0.9	0.3	20.87	1.9	5.65	4.39
13, BP	60	0	0.4	2.4	2.1	21.86	1.7	4.80	4.38	2,503	0	0.5	4.2	1.3	21.86	2.0	4.92	4.37
6366, SUN	18	0	3.7	1.1	0.5	20.92	2.4	5.06	4.49	2,326	0	0.7	1.3	0.5	20.92	3.0	5.24	4.44
8268, HM	730	0	0.9	1.7	0.6	20.92	2.6	5.37	4.42	2,167	0	0.9	2.4	0.6	20.61	2.3	5.50	4.45
3887, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,980	0	1.6	2.8	0.3	21.61	2.7	5.67	4.45
1996, HZ	905	0	0.6	3.9	1.0	21.85	1.5	5.04	4.40	1,972	0	0.4	3.8	0.9	21.48	1.0	5.13	4.39
4909, HMX	164	0	1.7	0.4	0.4	22.85	0.9	6.10	4.28	1,933	0	1.3	1.0	0.3	22.78	1.0	5.74	4.28
43, BP	599	0	2.0	1.9	0.4	21.89	1.6	5.29	4.49	1,905	0	1.4	2.4	0.4	21.80	1.6	5.55	4.49
9012, SVTM	254	0	1.5	1.5	0.5	21.44	1.2	5.63	4.41	1,742	0	1.5	1.2	0.4	21.02	2.1	5.91	4.40
6475, N	437	0	2.2	2.5	0.7	22.07	1.0	4.52	4.55	1,718	0	1.3	3.8	0.7	21.65	1.2	4.79	4.53
187, CXD	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,715	0	1.3	2.3	0.6	20.78	2.3	4.79	4.40
9019, SVTM	274	0	0.6	0.8	0.7	23.02	1.6	5.46	4.26	1,532	0	0.6	1.5	0.4	22.72	2.1	5.66	4.26

2022 Processing Tomato Season
 PTAB Analysis 09/03/22 - Statewide by Variety



Variety Name	Week Ending 9/3/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
9008, SVTM	405	0	0.6	2.1	0.2	21.36	1.3	5.41	4.35	1,528	0	0.6	1.8	0.3	21.57	1.5	5.63	4.35
16112, UG	246	0	0.6	0.9	0.3	21.35	1.5	4.94	4.44	1,484	0	0.3	1.5	0.2	21.35	1.0	5.16	4.39
1015, HEINZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1,390	0	0.7	2.3	1.1	21.76	1.9	5.00	4.46
74, BP	697	0	1.6	2.4	0.4	21.00	1.7	5.32	4.45	1,283	0	1.3	2.4	0.5	20.88	1.7	5.51	4.46
8237, HM	345	0	1.2	1.1	0.4	22.72	0.5	5.16	4.36	1,278	0	0.7	1.6	0.5	21.81	0.9	5.37	4.35
6848, BOS	117	0	1.9	1.6	0.6	20.68	1.2	4.59	4.49	1,239	0	1.4	3.2	0.7	20.31	1.4	4.90	4.45
6420, N	148	0	0.9	0.7	0.4	22.51	3.5	5.24	4.58	879	0	1.0	0.9	0.5	21.85	2.2	5.27	4.56
9018, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	769	0	0.2	1.3	0.8	21.96	1.1	5.30	4.30
5369, HMX61P	53	0	1.6	1.2	0.3	21.89	0.4	5.31	4.49	723	0	0.7	1.2	0.4	21.72	1.1	5.57	4.57
6474, N	109	0	2.8	1.2	0.7	22.74	0.7	4.96	4.43	699	0	2.8	2.8	0.6	22.56	1.8	5.05	4.48
1428, HZ	100	0	0.8	5.8	2.7	21.83	1.1	5.11	4.53	675	0	0.5	3.9	0.9	20.92	0.5	5.01	4.47
1991, HZ	298	0	2.2	2.8	0.6	20.90	4.9	4.99	4.45	621	0	2.0	2.5	0.5	20.51	3.6	4.92	4.44
29814, UG	320	0	1.1	1.8	0.3	20.85	1.5	5.48	4.50	607	0	1.0	1.9	0.3	20.62	1.4	5.68	4.49
0311, AB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	571	0	1.3	1.3	0.2	20.94	1.5	5.71	4.35
51, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	561	0	0.5	3.6	1.3	23.46	2.4	5.23	4.34
7885, HMX	60	0	1.2	1.4	0.4	21.48	2.5	4.96	4.64	553	0	1.1	1.9	0.4	20.50	1.3	4.86	4.58
0319, DRI	197	0	0.8	0.8	0.6	23.15	1.6	5.44	4.36	464	0	1.0	1.3	0.5	22.81	1.4	5.44	4.39
2016, HZ	183	0	0.6	5.6	0.6	21.36	0.9	4.77	4.36	442	0	0.4	4.1	0.5	21.00	0.8	4.91	4.37
6473, N	249	0	2.5	3.5	2.3	21.18	2.1	4.66	4.54	424	0	2.1	2.1	1.4	20.85	2.3	4.84	4.55
9000, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	390	0	0.2	2.1	0.1	21.34	0.6	5.00	4.39
9028, SVTM	165	0	0.6	1.9	0.3	21.38	1.8	4.59	4.46	382	0	0.7	2.6	0.3	20.94	2.0	4.90	4.49
6426, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	370	0	0.9	3.5	0.5	21.02	2.2	5.16	4.43
UNCODED	39	0	2.1	3.3	0.9	22.19	4.9	4.90	4.48	369	0	1.7	3.5	1.3	21.12	2.2	5.29	4.45
63, NB	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	366	0	0.8	2.9	0.5	21.50	4.0	5.05	4.53
72, BP	5	0	1.8	0.8	0.4	21.80	2.6	5.34	4.51	336	0	1.2	1.9	0.4	21.43	2.2	5.63	4.42
4885, HMX	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	335	0	2.2	0.7	0.3	21.96	1.7	4.68	4.49
8011, SV	161	0	1.9	1.1	0.1	20.83	2.8	5.57	4.47	328	0	1.5	1.3	0.2	21.67	2.5	4.96	4.48
88, BP	181	0	1.0	0.9	0.5	21.50	1.4	5.02	4.45	292	0	1.0	0.8	0.4	21.18	2.0	5.21	4.48
HEINZ TRIAL	29	0	1.1	2.7	0.1	21.57	2.0	5.33	4.38	273	0	1.0	4.1	0.6	24.21	5.3	4.92	4.40
4680, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	239	0	0.2	3.5	0.2	20.28	0.8	5.33	4.38
4565, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	226	0	1.2	2.0	0.3	21.17	1.8	4.89	4.41
6397, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	219	0	0.1	1.3	0.2	21.79	0.9	5.54	4.42
16609, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	205	0	0.1	0.9	0.3	21.59	1.9	5.55	4.33
2401, HEINZ	144	0	1.3	2.7	0.3	22.07	2.6	4.96	4.39	192	0	1.3	2.4	0.2	22.01	2.7	5.00	4.40
60, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	188	0	0.3	1.4	0.4	20.98	1.6	6.14	4.56
413, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	177	0	2.7	5.3	0.9	21.88	2.2	4.84	4.53
2015, HZ	170	0	0.4	2.6	0.8	21.09	1.0	4.19	4.41	170	0	0.4	2.6	0.8	21.09	1.0	4.19	4.41
3842, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	170	0	0.9	1.4	0.2	21.56	1.8	5.62	4.46
391, BQ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	146	0	0.4	6.9	1.1	20.33	1.9	5.54	4.48

2022 Processing Tomato Season
 PTAB Analysis 09/03/22 - Statewide by Variety



Variety Name	Week Ending 9/3/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
6460, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	139	0	0.1	8.9	1.5	22.02	0.8	5.30	4.35
169, NB	19	0	2.0	2.4	1.1	20.82	4.9	4.93	4.48	136	0	0.8	1.1	0.4	20.44	3.1	5.61	4.51
2012, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	130	0	0.3	2.6	0.5	22.48	0.8	5.24	4.40
2010, HZ	65	0	0.2	0.2	0.1	20.94	1.3	5.40	4.32	124	0	0.3	0.4	0.2	21.02	1.5	5.66	4.36
71, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	110	0	0.5	1.1	0.6	21.42	2.3	5.47	4.56
6441, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	95	0	0.4	1.9	0.4	21.50	0.6	5.35	4.53
1293, HZ	52	0	1.6	1.3	1.1	22.87	2.5	4.94	4.59	90	0	1.2	1.7	0.9	21.96	2.0	5.28	4.58
6845, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	63	0	0.1	2.3	0.2	20.45	3.3	5.65	4.44
198, SSA	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	60	0	0.2	1.5	0.1	22.15	1.1	4.91	4.44
247, E	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	58	0	0.5	1.3	0.2	21.49	0.9	5.42	4.35
58811, HM	15	0	0.6	0.8	0.7	25.60	3.0	5.09	4.45	57	0	1.8	1.6	1.7	24.08	6.3	5.70	4.49
6415, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	53	0	2.2	1.5	0.1	21.58	0.9	4.60	4.41
MISC TRIAL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	51	0	0.8	1.2	0.2	21.15	1.8	5.32	4.45
9024, SVTM	15	0	1.0	0.6	0.2	21.43	0.9	5.82	4.30	50	0	0.5	5.0	0.7	21.16	0.6	5.83	4.27
9038, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	49	0	1.3	3.3	0.4	21.52	0.8	4.51	4.39
1994, HZ	48	0	1.5	3.0	0.7	21.80	2.0	4.67	4.40	48	0	1.5	3.0	0.7	21.80	2.0	4.67	4.40
6459, N	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	48	0	0.4	3.9	1.3	21.47	1.3	5.31	4.57
MIX	9	0	1.3	1.3	0.4	22.11	0.9	5.41	4.44	22	0	1.1	1.0	0.3	21.73	1.2	5.50	4.42
604, BQ	17	0	1.6	2.5	0.7	21.21	2.1	5.22	4.39	22	0	1.3	2.9	0.6	21.23	2.3	5.26	4.40
628507, HMC	3	0	0.5	0.8	0.2	20.00	0.7	5.47	4.52	21	0	0.9	1.4	0.5	20.14	1.0	5.51	4.48
78, BP	18	0	1.2	0.8	0.4	21.64	3.0	5.10	4.40	20	0	1.2	1.1	0.4	21.75	2.9	5.14	4.40
262, SSA	18	0	2.2	3.1	0.9	22.17	3.2	4.91	4.44	18	0	2.2	3.1	0.9	22.17	3.2	4.91	4.44
2128, HZ	6	0	0.4	0.0	0.1	19.75	2.8	4.47	4.50	13	0	0.2	0.3	0.2	20.12	2.4	4.88	4.54
628512, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	10	0	0.2	3.7	0.3	21.25	5.5	5.68	4.44
627849, HMC	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	9	0	0.5	2.2	0.6	22.28	8.2	5.43	4.47
5341, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	8	0	0.3	3.7	0.6	20.25	2.9	5.60	4.42
8131, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	5	0	0.4	1.5	0.2	21.30	1.3	5.28	4.34
29216, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	4	0	1.5	0.6	0.1	20.88	11.5	5.20	4.53
6517, UG	2	0	0.8	2.0	0.3	22.75	1.3	5.20	4.39	3	0	0.5	2.2	0.3	24.33	1.3	5.23	4.44
8422, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.0	3.0	0.5	20.17	4.2	5.90	4.52
8423, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	1.3	2.3	0.3	20.67	6.2	5.80	4.50
9174, HM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	3	0	0.2	0.7	0.8	20.17	1.0	5.83	4.34
1901, HZ	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	2	0	2.3	0.3	0.3	20.75	1.8	5.10	4.42
48, BP	1	0	2.0	2.5	0.0	22.50	2.0	5.60	4.36	1	0	2.0	2.5	0.0	22.50	2.0	5.60	4.36
49, BP	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.5	22.50	0.5	5.20	4.58
108, HYPEEL	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	1.0	5.0	1.5	24.00	3.0	5.70	4.42
0599, SV	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	2.0	0.5	22.50	0.5	5.80	4.42
4569, BOS	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.5	0.5	0.5	20.50	2.5	5.50	4.48
6617, UG	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	23.50	1.5	5.20	4.44

2022 Processing Tomato Season
PTAB Analysis 09/03/22 - Statewide by Variety



Variety Name	Week Ending 9/3/22									Year to Date								
	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH	#Loads	Worm	Mold	Green	MOT	Hue	LU	Solids	pH
9022, SVTM	0	0	0.0	0.0	0.0	0.00	0.0	0.00	0.00	1	0	0.0	0.5	0.0	24.00	2.5	4.90	4.30
10217, UG	1	0	0.5	0.5	0.0	21.50	1.5	6.50	4.37	1	0	0.5	0.5	0.0	21.50	1.5	6.50	4.37
STATEWIDE	35,726	0.0	1.3	2.2	0.7	21.91	1.8	5.17	4.43	238,268	0.0	0.8	2.2	0.6	21.35	1.7	5.39	4.42